

REFERENCES

- Abd-Elatif, A.H. (1982):
Ps.aeruginosa in urinary tract infection incidence,
 sero and pyocine typing.
 Thesis submitted for master degree Microbiol.
 Faculty of medicine (Girls) AlAzhar Univ.

- Ackerman, V.P. and Obbink, D.J.C. (1979):
 Screening for transferable antibiotic resistance in
 the clinical laboratory.
 J. Antimicrob. Chemother. 5: 167-172.

- Adetosoye, A.I (1980):
 Transmissible drug resistance in human and animal
 strains of Enterobacteriaceae and *Ps.aeruginosa*.
 Res. Vet. Sci 29, 342.

- Albrecht, R. (1977):
 Development of antibacterial agents of nalidixic
 type.
 Progrss drug Res. 21 : 9.

- Alexieva, Z.; Duvall, E.J.; Ambulos, N.P.; Kim, U.
 and Lovett, P.S. (1988):
 Chloramphenicol induction of cat.86 requires ribo-
 some stalling at a specific site in the leader.
 Genetics. 85 : 3057 - 3061.

- Ali, A.M.M.; Abd-Elhalim, M.M. And Abd-Elsalam, M.S.
 (1985a):
 Genetically engineered *E. cerevisiae* renin producers
 and the location of the gene.
 Faculty of Agric. Cairo University. Bull 36 : 1045 -
 1054.

- Ali, A.M.M.; Abd-Elhalim, M.M. And Abd-Elsalam, M.S.
 (1985b):
 The location & renin gene in genetically engineered
E.coli.
 Faculty of Agric. Cairo University Bull 36: 291-288.

- Ambulos, N.P.; Monkolsuk, S. and Lovett, P.S (1985a):
 A transcription termination. Signal immediately pre-
 cedes the coding sequence for the chloramphenicol
 inducible plasmid gene cat-86.
 Mol. Gen. Gent. 199: 70-75.

- Ambulos, N.P.; Mongkolsuk, S.; Kaufman, J. and Lovett, P.S (1985b):
Chloramphenicol-induced translation of cat-86 mRNA requires two cis - Acting regulatory regions.
J. Bacteriol. 164 : 696-703.
- Ambulos, N.P.; Duvall, E. and Lovett, P.S. (1986):
Analysis of the regulatory sequences needed for induction of the chloramphenicol acetyl transferase gene cat 86 by chloramphenicol.
J. Bacteriol. 167: 842-844.
- Anderson, E.S. (1968a):
The ecology of transferable drug resistance in enterobacteria .
Annu. Rev. Microbiol. 22: 131 -180.
- Anderson, T. (1970):
Testing susceptibility to antimicrobial agents and assay of antimicrobial agents in body fluids.
"In Manual Of Clinical Microbiology" eds. Blain ,
The American Society for Microbiology, Bethesda MD.
pp. 50-78.
- Angelatou, F.; Litsas., S and Kontomichalou, P. (1982):
Purification and properties of two gentamicin modifying enzymes coded by a single plasmid originating from *Ps.aeruginosa*.
J. Antibiot 35: 235.
- Aronoff, S.C and Klinger, T.D. (1984):
In vitro activities of aztreonam, Piperacillin and Ticarcillin combined with amikacin on resistant *Ps. aeruginosa*. and *Ps. cepacia* isolated from children with cystic fibrosis.
Antimicrob. Ag. Chemoth. 25, 279.
- Ashour, M.S. (1980):
Studies on the therapy of burns in experimental animals subjected to infection with *Ps. aeruginosa* isolated from cases in Egyptian hospitals.
A thesis of Ph.D. in Microbiology, faculty of Pharmacy Cairo Univ.

- Ashour, M.S.E.; Hussein, M.E.; Shoeb, S.A.; Garib, M.A. and Attalah, M.A. (1987):
Ps.aeruginosa in Egyptian Hospitals isolation, Identification and Serotyping.
Az. J. Microbiol. Vol. 2, December 1987.
- Ballard, R.W.; Doudoroff, M.; Stainer, R.Y. and Mansel, M. (1968):
J.Gen. Microbiol. 53, 349.
- Ballard, R.W., Palleroni, M.Z., Doudoroff, M., Stainer, R.Y. and Mansel, M. (1970):
J. Gen Microbiol. 60, 199.
- Barker, P.M. and Prescott, F. (1973):
Antimicrobial agents in medicine, Black well Scientific publications, Oxford, London, Edinbury and Melbourne.
- Barr, F.S.; Garman, H.E. & Harris, J.R. (1954):
Antibiotic & Chemother. 4: 818-821.
- Barth, P.T.; Richards, H. & Datta, N. (1978):
Copy numbers of coexisting Plasmids in *E.coli* K-12.
J. of Bacteriol 135, 760-5.
- Benveniste, R. and Davies, J. (1973):
Mechanisms of antibiotic resistance in bacteria.
Ann. Rev. Biochem. 42, 471.
- Bergan, T. (1981):
Pathogenetic factors of *Ps. aeruginosa*.
Scandinavian Journal of infectious Diseases 29, (Suppl.), 7-12.
- Bergey's Manual of Systematic Bacteriology (1984):
Vol. 1 P. 144-199. The Williams and Wilkins Co.
- Bertoye, M. & Courtieu, A. (1960):
Traitement des infections a bacilles pyocyaniques par des bacteriophages adaptes par selection.
J. Med. Lyon. 41, 134.
- Berzeziska, M.; Benvensite, R.; Davis, J.; Danick, P.J.L and Weinstein, J. (1972):
Centamicin resistance in strains of *Pseudomonas* mediated by enzymatic N-acetylation of the deoxystreptamine moiety.
Biochemistry 11 :671.

- Bijorn, M.J.; Pavlovskis, O.R.; Thompson, M.R. and Iglewski, B.H. (1979):
Production of exoenzyme S during *Ps.aeruginosa* infections of burned mice.
Infect. Immun., 24 : 837-842.
- Boivin, A. and Mesrobian, L. (1937):
Sur l'antigène O., endotoxine des pyocyaniques.
C.R.Soc. Biol. 125 - 23
- Bongaerts, G.P.A. and Molendijk, L. (1984):
Relation between aminoglycoside 2" O-Nucleotid transferase activity and aminoglycoside resistance.
Antimicrob. Ag. Chemother. 25, 234-237.
- Bouchand, D.; Scavizzi, M.R. and Chabbaert, Y.A (1969):
Elimination by ethidium bromide of antibiotic resistance in Enterobacteriaceae.
J. of Gen. Microb. 54, 417.
- Bradley, D.E. (1967):
Ultrastructure of bacteriophages and bacteriocins
Bacteriol. Rev. 31 : 230-314.
- Braude, A.J.; Davis, C.E. & Fierer, J. (1981):
Medical Microbiology and infectious diseases. eds.
W.B. Saunders Co. Philadelphia, London, Toronto, Mexico city Sydney and Tokyo.
- Bremner, D.A. (1979):
Transfer of plasmid mediated antibiotic resistance in strains of *Ps.aeruginosa* isolated in Auckland.
J. Med. Microb. 12 : 303.
- Brock, T.D. (1979):
Plasmid, conjugation and recombinant DNA. In Biology of Microorganisms. T.D. Brock (Editor) p. 374. Prentice-Hall, Inc., Englewood Cliffs, New Jersey.
- Brokopp, C.D. and Farmer, J.J. (1979):
Typing methods for *Ps. aeruginosa*. In Doggett (Editor) *Ps. aeruginosa* Clinical manifestations of infection and current therapy.
Academic Press. New York, pp. 89 -133.

- Bryan, L. (1979):
Resistance to antimicrobial agents: the general nature of the problem and the basis of resistance in *Ps.aeruginosa* Clinical Manifestation of infection and current therapy. Edited by R.G. Doggett. New York, Academic Press p. 219-270.
- Bryan, L.; Shahrabadi, M. and Van-Den Elzen, H. (1974):
Gentamicin resistance in *Ps. aeruginosa*. "R-factor mediated resistance.
Antimicrob. Agents Chemother. 6: 191 - 199.
- Bryan, L.; Van-Den Elzen H.M. and Shahrabadi, M.S. (1975):
The relationship of aminoglycoside permeability to streptomycin and gentamicin susceptibility of *Ps. aeruginosa*.
In Mitsuhashi and Hashimoto (Editors), Microbial drug resistance University of Tokyo Press, Tokyo, pp. 475 -490.
- Bryan, L.; Hara, K. and Wong, S. (1984):
Lipopolysaccharide change in permeability type aminoglycoside resistant in *Ps.aeruginosa*.
J. Antimicrob. Agents Chemother. 26, 250-255.
- Carney, S. & Jones, R. (1968):
Biological and immunochemical properties of culture filtrates of virulent and a virulent strains of *Ps.aeruginosa*.
Brit. J. Exp. pathol. 49, 395.
- Carrod, L.P.; Lambert, H.P. and Grady, F.O. (1981):
Penicillins, Antibiotics and Chemotherapy 5th ed.
Churchill Livingstone, Edinbury p. 82.
- Cervantes, C.; Chavez, J. and Rodriguez, M. (1988):
Antibiotic susceptibility of clinical isolates of *Ps.aeruginosa*.
Antonie Van Leewenhoek 52 : 319-23.
- Chang, A. & Cohen, S. (1978):
Construction and characterization of amplifiable multicopy DNA cloning vehicles derived from the P 15 cryptic miniplasmid.
J. of Bacteriol. 134, 1141 -56.

- Charles, L. (1970):
Isolation, preparation and characterization of deoxyribonucleic acids. In uptake of Informative molecules by living cells, ledoux, L. (ed.), p. 16, North - Holland publishing Co., Amesterdam - London.
- Cheesbrough, M. (1985):
Medical laboratory Manual for Tropical Countries. Vol II Ensligh Language Book society. Tropical Health Technology. Butterworth and Co. ltd. pp. 196-205.
- Chen, H.Y. and Williams, J.D. (1985):
Transferable resistance and Aminoglycoside-Modifying enzymes in Enterococci.
J. Med. Microbiol, 20 : 178 - 196.
- Christei, R. (1948):
Opservations on the biochemical and serological characteristics of *Ps.pyocyanea*.
Aust. J. Exp. Biol. Md. Sci. 26 :425.
- Clowes, R.C. (1972):
Molecular structure of bacterial plasmids.
Bacteriol. Rev. 36 : 361.
- Clowes, R.C.; Moody, E.E.M. and Pritchard, R.H. (1965):
The elimination of extrachromosomal elements in thymineless strain of *E.coli* K 12.
Genet. Res. 6 : 147 - 152.
- Cohen, S.N. (1976):
Transposable genetic elements and plasmid evolution.
Nature. 236: 731 - 738.
- Cohen, S.N.; Chang, A.C.Y. and Hus, L. (1972):
Nonchromosomal antibiotic resistance in bacteria genetic transformation of *E.coli* by R.factor DNA.
Proc. Natl. Acad. Sci. U.S.A., 69 : 2116.
- Cohen, S.N.; Miller, C.A.; Tucker, W.T.; Meacock, P.A. & Gustaffson, P. (1985):
Partitioning of the PSC101 plasmid during cell division In plasmids in Bacteria (Helinski, D.R. Cohen, S.N., Clewell, D.B., Jackson, D.A. & Hollaender, A., Eds). pp. 383-95. Plenum Press, New York.

- Colwell, R. (1964):
A study of feature used in diagnosis of *Ps. aeruginosa*.
Can. J. Microbiol. 37; 181.
- Coombe, R.G. and George, A.M. (1981):
New plasmid-mediated aminoglycoside adenylyltransferase of broad substrate, range that adenylylates amikacin. Antimicrob. Ag. Chemother. 20, 75.
- Crompton, D.O.; Anderson, K.F. and Kennare, M.A. (1962):
Trans. Opth. Soc. Austral. 22 :81.
Cited from Toplay and Wilson's principles of Bacteriology and Immunolgy 6 th edition. Vol. I (1975).
- Cross, A.S.; Sadoff, J.C.; Iglewski, B.H. & Sobol, P.A. (1980):
Evidence for a role of Toxin A in the pathogenesis of infection with *Ps. aeruginosa*. in humans.
J. of infect. Dis. 142, 238-46.
- Cruickshank, R.; Duguid, J.P.; Marmion, B.P and Swain, R.H.A. (1975):
Medical Microbiology vol. 2, 12th edn. p.444-448, eds. The English Language Book Society Churchill, Livingstone, London.
- Curtiss, R. (1969):
Bacterial conjugation.
Annu. Rev. Microbiol. 23: 69-136
- D'Amato, R.F.; Thornsberry, G.; Baker, C.N. and Kirven, L.A. (1975):
Effect of calcium and magnesium ions on the susceptibility of *Pseudomonas* species to tetracycline, gentamicin, polymyxin B, and carbenicillin.
Antimicrob. Agents chemother. 7, 596.
- Daschner, F.; Langmaack, H.; and Wiedermann, B. (1978):
Antibiotic resistance in intensive care unit areas.
Infect. Control. 4 : 382-387.
- Datta, N. (1977):
Epidemiology and classification of plasmids. In Microbiology, edited by D. Schlessinger, American Society for Microbiology. Washington, D.C.

- Datta, N. (1979):
Plasmid Classification: Incompatibility grouping. In
plasmids of Medical, Environmental and Commercial
Importance, K.N.Timmis and Puhler (Editors) pp.3-12.
Elsevier North Holland Biomedical Press.
- Davies, J. (1979):
General Mechanisms of Antimicrobial resistance.
Reviews of Infect Dis. vol. I, No. I, Jan-Feb.(1979)
- Davies, J. and Rownd, R. (1972):
Transmissible multiple drug resistance in Enterobact-
eriaceae. Science, 176 : 758 - 768.
- Davies, J. and Kagan, S.A. (1977):
What is the mechanism of plasmid-determined resistance
to aminoglycoside antibiotics ? In R-factors: their
properties and possible control, edited by J.Drews and
G. Hogenaure. Springer Verlag, New York, pp. 207-220.
- Davies, J. and Courvalin, P. (1977):
Mechanisms of resistances to aminoglycosides.
Amer. J. Med., 62 (Supl.), 25.
- Davies, J. and Smith, D.I. (1978):
Plasmid determined resistance to antimicrobial agents
Annu. Rev. Microbiol. 32: 469-518.
- Davis, D.H; Doudoroff, M. and Stainer, R.Y. (1969):
Int. J. Syst. Bact. 9, 375.
- Dean, H.; Morgan, A.; Asche, V. & Holloway,
B.W. (1977):
Isolates of *Ps.aeruginosa* from Australian hospitals
having R-plasmid determined antibiotic resistance
Med-J-Aust 4 :116.
- D'Herelle, F. (1938):
"Le phenomene de la guerison dans less maladies
infectieuses" Masson edit paris, cited from lang et
al., (1979).
- Dodd, H. & Bennett, P. (1986):
Location of the site-specific recombination system of
R-46: a function necessary for plasmid maintenance.
J.of Gen. Microbiol. 132, 1009-20.

- Doudoroff, M. and Palleroni, N.J. (1974):
Pseudomonas. In Bergey's Manual of Determinative Bacteriology, 8th ed. R.E. Buchanan and N.E. Gibbons, eds. Baltimore, Williams and Wilkins, pp. 217-243.
- Drasar, F.A.; Farrell, W.; Maskell, J. and Williams, J.D. (1979):
Tobramycin, amikacin, sisomicin and gentamicin resistant Gram-negative rods.
Brit. Med. J., 2, 1284.
- Dulong De Rosnay, H.L.C.; Grimont, P.A.D.; Dessaut, B. and Lesgouarres, M.T. (1976):
Comparative invitro activity of tobramycin, gentamicin, kanamycin, colistin, carbenicillin and ticarcillin on clinical isolates of *Ps.aeruginosa* epidemiological and therapeutic implications.
J. Infect. Dis. 134, 50.
- Duval, J. and Soussy, C.J. (1980):
Antibiotherapie, P.15 Edited by Masson et cie, Paris.
- Duvall, E. and Lovett, P.S. (1986):
Chloramphenicol induced Translation of the m RNA for a chloramphenicol resistance gene in *Bacillus subtilis*.
Gen. 83 :3939-3943.
- Duvall, E.; Ambulos, N.P. and Lovett, P.S. (1987):
Drug free induction of a chloramphenicol acetyl transferase gene in *B. subtilis* by stalling Ribosomes in a Regulatory leader.
J. Bacteriol. 169 : 4235-4241.
- Edgar, R.S. (1963):
Some technical consideration concerning experiments on phage recombination. Cited by Buredette, W.J. Methodology in basic genetics. Holden - Day Inc., San Francisco. p. 20.
- Edmund, F.W. (1986):
Antibiotic resistance in developing countries.
J.of Infect. Dis. 152 : 1103 - 6.
- Ehrlich, S.D. (1977):
Replication and expression of plasmids from *Staph. aureus* in *B. subtilis*.
Proc Natl. Acap. Sci. U.S.A. 14 : 1680-1682.

- El-Kersh, T.A. and Plourde, J.R. (1976):
Biotransformation of antibiotics. Investigation of the chloramphenicol acetyltransferase in *Streptomyces griseus*.
J. Antibiotics, 29: 1187-1198.
- El-Naggar, W.A. (1984):
Comparative studies on different strains of *Ps.aeru- ginosa* isolated from various sources.
Thesis submitted for degree of Doctor of philosophy (microbiology). Faculty of pharmacy Mansoura Univ.
- Ericson, C. (1969):
Resistance to acriflavine and cadmium, and changed phase reactions markers of a new staphylococcal penicillinase plasmid.
Acta pathologica et Microbiologica Scandinavica 76, 333.
- Falkow, S. (1975):
Infectious Multiple Drug Resistance. Point ltd., London.
- Falkow, S.; Citarella, R.V.; Wohlhieter, J.A. and Watanabe, T. (1966):
The molecular nature of R-factor.
J. of Molecular. Biology 17, 102.
- Fenson, A.H. and Gray, G.W. (1969):
The chemical composition of the lipopolysaccharide.
Biochem. J. 114 : 185.
- Fisher, M.W. (1977):
A polyvalent human δ - globulin immune to *Ps. aerugi- nosa* produce passive protection of mice against lethal infection.
J. infect. Dis., Suppl., 136, 318.
- Fisher, M.W.; Devlin, H.B. and Gnabasik, F.J. (1969):
New immunotype scheme for *Ps.aeruginosa* based on protective antigens.
J. Bacteriol. 98, 835.
- Foster, T.J. (1983):
Drugs and toxic metal ions in bacteria.
Microbiological Reviews 43, 361 - 409.

- Fredericq, P. (1951):
Origin spontanee des mutants de *E. coli* V produisant
la colicine M.
J. Microbiol. Serol. 17: 227-231.
- Fredericq, P. and Gratia, J.P. (1960):
Recherches gentiques sur la resistance croisee au
phage T 1 et a' la colicine B chez *E. coli*. *Compt.*
Rend. 154 : 2150 - 2153.
- Frey, J. & Timmis, K.N. (1985):
CoID - derived cloning vectors that autoamplify in
the stationary phase of bacterial growth.
Gen. 35, 103-11.
- Furth, A. (1975):
Putrifaction and properties of a constitutive beta-
lactamase from *Ps. aeruginosa*.
Biochem. Biophys. Acta., 377 : 431-443.
- Fyfe, J.A.M. and Covan, J.R.W. (1980):
Alginate synthesis in mucoid *Ps. aeruginosa*. :a
chromosomal Locus involved in control.
J. Gen. Microbiol. 119 : 443-450.
- Gaby, W. and Free, E. (1958):
Differential diagnosis of pseudomonas like micro-
organism in clinical laboratory.
J. Bacteriol. 76; 442.
- Gardner, P.; Smith, D.; Beer, H. and Melling, R.
(1969):
Recovery of resistance R-factors from a drug free
community.
Lancet 2, 774.
- Garrod, L.P. and Waterworth, P.M. (1969):
Susceptibility of *Ps. aeruginosa* to tobramycin and
gentamicin alone and in combination with carbenicil-
lin.
J. Clin. Path. 22; 534.
- Garrod, L.P. and O'Grady, F. (1971):
Antibiotic and chemotherapy, 3rd ed Edinburgh,
Churchill Livingstone. p :216
- Garrod, L.P.; Lambert, H.P. and O'Grady, F. (1981):
"Antibiotic and Chemotherapy". 5th edn. Churchill
Livingstone (London). p :218

- Gilardi, G.L. (1978):
Glucose-nonfermenting Gram-negative bacteria in
clinical Microbiology. p :172
West Palm Beach CRC. Press. Inc. U.S.A.
- Gilman, A.G, Goodman, L.S. and Gilman, A. (1971):
Pharmacological basis of therapeutic, 4th ed.
Macmillan publishing Co., Inc. New York. p.1159-
- Godwin, D. & Slater, J. (1979):
The influence of the growth environment on the sta-
bility of a drug resistance plasmid in *E.coli* K12.
J. of Gen. Microbiol. 111, 201-10.
- Gordon, J. & McLeod, J. (1928):
The practical application of the direct oxidase
reaction in bacteriology.
J. Pathol. Bacteriol. 1, 185.
- Govan, J.R.W. and Fyfe, T. (1978):
Mucoid *Ps. aeruginosa* and cystic fibrosis. Resistance
of the mucoid form to carbenicillin and tobramycin
and the isolation of mucoid variants in vitro.
J. Antimicrob. Chemother. 4 : 233.
- Guyer, M. (1978):
The Y_d sequence of F is an insertion sequence.
J. of Molecular Biology 126, 347-65.
- Gyles, C.L.; Miller, S. and Falkow, S. (1974):
The enterotoxin plasmids of *E.coli*.
J. Infect. Dis. 130 : 49-59.
- Habs, I. (1957):
Z. Hyg. infection skr. 144 : 218. Cited from Topley
and Wilson's principles of Bacteriology and Immunolo-
gy. 6th ed. vol. I, (1975).
- Hahn, D.; Schimpff, S.; Young, V.; Fortner, H.;
Standiford, H. and Wiernik, P. (1977):
Amikacin and cephalothin empiric regimen for granuloc-
ytopenic Cancer patients
Antimicrob. Ag. chemoth. 12, 618.

- Hahan, F. and Clake, J. (1971):
Elimination of bacterial episomes by DNA complexing compounds. *Annals of the New York Academy of sciences* 182, 295.
- Hale, T.L.; Sansonetti, P.J.; Schad, P.A.; Austin, S. and Formal, S.B. (1983):
Characterization of virulence plasmid and plasmid associated outer membrane proteins in *Shigella flexneri*, *Shigella sonnei* and *E.coli*.
Infect. Immun. 40: 340-350.
- Hanessian, S.; Regan, W.; Watson, D. & Hasbell, T. (1971):
Isolation & characterization of antigenic components of a new hepta valent pseudomonas vaccine.
Nature (New Biol) 229, 209.
- Hardy, K. (1981):
Bacterial plasmids.
Printed and bound in Hong Kong. pp. 196-199.
- Hedges, R. and Jacob, A. (1975):
Mobilization of plasmid borne drug resistance determinants for transfer from *Ps. aeruginosa* to *E.coli*.
Mol. Gen. Genet 140 :69.
- Helling, R., Kinney, T. & Adams, J. (1981):
The maintenance of plasmid - containing organisms in populations of *E. coli*.
J. of Gen. Microbiol. 123, 129-41.
- Herbert, R.B. and Holliman, F.G. (1964):
Aruginosin B A naturally occurring phenazine sulfonic acid. *Proc Chem Soc.* 1964 :19.
- Hirota, Y. (1956):
Artificial elimination of the F-factor in *E.coli* K 12
Nature, 178: 92.
- Hirota, Y. (1960):
The effect of acridine dyes on mating type in *E.coli*.
Proc. Natl. Acad Sci. U.S. 46: 57 - 64.
- Hirota, Y. and Ijima, T. (1957):
Acriflavine as an effective agent for elimination F.factor in *E.coli*.
Nature, 180 : 655.

- Hohn, B. and Korn, D. (1969):
Co-segregation of a sex factor with the *E.coli* chromosome during curing by acridine orange.
J. Molecular. Biology. 45: 385-395.
- Holby, N.(1977):
Ps. aeruginosa infection in cystic fibrosis.
Acta pathologica Scandinavica 262, Suppl. C, 3 - 9.
- Holliman, F.G.(1957):
Pigments of a red strain of *Ps. aeruginosa*.
Chem. Ind. 28 : 1668.
- Holloway, B.W. (1960):
Grouping *Ps. aeruginosa*. by lysogenicity and pyocinogenicity.
J. Pathol. Bacteriol. 80: 448 - 450.
- Holloway, B.W (1969):
Genetics of *Pseudomonas*.
Bact. Rev. 33 : 419.
- Holloway, B.W. (1974):
Genetic analysis of antibiotic resistance in *Ps.aeruginosa*.
In microbial drug resistance "edited by Mitsuhashi S. and Hashimoto N. University Park - Press, Baltimore-London-Tokyo. p. 344.
- Holloway, B. W.; Krishnapillai, V. and Morgan, A.F. (1979):
Chromosomal genetics of pseudomonas.
Microbiol. Rev. 43 : 73-102.
- Holt, P.S. and Misfeldt, M.L.(1984):
Alteration of murine response by *Ps.aeruginosa*. exotoxin A.
Infect. Immun. 45 :227-233.
- Hooper, D.C.; Wolfson, J.S.; Tung, C. and Swartz, M.N. (1983):
Norfloxacin inhibits bacterial growth by antagonism of DNA gyrase and inhibits conjugal plasmid transfer.
Proceeding of 23rd Interscience conference on Antimicrob. Ag. Chemoth abst. 1021.
Washington DC, Am. Society for Microbiology.

- Hopwood, D.A. (1978):
Extrachromosomally - determined antibiotic production.
Annual Review of Microbiology 32, 373 - 92.
- Horinouchi, S., and Weisblum, B. (1982):
Nucleotide sequence and functional map of p.c 194, a plasmid that specifies inducible chloramphenicol resistance.
J. Bacteriol. 150 : 815-825.
- Hughs, D.W.; Vilim, A. and Wilson, W.L. (1976):
Chemical and physical analysis of antibiotics.
Can. J. Pharm. Sci. 13, 21.
- Hugh, R. and Gilardi, G.L. (1980):
Pseudomonas. In Ienette Balows, Hausler and Truant (Editors), Manual of clinical Microbiology 3rd. Ed., American Society for Microbiology, Washington, D.C., p. 289-317.
- Hugh, R. and Leifson, E. (1953):
The taxonomic significance of fermentative versus oxidative metabolism of carbohydrates by various Gm-negative bacteria.
J. Bacteriol. 13 : 133.
- Hugo, W.B. & Russelle., A.D. (1984):
Pharamaceutical Microbiology 3rd ed. Black Well Scientific publications, London U.K.P. 63
- Ito, A.; Hirai, K.; Inoue, I.; Koga, H.; Suzue, S.; Irikura, T. and Mitsuhashi, S. (1980):
In vitro activity of AM 715 a new nalidixic acid analogue.
Antimicrob. Ag. Chemoth. 17 : 1033 - 108.
- Iyobe, S.; Hasuda, K.; Sagai, H. and Mitsuhashi, S. (1975):
Drug resistance and R-factors in *Ps. aeruginosa*.
In: Mitsuhashi, S., Hashimoto, J., ed. Microbial drug resistance. Baltimore, Univ. Park Press, p. 321
- Iyobe, S.; Sagai, H. and Mitsuhashi, S. (1981):
Transposon encoding chloramphenicol resistance in *Ps. aeruginosa*.
J. Bacteriol. 146, 141.

- Jacob, F.; Lwoff, A.; Siminovitch, A. and Wollman, E. (1953):
Definition de quelques terms relatifs a la lysogenie.
Annu. Inst. Pasteur. 84 : 222 - 224.
- Jacoby, G. A. (1974 a):
Properties of R Plasmids determining gentamicin resistance by acetylation in *Ps. aeruginosa*.
Antimicrob. Agents Chemoth. 6:239-252.
- Jacoby, G. A. (1974 b):
Properties of an R plasmid in *Ps. aeruginosa*. producing amikacin (BB-K8), butirosin, kanamycin, tobramycin, and sisomicin resistance.
Antimicrob. Agents Chemoth. 6: 807
- Jacoby, G.A. (1976):
Classification of plasmids in *Ps. aeruginosa*.
In Schlessinger (Editor), Microbiology (1977), American Society for Microbiology Washington, D.C. pp. 119-126.
- Jacoby, G.A. (1979):
Plasmids of *Ps. aeruginosa*.
In Doggett (Editor) *Ps. aeruginosa*, clinical manifestation of infection and current therapy.
Academic Press, New York, pp. 271 - 309.
- Jacoby, G. A., Jacob, A.E. and Hedges R.W. (1976):
Recombination between plasmids of incompatibility groups. P-1 and P-2.
J. Bacteriol. 127: 1278.
- Jacoby, G.A. and Shapiro, J.A. (1977):
Plasmids studied in *Ps. aeruginosa* and other *pseudomonas* In Bukhari, Shapiro and Adhy (Editors), DNA insertion elements, plasmids and Episomes.
Col. Spring Harbor Laboratory, Cold Spring Harbor, New York. P. 639 - 656.
- Jacoby, G.A.; Weiss, R.; Korfehen, T.R.; Krishnapillai, V.; Jacob, A.E. and Hedges, R.W. (1978):
An explanation for the apparent host specificity of *Pseudomonas* plasmid R91 expression.
J. Bacteriol. 136: 1159-1164.
- Jawetz, E. & Gunnison, J. (1952):
Experimental basis of combined antibiotic action
J.A.M.A. 150; 693.

- John, J.; Rubens C. and Farrar, W. (1980):
Characteristics of gentamicin - resistance in nosco-
mial infections.
Am. J. Med Sci. 279, 25-30.
- Joklik, W.K.; Willett, H.P. & Amos D.B. (1980):
17th edition Zinsser Microbiology (eds).
Appelton - Century - crofts, New York P. 273.
- Jones, C.E.; Alexander, J.W. and Fisher, M. (1973):
Clinical evaluation of *Ps. aeruginosa* hyper immune
globulin.
J. Surg. Res. 14, 87.
- Jones, I.; Poimrose, S.; Robinson, A. & Ellwood, D.
(1980):
Maintenance of Some CoLEI. type plasmids in chemostat
culture.
Molecular and General Genetics 180, 579 -84.
- Jones, R.J. (1968):
Protection against *Ps.aeruginosa*. infection by immh-
nization with fraction of culture filtrates of
Ps. aeruginosa Br.
J. Exp. Path., 49, 41.
- Jones, R.J. (1972):
Specificity of early protective rsponses induced by
pseudomonas vaccines.
J. Hyg Camb. , 70, 343.
- Jones, S. & Melling, J. (1984):
Persistence of pBR 322 - related plasmids in *E. coli*
grown in chemostat cultures.
FEMS Microbiological Letters 22, 239-43.
- Judy, A.; Daly, R.B. and John, M. (1984):
Differential primary plating medium for enhancement
of pigment production by *Ps.aeruginosa*.
J. Clin. Microbiol. 9 , 6 : 742-743.
- Kado, C.I. and liu, S.T. (1981):
Rapid procedure for detection and isolation of large
and small plasmids.
J Bacteriol., 145: 1365-1373.

- Karpova, S. (1957)
Sbornik trudov. Meginstitus Koy Konferensii
Sostavsheia u. g. Teblisi 297-305
- Kato, T.; Sato, Y.; Iyobe, S. and Mitsuhashi, S.
(1982):
Plasmid mediated gentamicin resistance of *Ps. aeruginosa* and its lack of expression in *E. coli*.
Antimicrob. Agents Chemother. 22: 358
- Katsorchis, N. J.; Le Gakis, B.; Sharori, V.; Genmmata and Pataryas, H. (1985).
Outer surface changes of *Ps. aeruginosa* in relation to resistance to Gentamycin and carbencillin.
J. Med. Microbiol. 19:375-381.
- Kawabe, H.; Umezawa, H.; Iyobe, S. and Mitsuhashi, S.
(1977):
Mechanisms of R - mediated streptomycin resistance in *Ps. aeruginosa*., p. 365 - 37. In S. Mitsuhashi, L. Rosival, and V. Kremery (ed.) plasmid, medical and theoretical aspects. Springer, Verlag, Berlin.
- Kenneth, N.; Manuael, I.; Tsutomu, S. and Ffernando, R. (1986):
Biological activities specified by antibiotic resistance plasmid.
J. Antimicrob. Chemother. 18 : 1-12
- Kettner, M.; Navarova, J.; Rydl, Z.; Knothe, H.; Lebek, G. and Kremery, V. (1981):
Occurrence of aminoglycoside modifying enzymes in resistant strains of enterobacteria and *Ps. aeruginosa*
J. Antimicrob. Chemother 8 : 175.
- King, E.O. (1964):
The identification of unusual pathogenic Gram. negative bacteria.
Communicable Disease Center, Atlanta, Georgia.
- Klastersky, J.C.; Hensgens, C. & Daneau, D. (1975):
Therapy of staphylococcal infection: Comparative study of cephaloridine and gentamicin.
Am. J. Med. Sci. 269; 201
- Kleckner, N. (1981):
Transposable elements in prokaryotes.
Annu. Rev. Genet. 15: 341 - 404.

- Kluge, R.M.; Standiford, H.C.; Tatem, B.; Yong, V.M.; Green, W.H.; Schimpff, S.C.; Calia, F.M. and Horinck, R.B. (1974):
Comparative activity of tobramycin, amikacin and gentamicin alone with carbenicillin against *Ps. aeruginosa*.
Antimicrob. Ag. Chemother. 6, 442.
- Klyhn, K. M. and Corril, R.H. (1967):
Studies on the virulence of hospital strains of *Ps. aeruginosa*.
J. Gen. Microbiol. 47: 227.
- Knothe, H. and Krcmery, V. (1975):
Apparent antagonism by a resident R plasmid for entry of related gentamicin - tobramycin plasmids in *Ps. aeruginosa*.
Chemother. 21: 281.
- Kono, M. & O'Hara, K. (1975):
R-factors in *Ps. aeruginosa*.
J. Gen. Microbiol. 91, 191.
- Kornfagen, T. R.; Ferrel, J.A.; Menefee, C.L. and Lopper, J.C. (1976):
Resistance plasmids of *Ps. aeruginosa*: change from conjugative to non conjugative in a hospital population.
Antimicrob. Agents Chemother. 9 : 810 - 816
- Kornfagen, T.R.; Sutton, L. and , Jacoby, J.A. (1978):
Classification and physical properties of *psedomonas* plasmids.
American Society for Microbiology, Washington, D.C., pp. 221 - 224.
- Kostiala, A. (1986):
Ps. aeruginosa infection and vaccination in the rat. J. Med. Microbiol. B, 201.
- Lanyi, B. (1970):
Serological properties of *Ps. aeruginosa*. II Type Specific Thermolabile (Flagellar) antigens.
Acta. Microbiol. Acad. Sci. Hung. 17: 35 - 48.

- Larid, W.; Aaronson, W.; Silver, R.P.; Habig, W.H. and Hardegree, M.C. (1980):
Plasmid-associated toxigenicity in *Clostridium tetani*.
J. Infect. Dis. 142: 623.
- Lau, W.; Young, L.; Black, R.; Winston, D.; Linne, S. and Weinstein, W. (1977):
Comparative efficacy and toxicity of amikacin/ carbenicillin versus gentamicin / carbenicillin in leukopenic patient.
Am. J. med. 62 ; 212.
- Laurence, D.R (1970);
Clinical Pharmacology, 3rd ed. English Language book centre, p. 46 - 94.
- Lebek, G. (1977):
Medizinische Aspekte infektiöser Antibiotika - Resistenz gram - negative Darmbakterien.
Pathol. Microbiol. (Basel) 30 , 10 , 5.
- Lederberg, J. (1952):
Physiological Rev. 32 : 403.
- Lee, S.; Gerding, D. & Cleary, P. (1986):
Hospital distribution, persistence and reintroduction of related gentamicin R plasmids.
Antimicrob. Agents and chemother. 29 , 654 - 9.
- Lennette, F.H., Spaulding, H. and Traut, J.P. (1974):
Manual of clinical microbiology American Society for Microbiology. pp:152-165
- Lepper, M.H. & Dowling, H.F. (1951):
Treatment of pneumococci meningitis with penicillin compared with penicillin plus neomycin .
Arch. Intern. Med. 88 , 489.
- Lieberman, M. (1978):
Ps. ribosomal vaccines : preparation properties, and immunogenicity.
J. Infect. Immun. 21 ; 75.
- Lin, B.C. and Kado, C.I. (1977):
Studies on *Agrobacterium tumefaciens*. VII. Avirulence induced by temperature and ethidium bromide.
Can. J. Microbiol. 23 : 1554 - 1561.

- Linton, A.H. & Hinton, M. (1984a):
The ecology of antibiotic - resistant bacteria in animals and their environment.
In antimicrobial and Agriculture (Woodbine, M., Ed), pp. 533 - 49. Butterworths, London.
- Linton, A. & Hinton, M. (1984b):
The ecology of R plasmids in *Salmonella Typhimurium* and associated bacteria.
In Agriculture - priority Aspects of Salmonellosis Research (Errebolarsen, H., Ed.), pp. 275 - 86.
Office for Official Publications of the European Communities Luxembourg. Eur EN.
- Liu, P.V. (1964 a):
Factors that influence toxigenicity of Pseudomonas aeruginosa.
J. Bacteriol. 88 : 1321.
- Liu, P.V. (1974):
Extracellular toxins of *Ps. aeruginosa*.
J. Infect. Dis. 130 : 594 - 9.
- Liu, P.V.; Abe, Y. and Bates, J.L. (1961):
The role of various fractions of *Ps. aeruginosa* in its pathogenesis.
J. Infect. Dis. 108 : 218.
- Lora, S.Z. and Bernadine, J.W. (1985):
Characterization of the insertion of pseudomonas Exotoxin A into membranes.
Infect. Immun. 50, 3 : 630 - 635.
- Lorian, V.(ed.) (1980):
In Antibiotics in laboratory Medicals pp. 1 - 23.
Williams & Wilkins, Baltimore, London.
- Loutit, J.S. (1971):
Investigations of the mating system of *Ps. aeruginosa* strain I. VI mercury resistance associated with the sex factor (F P).
Genet. Res. 16 : 179 - 184.
- Lowbury, E. (1975):
Ecological importance of *Ps. aeruginosa*. In "Biochemistry and genetics of *Ps. aeruginosa*" edited by Clarke, P.H. and Richmond, H.John. Wiley, London.

- Lowbury, E.J.L. & Jones, R.L. (1975):
Treatment and prophylaxis for pseudomonas infections
In "M.R. Brown (ED) Resistance of *Ps.aeruginosa*"
chap. 7 p. 237 - 248 John Wiley & Sons, London.
- Lowbury, E.J.L.; Lilly, A., Kidson, G.A.J.
and Jones, R.J. (1979) :
Sensitivity of *Ps. aeruginosa* to antibiotics:
emergence of strains highly resistant to carbenicil-
lin.
Lancet 69:448-452.
- Luria, S.E. and Dellbruch, M. (1943)
Mutations of bacteria from viruses sensitivity to
viruses resistance
Genetics. 28 : 491
- Manhart M. D.; Morris, R. E. and Bonventre P. F.
(1984) :
Evidence of pseudomonas exotoxin A receptors on
plasma membrane of toxin sensitive L M fibroblasts.
Infect. Immun. 45/3 (596-603).
- Martin, O.M.; Cums, A.J.; Geraphty, M.J.; Zager,
J. R. & Made, T.C. (1969)
J. Infect. Dis. 114 : 506
- Mathias, R.G; Ronald, A.R.; Garwith, M.J.; McCul-
lough, D.W.; Stiver, H.O.; Berger, J.; Cates, C.V.;
Fox L.M. and Lank. B.A. (1976) :
Clinical evaluation of amikacin in treatment of
infections due to Gram-negative aerobic bacilli.
J. Infect. Dis. 134 : Suppl.,S. 394-540.
- Matsumoto, H. and Tazaki, T. (1973) :
PP5 factor, an undescribed sex factor of *Ps. aerugi-
nosa*.
Jpn. J. Microbiol. 17 : 409-417.
- Matusis, Z ; Melnikov, U. and Gerarimov, A. (1967):
Efficacite due traitement par le phage dans
L' infection experimentale par proteus
J. Mikrobiol. Epidemiol. Immunobiol. 44,100
- May, J.W.; Houghton R.H. and Perret, C.J. (1964).
The effect of growth at elevated temperatures on some
heritable properties of *Staph. aureus*.
J. Gen. Microbiol. 37 : 157-169.

- Mayer, K (1986)
Review of epidemic aminoglycoside resistant worldwide
Am.J.Med 80,56
- Mayer, K.; Hopkins, J.; Gilleece, E.; Chao, L. &
O'Brien, T. (1986)
Molecular evolution, species distribution, and clinical consequences of an endemic aminoglycoside resistance plasmid.
Antimicrob. Agents and Chemother. 29, 628-33.
- Mc combie, W.R; Hansen, J.; Zylstra, G.; Mauer, B.
and Olsen, R. (1983).
Ps. aeruginosa streptomycin resistance Transposon associated with R-plasmid mobilization
J. Bacteriol. 155,40
- McCoy, E. (1954)
Ann. Rev. Microb. 8,272
- Mc Gowan, J. E. (1983)
Antimicrobial resistance in hospitals organisms and its relation to antibiotic use.
Rev. of Infect. Dis. 5,1033
- McNeill, W.; John, J. and Twitty, J. (1984).
Aminoglycoside resistance in *Ps. aeruginosa* isolated from cystic fibrosis patients.
Am. J. Clin. Pathol. 81 ; 742-747.
- Melling, J., El Lwood, D. & Robinson, A. (1977).
Survival of R-factor carrying *E coli* in mixed cultures in the chemostat. FEMS Microbiology Letters 2, 87-9.
- Mermod, N.; Lehrbach, P.R.; Don, R.H. & Timmis, K.K. (1985).
Gene cloning and manipulation in *Pseudomonas*. In the Bacteria, Vol.10, the Biology of *Pseudomonas*.
- Meyer, R.D.; Lewis R.P.; Halter, J. and White, M. (1976).
Gentamicin - resistant *Ps. aeruginosa* and *Serratia marcescens* in a general hospital.
Lancet, 1, 580.
- Meynell, G.G. (1973).
Bacterial plasmids. MacMillan (ed.) London. p: 96

- Michael, H. and Grieco, M.D. (1982) :
Antibiotic resistance. In the Medical clinics of
North America Antimicrobiol therapy (Ed.) by Burke, A
and Gunha, M.D.W.B. Saunders Company, Philadelphia,
London, Toronto, Mexico city, Vol. 66. No.1, Jan.
- Michaels, G.B. and Eagon, R.G. (1966) :
The effect of ethylene diamine tetra acetate and
lysozyme on isolated lipopolysaccharide from *Ps.*
aeruginosa.
Proc. Soc. Exp. Biol. N. Y. 122:866.
- Micheal-Briand, Y.; Stanisich, N.A. & Jouvenet,
M. (1977)
Ps. aeruginosa strain isolated in France, that car-
ries plasmid determining carbinicillin - resistance.
Antimicrob. Agents and Chemother. II; 584..
- Micheal-Briand, Y.; Dupond, M.; Chardon-soriaux, I.
and Jouvenot, M. (1981).
Isolation of an antibiotic multi-resistance plasmid
from *Ps. aeruginosa*.
J. Antimicrob. Ag. chemother.. 7,37.
- Mikesell, P.; Ivins, P.E.; Ristroph J.D. and Dreier.
T.M. (1983).
Evidence for plasmid mediated toxin production in
Bacillus anthracis.
Infect. Immun. 39: 371 - 376.
- Miller, J.M.; Spilsbury, J.E.; Jones, R.J.; Roe, E.A.
and Lowbury, E.J.L (1977)
A new polyvalent *Pseudomonas* vaccine.
J. Med. Microbiol . 10,19.
- Mills, B.J. and Holloway, B.W. (1976).
Mutation of *Y Ps. aeruginosa* that show specific
hypersensitivity to aminoglycosides.
Antimicrob. Ag. Chemother. 10, 411 - 416.
- Mitsuhashi. S.; Harada K. and Kameda, M. (1961).
Elimination of transmissible drug-resistance by
treatment with acriflavine.
Nature, 189 : 947.

- Mitsuhashi, S.; Kawabe, H.; Fuse, A. and Iyobe, S.
(1975).
Biochemical mechanism of chloramphenicol resistance
by Mitsuhashi, S. and Hashimoto, H. (eds.), Vol. 1
University of Tokyo Press. Tokyo, Japan.
- Mitsuhashi, S.; Yamagishi, S.; Sawai, T. and Kawabe,
H. (1977).
In R-factor drug resistance plasmid.
Mitsuhashi, S. (editor) pp. 195 - 251. University
Park Press, Baltimore.
- Moellering, R.C. (1977)
Microbiological considerations in the use of tobramycin
and related aminoglycosidic aminocyclitol antibiotics.
Med. J. Aust. (suppl.) 2,4
- Mokhtar, A.M. (1985) :
Pyocine typing of *Ps. aeruginosa* strains of Ain Shams
University Hospitals.
Thesis Submitted in partial fulfilment for the master
degree (clinical Pathology)
Faculty of Medicine Ain Shams University.
- Moller, N.; Koch, C.; Hoiby, N. and Jensen, K. (1981)
Treatment of pulmonary *Ps. aeruginosa* infection in
cystic fibrosis with cefsulodin combined with Tobramycin,
12th International Congress of Chemotherapy.
Florence Italy. P.533
- Mongkolsuk, S.; Ambulos, N.P. and Lovett, P.S.
(1984).
Chloramphenicol induced gene expression in *B. subtilis*
is independent of the chloramphenicol
acetyl transferase structural gene and its promoter.
J.Bacteriol. 160:1-8.
- Moody, M.R.; Young, V.M.; Schimeff, S. and Kenton,
D.M. (1970):
Relationship of *Ps. aeruginosa* immunotypes to antibiotic
susceptibility patterns.
Antimicrob. Agents Chemother. 2 , 249.
- Moorhead, P.J. and Parry, H.E. (1965):
Treatment of some dysentery.
Br. Med. J. 11 : 913.

- Morris, D. & Broda, P. (1979):
R-plasmid R. 9, and R. 91 a from *Ps. aeruginosa* share only the gene for carbenicillin resistance.
J. Bacteriol. 138 , 1036.
- Mucha, D. and Farrand, S. (1986):
Diversity of determinants encoding carbenicillin, gentamicin and tobramycin resistance in nosocomial *Ps. aeruginosa*
Antimicrob. Agents and Chemother. 30:281
- Murray, P (1980):
Activity of cefotaxime - aminoglycoside combination against aminoglycoside - resistant *Ps. aeruginosa*.
Antimicrob. Ag. Chemother. 17, 474.
- Necombe, H.B. (1949):
Origin of bacterial variants.
Nature (London) 164 : 150.
- Neu, H.G. (1975):
Clinical role of *Ps. aeruginosa*. In Glucose Non Fermenting Gram - negative Bacteria in Clinical Microbiology (Gilardi, G.L., Ed.), PP. 38 - 104. CRC Press, West Palm Beach.
- Neu, H.C. (1976)
Tobramycin: An overview
J. Infect. Dis. (suppl.) 134,3
- Neu, H.C. (1982):
Mechanisms of bacterial resistance to antimicrobial agents with particular reference to cefotaxim and other B. lactam compounds.
Reviews of Infectious Diseases 4, Suppl., 288 - 99.
- Nicas T.I.; Frank, D.W.; Stenzel, P.; Lile, J.D. and Iglewskil, B. (1985):
Role of exoenzyme S in *Ps. aeruginosa* chronic lung infection.
Eur. J. Clin. Microbiol. 4 :175 - 9.
- Nitzan, Y., Saron, R.; Maayan, M. and Steuerman, C. (1985):
Ps. aeruginosa isolates from different medical institutions.
Isr. J. Med. Sci. 21 : 798 - 803.

- Nordstrom, K. (1985):
Replication, Incompatibility and partation. In plas-
mid in Bacteria.
Chelinski, D.R. Cohen, SS.N., Clewell, D.B., Jackson,
D.A. & Hollaender, A., Eds). PP. 119 - 123. Press,
New york.
- Novick, R.P. (1969):
Extrachromosomal inheritance in bacteria.
Bacteriol. Rev. 33: 210 - 263.
- O'Brien, T.; Ross, D.; Guzman, M.; Medeiros, A.;
Hedges, J.R. & Bolsetin, D. (1980):
Dissemination of an antibiotic resistance plasmid in
hospital patient flora.
Antimicrob. Agents and Chemother. 17, 537 - 43.
- Palleroni, N.J. (1978):
The Pseudomonas group (patterns of progress, no. 15)
Meadowfield Press. Durham, England.
- Palleroni, N.J. (1980):
Isolation and properties of a new hydrogen bacterium
related to *Ps. accharophila*.
J. Gen. Microbiol. 117: 155 - 161.
- Palleroni, N.J. (1984):
Pseudomonadaceae.
Bergey's Manual of Systemic Bacteriology Vol. 1, P.
141 - 199. Eds. baltimore : Williams and Wilkins.
- Parker B.M., and Prescott, F. (1973):
" Antimicrobiol. Agents in medicine".
Blackwell Scientific Publications, Oxford, London,
Edinburgh and Melbourne.
- Pencheva, P. (1988):
Serotyping of *Ps. areuginosa* strains isolated in
Bulgaria using the Lanyi, Bergan combined scheme.
Acta Microbiol. Hung. 33 : 345 - 9.
- Perbat, B. (1984):
A rpactical Guide to Molecular Cloning A wiley -
Interscience publication John wiley & Sons (p. 91).

- Perea, E.J. and Daza, R.M. (1975):
R - factors to aminoglycoside antibiotics. In Drug -
inactivating enzymes and antibiotic resistance.
Mitsuhashi, S.; Rosival, L.; and Krcmery, V.
(Editors). pp. 287-295. Avicenum - Czechoslovak
Medical press. Prague.
- Peterson, P.K. (1980):
Host defence against *Ps. aeruginosa*
In *Ps. aeruginosa* - The organism, Diseases it
causes and their Treatment, (Sabath, L.D., Ed.)
pp. 103-18. Huber., Vienna.
- Phillips, I. (1983):
Environmental factors contributing to antibiotic
resistance.
Infect. Control. 4: 448-451.
- Phillips, I.; King, B.A. and Shannon, K. (1978):
The mechanisms of resistance to aminoglycosides in
the genus *pseudomonas*.
J. Antimicrob. Chemother. 4, 121-129.
- Pinney, R.J. and Smith, J.T. (1973):
Curing of an R-factor from *E.coli* by trimethoprim.
Antimicrob. Chemother. 3: 670-676.
- Portnoy, D.A.; Moseley, S.L. and Falkow, S. (1981):
Characterization of plasmids and plasmid - associated
determinants of *Yersinia enterocolitica*
pathogenesis.
Infect. Immun. 31: 775-782.
- Portnoy, D.A.; Blank, H.F.; Kingsbury, D.T. and
Falkow, S. (1983):
Genetic- analysis of essential plasmid determinants
of pathogenicity in *Yersinia pestis*.
J. Infect. Dis. 148: 297-304.
- Price, C.W; Randall, W.A.; Weldes, H. and Chandler,
V.C.H. (1949):
Am. J. Pub. Health 39, 340.
- Price, K.E., Pursiano, T.A.; De-Furia, M.D. & Wright,
G.E. (1974):
Activity of amikacin against clinical isolates re-
sistant to one or more aminoglycoside antibiotics.
Antimicrob. Ag. Chemother. 5, 143.

- Price, K.E.; Defuria, M.D. and Pursiano, T.A. (1976):
Amikacin, an aminoglycoside with marked activity
against antibiotic resistant clinical isolats
J. Infect. Dis. 134; 249.
- Rabie, S.A. (1984):
Evaluation of bacteriophage therapy in Ps. aeruginosa.
Thesis submitted for Degree of Ph. D. Faculty of
Medicine Al Azhar Univ.
- Redfearn, M.S.; Palleroni, N.J. and Stainer, R.Y.
(1966):
J. Gen. Microbiol. 43, 243.
- Reeves, P.R. (1965):
The Bacteriocins.
Bact. Rev. 29: 24-45.
- Rensburg, A. and Koch, M. (1974):
A new R.factor from *Ps. aeruginosa*.
J. Gen. Microbiol. 82, 207.
- Reynolds, H.Y.; Levine, A.; Wood, R.; Zierdt, C.;
Dale, D. and Pennington, J. (1975):
Ps. aeruginosa infections persisting problems
and current research to find new therapies.
Ann. Intern. Med. 82; 819 - 831.
- Reynolds, A.V.; Hamilton - Miller, J.M.T. & Brumflitt
. W. (1976):
In vitro activity of amikacin and ten other amino-
glycoside antibiotics against gentamicin resistant
bacterial strains.
J. of Infect. Dis. 134, 261.
- Richmond, M. & Sykes, R. (1972):
The chromosomal integration of lactamase gene derived
from the P. type R- factor RPI in *E coli*.
Genetical Research 20, 231-7.
- Roukavodstva, P.A. (1964):
Microbiologi; infectsionikh Bolezni vol 4, P 201.
- Rowand, R., Nakaya, R. and Nakamura, A. (1966):
Molecular nature of drug resistance factors of the
enterobacteriaceae.
J. Of Molecular Biology 17, 376.

- Ruben, F.; Norden, C. & Hruska, E. (1978):
Factors associated with acquisition of *Ps. aeruginosa*
resistant to gentamicin.
Am. J. Med. Sci. 275; 173-179.
- Rubens, C.E.; Mc Neill, W.F. and Farrar, W.F. (1979):
Transposable plasmid deoxyribonucleic acid sequence
in *Ps. aeruginosa* which mediate resistance to gentami-
cin and other four antimicrobial agents
J. of Bacteriol. 139, 877.
- Rubens, C.E.; Farrar, W.E.; McGee, Z.A. and Schaff-
ner, W. (1981):
Evolution of plasmid mediating resisting to multiple
antimicrobial agents during a prolonged epidemic of
nosocomial infections.
J. Infect. Dis. 143: 170-181.
- Ryan, F.J.; Fried, P. and Mukai, F. (1955):
A colicin produced by cells that are sensitive to it.
Biochem. Biophys. Acta. 18: 131.
- Sabath, L.D.; Jayo, M. and Abraham, E.P. (1965):
Cephalosporinase and penicillinase activities of
a beta lactamase from *Ps. aeruginosa*.
Biochem. J. 96: 739-752.
- Sansonetti, P.J.; Ryter, A.; Clerc, P.; Maurelli, A.
& Mounier, J. (1986):
Multiplication of *Shigella flexneri* within Hela
cells: Lysis of the phagocytic vacuole and plasmid-
mediated contact haemolysis.
Infection and Immunity 51, 461-9.
- Schatz, A.; Bugie, R. and Waksman, S.A. (1944):
Streptomycin, A. Substance exhibiting antibiotic
activity against Gram-positive and Gram-negative
bacteria.
Proc. Soc. Exper. Biol. and Med., 55, 66; Quoted by
Hussar and Halley (1954).
- Scherzinger, E.; Bagda Sarian, M.M.; Scholz, P.;
Ruckert, B. & Bagdasarian, M. (1984):
Replication of the broad host range plasmid RSF 1010:
requirement for three plasmid - encoded proteins.
Proceedings of the National Academy of Sciences
U.S.A. 81, 654-8.

- Seale, T.W.; Thirkill, H.; Tarpay, M.; Flux, M. and Rennist, O.M. (1979):
Serotypes and antibiotic susceptibility of *Ps. aeruginosa* isolated from single sputa of cystic fibrosis patients.
J. Clin. Microbiol. 9, 72-78.
- Semancik, K.; Vidaver, J.S. and Van Etten, J. (1973):
Characterization of a segmented double helical RNA from bacteriophage 96.
J. Molec. Biol. 78: 617-625.
- Shah, P.P.; Briedis, D.J.; Rebson, H.G. and Conterato, J. P. (1979):
In vitro activity of piperacillin compared with that of carbenicillin, ticarcillin, ampicillin, cephalothin and cefamandole against *Ps. aeruginosa* and Enterobacteriaceae.
Antimicrob. Ag. Chemother. 15, 346.
- Shaw, C. & Clarke, P. (1955):
Biochemical classification of *Proteus* and *providence* cultures.
J. Gen. Microbiol. 13; 155.
- Shevia Kovi D. (1956):
Antibiotiki, 1 (6) 40.
- Shiba, K.; Ohmari, M.; Saito, A.; Ueda, Y., Kitaura, K. and Mineura, K. (1981):
Synergistic activity of fortimicin and B-lactam antibiotics against *Ps. aeruginosa* in vitro & vivo.
12th International congress of chemotherapy Florence, Italy vol. 1, p. 240.
- Shimizu, K.; Kumada, T.; Hsieh, W.; Chong, H.Y.; Chong, Y.; Hare, R.; Miller, G.H.; Sabatell, F.J. and Howard, J. (1985):
Comparison of aminoglycoside resistance pattern in Japan, Formosa and Korea, Chile, and the United States.
Antimicrob. Ag. Chemother. Aug. 282-288.
- Shivanananda, P.G.; Nayak, M.; Mohan, M., Rao, K., and Singh, Y. (1978):
Therapeutic trial of pseudomonas vaccines. A preliminary report.
Ind. J. Med. Res. 68: 580.

- Sinclair, M.I.; Asche, V.; Morgan, A. and Holloway, B.W. (1981):
Plasmid determined tobramycin and gentamicin resistance in strains of *Ps. aeruginosa* from two Sydney hospitals.
Med. J. Aust. 6: 283.
- Smith, A.L. (1985):
Principles of Microbiology, 10th ed. p. 251.
Times Mirror/Mosby, College Publishing.
- Smith, D.J.; Gomez, L.R.; Rubio-Clavo, M.C., Datta, N.; Jacob, A.E. & Hedge, R.,U. (1975):
Third type of plasmid conferring gentamicin resistance in *Ps. aeruginosa*.
Antimicrob. Ag. chemother. 8, 227.
- Smith, H.R.; Humphreys, G.O.; Willshaw, G.A. & Anderson, E.S. (1976):
Characterization of plasmids coding for the restriction - endonuclease Eco RI.
Molecular and General Genetics 143, 319-25.
- Sonne, M. & Jawetz, E. (1969):
Combined action of carbenicillin and gentamicin on *Ps. aeruginosa*. in vitro.
Appl. Microbiol. 17-893.
- Sonnenschein, C. (1927):
Die Mucosus - formdes pyocyaneus - Bakteriums. Bacterium pyocyaneum mucosum.
Zentralbl. Bakteriologie. Parasiten K. Infektions Kr. Hyg. Abox. I., Ori. 104: 365-373.
- Soussy, C.J.; Thibault, M.; Kitzis, M.D.; Acar, J.F.; Duval, J. and Chabbert, Y.A. (1977):
Ann. Microb. (Inst Pasteur) 128B: 19-33.
- Stainer, R.Y.; Palleroni, N.J. and Doudoroff, M. (1966):
The aerobic pseudomonads a taxonomic study.
J. Gen. Microbiol. 43: 154-271.
- Suginaka, H.; Ichikawa, A. and Kotani, S. (1975):
Penicillin - resistant mechanisms in *Ps. aeruginosa*.
Antimicrob. Ag. chemother., 7, 624.

- Summers, A.O.; Jacoby, G.A.; Swartz, M.W.; Mchugh, G. and Sutton, L. (1978):
Metal cations and oxy anion resistences in plasmids of Gram - negative bacteria In Schlessinger (Editor), Microbiology (1978), American Society for Microbiology, Washington, D.C., pp. 128-131.
- Sutter, G.R. and Kirk, V. M. (1968):
Rickettsia like particles in fat body cells of carabid beetles.
J. Invert. Pathol. 10: 445-449.
- Sutter, V. (1968):
Identification of Pseudomonas species isolated from hospital environment and human sources.
Applied Microbiology 16, 1532-1538.
- Sutton, L. & Jacoby, G.A. (1978):
Plasmid - determined resistance to hexachlorophene in *Ps. aeruginosa*.
Antimicrob. Ag. and Chemother. 13, 634-6.
- Sykes, R.B. and Richmond, M.H. (1970):
Intergeneric transfer of a beta lactamase gene between *Ps. aeruginosa* and *E. coli*.
Nature., 226: 952-954.
- Sykes, R.B. and Mathew, R.C. (1976)
The beta lactamases of gram negative bacteria and their role in resistance to beta lactam antibiotics.
J. Antimicrob. Chemother. 2:115 157
- Tantulavanich, S.V.M.; Olexy, T.R.; Prasad, T.J.; Bird, C.; Talanda-Fath, H.G.; And Farrand, S.K. (1981):
An R plasmid of broad host - range, coding for resistance to nine Antimicrobial agents endemic in gram negative nosocomial isolates.
J. Med. Microbiol. 14: 317-380.
- Tattersall, M.H.N.; Spikes, A.S.D. and Darrell, J.H. (1972):
Initial therapy with combination of five antibiotics in febrile patients with leukemia and neuipenia.
Lancet: 162-166.

- Terawaki, Y.; Takayasu, H. and Akbia, T. (1967):
Thermosensitive replication of Kanamycin resistance factor.
J. Bacteriol. 94: 687-690.
- Thalia, I.; Nicas, J. B.; Janis, E.; Lochner, B. and Iglweski, B. (1985):
The role of exoenzymes in infections with *Ps. aeruginosa*
J. Infect. Dis. 152/4, 716-721.
- Thomassen, M.; Demko, C.; Boxerbaum, B.; Stern, R. & Kunchenbrod, P. (1979):
Multiple isolates of *Ps. aeruginosa* with differing antimicrobial susceptibility patterns from patients with cystic fibrosis.
J. Infect. Dis. 140: 873-880.
- Timmis, K.N. (1979):
Mechanisms of plasmid incompatibility. In plasmid of Medical Environmental and Commercial Importance (Timmis, K.N. & Publer, A., Eds) pp. 13-21.
Elsevier / North - Holland Biomedical Press.
- Timmis, K.N.; Boulnois, G.J.; Bitter - Suermann, D. & Cabello, F.C. (1985):
Surface components of *E.coli* that mediate resistance to the bactericidal activities of serum and phagocytes.
Current topics in Microbiology and Immunology 138, 197-218.
- Timms, K.N. & Manning, P.A. (1986):
Virulence factors of enteropathogenic bacteria.
In Bacterial protein Toxins. 6:213
- Timms, K.N., Sturum, S. & Watanabe, H. (1986):
Genetic dissection of pathogenesis determinants of Shigella and enteroinvasive *E.coli*. In development of Vaccines and Drugs against Diarrhea (11th Nobel Conference, Stockholm 1985) (Holmgren, J., Lindberg, A. & Mouby, R. Eds) pp. 107-26. Student litteratur, lund, Sweden.
- Tiana, M.A.; El-Karsh, T.A. and Ahmady, A.M. (1983):
Antibiotic - resistant pattern and resistance curing of *E.coli* locally isolated. Bulletin of faculty of pharmacy, Cairo University, Vol. XXII No.1: 129-146.

- Tomoeda, M.; Inuzuka, M.; Kubo, N. and Nakamura, S. (1968):
Effective elimination of drug-resistance and sex factors in *E. coli* by sodium dodecyl sulphate.
J. Bacteriol. 95: 1078.
- Tompkins, L.S., Plorde, J.J. and Falkow, S. (1980):
Molecular analysis of R. factors from multiresistant nosocomial isolates.
J. Inf. Dis. 141: 625-636.
- Topley and Wilson's (1984):
Principles of bacteriology, virology and Immunity seventh Edition in four volumes.
Volume 2. Williams and Wilkins. Baltimore. (1984).
- Tsing, J.T.; Bryan, L.E. and Vanden Elzen, H. (1972):
Antimicrob. Ag. Chemother. 2, 136
- Umezawa, H.; Okanishi, M.; Kondo, S.; Hamama, R.; Uehara, K.; Meada, K. and Mitsuhashi, S. (1967):
Phosphorilative inactivation of aminoglycosides antibiotics by *E. coli* carrying R. Factor.
Science 157, 1559.
- Vakulenko, S.; Taisov, A. and Abadzhieva (1985):
Genetic and physicochemical analysis of the resistance of *Ps. aeruginosa* strains to gentamicin and other antibiotics.
Antibiot. Med. Biotechnol. 30: 503.
- Veron, M. And Berche, P. (1976):
Virulence et antigenes de *Ps. aeruginosa*. *Bull. Inst. Pasteur.* 74: 295-337.
- Vidaver, A. K.; Koski, R.K. and Van Etten, J.L. (1973):
Bacteriophage 06 : a lipid containing virus of *Ps. aeruginosa*.
J. Virol. 11: 799-805.
- Waksman, S. and Lechevalier, H. (1949):
Neomycin a new antibiotic active against streptomycin resistant bacteria, including tuberculosis organisms.
Science 109:305 .

- Walker, G.C. (1984):
Mutagenesis and inducible responses to deoxyribo
nucleic acid damage in *E. coli*.
Microbiological Reviews 98, 60-93.
- Watanabe, T. and Fukasawa, T. (1961):
Episome mediated transfer of drug resistance in
Enterobacteriaceae.
J. of Bacteriol. 81: 679.
- Watanakunakorn, C. (1983):
In Vitro activity of ceftriaxone alone and in combi-
nation with gentamicin tobramycin and amikacin
against *Ps. aeruginosa*.
Antimicrob. Ag. Chemother. 24, 305.
- Watson, J.M. and Holloway, B.W. (1978):
Chromosome mapping in *Ps. aeruginosa*.
J. Bacteriol. 133: 1113-1125.
- Weaver, R. (1972):
Laboratory identification of *Pseudomonas* species.
Publ. Health Lab. 25: 202-204.
- Weinstein, R.; Nathan, C.; Gruensfelder, R. and
Kabins, S. (1980):
Endemic aminoglycoside resistance in Gram-negative
bacilli: Epidemiology and mechanisms.
J. Infect. Dis. 141: 338-345.
- Willets, N.S. (1967):
The elimination of lac^+ from *E. coli* by mutagenic
agents.
Biochem. Biophys. Res. Commun. 27: 112-117.
- Williams, P.H. & Carbonetti, N.H. (1985):
The plasmid specified aerobactin iron uptake system
of *E. coli* in plasmid in Bacteria (Helinski,
D.R., Cohen, S.N., Clewell, D.B., Jackson, D.A. &
Hollaender, A., Eds). pp. 741-57. Plenum press, New
York.
- Wilson R. ; Skinner, S.E. and Shaw, W.V (1981):
Analysis of two chloramphenicol resistance from
Staph. aureus.
Plasmid 5: 245-250.

- Wilson, G.S. & Miles, A. (1975):
Topley and Wilson's Principles of Bacteriology and virology and Immunity 6th edn. Baltimore, the Williams and Wilkin's.
- Wretling, B. & Pavlovskis, O.R. (1981):
The role of proteases and exotoxin A in the pathogenicity of *Ps. aeruginosa* infections.
Scandinavian Journal of Infectious Diseases 29, suppl., 13-9.
- Yamagata, H. and Uchida, H. (1969):
Effect of acridine orange on sex factor multiplication.
J. Molecular Biology. 46: 73-84.
- Ziegler, E.J., Douglas, H. & Braude, A.I. (1974):
Experimental bacteremia due to *Pseudomonas* in agranulocytic animals.
J. of Infect. Dis. 130, 145-51.
- Zierdt, C.H. (1978):
Systems for typing *Ps. aeruginosa*. In "Cilardi, G.L.(ed.) Glucose Non-fermenting Gram negative Bacteria in chemical microbiology".
West-palm Beach C.R.C. Press Inc.V.S.P.
- Zimmerman, W. (1980):
Penetration of beta lactam antibiotics into their target Enzymes in *Ps. aeruginosa*: Comparison of a highly sensitive mutant with its parent strain.
Antimicrob. Ag. Chemother., 18: 94-100 .
- Zowel, T. T. (1982):
Ps. aeruginosa chronic suppurative otitis media and use of specific bacteriophage as a therapeutic mean in treatment.
Thesis submitted for M. D. degree (Otorhinolaryngology) Faculty of medicine Al-Azhar Univ.