

REFERENCES

REFERENCES

- Albritton, W.L., Wiggins, B.S. and Feeley, J.C. (1976) :
Neonatal Listeriosis : Distribution of Serotypes in Relation to Age at Onset of Disease. J. Pediat 88, p. 481 .
- Albritton, W.L., Cocahi, S.H. and Feeley, J.C. (1984) :
Overview of Neonatal Listeriosis. Clin. Invest. Med. 7, p. 311 .
- Audurier, A., Chatelain, R., Chalons, F. and Piechaud, M. (1979) :
Lysotypie de 823 Souches de Listeria Monocytogenes Isolees en France de 1958 a 1978. Annales de Microbiologie (Paris) 130 B, p. 179 .
- Armstrong, A.S. and Sword, C.P. (1964) :
Cellular Resistance in Listeriosis. J. Infect. Dis. 114, p. 258 .
- Azimi, P.H., Koranyi, K. and Lindsey, K.D. (1979) :
Listeria Monocytogenes, Synergistic Effects of Ampicillin and Gentamicin. Am. J. Clin. Pathol. 72 , p. 974 .
- Bagnarello, A.G., Berlin, A.J., Weinstein, A.J., McHenry, M.C. and O'Connor, P.S. (1975) :
Listeria Monocytogenes Endophthalmitis. Arch Ophthalmol 95, p. 1004 .
- Bakker-Woudenberg, I.A., Lokerse, A.F., Vink-van den Berg, J.C. and Roerdink, F.H. (1988) :
Liposome - Encapsulated Ampicillin against Listeria Monocytogenes in Vivo and in Vitro. Infection 16 suppl. 2, p. 165.

Blanden, R.V., Lefford, M.J. and Mackaness, G.B. (1969) :

The Host Response to Calmette - Guerin Bacillus Infection in Mice. J. Exp. Med. 129, p. 1079 .

Blanden, R.V. and Langman, R.E. (1972) :

Cell- Mediated Immunity to Bacterial infection in the Mouse. Thymus-Derived Cells as Effectors of Acquired Resistance to Listeria Monocytogenes. Scand. J. Immunol. 1 , p. 379 .

Boisivon, A. (1980) :

Activite Bacteriostatique et Bactericide Comparee des Peni-cillines, Cephalosporines, Aminosides et des Associations Ampicilline-Gentamicine et Trimethoprime-Sulfamethoxazole sur Listeria Monocytogenes. Ann. Microbiol. (Inst. Pasteur) 131 B , p. 267 .

Bojsen-Moller, J. (1972) :

Human Listeriosis. Diagnostic, Epidemiological and Clinical Studies. Acta Pathol. Microbiol. Scand. Sect. B, Suppl. 229.

Borderon, E., Borderon, J.C., Feron, J.F., Thieffry, J.C., Tescher, M., Farid, I.A. (1987) :

Resistance de Listeria Monocytogenes a Cefotaxime et Ceftr-iaxone Associes a un Aminoside. Path. Biol. 35 (5), p. 568 .

Buchanan, R.E. and Gibbons, N.E. (1974) :

Bergey's Manual of Determinative Bacteriology. 8th Edition. Williams and Wilkins. Baltimore , p. 593.

Burn, C.G. (1935) :

Characteristics of a New Species of the Genus *Listerella* Obtained from Human Sources. J. Bacteriol. 30 , p. 373 .

Burn, C.G. (1936) :

Clinical and Pathological Features of an Infection Caused by a New Pathogen of the Genus *Listerella*. Am. J. Pathol. 12, p. 341 .

Breed, R.S., Murray, E.G. and Smith, N.T. (1957) :

Bergey's Manual of Determinative Bacteriology. 7th Edition. Williams and Wilkins, Baltimore , p. 597 .

Breer, C. (1986) :

Das Vorkommen von Listerien in Kase. Proc. 2nd World Congr-ess on Food-Borne Infections and Intoxications. Berlin , p. 230 .

Breuning, M. and Fritzsche, F. (1954) :

Über die Häufung der Listeriose bei Neuge-borenen; Untersuchungen an der Universitäts-Fraunklinik Leipzig. Geburtsh Frauenheilk 14, p. 1113 .

Brzin, G. and Seeliger, H.P.R. (1974) :

Proc. 6th Int. Symp. on Listeriosis, Nottingham .

Cantor, H. and Boyse, E.A. (1975a) :

Functional Subclasses of T Lymphocytes Bearing Different Ly Antigens. I: The Generations of Functionally Distinct T-cell

Burn, C.G. (1935) :

Characteristics of a New Species of the Genus *Listerella* Obtained from Human Sources. *J. Bacteriol.* 30 , p. 373 .

Burn, C.G. (1936) :

Clinical and Pathological Features of an Infection Caused by a New Pathogen of the Genus *Listerella*. *Am. J. Pathol.* 12, p. 941 .

Breed, R.S., Murray, E.G. and Smith, N.T. (1957) :

Bergey's Manual of Determinative Bacteriology. 7th Edition. Williams and Wilkins, Baltimore , p. 597 .

Breer, C. (1986) :

Das Vorkommen von Listerien in Kase. Proc. 2nd World Congr-ess on Food-Borne Infections and Intoxications. Berlin , p. 230 .

Breuning, M. and Fritzsche, F. (1954) :

Über die Häufung der Listeriose bei Neugeborenen; Untersuchungen an der Universitäts-Fraunklinik Leipzig. *Geburtsh Frauenheilk* 14, p. 1113 .

Brzin, G. and Seeliger, H.P.R. (1974) :

Proc. 6th Int. Symp. on Listeriosis, Nottingham .

Cantor, H. and Boyse, E.A. (1975a) :

Functional Subclasses of T Lymphocytes Bearing Different Ly Antigens. I: The Generations of Functionally Distinct T-cell

Collins, M.D., Jones, D., Goodfellow, M. and Minnikin, D.E.
(1979) :

Isoprenoid Quinone Composition as a Guide to the Classification of *Listeria*, *Brochothrix*, *Erysipelothrix* and *Caryophanon*. J. Gen. Microbiol. 111, p. 453 .

Collins, M.D. and Jones, D. (1981) :

The Distribution of Isoprenoid Quinone Structural Types in Bacteria and their Taxonomic Implications. Microbiol. Rev. 45, p. 316.

Collins, M.D., Feresu, S. and Jones, D. (1983) :

Cell Wall. DNA Base Composition and Lipid Studies on *Listeria Denitrificans* (Prevot). FEMS Microbiol. Letters. 18, p. 131 .

Cossel, L. and Mahnke, P.F. (1968) :

Electron-Microscopical Hepatic Findings in Experimental Listeriosis. Beitr. Path. Anat. 138, p. 65 .

Cotoni, L. (1942) :

A Propos des Bacteries Denommees *Listerella* Rappel d'une Observation Ancienne de Meningite chez L'homme. Annales de Microbiologie (Paris). 68, p. 92 .

Courtieu, A.L., Espaze, E.P. and Drugeon, H. (1975) :

In Vitro Sensitivity to Antibiotics Isolated in France . In:

Woodbine, M. (Ed.): Problems of Listeriosis. Leicester Univ. Press, Leicester, U.K., p. 45 .

Cowart, R.E. and Foster, B.G. (1981)

The Role of Iron in the Production of Hemolysin by *Listeria Monocytogenes*. Curr. Microbiol. 6, p. 287 .

Cowart, R.E. and Foster, B.G. (1985) :

Differential Effects of Iron on the Growth of *Listeria Monocytogenes*: Minimum Requirements and Mechanism of Acquisition. J. Infect. Dis. 151, p. 721 .

Cruickshank, R., Duguid, J.P., Marmoin, B.P. and Swain, R.H. A. (1975) :

Medical Microbiology, Twelfth Edition, Vol.II, Churchill Livingstone, London, Ch. 23, p. 381 .

Czuprynski, C.J. and Brown, J.F. (1987) :

Dual Regulation of Anti-Bacterial Resistance and Inflammatory Neutrophil and Macrophage Accumulation by L3T4⁺ and Lyt 2⁺ *Listeria*-Immune T Cells. Immunology, 60, p. 287 .

Da Silva, G.A.N. and Holt, J.G. (1965) :

Numerical Taxonomy of Certain *Corynebacteria*. J. Bacteriol. 90, p. 921 .

Davis, G.H., Fomin, L., Wilson, E. and Newton, K.G. (1969) :
Numerical Taxonomy of *Listeria*, *Streptococci* and Possibly

Related Bacteria. J. Gen. Microbiol. 57, p. 333 .

Davis, G.H. and Newton, K.G. (1969) :

Numerical Taxonomy of Some Corynebacteria. J. Gen Microbiol.
56, p. 37 .

Davis, J.W., Ewan, E.P. and Varughese, P. (1984) :

Listeria Monocytogenes Infections in Canada. Clin. Invest.
Med., 7, p. 315 .

Decazes, J.M., Ernst, J.D. and Sande, M.A. (1983) :

Correlation of in Vitro Time-Kill Curves and Kinetics of Bacterial Killing in Cerebrospinal Fluid during Ceftriaxone Therapy of Experimental E.Coli Meningitis. Antimicrobial Agents Chemotherapy , 24(4), p. 463 .

Dijkstra, R.G. (1986) :

A Fifteen Years Survey of Isolations of Listeria Monocytogenes out of Animals and The Environment in the Northern Netherlands (1970-1980). In : Courtieu, A.L., Espaze, E.P. and Reynaud, A.E. (Eds.) : Listeriose-Listeria-Listeriosis 1985-86. Univ. de Nantes, p. 291 .

Donker-Voet, J. (1959) :

A Serological Study on Some Strains of Listeria Monocytogenes Isolated in Michigan. Amer. J. of Veterinary Resh., 20, p. 176 .

Driscoll, S.G., Gorbach, A. and Feldman, D. (1962) :
Congenital Obstet Gynecol, 20, p. 216 .

Edman, D.C., Pollock, M.B. and Hall, E.R. (1968) :
J. Bact., 96, p. 352 .

Ehrner, L. and Wetterberg, L. (1961) :

Listeria-Pericardit hos Manniska. Sv Lakartid, 58, p. 1784 .

Eliopoulos, G.M., Realizer, E. and Moellering, R.C. (1985) :

In Vitro Activity of Sch 34343 Against Enterococci and other
Gram-Positive Bacteria. Antimicrob. Agents Chemother, 27, p.
28 .

Eliopoulos, G.M. and Moellering, R.C. (1981) :

Susceptibility of Enterococci and Listeria Monocytogenes to
N- Formimidoyl Thienamycin alone and in Combination with an
Aminoglycoside. Antimicrob. Agents Chemother, 19, p. 789 .

Emody, L. and Ralovich, B. (1975) :

Proc. of the 3 rd. Int. Sympos. Listeriosis, Bilthoven, Pro-
blems of Listeriosis. , p. 131 .

Emmerling, P., Finger, H. and Bockemuhl, J. (1975) :

Listeria Monocytogenes Infection in Nude Mice. Infect. Immu-
n, 12, p. 437 .

Espaze, E.P., Miegerville, A.E. and Courtieu, A.L. (1986) :

Morphologie et Position Taxonomique de *Listeria Dentrifica-*
ns. In Courtieu, A.L., Espaze, E.P., Reynaud, A. (Eds.) :
Listeriose, Listeria, Listeriosis, Nantes, Univ. de Nantes .

Espaze, E.P., Roubelx, Y.G., Le Berre, J.Y. and Courtieu, A.
 L. (1978) :

In Vitro Susceptibility of *Listeria Monocytogenes* to some
 Antibiotics and Their Combinations , Zbl. Bakt. Hyg. Orig.
 A240, p. 76 .

Espaze, E.P. and Reynaud, A.E. (1988) :
 Antibiotic Susceptibilities of *Listeria* : In Vitro Studies ,
 Infection 16, Suppl. 2, p. 160 .

Farber, J.M. and Losos, J.Z. (1988) :
Listeria Monocytogenes : A Foodborne Pathogen, CMAJ , 138 ,
 p. 413 .

Farr, A.G., Dorf, M.E. and Unanue, E.R. (1977) :
 Secretion of Mediators Following T Lymphocyte-Macrophage In-
 teraction is Regulated by the Major Histocompatibility Comp-
 lex, Proc. Natl. Acad. Sci. USA, 74, p. 3542 .

Farr, A.G., Kiely, J.M. and Unanue, E.R. (1979) :
 Macrophage-T Cell Interactions Involving *Listeria Monocytog-*
enes - Role of the H-2 Gene Complex, J.Immunol., 122, p. 2395.

Farr, A.G., Wechter, W.J., Kiely, J.M. and Unanue, E.R.

(1979) :

Induction of Cytocidal Macrophages after in Vitro Interactions between *Listeria*-Immune T Cells and Macrophages-Role of H-2, *J. Immunol.*, 122, p. 2405 .

Feresu, S.B. (1980) :

A Taxonomic Study of *Listeria* and Related Bacteria , Thesis, Univ. of Leicester, U.K.

Fiedler, F. (1988) :

Biochemistry of the Cell Surface of *Listeria* Strains : Allocating General View, *Infection*, 16, Suppl. 2, p. 92 .

Fiedler, F. and Seger, J. (1983) :

The Murein of *Listeria Grayi* , *Listeria Murrayi* and *Listeria Denitrificans*, *Syst. and Appl. Microbiol.*, 4, p. 444 .

Fiedler, F., Seger, J., Schrettenbrunner, A. and Seeliger, H.P.R. (1984) :

The Biochemistry of Murein and Cell Wall Teichoic Acids in the Genus *Listeria*, *Syst. and Appl. Microbiol.*, 5, p. 360 .

Fleming, D.W., Cochi, S.L., MacDonald, K.L., Brondum, J., Hayes, P.S., Plikaytis, B.D., Holmes, M.B., Audurier, A., Broome, C.V. and Reingold, A.L. (1985) :

Pasteurized Milk as a Vehicle of Infection in an Outbreak of Listeriosis, *N. Engl. J. Med.*, 312, p. 404 .

Flamm, R.K., Hinrichs, D.J. and Tomashow, M.F. (1984) :

Introduction of PAMBI into Listeria Monocytogenes by Conjugation and Homology between Native L. Monocytogenes Plasmids, Infect. Immun., 44, p. 157 .

Gaillard, J.L., Berche, P. and Sansonetti, P.(1986) :

Transposon Mutagenesis as a Tool to Study the Role of Hemolysin in the Virulence of Listeria Monocytogenes, Infect. of Immun., 52, p. 50 .

Gaillard, J.L., Berche, P., Mounier, J., Richard, S. and Sansonetti, P. (1987) :

Penetration of Listeria Monocytogenes into the Hosts: A Crucial Step of the Infectious Process, Ann. Microbiol., 138, p. 259 .

Gaillard, J.L., Berche, P., Mounier, J., Richard, S. and Sansonetti, P. (1988) :

Penetration and Intracellular Growth of Listeria Monocytogenes in the Human Enterocyte - Like Cell Line Caco-2 : An in Vitro Model of Pathogenesis, Infect. Immun., 55 ,p. 123 .

Gill, P. (1988) :

Is Listeriosis a Food Borne Illness? , J. Infection, 17, p. 1 .

Glasworthy, S.B., Gurofsky, S.F. and Murray, R.G.E. (1977) :

Purification of a Monocytotoxic Production Activity from Listeria

ria Monocytogenes, Infect. Immun., 17, p. 500 .

Galsworthy, S.B. and fewster, D. (1988) :

Comparison of Responsiveness to the Monocytosis - Producing Activity of Listeria Monocytogenes in Mice Genetically Susceptible or Resistant to Listeriosis, Infection, 16, Suppl. 2 , p. 118 .

Geoffroy, C., Gaillard, J.L., Alouf, J.E. and Berche, P. (1987): Purification, Characterization and Toxicity of the Sulfhydryl-Activated Hemolysin Listeriolysin O from Listeria Monocytogenes, Infect. Immun., 138, p. 369 .

Geunich, H.H., Muller, H.E., Schrettenbrunner, A. and Seeliger, H.P.R. (1985) :

The Occurrence of Different Listeria Species in Municipal Waste Water, Zentralbl. Bacteriol. I. Abt. Orig. B., 181, p. 563 .

Gray, M.L. and Killinger, A.H. (1966) :

Listeria Monocytogenes and Listeric Infections , Bacteriol Rev., 30, p. 309 .

Gregoriadis, G. (1980) :

Liposome Drug-Carrier Concept : Its Development and Future . In : Gregoriadis, G., Allison, A.C. (Eds) : Liposome in Biological Systems, John Wiley & Sons, Inc., New York, P. 25 .

Hahn, H. (1974) :

Effects of Dextran Sulfate 500 Cell - Mediated Resistance to Infection with Listeria Monocytogenes in Mice, Infect. Immu. n., 10, p.1105 .

Hahn, H. (1975) :

Requirements for a Bone Marrow-Derived Component in the Expression of Cell-Mediated Antibacterial Immunity, Infect. Immun., 11, p.949 .

Hahn, H. and Kaufmann, S.H.E. (1981) :

Role of Cell Mediated Immunity in Bacterial Infections, Rev. Infect. Dis., 3, p. 1221 .

Handwerger, S. and Tomasz, A. (1985) :

Antibiotic Tolerance Among Clinical Isolates of Bacteria , Rev. Infect. Dis., 7, p. 368 .

Hof., H. Chatzipanagiotou, S. (1987) :

The Role of Surface Structures of Listeria Spp. for Pathogenicity. Ann. Microbiol. (Inst, Pasteur), 138, p. 268 .

Hof, H. and Hefner, P. (1988) :

Pathogenicity of Listeria Monocytogenes in Comparison to other Listeria Species, Infection, 16, Suppl. 2, p. 141 .

Hof, H. and Walderimeler, G. (1988) :

Therapy of Experimental Listeriosis. An Evaluation of Diffe-

rent Antibiotics, Infection, 16, Suppl. 2, p. 171 .

Hayem, M. (1891) :

Pseudo-Tuberculose Bacillaire chez L'homme, Semaine Medica-
le , p. 285 .

Hulphers, G. (1911) :

Lefvernekors Hos Kanin Orsakad av en ej Forut Beskrifven Ba-
kterie, Sv. Vet. Tid., 16, p. 265 .

Institute Pasteur (1982) :

Culture Media and Laboratory Reagents Pasteur, Second Ed. ,
Paris, France .

Ivanov, I., Massalski, N. (1979) :

Typing of Listeria Monocytogenes with Use of Disk Electroph-
oresis in Polyacrylamide. In Ivanov, I. (Ed.) : Problems of
Listeriosis, Sofia, National Agroindustrial Union, Center f-
or Information .

James, S.M., Fannin, S.L., Agee, B.E., Hall, B., Parker, E.,
Vogt, J., Run, G., Williams, J., Lieb, L., Salminen, C., Pr-
endergast, T., Werner, S.B. and Chin, J. (1985) :

Listeriosis Outbreak Associated with a Mexican Style Cheese
in California, MMWR 34, p. 357 .

Joklik, W.K., Willett, H.P. and Amos, D.B. (1984) :

Zinsser Microbiology , Eighteenth Edit., Ch. 31, p. 527 .

Jones, D. (1975) :

A Numerical Taxonomic Study of Coryneform and Related Bacteria, J. Gen. Microbiol., 87, p. 52 .

Jones, D., Collins, M.D., Goodfellow, M. and Minnikin, D.E.

(1979) :

Chemical Studies in the Classification of the Genus *Listeria* and Probably Related Bacteria. In Ivanov, I. (Ed.) : Problems of Listeriosis, Center for Scientific Information, Sofia, Bulgaria, p. 17 .

Jones, D., Feresu, S.B. and Collins, M.D. (1986) :

Classification and Identification of *Listeria* , *Brochothrix* and *Erysipelothrix*. In: Courtieu, A.L. (Ed.) : Listeriose, *Listeria*, Listerosis, Universite de Nantes, Nantes, France, p. 29 .

Jones, D. (1988) :

The Place of *Listeria* among Gram-Positive Bacteria, Infection, 16 , Suppl. 2, p. 85 .

Julianelle, L.A. and Pons, C.A. (1939) :

Proc. Soc. Exp. Biol., N.Y., 40, p. 364 .

Jungi, T.W., Kunz, H.W., Gill, T.J. and Jungi, R. (1982) :

Genetic Control of Cell - Mediated Immunity in the Rat. II.

Sharing of Either the RT6.A or RT1.B Locus is Sufficient for Transfer of Antimicrobial Resistance, J. Immunogenet, 9, p. 433 .

Kamisango, K.I., Saito, I., Tanio, Y., Okumura, H., Araki, Y., Sekikawa, I., Azuma, I. and Yamamura, Y. (1982) :

Structures and Biological Activities of Peptidoglycan of Listeria Monocytogenes and Propionibacterium Acnes, J. Biochem., 92, p. 23 .

Kaminsango, K., Fujii, H., Okumura, H., Saiki, H., Araki, Y., Yamamura, Y. and Azuma, I. (1983) :

Structural and Immunochemical Studies of Teichoic Acid of Listeria Monocytogenes, J. Biochem., 93, p. 1401 .

Kampelmacher, E.H. and Von Norie Jansen, L. (1975) :

Occurrence of L. Monocytogenes in Effluents. In Woodbrine, M. : Problems of Listeriosis, Leicester Univ. Press, U.K., p.66.

Kandler, O. and Weiss, N. (1986) :

Regular Nonsporing Gram-Positive Rods. In : Sneath, P.H.A., Mair, N.S., Sharpe, M.E. and Holt, J.G. (Eds.) : Bergey's Manual of Systematic Bacteriology, Williams and Wilkins, Baltimore, p. 1208 .

Kathariou, S., Metz, P., Hof, H. and Goebel, W. (1987) :

Tn 916-Induced Mutations in the Hemolysin Determinant Affec-

ting Virulence of Listeria Monocytogenes, J. Bacteriol., 169
, p. 1291 .

Kaufmann, S.H.E., Simon, M.M. and Hahn, H. (1979) :

Specific Lyt 123 T Cells are Involved in Protection Against
Listeria Monocytogenes and in Delayed-Type Hypersensitivity
to Listerial Antigens. J. Exp. Med., 150 , p. 1033 .

Kaufmann, S.H.E. and Hahn, H. (1982) :

Biological Functions of T Cell Lines with Specificity for
the Intracellular Bacterium Listeria Monocytogenes in Vitro,
J. Exp. Med., 155 , P. 1754 .

Kaufmann, S.H.E. (1983) :

Effective Antibacterial Protection Induced by a Listeria Mo-
nocytogenes-Specific T Cell Clone and its Lymphokines, Infe-
ct. Immun., 39, p. 1265 .

Kaufmann, S.H.E. (1988) :

Listeria Monocytogenes Specific T Cell Lines and Clones, In-
fection, 16, Suppl. 2, p. 128 .

Kaufmann, S.H.E., Hahn, H., Berger, R. and Kirchner, H. (1983):

Interferon-Production by Listeria Monocytogenes-Specific T
Cells Active in Cellular Antibacterial Immunity, Eur. J. Im-
munol., 13, p. 265 .

Kaufmann, S.H.E., Hug, E., Vath, U. and Muller, I. (1985) :

Effective Protection Against Listeria Monocytogenes and delayed-Type Hypersensitivity to Listerial Antigens Depend on Cooperation between Specific L3T4⁺ and LYt 2⁺ T Cells, Infect. Immun., 48, p. 263 .

Kaufmann, S.H.E., Hug, E. and de Libero, G. (1986) :

Listeria Monocytogenes Reactive T Lymphocyte Clones with Cytolytic Activity Against Infected Target Cells, J. Exp. Med., 164 , p. 363 .

Kaufmann, S.H.E., Hug, E., Vath, U. and de Libero, G. (1987) :

Specific Lysis of Listeria Monocytogenes-Infected Macrophages by Class II-Restricted L3T4⁺ T Cells, Eur. J. Immunol., 17 , p. 237 .

Kerr, K.G. and Lacey, R.W (1988) :

Listeriosis : New Problems with an Old Pathogen, J. Hosp. Infect., 12, p. 247 .

Khan, M.A., Seaman, A. and Woodbine, M. (1973) :

Zbl. Bakt. I. Abt. Orig., A224, p. 355 .

Khong, T.Y., Frappell, J.M., Steel, H.M., Stewart, C.M. and

Burke, M. (1986) :

Perinatal Listeriosis. A Report of Six Cases. Brit. J. Obst. Gyn., 93, p. 1083 .

Kiderlen, A.F., Kaufmann, S.H. and Lohmann-Matthes, M.L. (1984):

Protection of Mice Against the Intracellular Bacterium Listeria Monocytogenes by Recombinant Immune Interferon, Eur. J. Immunol., 14, p. 964 .

Kingdon, G.C. and Sword, C.P. (1970) :

Effects of Listeria Monocytogenes Hemolysin on Phagocytic Cells and Lysosomes, Infect. Immun., 1, p. 356 .

Koren, H.S. (1971) :

Proposed Classification of Leukocyte Associated Cytolytic Molecules, Immun. Today, 8, p. 69 .

Kosaric, N. and Carroll, K.K. (1971) :

Phospholipids of Listeria Monocytogenes , Biochem. Biophys. Acta. , 239, p. 428 .

Kratochvil, N.J. (1953) :

Excretion of Listeria by Field Voles and Ticks Ixodes Ricinus, Zh. Mikrobiol. Epidemiol. Immunobiol., 24, p. 60 .

Lamont, R.J., Petrie, D.T., Melvin, W.T. and Postlethwaite, R. (1986) :

An Investigation of Taxonomy of Listeria Species by Comparison of Electrophoretic Protein Patterns. In : Courtieu, A.L. , Espaze, E.P. and Reynaud, A. (Eds.): Listeriose , Listeria , Listeriosis, Univ. de Nantes, Nantes, France .

Lamont, R.J., Postlethwaite, R., MacGowan, A.p.S. (1988) :

Listeria Monocytogenes and its Role in Human Infection, J. Infection, 17, p. 7 .

Lane, F.C., Unanue, E.R. (1972) :

Requirement of Thymus (T) Lymphocytes for Resistance to Listeriosis, J. Exp. Med., 135, p. 1104 .

Latif, R. and Dajani, A.S. (1983) :

Ceftriaxone Diffusion into Cerebrospinal Fluid of Children with Meningitis, Antimicrobial Agents Chemotherapy, 23, p. 46.

Larson, H.E. and Seeliger, H.P.R. (1966) :

A Mannitol Fermenting *Listeria* : *Listeria Grayi* Sp. n. In : Proceedings of the Third International Symposium on Listeriosis, Bilthoven .

Larsen, S.A., Feely, J.C. and Jones, W.L. (1974) :

Immune Response to *Listeria Monocytogenes* in Rabbits and Humans, Appl. Microbiol., 27, p. 1005 .

Larsson, H.E. (1969) :

Listeria Monocytogenes. Studies in Isolation Techniques and Epidemiology, C.F.R. Mortensen, Copenhagen .

Larsson, S., Cronberg, S. and Winblad, S. (1977) :

Clinical Difference in Neonatal Listeriosis Acquired in Utero Versus Extramaternally. VII International Symposium on

the Problems of Listeriosis, Varna, Bulgaria .

Larsson, S., Cederberg, A., Ivarsson, S., Svanberg, L. and Cronberg, S. (1978) :

Listeria Monocytogenes Causing Hospital - Acquired Enterocolitis and Meningitis in Newborn Infants, Br. Med. J., 2, p. 473 .

Larsson, S., Cronberg, S. and Winblad, S. (1978) :

Clinical Aspects on 64 Cases of Juvenile and Adult Listeriosis in Sweden, Acta. Med. Scand., 204, p. 503 .

Larsson, S., Cronberg, S. and Winblad, S. (1979) :

Listeriosis during Pregnancy and Neonatal Period in Sweden 1958-1974, Acta. Pediatr. Scand., 68, p. 485 .

Larsson, S. (1979) :

Epidemiology of Listeriosis in Sweden 1958-1974, Scand. J. Infect. Dis., 11, p. 47 .

Larsson, S. and Linell, F. (1979) :

Correlations between Clinical and Postmortem Findings in Listeriosis, Scand. J. Infect. Dis., 11, p. 55 .

Larsson, S., Walder, M.H., Cronberg, S., Forgren, A. and Moestrup, T. (1985) :

Antimicrobial Susceptibilities of Listeria Monocytogenes Strains Isolated from 1958 to 1982 in Sweden, Antimicrob. Age-

nts Chemotherapy, 28, p. 12 .

Ledbetter, J.A., Rouse, R.V., Micklem, H.S. and Herzenberg ,
L.A. (1980) :

T Cell Subsets Defined by Expression of Lyt-1,2,3 and Thy-1
Antigens, J. Exp. Med., 152, p. 280 .

Lefford, M.J., Warner, S. and Amel, L. (1979) :

Listeria Pneumoniae : Influence of Route of Immunization on
Resistance to Airborne Infection, Infect. Immun., 25, p. 672.

Listeriosis (E) (1985) :

Lancet, 2, p. 364 .

Listeriosis (E) (1989) :

Lancet, 14, p. 84 .

MacDonald, T.T. and Carter, P.B. (1980) :

Cell-Mediated Immunity to Intestinal Infection, Infect. Im-
mun., 28, p. 516 .

Mackaness, G.B. (1962) :

Cellular Resistance to Infection, J. Exp. Med., 116, p. 381.

Mackaness, G.B. (1967) :

The Relationship of Delayed Hypersensitivity to Acquired
Cellular Resistance, Br. Med. Bull., 23, p. 52 .

Mackanness, G.B. (1969) :

The Influence of Committed Lymphoid Cells on Macrophage Activity in Vivo, J. Exp. Med., 129, p. 973 .

Mackanness, G.B. and Hill, W.C. (1969) :

The Effect of Anti-Lymphocyte Globulin on Cell-Mediated Resistance to Infection, J. Exp. Med., 129, p. 993 .

Manev, H., Kepejiev, G., Yanakieva, M., Kostova, Z., Ivanova, E., Gruncharov, N., Todorova, I. and Randev, Y. (1977) :

On the Intestinal Listeria Carriers among Humans. VII International Symposium on the Problems of Listeriosis, Varna, Bulgaria .

Marget, W. and Seeliger, H.P.R. (1988) :

Listeria Monocytogenes Infections, Infection, 16, Suppl. 2 , p, 175 .

Marklein, G. (1982) :

In-Vitro Activity of Newer Penicillin and Cephalosporin Groups against Listeria Monocytogenes, Dtsch. Med. Wschr., 107 , p. 415 .

Marton, S., Brozsonyi, M. and Halmy, L. (1967) :

Kasuistischer Beitrag zur Miliaren der Tuberkulose, 134, p. 356 .

Mascola, L., Lieb, L., Chiu, J., Fannin, S.L. and Linnan, M.

J. (1988) :

Listeriosis : An Uncommon Opportunistic Infection in Patients with Acquired Immunodeficiency Syndrome, Am. J. Med., 84 , p. 162 .

McGregor, D.D. and Koster, F.T. (1971) :

The Mediator of Cellular Immunity. IV. Cooperation between Lymphocytes and Mononuclear Phagocytes, Cell. Immunol., 2,p. 317 .

Mc. Lauchlin, J., Audrier, A. and Taylor, A.G. (1986a) :

The Evaluation of a Phage-Typing System for *Listeria Monocytogenes* for Use in Epidemiological Studies, J. Med. Microbi., 22, p. 357 .

Mc. Lauchlin, J., Audurier, A. and Taylor, A.G. (1986b) :

Aspects of the Epidemiology of Human *Listeria Monocytogenes* Infections in Britain 1967-1984, the Use of Serotyping and Phagotyping, J. Med. Microbi., 22, p. 367 .

Mc. Lauchlin, J. (1987) :

Listeria Monocytogenes, Recent Advances in the Taxonomy and Epidemiology of Listeriosis in Hamans, J. Appl. Bacteriol., 63, p. 1 .

Mielke, M. , Ehlers, S. and Hahn, H. (1988) :

The Role of T Cell Subpopulations in Cell Mediated Immunity to Facultative Intracellular Bacteria, Infection, 16, Suppl.

2, p. 123 .

Mitsuyama, M., Takeya, K., Nomoto, K. and Shimotori, S. (1978) :
Three Phases of Phagocyte Contribution to Resistance against
Listeria Monocytogenes, J. Gen. Microbiol., 106, p. 165 .

Moellering, R.C.Jr., Medoff, G., Leech, I., Wennersten, Ch.,
and Kunz, L.J. (1972) :
Antibiotic Synergism against Listeria Monocytogenes, Antimi-
crob. Agents Chemother., 1, p. 30 .

Monnet, P. (1975) :
Listeriosis in a Neonatal Unit. In Woodbine, M. (Ed.) : Pro-
blems of Listeriosis, Leicester Univ. Press, U.K., p. 188 .

Moore, W.E.C., Cato, E.P. and Moore, L.V.H. (1985) :
Index of the Bacterial and Yeast Nomenclatural Changes Publ-
ished in the International Journal of Systematic Bacteriolo-
gy since the 1980 Approved Lists of Bacterial Names (Janura-
ry 1980 to January 1985), Int. J. System. Bacteriol., 35, p.
382 .

Muasch., T.F. and Tompkins, V.N. (1963) :
Somatic Precipitinogens in the Identification and Typing of
Listeria Monocytogenes, J. Infect. Dis., 113, p. 151 .

Murray, E.G.D., Webb, R.A. and Swann, M. (1926) :
A Disease of Rabbits Characterized by a Large Mononuclear

Leukocytosis Caused by a Hitherto Undescribed Bacillus Bacterium Monocytogenes (N.SP), J. Pathol. Bacteriol., 29, p. 407.

Naher, H., Sperling, U. and Hahn, H. (1985) :

H2-K-Restricted Granuloma Formation by Ly2⁺ -T Cells in Antibacterial Protection to Facultative Intacellular Bacteria , J. Immunol., 134, p. 569 .

Nicolas, J. and Vivaud, A.N. (1986) :

Contribution a l'Etude des Listeria Presentes dans les Denrees d'Origine Animale Destinees a la Consommation Humaine. In : Courtieu, A.L., Espaze, E.P. and Reynaud, A.E. (Eds.) : Proc. 9th Int. Symp. on Problems of Listeriosis, Nantes, p.33.

Nieman, R.E. and Lorber, B. (1980) :

Listeriosis in Adults : A Changing Pattern. Report of Eight Cases and Review of the Literture, 1968-1978 , Rev. Infect. Dis., 2, p. 207 .

Nilsson, A. and Karlsson, K.A. (1959) :

Listeria Monocytogenes Isolation from Animals in Sweden during 1948 to 1957, Nord. Vet. Med., 11, p. 305 .

Nilsson, O. and Soderlind, O. (1974) :

Listeria Monocytogenes Isolerade Fran Djur i Sverige Under aren 1958-1972, Nrd. Vet. Med., 26, p. 248 .

North, R.J. (1969) :

Cellular Kinetics Associatated with the Development of Acqui-

red Cellular Resistance, J. Exp. Med., 130, p. 299 .

North, R.J. (1970) :

The Relative Importance of Blood Monocytophenes and Fixed Macrophages to the Expression of Cell-Mediated Immunity to Infection, J. Exp. Med., 132, p. 521 .

North, R. J. (1973) :

Importance of Thymus-Derived Lymphocytes in Cell - Mediated Immunity to Infection, Cell. Immunol., 7, p. 166 .

North, R.J. and Deissler, J.F. (1975) :

Nature of Memory in T Cell-Mediated Immunity : Cellular Parameters that Distinguish between the Active Immune Response and a State of Memory, Infect. Immun., 12, p. 761 .

Nyfeldt., A. (1929) :

Etiologie de la Mononucleose Infectieuse, Compt. Rend. Soc. Biol., 101, p. 590

Odegaard, B., Grelland, R. and Henriksen, S.D. (1952) :

A Case of Listeria infection in Man, Transmitted from Sheep , Acta. Med. Scand., 142, p. 231 .

Ohlen, P. (1977) :

Report of the National Board of Agriculture, Jonkoping .

Olding, L. (1966) :

Bacterial Infection in Cases of Perinatal Death. A Morphological and Bacteriological Study Based on 264 Autopsies, Acta. Paediatr. Scand. Suppl. 171 .

Oppenheim, J., Ruscetti, F.W. and Faltynek, C.R. (1987) :
In : Basic and Clinical Immunology. Daniel, S., John, S. and Vivian, W. (Eds.), Sixth Edition, D.P. Stites , Stob., J.D., Wells, p. 82 .

Ortel, S. (1977) :
Zbl. Bakt. I. Abt. Orig., A 239, p. 342 .

Otokunefor, T.V., Shum, D.T. and Galsworthy, S.B. (1979) :
Immunological Properties of a Partially Purified Monocytosis Producing Activity from Listeria Monocytogenes, Can. J. Microbiol., 25, p. 706 .

Owen, C.R., Meis, A., Jackson, J.W. and Stoenner, H.G. (1960):
A Case of Primary Cutaneous Listeriosis, New Engl. J. Med., 262, p. 1026 .

Palsson, P.A. (1963) :
Relation of Silage Feeding to Listeric Infection in Sheep .
In : Gray, M.L. (Ed.) : 2nd. Symp. on Listeric Infection, Montana State Coll., p. 73 .

Paterson, J.S. (1940) :
The Antigenic Structure of Organisms of the Genus *Listerella*

, J. Pathol. Bacteriol., 51, p. 427 .

Patoeka, F., Mencikova, E., Seeliger, H.P.R. and Jirasek, A.

(1979) :

Zbl. Bakt. I. Abt. Orig., A 243, p. 490 .

Penn, R.L., Ward, T.T. and Steigbigel, R.T. (1982) :

Effect of Erythromycin in Combination with Penicillin, Ampicillin or Gentamicin on the Growth of Listeria Monocytogenes

, Antimicrob. Agents Chemother, 22, p. 289 .

Perez-Diaz, J.C., Vicente, M.F. and Baquero, F. (1982) :

Plasmids in Listeria, Plasmids, 8, p. 112 .

Printal Listeriosis (1980) :

Lancet, 26, p. 911 .

Pini, P.N. and Gilbert, R.J. (1988) :

The occurrence in the U.K. of Listeria Species in Raw Chickens and Soft Cheeses , Int. J. Food Microbiol., 6, p. 317 .

Pirie, J.H.H. (1927) :

A new Disease of Veld Rodents "Tiger River Disease", S. African Inst. Med. Res., 3, p. 163 .

Pirie, J.H.H. (1940) :

Change of Name for a Genus of Bacteria, Nature, 145, p. 264.

Potel, J. (1951) :

Die Morphologie, Kulture und Tierpathogenität des *Corynebacterium Infantisepticum*, Zentralbl. Bakteriologie. Abt. I. Orig., 156, p. 490 .

Punjabi, C., Glasworthy, S. and Kongshavn, P.A.L. (1984) :

Cytokinetics of Mononuclear Phagocyte Response to Listeriosis in Genetically Determined Sensitive and Resistant Murine Hosts, Clin. Invest. Med., 7, p. 165 .

Racez, P., Kaiserling, E., Tenner, K. and Wuthe, H.H. (1973):

Experimental Listeria Cystitis. II. Further Evidence of the Epithelial Phase in Experimental Listeria Infection. An Electron Microscopic Study, Virchows Arch. Abt. B Zellpath., 13, p. 24 .

Raff, M.C. (1969) :

Theta Isoantigens as a Marker of Thymus-Derived Lymphocytes in Mice, Nature, 224, p. 378 .

Ralovich, B., Emody, L. and Mero, E. (1972) :

Biological Properties of Virulent and Avirulent Listeria Monocytogenes Strains, Acta. Microbiol. Acad. Sci. Hung., 19, p. 323 .

Rappaport, F.M., Rabinovitz, R.T. and Krochik, N. (1960) :

Genital Listeriosis as a Cause of Repeated Abortion, Lancet I, p. 1273 .

Reiss, H.J., Potel, J. and Krebs, A. (1951) :

Granulomatosis Infantiseptica, Z. Gesamte. Inn. Med., 6, p.
1 .

Report on Listeria Resistance to Pasteurization Draws FDA C-
oncern. Food Chem. News (1986) : 28(14), p. 13 .

Reynaud, A., Espaze, E.P., Papin, S. and Courtieu, A.L. (1984) :
Etude de la Sensibilite aux Antibiotiques de 139 Souches de
Listeria Serotypees par le Centre National de Reference en
1983, Ann. Microbiol. (Inst. Pasteur), 135B, p. 331 .

Reynaud, A., Espaze, E.P., Papin, S. and Courtieu, A.L. (1986) :
Bacteriocidal Effect of Associated Antibiotics ; Kinetics S-
tudy against Listeria. In : Courtieu, A.L., Espaze, E.P., R-
eynaud, A.E. (Eds.): Listeriose, Listeria, Listeriosis, 1985
-1986, Univ. de Nantes, Nantes, France, p. 469 .

Robbins, M.L. and Griffin, A.M. (1945) :
J. Immunol., 50, p. 237 .

Rocourt, J., Grimont, F., Grimont, P.A.D. and Seeliger, H.P.
R. (1982) :
DNA Relatedness among Serovarts of Listeria Monocytogenes S-
ensulato, Curr. Microbiol., 7, p. 383 .

Rocourt, J. and Grimont, P.A.D. (1983) :

Listeria Welshimeri Sp. Nov. and Listeria Seeligeri Sp. Nov.

Int. J. Syst. Bacteriol., 33, p. 866 .

Rocourt, J., Schrettenbrunner, A. and Seeliger, H.P.R. (1983) :

Differentiation Biochimique des Groupes Genomiques de Listeria Monocytogenes Sensus Lato, Annales Microbiol. (Inst. Pasteur), 134A, p. 65 .

Rocourt, J., Audurier, A., Courtieu, A.L., Durst, J., Ortal, S., Schrettenbrunner, A. and Taylor, A.G. (1985) :

A Multi-Centre Study on the Phage Typing of Listeria Monocytogenes, Zen. fur Bakt. Mik. und Hyg., Abt. 1 Orig., 259, p. 489 .

Rocourt, J. and Catimel, B. (1985) :

Caracterisation Biochimique des Especies du Genre Listeria, Zen. Bakt. Hyg., Serie A, 259, p. 489 .

Recourt, J., Gilmore, M., Goebel, W. and Seeliger, H.P.R. (1986)

DNA Relatedness among Listeria Monocytogenes and Listeria Innoc. Bacteriophages, System. Appl. Microbiol., 8, p. 42 .

Rocourt, J., Wehmeyer, U. and Stackebrandt, E. (1987) :

Transfer of Listeria Denitrificans to a New Genus Jonesia Gen. Nov. as Jonesia Denitrificans Comb. Nov. Int. J. Syst. Bacteriol., 37, p. 266 .

Rocourt, J., Wehmeyer, U., Cossart, P. and Stackebrandt, E.

(1987) :

Proposal to Retain Listeria Murrayi and Listeria Grayi in the Genus Listeria, Int. J. Syst. Bacteriol., 37, p. 298 .

Rocourt, J. (1988) :

Taxonomy of the Genus *Listeria*, Infection, 16, Suppl. 2, p. 89 .

Ruhland, G. and Fiedler, F. (1987) !

Occurrence and Biochemistry of Lipoteichoic Acids in the Genus *Listeria*, Syst. Appl. Microbiol., 9, p. 40 .

Ruskin, J., McIntosh, H. and Remington, J.S. (1969) :

Studies on the Mechanisms of Resistance to Phylogenetically Diverse Intracellular Organisms, J. Immunol., 103, p. 252 .

Saxbe, W.B.Jr. (1972) :

Listeria Monocytogenes and Queen Anne, Pediat., 49, p. 97 .

Schlech, W.F., Lavigne, P.M., Bortolussi, R.A., Allen, A.C., Haldane, E.V., Wort, A.J., Hightower, A.W., Johnson, S.E., King, S.H., Nicholls, E.S. and Broome, C.V. (1983) :

Epidemic Listeriosis-Evidence for Transmission by Food, N. Engl. J. Med., 308, p. 203 .

Schleifer, K.H. and Kandler, O. (1972) :

Peptidoglycan Types of Bacterial Cell Walls and their Taxonomic Implications, Bacteriol. Rev., 36, p. 407 .

Schultz, E.W. (1945) :

Listerella Infections : A Review, Stanford Med., 3, p. 135 .

Schrettenbrunner, A., Schroter, G., Rocourt, J. (1986) :

Antibiotic Susceptibility of the Different Species of the Genus Listeria. In : Courtieu, A.L., Espaze, E.P. and Reynaud, A.E. (Eds.) : Listeriose, Listeria, Listeriosis, 1985 - 1986, Univ. de Nantes, Nantes, France, p. 443 .

Shackelford, P.G. and Feigin, R.D. (1977) :

Listeria Revisited, Am. J. Dis. Child., 131, p. 391 .

Shaw, N. (1974) :

Lipid Composition as a Guide to the Classification of Bacteria, Adv. Appl. Microbiol., 17, p. 63 .

Seeliger, H.P.R. (1952) :

Zur Aetiologie der Granulomatosis Infantiseptica und Pseudotuberkulöser Erkrankungen, Dtsch. Med. Wochenschr., 77, p. 587.

Seeliger, H.P.R. (1958) :

Listeriose, Beit. Ttyg. Epidem. Heft, 8, 2te. Aufl.

Seeliger, H.P.R. (1961) :

Listeriosis, S.Karger A.G., Basel .

Seeliger, H.P.R. and Emmerling, P. (1970) :

Epidemiologie, Klinik und Therapie der Listeriose, Med. Klin

, 65, p. 279 .

Seeliger, H.P.R. (1972) :

New Outlook on the Epidemiology and Epizootology of Listeriosis, Acta Microbiol. Acad. Sci. Hung., 19, p. 273.

Seeliger, H.P.R. and Hohne, K. (1979) :

Serotyping of *Listeria Monocytogenes* and Related Species. In Bergan, T. and Norris, J.R. (Eds.): Methods in Microbiology, 13, Academic Press, New York, Ch. 11, p. 31 .

Seeliger, H.P.R. and Jones, D. (1986) :

Genus *Listeria*. In Sneath, P.H.A., Mair, N.S., Sharpe, M.E. and Holt, J.G. (Eds.); Bergey's Manual of Systematic Bacteriology, Williams and Wilkins, Baltimore, p. 1235 .

Seeliger, H.P.R. (1988) :

Listeriosis-History and Actual Developments, Infection, 16, Suppl. 2, p.80 .

Shirts, S.R., Brow, M.S. and Bobitt, J.R. (1983) :

Listeriosis and Borreliosis as Causes of Antepartum Fever, Obst. Gynec., 62(2), p. 256 .

Shum, D.T. and Galsworthy, S.B. (1982) :

Stimulation of Monocyte Production by an Endogenous Mediator Induces by a Component from *Listeria Monocytogenes*, Immunology, 46, p. 343 .

Sizmur, K., Walker, C.W. (1988) :

Listeria in Prepacked Salades, Lancet i, p. 1167 .

Skamene, E. and Konghavn, P.A.L. (1979) :

Phenotypic Expression of Genetically Controlled Host Resistance to Listeria Monocytogenes, Infect. Immun., 25, p. 345 .

Skamene, H., Kongshavn, P.A. and Sachs, D.H. (1979) :

Resistance to Listeria Monocytogenes in Mice: Genetic Control by Genes that are not Linked to H-2 Complex, J. Infect. Dis. ,139, p. 228 .

Skerman, V.B.D., McGowan, V. and Sneath, P.H.A. (1980) :

Approved Lists of Bacterial Names. Int. J. Syst. Bacteriol., 30, p. 225 .

Sluiter, W., Elzenga-Claasen, I., Hulsing-Hesselink, E. and van Furth, R. (1983) :

Presence of the Factor Increasing Monocytopoiesis (FIM) in Rabbit Peripheral Blood during an Acute Inflammation, J. Reticuloendothel. Soc., 34, p. 235 .

Soderlind, O. (1977) :

Report of the National Veterinary Institute in Stockholm .

Sprent, J., Schaefer, M., Lo, D. and Korngold, R. (1986) :

Functions of Purified L3T4⁺ and Lyt-2⁺ Cells in Vitro and in Vivo, Immunol. Rev., 91, p. 195 .

Sperling, U., Kaufmann, S.H.E. and Hahn, H. (1984) :

Production of Macrophage-Activating and Migration-Inhibition Factors in Vitro by Serologically Selected and Cloned Listeria Monocytogenes-Specific T Cells of the Lyt 1+2- Phenotype, Infect. Immun., 46, p. 111 .

Squinzi, F., Borderon, J.C., Geslin, P., Borderon, E. and Hausdorf, M. (1976) :

Effect Bacteriostatique et Bactericide des Antibiotiques sur Listeria Monocytogenes, Med. Mal. Infect., 6, p. 46 .

Srivastava, K.K. and Siddique, I.H. (1973) :

Quantitative Composition of the Peptidoglycan of Listeria Monocytogenes, Infect. Immun., 7, p. 700 .

Stackebrandt, E. and Woese, C.R. (1981) :

The Evolution of the Prokaryotes. In Carlile, M.J., Collins, J.F. and Moseley, B.E.B. (Eds.): Molecular and Cellular Aspects of Microbial Evolution, Symp. Soc. Gen. Microbiol., 32, Cambridge University Press, Cambridge, p. 1 .

Stackebrandt, E., Fowler, V.J. and Woese, C.R. (1983) :

Phylogenetic Analysis of Lactobacilli, Pediococcus Pentosceus and Leuconostoc Mesenteroides, Syst. Appl. Microbiol., 4, p. 326 .

Stanley, N.F. (1949) :

Studies on Listeria Monocytogenes I. Isolation of a Monocyt-

osis-Producing Agent, Aust. J. Exp. Biol., 27, p. 123 .

Stolpmann, R.M., Naher, H., Osawa, H., Herrmann, T., Hahn, H. and Diamantstein, T. (1985) :

Production of Listeria-Specific Rat T-Cell Clones and Role of Interleukin-2 Receptors in Regulation of Listeria-Dependent T-Cell Clone Growth in Vitro, Infect. Immun., 47, p. 822 .

Stolpmann, R.M., Sperling, U. and Hahn, H. (1986) :

Characterization of Three Different Rat T-Cell Clones with Specificity to Listeria Monocytogenes: Phenotype, Specific Proliferation, Lymphokine Production, and Protective Capacity in Vivo, Cell Immunol., 101, p. 548 .

Sturat, M.R. and Pease, P.E. (1972) :

A Numerical Study of the Relationships of Listeria and Erysipelothrix, J. Gen. Microbiol., 73, p. 551 .

Sturat, S.E. and Welshimer, H.J. (1973) :

Intragenetic Relatedness of Listeria Pirie, Int. J. Syst. Bacteriol., 23, p. 8 .

Sturat, S.E. and Welshimer, H.J. (1974) :

Taxonomic Re-Examination of Listeria Pirie and Transfer of Listeria Grayi and Listeria Murrayi to a New Genus Murraya, Int. J. Syst. Bacteriol., 24, p. 177 .

Swain, S. (1983) :

T Cell Subsets and the Recognition of MHC Class, Immunol. Rev., 74, p. 129 .

Tadyon, R.A. and Carroll, K.K. (1971) :

Effects of Growth Condition on the Fatty Acid Composition of Listeria Monocytogenes and Comparison with Fatty Acids of Erysipelothrix and Corynebacterium, Lipids, 6, p. 820 .

Terplan, G., Schoen, R., Springmeyer, W., Degle, I. and Becker, H. (1986) :

Listeria Monocytogenes in Milch und Milchprodukten, Deut. Milchkereizeitung, 107, p. 1358 .

Trang, J.M., Jacobs, R.F., Kearns, G.L., Brown, A.L., Wells, T.G., Underwood, F.L. and Kluza, R.B. (1985) :

Cefotaxime and Desacetyfotaxime Pharmacokinetics in Infants and Children with Meningitis, Antimicrob. Agents Chemother , 28, p. 791 .

Trautmann, M., Wagner, J., Chahin, M. and Weinke, T. (1985):

Listeria Meningitis : Report of Ten Recent Cases and Review of Current Therapeutic Recommendations, J. Infect., 10, p. 107 .

Ullmann, W.W. and Cameron, J.A. (1969) :

J. Bact., 98, p. 486 .

van Furth, R., Stuiter, W. and van Dissel, J.T. (1988) :

Roles of Factor Increasing Monocytopoiesis (FIM) and Macrop-

hage Activation in Host Resistance to Listeria Monocytogenes
 , Infection, 16 , Suppl. 2, p. 137 .

Visintine, A.M., Oleske, J.M. and Nahmias, A.J. (1977) :
Listeria Monocytogenes Infection in Infants and Children ,
 Am. J. Dis. Child., 131, p. 393.

Watanabe, Y., Mitoyama, M., Sano, M., Nakano, H. and Nomoto,
 K. (1986) :

Enhanced Resistance against Listeria Monocytogenes at an Early
 Phase of Primary in Pregnant Mice: Activation of Macrophages
 during Pregnancy, Infect. Immun., 52, p. 730 .

Webb, R.A. and Barber, M. (1937) :
 J. Path. Bact., 45, p. 523 .

Weis, J. and Seeliger, H.P.R. (1975) :
 Appl. Microbiol., 30, p. 29 .

Welshimer, H.J. and Meredith, A.L. (1971) :
Listeria Murrayi: a Nitrate Reducing Mannitol Fermenting Listeria,
 Int. J. Syst. Bacteriol., 21, p. 3 .

Welshimer, H.J. and Donker-Voet, J. (1971) :
Listeria Monocytogenes in Nature, Appl. Microbiol., 21, p.
 516 .

WHO Report (1987) :

Listeria Monocytogenes and Listeriosis, 69, p. 1 .

Wiggins, G.L., Albritton, W.L. and Feeley, J.C. (1978) :

Antibiotic Susceptibility of Clinical Isolates of Listeria Monocytogenes, Antimicrobial Agents Chemother, 13, p. 854 .

Wilkinson, B.J. and Jones, D. (1977) :

A Numerical Taxonomic Survey of Listeria and Related Bacteria, J. Gen. Microbiol., 98, p. 399 .

Wilson, G.S. and Miles, A.A. (1964) :

Topley and Wilson's Principles of Bacteriology and Immunity, Vol. 1, 5th. Edition, Arnold, London, p. 528-535 .

Winslow, D.L. and Pankey, G.A. (1982) :

In Vitro Activity of Trimethoprim and Sulfamethoxazole against Listeria Monocytogenes. Antimicrob. Agents Chemother, 22, p. 51 .

Winslow, D.L., Danne, J. and Dieckman, E. (1983) :

Delayed Bactericidal Activity of Beta-Lactam Antibiotics against Listeria Monocytogenes: Antagonism of Chloramphenicol and Rifampin, Antimicrob. Agents Chemother, 23, p. 555 .

Wirsing von Konig, C.H., Heymer, B., Finger, H., Emmerling, P. and Hof, H. (1988) :

Alteration of Non-Specific Resistance to Infection with Listeria Monocytogenes, Infection, 16, Suppl. 2, p. 112 .

Yaffe, S.J. (1980) :

Pediatric Pharmacology, New York, Grune and Stratton .

Youdim, S., Stutman, O. and Good, R.A. (1973) :

Thymus Dependency of Cells Involved in Trasfer of Delayed Hypersensitivity to Listeria Monocytogenes in Mice, Cell. Immunol., 8, p. 395 .

Zinkernagel, R.M., Althage, A., Adler, B., Blanden, R.V., Davidson, W.F., Kees, U., Dunlop, M.B.C. and Shreffler, D.C. (1977) :

H-2 Restriction of Cell-Mediated Immunity to an Intracellular Bacterium. Effector T Cells are Specific for Listeria Antigen in Association with H-2I Region-Coded-Self-Markers, J. Exp. Med., p. 1353 .

Zinkernagel, R.M. and Doherty, P.C. (1979) :

MHC Restricted Cytotoxic T Cells: Studies on the Biological Role of Polymorphic Major Transplantation Antigens Determining T Cell Restriction-Specificity, Function and Responsirvess, Adv. Immunol., 27, p. 51 .