REFERENCES

REFERENCES

- Abbassy, A. S., Hussein, M;, Aref, M.K., Hammad, S.A., Morsy, M.R., Kassem, A.S., and El-Araby, I.I. (1972). Growth and development of the child. Dar El-Maaref, Cairo.
- Abraham, S. and Nordsieck, M. (1960). Relationship of excess weight in children and adults. Public health reports 75: 263.
- Adcock, E. (1971). Active antibodies in breast-fed infants. Lancet 2: 662-3.
- Alfin-Slater, R.B. and Jelliffe, D.B. (1977).

 Nutritional requirements with special references to infancy. Ped. Clin. North Am., 24: I.
- Allans, S. (1979). Morbidity in breast-fed and artificially-fed infants. J. Pediatrics 685-689.
- Alleyne, G.A.O., Hay, R.W., Picou, D.I., Stanfield, J.P. and Whitehead, R.G. (1977). Protein Energy Malnutrition. The English language Book Society, pp. 122-166. First edition.
- American Academy of Pediatrics, (1976). Commentary on breast-feeding and infant formulas.

 Ped., 67: 278.
- Amine, E.K. and Hegestead, D.M. (1975). Effect of dietary carbohydrates and fats on inorganci iron absorption. J. Agri. food chem., 23: 204.

- Apley, J. (1973). Growth and development. Pediatrics, First edition, Bailliere Tindall, pp. 32-39.
- Armitage, P. (1971). Statistical Methods in medical research. First edition, Blackwell Scientific Publications, Oxford and Edinburgh.
- Asha Bai, P.V. et al., (1980). Adequacy of breast milk for optimal growth of infants. Trop. and Geog. Med., 32 (2) 158-62.
- Asher, P. (1966). Fat babies and fat children. The prognosis of obesity in the very young. Arch. Dis. Child., 41: 672.
- Barakat, M.R. (1977). Current information on nutritional problems in the Middle East. International conference on practical approaches to combat malnutrition.
- Barnes, P.M., and E.J. Moynthan, (1973). Zinc deficiency in acrodermatitis enteropathica; Multiple dietary intolerance treated with synthetic diet. Proc. Roy. Soc. Med. 66: 327.
- Bayliss, R. (1978). The initial presentation of common endocrine problems, Medicine, Vol: 1.
- Beal, V.A. (1969). Queted from Asha Bai, F.V.: Adequacy of breast-milk for optimal growth of infants. Trop. And Geog. Med., 32 (2), 158-62.
- Beaton, G.H. and Bengon, J.M. (1973). Practical population indicators of health and nutrition. In nutrition and preventive medicine. Geneva, W.H.C. Report.

- Beisel, W.R. (1966). Effect of infection on human protein metabolism. Fed. Proc., 25: 1682.
- Bender, A.E., (1973). Infant foods. Nutrition and Dietetic foods. Second Edition.
- Bezkorovainy, A. and Nichols, J.H. (1976). Glycoproteins from mature human milk whey. Pediat. res., 10:1.
- Birsh, H.G. and Gussow, J.D. (1970). Disadvantaged children: Health, nutrition and school failure. New york and London, Grune and Stratton.
- Boulton, J. (1981). Nutrition in childhood and its relationship to early somatic growth, body fat, blood pressure and physical fitness. Acta Pediatr. Scand, 1-85.
- Brock, J.F. and Autret, M. (1952). Kwashiorkor in Africa. Geneva, W.H.O.
- Brook, C.G.D. (1978). Practical Pediatric Endocrinology, endocrinology of growth. Academic press Inc. (London), Ltd., pp. 38.
- Brown, R.E. (1977). Interaction of nutrition and infection in clinical practice. Pediat., Clin. North Am., vol. 24. No.1.
- Brwon, R.E. and Katz, M. (1967). Qouted from Alleyne, G.A.O; Hay, R.W., Picou, D.I., Stanfield, J.P. and Whitehead, R.G. Protein Energy Malnutrition. First edition. The English Language Book Society. (1977).

- Bullen, J.J. (1976). Iron binding proteins and other factors in milk responsible for resistance to to Escherichia coli in acute diarrhoea in childhood. Ciba Found. Symp. No. 42. Amsterdam. Elsevier/ Excerpta Medica, pp. 149.
- Caback, V. and Nojdanvic, R. (1965). Quoted from Alleyne, G.A.O., Hay, R.W., Picou, D.I., Stanfield, J.P. and Whitehead, R.G. Protein Energy Malnutrition. First edition. The English Language Book Society. (1977).
- Cal, B. (1975). Diazepam and active metabolite in breast milk and their transfer to neonate. Arch. Dis. Child. 50 (9), 741-2.
- Cameroon, M. and Hofvander, Y. (1976). Manual on Feeding Infants and Young Children (2nd ed.).
 United Nations, N.Y.: Protein-Calorie Advisory Group.
- Catz, C.S. and Giacoia, G.P. (1972). Drugs and Metabolites in human milk. Pediatric Clinic N. Amer. 19: 151.
- Chambers, T.L. and Steel, F. (1975). Concentrated milk feeds and their relation to hypernatremic dehydration. Arch. Dis. Child. 50 (8) 610-5.
- Chandra, R.C., Shahant, K.M. and Holly, R.G. (1964).

 Lysozyme content of human milk. Nature, 204: 76.
- Chase, H.P. and Martin, H.P. (1970). Undernutrition and child development. New England J. Med., 282: 933.

- Cheek, D.B., Schultz, R.G. Parra, A. and Reba, R.G. (1970). Overgrowth of lean and adipose tissues in adolescent obesity, Pediatr. Res. 4: 268.
- Chung, H.A., William, M.S. (1980). Growth of the exclusively breast-fed infants. Am. J. Clinc. Nutr., 33 (2) 183-92.
- Collis, W.R.F. (1971). Feeding of infants and children.
 Diseases of children in the subtropics and tropics.

 2nd Ed. Editor, Jelliffe, D.B.
- Cook, R. C.M.and Rickham, P.P. (1969). Neonatal
 Obstruction due to milk curds. J. Pediat. Surgery,
 4, 599
- Cordano, A., Baertl, J.M. and Graham, G.G. (1968).

 Pediatrics, 34,: 324-336.Copper deficiency in infancy.
- Cravioto, J. Delicardie, E.R. and Birch, H.G. (1966).

 Infant malnutrition and later learning. Pediatrics,
 38: 319.
- Cravioto, J., Hambraeus, L. and Vahlquist, B. (1974).

 Early malnutrition and mental development. Symposia of the Swedish Nutrition. Foundation XII. Stockholm, Sweden and Wiksell.
- Crowfor M.A., Sinclair, P.M. Msuya, A. and Munhambo, F. (1971). In dietary lipids and post-natal development, C. Galli, J. Jacini, A., Pocale, Eds. (Raven, New York) pp. 41-56.
- Cunningham, A.S. (1977). Morbidity in breast-fed and artificially fed infants. J. Pediatrics. Vol. 90: 726-729.

- Davidson, M. (1970). Formula feeding of normal term and low-birth weight infants. Ped. Clin. North. Am. 17: 913.
- Dean, R.F.A. (1965). Effects of malnutrition, especially of slight degreen on the growth of young children. Courrierde Centre de L'enfance, 15, 73.
- Delire, M., Cambiaso, C.L., Masson, P.L. (1978).
 Nature, 272: 632.
- Dugdale, A.E., (1971). The effect of type of feeding on weight gain and illnesses in infants. British Journal of Nutrition, Vol (26), 423-32.
- Dugdale, A.E., Chandler, D. and Baghurst, K. (1979). Knowledge and belief in nutrition. Am. J. Clin. Nutr., 32,: 441-445.
- Eckstein, H.B., and Jack, B. (1970). Breast feeding and anticoagulant therapy. Lancet, 1, 672.
- Eid, E.E., (1970). Follow up study of physical growth of children who had excessive weight gain in the first six months of life. Br. Med. J. 2:74.
- Eliot, B., Hill, J.G., Cole, A.P., and Hailey, D.M. (1974). Continuous pethidine/diazepam infusion during labour and its effects on the newborn. Brit. J. Obstr and Gync., 82, 126.
- Eveieth, P.B. and Tanner, J.M; (1976). World-wide variation in human growth. London: Cambridge University Press.

- FAO (1970). Amino acid contents of foods and biological data on proteins. FAO nutritional studies No.24, Rome.
- FAO/WHO Expert Committee on Nutrition (1971). Wld. Hlth. Org. Tech. Res. Ser. No. 477, WHO, Geneva.
- FAO/WHO expert group (1973). Protein Requirements:

 Report of a Joint FOA/WHO Expert Group. Technical
 Report Series, Wld, Hlth. Org. Geneva.
- Fisch, R.O., Jeness, R., Doeden, D. and Anderson, J.A. (1967). The effect of excess Lephenyl-alanine on mothers and their breast-fed infants. J. Pediat., 71, 176.
- Fomon, S.J., Filer, L.J., Jr, Thomas, L.N., Rogers, R.R., and Procksch, A.M. (1969). Relationship between formula concentration and rate of growth of normal infants. J. Nutr. 98.
- Fomon, S.J., Thomas, L.N., Filer, L.J., Jr, Ziegler, E.E. and Leonard, M.T.(1971). Food consumption and growth of normal infants fed milk-based formulas. Acta Pediatr. Scand (223)
- Fomon, S.J. (1974). Infant Nutrition. Ed.2. Philadelphia, W.B., Saunders Co.pp 340.
- Forbes C.B., (1964). Lean body mass and fat in obese children, Pediatrics 34: 308.
- Forfar, J.O., (1978). Textbook of Pediatrics. Infant feeding. Second edition, Physical growth and development, Churchill Livingstone, Edinburgh, London, New York.pp. 293

- Freed, D.L. (1978). IgE antibodies to cow's milk in breast-fed babies. Lancet 2 (8092), Pat.I, 334.
- Frischo, A.R. (1974). Triceps skinfold and upper arm muscle size norms for assessment of nutritional status. Amer. J. Clin. Nutr., 27: 1052.
- Garn, S.M., Clark, D.C. (1975). Growth, body composition, and development of obese and lean children. Cur. Concepts. Nutr. 3: 23-46.
- Gilbert Forbes, B. (1977). Nutrition and growth, Pediatrics, Vol. 91, 43-47.
- Gindrat, J.J., Gotherfors, L., Hanse, L.A. and Winberg, J. (1972). Antibodies in human milk against E. coli of the serogroups most commonly found in neonatal infections. Acta. Pediatrics. Scand., 61:587.
- Glusgow, J.F.T. and Elmes, M.E. (1975). Exacerbation of acrodermatitis enteropathica by soya-bean milk feeding. Lancet, 2:769.
- Goldblum, R.M.S., Ahlsfedt, Carisson, A. Hanson, U. Jodal, G. Lidin, Janson and A. Sohl-Ackerlund (1975).

 Antibody-forming cells in human clostrum after oral immunization. Nature: 257: 797.
- Goldman, A.S. (1977). Cow milk sensetivity: a review. Swedish Nutritional Foundation Symposium on "food and immunology". Stockholm, Almquist and Wiksell.

- Goldsmith, B.S. Grace, A. (1959). Nutritional Diagnosis, Charles, C. Thomas Publisher.
- Oopalan, C. (1967). Malnutrition in childhood in the tropics. Brit. Med. J., 4: 603.
- Gopalan, C. and Norasinga, R.B.S. (1971). Nutritional Constrains on growth and development. Indian J. Med. Research. 59, 143.
- Government of Egypt, Central organization for Mobilization and Census. (1967). Quoted from : Barakat, M.R. Current information on nutritional problems in the Middle East. Intern. conference on practical approaches to combat malnutrition, May, 1977.
- Gotherfors, L., Carlsson B., and Ahlstedt, S. (1976).

 Influence of maternal gut flora and colostral
 and cord serum antibodies on presence of Escherichia
 coli in feaces in the neoborn infant. Acta Paediat.
 Scand, 65: 225-32.
- Gounelle, H. and Demarchi, M. (1953). Nutritional status of infants and very young children in Bagdad, Iraqi J. Roy. Fac. Med. Iraq . 17: 42.
- Gross, S. (1968). The relationship between milk protein and iron content on hematologic values in infancy.

 J.Ped., 73: 521.
- Gurney, J.U. and Jelliffe, D.B. (1973). Arm anthropometry in nutritional assessment monogram for calculation of muscle and fat areas. Am.J. Clin. Nutr., 26: 912.

- Gyorgy, P. (1971). The uniqueness of the human milk.
 Biochemical aspects. Am. J. Clin. Nutr. 24.
- Hall, B. (1975). Changing composition of human milk and early development of appetite control.

 Lancet, 1: 779-780.
- Hamberaeus, L. (1977). Propietary milk versus breast milk in infant: feeding.Ped. Clin. North. Am., 24: I.
- Hamberaus, L., Forsum, E., and Lönnerdal, B. (1976).

 Nutritional aspects of breast milk versus cow's milk formula. In McFarlene, H., Hamberaeus, L., and Hansen, L.A. (eds): Food and Immunology Symposia of the Swedish Nutrition Foundation XIII. Stockholm, Sweden, Almquiest and Wisksell.
- Hansen, J.D.L., Freesemann, C, Moodie, A.D. and Evans, D.E. (1971). Quoted from Alleyne, G.A.O., Hay, R.W., Picou, D.I., Stanfield, I.P. and Whitehead, R.G. (1977). Protein Energy, First edition; the English language book society, pp. 122-166.
- Hardy, D.A. (1971). Quoted from Allans, S., : Morbidity in breast-fed and artificially-fed infants. J. Pediatrics 685-689,1979.
- Heald, F.P., Holander, R.J. (1965). The relationship between obesity in adolescence and early growth. J. Pediatrics 67: 35.
- Hendrickse, R.G. (1976). Socio-economic and psychological factors in breast feeding motivation. Bulletin of the international pediatric association, 6:37.

- Hill, I.R. and Porte, P. (1975). Studies of bactericidal activity for Escherichia coli of porcine serum and Colostral immunoglobulins and the role of lysozyme with secretory IgA. Immunology, 26: 1239.
- Hirchhorn, N. (1976). Hypernatremia and milk formulas. Arch. Dis. Child, 51 (4) 326.
- Holt, L.S., Mcintosh, R. and Barnett, H.L. (1962).

 Pediatrics 13th Ed. Appleton Century Crafts,
 New York.
- Holt, L.E. (1968). Nutrition and infant feeding.

 Pediatrics, editors: Barnett, H.L. and Einhorn,
 A.L., Appleton, Century- Crafts Inc. New York.
- Hopper, P.D. and Alexander, E.L. (1971). Infant morbidity and obesity. A survey of 151 infants from general practioner, 207: 221.
- Howat, J.M., Wikinson, A.W. (1970). Intestinal Obstruction in the neonate. Arch. Dis. Childh. 45. 800.
- Hurly, L. (1977). Quoted from Johnson P.E.: Relative zinc availability in human breast milk, infant formulas and cow's milk. Am. J. Clinc. Nutr., 31 (3) 416 21, 1978.
- Hytten, F.E., (1954). Diurnal variation in major constituents of milk. Brit. Med. J. 179 181.
- Illingworth, R.S. (1975). The normal child: some problems of the early years and their treatment. 6th Ed. Churchill Livingstone, Edinburgh, London and New York, pp. 1-13.

- Jackson, R.L.R., Westerfeld, M.A., Flynn, E.R., Kimball and Lewis, R.B. (1964). Growth of well born American infants fed human and cow's milk. Pediatrics, 33: 642.
- Jakobsson and Lindberg, F. (1978). Cow's milk as a cause of infatntile colic in breast-fed infants. Lancet 2 (8081) 737 9.
- Jelliffe, D.B. (1955). Infant nutrition in the tropics and subtropics. W.H.O. monograph series No. 29, Geneva.
- Jelliffe, J.B. (1962). Culture, Social change and infant feeding. Amer. J. Clin., Nutr., 10, 19.
- Jelliffe, D.B..(1966). The assessment of nutritional status of the community with special reference to field surveys in the developing regions of the world. Monograph series, No. 53, WHO, Geneva.
- Jelliffe, D.B. (1968). Infant nutrition in the subtropics and tropics (3 rded.). World Health Organ. Mong-graph ser. No. 29, Geneva.
- Jelliffe, D.B., (1970). Diseases of children in the subtropics and tropics. Sedond edition, Edward Arnold, London.
- Jelliffe, D.B. and Jelliffe, E.F.P. (1971). The uniqueness of human milk. Am. J. Clin. Nutr., 24: 463.
- Jelliffe, D.B. and Jelliffe, E.F.R. (1975). Human milk, nutrition and the world resource crisis. Science, 188: 557.

- Jelliffe, D.B. and Jelliffe, E.F.P. (1977). Current concepts in nutrition (breast is best). Modern meaning. N. Engl. J. Med. 297 (17) 912 5.
- Jelliffe, D.B. (1979). Human milk and breast feeding: recent highlights (editorial). J. trop. Pediatric. 25 (5) 111-2.
- Johnson, P.E. (1978). Relative zinc availability in human breast milk, infant formulas and cow's milk. Am. Clin. Nut. 31 (3) 416-21.
- Kamel, L.M. (1969). Quoted from: Barakat, M.R.:
 Current information on nutritional problems in
 the Middle East. International Conference on
 practionl approaches to combat malnutrution, May,
 1977.
- Kamel, L.M., Shukry, A.S. and El-Gammal R. (1975). Some epidemiological aspects of rickets. Gaz. Egypt. Ped. Ass. 23: I.
- Kardjati, S., Jane, A.K., Dewith, C. and Sudibia, I.K. (1978). Feeding practices, nutritional status and mortality in preschool children in rural East Java, Indonesia. Trop. Geogr. Med., 30: 359-371.
- Kempe, C.H. and Silver, H. K. (1976). Current pediatric diagnosis and treatment. 4th Edition. Lange Medical Publications, California.
- King, M., King, F., Morley, D. (1972). Nutrition for developing countries. Nairobi, Butter Worth.

- Lebshtein, A.K. and El-Bahay, A.M. (1976). The extent of breast and bottle feeding of children in Cairo and its effect on their growth. J. Egypt Public Health Assoc. 51 (5): 446-57.
- Levin, B., Mackay, H.M.M Neil, C.A., Oberhalzer, V.G. and Urhite, heed, T.P. (1959). Quoted from Asha Bai, P.M.: Adequacy of breast milk for optimal growth of infants. Trop. And Geog. Med., 32, (2),1980.
- Lofroth, G. (1968). Pesticides and Catastrophe. New Scientist, 40, 567.
- Lowery, G.H. (1973). Growth and Development of Children. Year Book. Medical Publications I.N.C., sixth ed.
 - Lozoff, M. and Besty, F. (1977). The mother-newborn relationship, limits of adoptability. J. Pediatrics, Vol. 91, No.1.pp. 1-12.
 - Mackeith, R. and Wood, C. (1971). Infant feeding and feeding difficulties. 4th ed. London, J.& A Churchill.
 - Malania, R.M., Habicht, J.P., Martorell, R., Lechting, A., Yorbrough, C. and Kleim, R.E. (1975). Head and chest circumference in rural guatemalan Lanido-Childr n birth to Seven years of age.

 Am. J. Clinc. Nutr. 28: 1061-1070.
 - Manson, F. (1960). Quoted from Allans, S.: Morbidity in breast-fed and artificially-fed infants.

 J. Pediatrics 685-689. 1979.

- Martinez and John, P. Nalbezienski. (1981). 1980 up-date: the recent trend in breast feeding. Pediatrics 67 (2): 260-263.
- Massberg, H.O. (1948). Obesity in children, A clinical prognostical investigation. Acta Pediatr. Scand 35:
- Mata, L.J. and Wyatt, R.G. (1971). The uniqueness of human milk: Host resistance to infection. Ann. J. Clinc. Nutr., 24: 976.
- Mata, L. (1978). Breast feeding: main promotor of infant health. Am. J. Clin. Nutr. 31 (11) 2058-65.
- Mc Callister, J. and Fitzgerald, J.F. (1974). Quoted from: Alfin-Llater, R.B. and Jelliffe, D.B.,:
 Nutition requirments with special reference to infancy. Ped. Clin. North. Am., 24,: 1, 1977.
- Mc Cance, R.A. and Widdowson, E.M. (1974). Caloric deficiency and protein deficiency. Churchill, London.
- Mc Cance and Widdowson (1976). Quoted from Alleyne, G.A.O., Hay, R.W., Picou, D.I., Stanfield, J.P. and Whitehead, R.G. (1977). Protein Energy Malnut-rition. First edition; The English language Book Society, pp. 122-166.
- McKigney, J., (1971). The uniqueness of human milk, Economic aspects. Am.J. Clinc. Nutr. 24: 1005.
- Mc.Millan, J.A., Landow, S.A. and Oski, F.A. (1976). Iron suffeciency in breast-fed infants and the availability of iron from human milk. Ped., 58: 686-690.

- McLaren D.S. (1972). Nutrition and its disorders. Sec. edition, Churchill livingstone, Edinburgh. and London, pp. 255.
- McWilliam, K.M. and Deen, R.F.A. (1965). Quoted from Alleyne, G.A.O., Hay, R.W., Picou, D.I., Stanfield, J.P., and Whitehaad, R.G. (1977). Protein Energy Malnutrition. First edition. The English Language Book Society, pp. 122-166.
- Mellander, O. Vahlquist, Band Mellbin, T. (1959). Ereast feeding and artificial feeding. A clinical, serological and biochemical study in 402infants with a survey of the literature. The Norrbotten Study. Acta Pediat. 48: 1.
- Mellander, O. and Folsch, G. (1972). Enzyme resistance and metal binding of phosphorylated peptides. In Bigwood, E. J. (ed). Protein and amino acid functions: Oxford. Pergamon Press.
- Millis, J. (1953). Growth curves of Singapore born chinese infants. During first year. Med.J. Malaga. 7: 296.
- Mitchell, R.G. (1973). Diseases in infancy and childhood. Seventh Edition. The English Language Book Society and Churchill, Livingstone.
- Munro, H.N. (1974). Report of a conference on protein and amino acid needs, for growth and development.

 Am. J. Clin. Nutr., 27: 55-8.
- Murray, G. F. (1979). Ereast milk and weight of Nigerian mothers.and their infants. Amer. J. Clin. Nutr. 32 (4) 737.

- Murillo, G.J. and Goldman, A.S. (1970). The cells of human colostrum. II synthesis of Iga and BIC. Pediatric research. 4:71.
- Naylor, A.F. and Myrinathopoulos, N.C. (1967). The relation of ethnic and selected socio-economic factors to human birth weight. Ann. Human. Genet. 31:71.
- _Nelhause,G . (1968). Head circumference from birth to eighteen years. Pediatrics 41: 106.
 - Neldner, K.H.L., Hagler, W.R., Wise, F.B., Stifel, E.G., Lufkin and Herman, R.H. (1974). Acrodermatitis enteropathica. A clinical and biochemical survey. Arch. Dermatol. 110:711.
 - Nelson, W.E. (1979) Text book of pediatrics. Nutrition and nutritional disorders. Eleventh edition, Saunders, W.B., Philadelphia, London, Toronto.
 - Newton, N. (1971). The uniqueness of human milk, psychological differences between breast and bottle feeding. Am. J. Clinc. Nutr. 24.
 - Neurmann, C.G. and Alpaugh, M. (1976). Birth weight doubling time: a fresh look. Pediatrics (57): 469.
 - Nichols, J.H., Bezkorovainy, A. and Paque, R. (1975). Isolation and characterisation of several glycoproteins from human colostrum whey. Biochem. Biophys. Acta. 412: 99.
 - Owen, G.M. (1973). The assessment and recording of measurements of growth of children report of a small conference. Pediatrics, 51: 46.

- Paiva, S.L. (1953). Pattern of growth of selected groups of breast fed infants in Iowa City. Pediatrics, 11:38.
- Parkin, F.M. (1976). Disorders of growth. Medicine, vol. 7, Medical education 1td.
- Paton, R.G. and Gardner, L.I. (1963). Growth failure in mental deprivation; springfield, Thomas.
- Peters, T.A.P.T., Ross, J.F. (1971). Quoted from: MC Millan, J.A., Landow, S.A. and Oski, F.A. Iron sufficiency in breast fed infants and the availability of iron from human milk. J. Ped. 58: 686-690.
- Pierce, N.F. (1976). Intestinal immunization with soluble bacterial antigens: the example of cholera toxoids. In Actae Diarrhoea in childhood. Ciba Found, Symp. No. 42 (New series). Amsterdam: Elsevier/Excerpta Medica, p. 129.
- Population and development (1973). Central agency for Public Mobilization and Statistics. (CAPMS). Quoted from Lebstein, A.K. and El Bahy, A.M.: the extent of breast and bottle feeding in children in Cairo and its effect on their growth. J.Egypt. Public Health Assoc. 51 (5) 1976.
- RMihä, N.C. R., (1974). Biochemical basis for nutritional management of preterm infants. Pediatrics, 53: 147.
- Richie, C.D. and Nais-mith, D.J. (1975). A comparison of growth in wholky breastfed infants and in artificially-fed infants. Proc. Nutr. Soc. 34 (3) 118 A.

- Robinson, M. (1951). Infant morbidity and mortality.

 A study of 3,200 infants. Lancet, 280: 788.
- Robinson, C.H. (1972). Nutrition during infancy.

 Normal and therapeutic nutrition. Fourteenth
 Edition.
- Salomon, J.B., Mata, L.J. and Gordon, L.E. (1968).

 Malnutrition and the common communicable diseases
 of childhood in rural Guatemala. Amer. J. Publ.

 Health. 58, 505.
- Sandstead, H.H. (1973). Zinc nutrition in the United States. Am. J. Clin. Nutr. 26: 1251.
- Schulze, R.R. and Winkelmann, R.K. (1966). Acrodermatitis enteropathica: Report of a patient responding to combined therapy with human milk and diiodohydroxyquivin Mayo Clinc. Proc. 41: 334.
- Shukry, A.S., Barakat, M.R. and Kamel, L.M. (1973).

 Anthropometric measurements as an indicator of
 the nutritional status of preschool children.

 Gaz. Egyp. Ped. Ass., 21: 2.
- Scott, R.B., Hait, H.H., Clark, B.G., Kessler, A.D., and Ferguson, A.D. (1962). Growth and development of Negro infants. Pediatrics 29: 65.
- Shah, P.M. and Nair, S.S. (1978). Quoted from Asha Bai, P.V.: Adequacy of breast milk for optimal growth of infants. Trop. and Geog. Med., 32 (2), 1980.
- Silverman, W.A. and Sinclair, J.C. (1966). Infants of low birth weight, New England J. Med. 274: 448.
- Sims, R.T. (1968). Quoted from Alleyne, G.A.O., Hay, R.W., Picou, D.I., Stanfield, I.P. and ReG. (1977). Protein Energy Malnutrition. First

- Tanner, J.M. and Whitehouse, R.H. (1975). Revised standards for tricips and subscapular skinfolds in British children. Arch. Dis. Child., 50: 142.
- Themsen, A.M. (1968). The later results in man of malnutrition in early life. In: Caloric deficiencies and protein deficiencies. Editors McCance, R.A. and Widdowson E.M., Churchill, London.
- Tompsen, M. (1971). The uniqueness of human milk. The convenience of breast feeding. Am.J. Clinc. Nutr. 24.
- Tracy, V.V., De, N.C. and Harper, J.R. (1971). Obesity and respiratory infection in infants and young children. Br. Med. J. 1: 16.
- Underwood, B.A. and Hepner, R.(1967). Am.J. Clinc. Nutr. Vol. 20 No. 7. pp. 694.
- Underwood, E.J., (1971). Trace elements in human and and animal nutrition. 3rd. ed. New York, Academic press, pp. 208.
- Verma, K.C. (1979). Effect of different milks on head growth and size of ant. fontamelle at various age periods. Indian Pediatr. 16 (2) 131-41.
- Wassermann and Slabody, (1970). Survey of clinical pediatrics, growth and development, edition 5, Mc Grow-Hill, Inc., pp. 8.
- Watson, E. and Lowery, G.H. (1967). Growth and develpment of children. 5th ed. Chicago, year book medical Publisher. pp. 294 & 418.