

REFERENCES

- Aderinto J and Cobb AG (2002):** Lateral release for patellofemoral arthritis. *Arthroscopy*; 18:399-403.
- Aglietti P, Buzzi R and Insall JN (2001):** Disorders of the patellofemoral joint. In: Insall JN, Scott WN, and Eds. *Surgery of the Knee*. 3rd ed. New York: Churchill Livingstone; 913e1043.
- Aglietti P and Menchetti P (1995).** Biomechanics of the patellofemoral joint. In Scuderi G. (Editor). *The patella*. Springer-Verlag, New York. pp.25-47.
- Ahmed CS and Lee FY (2001).** An all-arthroscopic soft-tissue balancing technique for lateral patellar instability. *Arthroscopy*; 17:555–557.
- Alfredson H and Ohberg L (2005).** Neovascularisation in chronic painful patellar tendinosis--promising results after sclerosing neovessels outside the tendon challenge the need for surgery. *Knee Surg Sports Traumatol Arthrosc.* Mar; 13(2):74-80.
- Andrish JT (1997):** The Elmslie-Trillat procedure. *Tech Orthop* 12: 170–177.
- Arendt EA, Fithian DC and Cohen E (2002).** Current concepts of lateral patella dislocation. *Clin Sports Med*; 21:499—519.
- Arroll B., Ellis-Pegler E., Edwards A. and Sutcliffe G. (1997):** Patellofemoral Pain Syndrome. *American Journal of Sports Medicine*. Vol.25, (2), pp. 207-211.
- Bachmann G, Basad E, Lommel D and Steinmeyer J (2004)** MRI in the follow-up of matrix-supported autologous chondrocyte transplantation (MACI) and microfracture. *Radiologe* **44**: 773-782.
- Bandi W (1972):** Chondromalacia patallaeand femor-patellare arthrose. *Helv Chir Acta (suppl)* 1:3.

- Barber FA and Chow JC (2001).** Arthroscopic osteochondral transplantation: histologic results. *Arthroscopy*;17:832-835.
- Beaver, R.J.; Mahomed, M.; Backstien, D.; Davis, A. and Zuker, D.J.; Cross, A.E (1992):** Fresh osteochondral allografts for post-traumatic defects in the knee: a survivorship analysis. *J Bone Joint Surg* 1992; 74B: 105-10.
- Bentley G, Biant LC and Carrington RW (2003):** A prospective, randomised comparison of autologous chondrocyte implantation versus mosaicplasty for osteochondral defects in the knee. *J Bone Joint Surg Br* 2003 Mar; 85(2): 223-30.
- Biedert RM and Sanchis-Alfonso V (2002):** Sources of anterior knee pain. *Clin Sports Med*; 21(3):335-347.
- Bishop RED. (1977):** On the mechanics of the human knee. *Engin Med* 6:46.
- Bizzini M, Childs JD and Piva SR (2003).** Systematic review of the quality of randomised controlled trials for patellofemoral syndrome. *J Orthop Sports Phys Ther*; 33: 4-20.
- Blackburne, J. and peel, T.A. (1977):** A new method of measuring patellar height. *J Bone Joint Surg*; 58B:241.
- Blazina, M.E; Fox, J.M and Del and Pizzo. W (1979):** Patellofemoral replacement. *Clin Orthop*; 144:98.
- Blumensaat, C. (1938):** Die lafeabweichungen and verrunkungen der kniescheibe. *Ergeb Chir Orthop*; 31; 149-223. In *Patellofemoral disorders*. In *Anterior knee pain*. In *Knee Surgery* edited in 1994 Williams & Wilkins; vol. 1; 953.
- Bohnsack M, Hurschler C, Demirtas T, Rühmann O and Stukenborg-Colsman C, Wirth CJ (2005)** In frapatellar fat pad pressure and volume changes of the anterior compartment du ring knee motion –

Possible clinical consequences to the anterior knee pain syndrome. *Knee Surg Sports Traumatol* 13: 135–141.

Boles CA and Martin DF. Synovial plicae in the knee. *AJR Am J Roentgenol* 2001; 177:221-227.

Bolga L, Malone T (2005). Exercise prescription and patellofemoral pain: evidence for rehabilitation. *J Sports Rehab*; 14: 72-88.

Brattstrom H. (1970): Patella alta in non dislocating knee joint. *Acta Orthop. Scand.*; Vol.41.

Brechtel JH and Powers CM (2002). Patellofemoral joint stress during stair ascent and descent in persons with and without patellofemoral pain. *Gait Posture*; 16:115–22.

Brilhart, A.T. (1991): - Arthroscopic laser surgery, the holmium: YAS laser and its use. *American journal of arthroscopy* 1, 3:7-11.

Brittberg, M.; Lindahl, A.; Ohlsson, C.; Isaksson, O and Peterson, L. (1994): Treatment of deep cartilage defects in the knee with autologous chondrocyte transplantation. *N Engl J Med*; 331:889-95.

Bugbee W, Emmerson BC and Jamali AA (2003). Fresh osteochondral allografting in the treatment of osteochondritis dissecans of the femoral condyle. Program and abstracts of the American Academy of Orthopaedic Surgeons 70th Annual Meeting; February 5-9; New Orleans, Louisiana.

Burks R.T. and Butarac R.B. (1994): Injuries and Disease of articular Surfaces of the Knee. In Scott W.N. (Ed). *The Knee*. Mosby. St Louis, Baltimore, Boston, London.

Buuck DA and Fulkerson JP (2000): Anteromedialization of the tibial tubercle: A 4- to 12-year follow-up. *Oper Tech Sports Med* 8: 131–137.

- Callaghan MJ and Oldham JA (2004): Quadriceps atrophy:** To what extent does it exist in patellofemoral pain syndrome. *Br J Sports Med*; 38:295–9.
- Calmbach WL and Hutchens M (2003).** Evaluation of patients presenting with knee pain: part I. History, physical examination, radiographs, and laboratory tests. *Am Fam Physician*; 68:907-12.
- Casscells, S.W. (1979):** The Arthroscope in the Diagnosis of Disorders of the Patellofemoral Joint. *Clin Orthop* 1979; 144:54.
- Chaitow, L., 2002.** Clinical Application of Neuromuscular Techniques: The Lower Body, Vol. 2. Churchill Livingstone, Edinburgh.
- Chu, C.R.; Convery, R.; Hakeson, W.H.; Meyers, M. and Amiel, D. (1999):** Articular cartilage transplantation. Clinical results in the knee. *Clin Orthops*; 360:159-68.
- Clark AL, Herzog W and Leonard TR (2002).** Contact area and pressure distribution in the feline patellofemoral joint under physiologically meaningful loading conditions. *J Biomech*; 35:53–60.
- Crossley K, Bennell K, Green S, Cowan S and McConnell J (2002):** Physical therapy for patellofemoral pain: A randomized, double-blinded, placebocontrolled trial. *Am J Sports Med*; 30:857-865.
- Dandy DJ (1990).** Anatomy of the medial suprapatellar plica and medial synovial shelf. *Arthroscopy*; 6:79-85.
- Davies AP, Costa ML, Shepstone L, Glasgow MM, Donell S and Donnell ST (20000).** The sulcus angle and malalignment of the extensor mechanism of the knee. *J Bone Joint Surg [Br]*; 82:1162—6.
- Darracott, J. And Vernon-Roberts, B. (1971):** The bony changes in chondromalacia patelle. *Rheum. Phys. Med.*; vol.11.
- Delgado-Martins H. (1979):** A study of the position of the patella using computerized topography. *J. Bone Joint Surg* 61:443.

- Demirag B, Ozturk C, Yazici Z and Sarisozen B (2004).** The pathophysiology of Osgood-Schlatter disease: a magnetic resonance investigation. *J Pediatr Orthop B*. Nov; 13(6):379-82.
- Doron Sher, P Walker and C Waller. (2004):** knee, shoulder and elbow surgery. 160 Belmore Road Randwick 2031, phone 93995333, FAX 93988673.
- Douglas, K. Dew, (1995):** Laser biophysics for orthopaedic surgeon. *Clinical orthopaedics and related research* No.310.PP. 6-13.
- Dowthwaite GP, Bishop JC, Redman SN, Khan IM, Rooney P, Evans DJ, Haughton L, Bayram Z, Boyer S, Thomson B, Wolfe MS and Archer CW (2004):** The surface of articular cartilage contains a progenitor cell population. *J Cell Sci* 117: 889-897.
- Duncan C and McKeever D. (1955):** Patellar prosthesis. *J Bone Joint Surg*. 37a: 1074.
- Dupont JY. Synovial plicae of the knee (1997):** controversies and review. *Clin Sports Med*; 16:87-122.
- Dye SF, Stauber HU and Biedert RM (1999):** The mosaic of pathophysiology causing patellofemoral pain: Therapeutic implications. *Oper Tech SportsMed* 7: 46–54.
- Dye SF, Campagna-Pinto D, Dye CC, Shifflett S and Eiman T (2003):** Soft-tissue anatomy anterior to the human patella. *J Bone Joint Surg Am*; 85:1012- 1017.
- Egund N (2001).** The radiographic axial view of the patellofemoral joint: examination in the supine or standing position. *Eur Radiol*; 11:130.
- Elias DA, White LM and Fithian DC (2002).** Acute lateral patellar dislocation at MR imaging: injury patterns of medial patellar soft-tissue restraints and osteochondral injuries of the inferomedial patella. *Radiology*; 225:736—43.

- Fanton, M.D. and Fellow A.A.O.S (1991):** - Lateral retinacular release of the knee using the versapulse surgical laser up date in orthopedic laser surgery volume 2, No.3.
- Fithian DC, Paxton E, Post W and Panni AS (2004):** Lateral retinacular release: A survey of the International Patellofemoral Study Group. *Arthroscopy*; 20:463-468.
- France L and Nester C (2001):** Effect of errors in the identification of anatomical landmarks on the accuracy of Q angle values. *Clin Biomech*; 16:710–3.
- Fredericson M, White JJ, Macmahon JM and Andriacchi TP (2002).** Quantitative analysis of the relative effectiveness of 3 iliotibial band stretches. *Arch Phys Med Rehabil*; 83:589-92.
- Fredericson M, Yoon K (2006):** Physical examination and patellofemoral pain syndrome. *Am J Phys Med Rehabil*; 85:234–243.
- Fu, F.H. (1993):** Functional and surgical anatomy. In the knee from, Function, Pathology, and Treatment. WB Saunders. Philadelphia; 16:19.
- Fulkerson JP and Arendt EA (2000):** Anterior knee pain in females. *Clin Orthop* 372: 69–73.
- Fulkerson, J.P and Hungerford, D.S. (1990):** Disorders of the patellofemoral joint, 2nd ed. Baltimore: Williams & Wilkins.
- Fulkerson J.P, (2002)** Diagnosis and treatment of patients with patellofemoral pain. *Am J Sports Med* 30(3):447–456.
- Garret, J.C. (1994):** Fresh osteochondral allografts for treatment of the articular defects in osteochondritis dessicans of the lateral femoral condyle in adults. *Clin Orthop*; 303:33-7.
- Greenfield M.A. and Scott W.N. (1994):** Patellofemoral Pain. In Scott W.N. (Ed) *The Knee*. Mosby. St Louis, Baltimore, Boston, London. pp. 391-403.

- Grelsamer RP (2000):** Current concepts review: Patellar malalignment. *J Bone Joint Surg* 82A: 1639–1650.
- Grelsamer RP and Weinstein CH:** Applied biomechanics of the patella. *Clin Orthop* 2001 Aug; (389): 9-14.
- Halbrecht JL (2001).** Arthroscopic patella realignment: An all-inside technique. *Arthroscopy*; 17:940–945.
- Hand CJ and Spalding TJ (2004):** Association between anatomical features and anterior knee pain in a “fit” service population. *J R Nav Med Serv*; 90:125–34.
- Hangody L, Ráthonyi GK, Duska Z, Vásárhelyi G, Füles P and Módis L (2004):** Autologous osteochondral mosaicplasty. Surgical technique. *J Bone Joint Surg Am* 86 (Suppl 1):65–72.
- Haspl M, Cicak N, and Klobucar H (2002).** Fully arthroscopic stabilization of the patella. *Arthroscopy*; 18:E2.
- Hauser, E.W. (1938):** Total tendon transplant for slipping patella. *Surg. Gynecol. Obstet.*; Vol.66.
- Hehne, H.J. (1990):** Biomechanics of the patellofemoral joint and its clinical relevance. *Clin Orthop*; 258:73.
- Heintjes E, Berger MY and Bierma-Zeinstra SMA (2003).** Exercise therapy for patellofemoral pain syndrome. *Cochrane Database Syst Rev*; (4): CD003472.
- Henry JE and Pflum FA (1995).** Arthroscopic proximal patella realignment and stabilization. *Arthroscopy*; 11:424–425.
- Herrington L and Nester C (2004):** Q-angle undervalued? The relationship between Q-angle and medio-lateral position of the patella. *Clin Biomech*; 19:1070–3.
- Huberti, H.H Hayes and W.C. (1984):** Patellofemoral contact pressures: The influence of q-angle and tendofemoral contact. *J Bone Surg*; 66A: 715-724.

- Hutghston JC. (1968):** Subluxation of the patella.J. Bone and Joint Surg.; Vol. 50-A.
- Insall, J.N. and Salvati, E. (1971):** Patella position in the normal knee joint. Radiology; Vol. 10.
- Insall, J.N; Buzzi, R. and Aglietti, P (1993):** Disorders of the patellofemoral joint.p.241. In surgery of the knee. 2nd edition. Churchill Livingstone, New York; (1): 241-376.
- Jackson RW and Dieterichs C (2003)** The results of arthroscopic lavage and debridement of osteoarthritic knees based on the severity of degeneration: a 4- to 6-year symptomatic follow-up. Arthroscopy **19**: 13-20.
- Jenny JY, Sader Z and Henry A (1996):** Elevation of the tibial tubercle for patellofemoral pain syndrome. An 8- to 15-year follow-up. Knee Surg Sports Traumatol Arthrosc 4: 92–96.
- Joensen AM, Hahn T, Gelineck J, Overvad K and Ingemann-Hansen T (2001)** Articular cartilage lesions and anterior knee pain. Scand J Med Sci Sports 11:115–119.
- Johnson LL (2001)** Arthroscopic abrasion arthroplasty: a review. Clin Orthop **391**: S306-317.
- Katchburian MV, Bull AM, Shih YF, Heatley FW and Amis AA (2003):** Measurement of patellar tracking: Assessment and analysis of the literature. Clin Orthop; 412:241-259.
- Kettunen JA, Visuri T and Harilainen A (2005):** Primary cartilage lesions and outcome among subjects with patellofemoral pain syndrome. Knee Surg Sports Traumatol Arthrosc, Mar; 13(2): 131-4.
- C W Kieser and R W Jackson (2003),** “Eugen Bircher (1882–1956) The First Knee Surgeon to Use Diagnostic Arthroscopy”, Arthroscopy, 19 (7) (Sept. 2003), pp. 771–776.

- Knutsen G, Engebretsen L and Ludvigsen TC (2004):** Autologous chondrocyte implantation compared with microfracture in the knee: A randomized trial. *J Bone Joint Surg Am*; 86:455-464.
- Kooijman HJ, Driessen AP and van Horn JR (2003):** Long-term results of patellofemoral arthroplasty: A report of 56 arthroplasties with 17 years of followup. *J Bone Joint Surg Br*; 85:836- 840.
- Kosarek FJ and Helms CA.** The MR appearance of the infrapatellar plica. *AJR Am J Roentgenol* 1999; 172:481-484.
- Kulowski, J. (1933):** Chondromalacia of the patella. *J. Of Am. Med. Assoc.*; Vol. 100. Quoted from Dugdale and Barentt, 1960: *Orthop. Clin. North Am.*; Vol. 17.
- Labelle, H. and Laurin, C.A. (1976):** Radiological investigation of normal and abnormal .*J. Bone Joint Surg.*; Vol. 57-B.
- Laurin, C.A; Levesque, H.P.; Dussault, R; Labelle, H. and Pedis, J.P. (1978):** The abnormal lateral patellofemoral angle. *J. Bone Joint Surg.*; Vol. 60-A.
- Lubinus HH (1979):** Patella glide bearing total replacement. *Orthopedics* 2:119.
- Macarini L, Murrone M and Marini S (2003):** RM nello studio della condropatia del ginocchio: influenza della sede e dello stadio delle lesioni sull'efficacia delle lesioni. *Radiol Med* 105: 48-55.
- Marcacci M, Kon E and Zaffagnini S (2005):** Arthroscopic autologous chondrocyte transplantation: results of 3 years follow up. Program and abstracts of the American Academy of Orthopaedic Surgeons 72nd Annual Meeting; February 23-27; Washington, DC. Course Number 399.
- Malone T, Davies G and Walsh WM (2002):** Muscular control of the patella. *Clin Sports Med*; 21:349-362.
- McConnell, J., 2002.** The physical therapist's approach to patellofemoral disorders. *Clinics in Sports Medicine* 21, 363–387.

Merchant A.C. (1994): Extensor mechanism Injuries: Classification and Diagnosis. In Scott W.N. (Ed) The Knee. Mosby. St Louis, Baltimore, Boston, London. pp.403-409.

Merchant, A.C. and Mercer, R.L. (1974): Lateral release of the patella. Clin. Orthop.; Vol. 103.

Merchant, A.C.; Mercer, R.L; Jacobsen, R.J. and Cool, C.R. (1974): Roengenographic analysis of patello- femoral congruence. J Bone Joint Surg; 56A: 1391-1396.

Miller B, Steadman JR, Briggs KK and Folk J (2003). Patient satisfaction and functional outcome after microfracture of the degenerative knee. Program and abstracts of the American Academy of Orthopaedic Surgeons 70th Annual Meeting; February 5-9; New Orleans, Louisiana.

Moore, K., 1995. Essential Clinical Anatomy. William and Wilkins, Baltimore.

Muschler GF, Nakamoto C and Griffith LG (2004). Engineering principles of clinical cell-based tissue engineering. J Bone Joint Surg Am; 86:1541-1558.

Nomura E and Inoue M (2004). Cartilage lesions of the patella in recurrent patellar dislocation. Am J Sports Med; 32:498e502.

Outerbridge and R. E. (1961): The etiology of chondromalacia patellae. J Bone Joint Surg [Br] 1961; 43B: 752.

Owings T and Grabiner MD (2002) Motor control of the VMO and VL is disrupted during eccentric contractions in subjects with patellofemoral pain. Am J Sports Med 30(4):483–487.

Panni AS, Biedert RM, Maffulli N, Tartarone M and Romanini E (2002). Overuse injuries of the extensor mechanism in athletes. *Clin Sports Med*; 21:483-98.

Papagelopoulos, P. and Sim, 1997. Patellofemoral pain syndrome: diagnosis and management. *Orthopedics the Official Journal of the American College of Sports Medicine*, 20 (2), 148–156.

Pavesio A, Abatangelo G, Borriane A, Brocchetta D, Hollander AP, Kon E, Torasso F, Zanasi S and Marcacci M (2003) Hyaluronan-based scaffolds (Hyalograft C) in the treatment of knee cartilage defects: preliminary clinical findings. *Novartis Found Symp* **249**: 203-217; discussion 229-233, 234-208, 239-241.

Peterson L, Brittberg M, Kiviranta I, Akerlund EL and Lindahl A (2002): Autologous chondrocyte transplantation: Biomechanics and long-term durability. *Am J Sports Med*; 30:2-12.

Pidoriano AJ, Weinstein RN and Buuck DA (1997): Correlation of patellar articular lesions and results from anteromedial tibial tubercle transfer. *Am J Sports Med* 25: 533–537.

Powers CM, Ward SR and Fredericson M (2003): Patellofemoral kinematics during weight-bearing and non-weight-bearing knee extension in persons with lateral subluxation of the patella: A preliminary study. *J Orthop Sports Phys Ther*; 33:677–85.

Post W (2002). Patellofemoral malalignmen: looking beyond the viewbox. *Clinics in Sports Medicine* 21, 521–546.

Post WR (2004): History and physical examination, in Fulkerson JP (ed): *Disorders of the Patellofemoral Joint*. Philadelphia, Lippincott Williams and Wilkins, pp 43–74.

- Press, J, Young and J (1998).** Rehabilitation of patellofemoral pain syndrome. In: Kibler, B. (Ed.), Functional Rehabilitation of Sports and Musculoskeletal Injuries. Aspen Publications, Gaithersburg, pp. 254–264.
- Reider B, Marshall JL and Costlin B (1981):** The anterior aspect of the knee joint. J Bone joint Surg 63A:351.
- Rennie WJ and Saifuddin A (2005):** Pes anserine bursitis: incidence in symptomatic knees and clinical presentation. Skeletal Radiol; Jul;34(7): 395-8.
- Rielly DJ and Martens M. (1972):** Experimental analysis of the quadriceps force and patellofemoral joint reaction force for various activities. Acta Ortho Scand 43:126.
- Ross MD and Villard D (2003).** Disability levels of college-aged men with a history of Osgood-Schlatter disease. J Strength Cond Res. Nov; 17(4):659-63.
- Roufosse CA, Direkze NC, Otto WR and Wright NA (2004):** Circulating mesenchymal stem cells. Int J Biochem Cell Biol 36: 585-597.
- Roux, C. (1988):** Recurrent dislocation of the Patella; operative treatment. Rev Chir; 8:682-689.
- Sakakibara J.** Arthroscopic study on Iino's band (plica synovialis mediopatellaris). J Jpn Orthop Assoc 1974; 50:513-522.
- Salsich GB, Ward SR, Terk MR and Powers CM (2003).** In vivo assessment of patellofemoral joint contact area in individuals who are pain free. Clin Orthop; 417:277–84.
- Scapinelli, R. (1967):** blood supply of the human patella. Its relation to ischemic necrosis after fracture. J Bone Joint Surg; 49B; 563. In The role of Arthroscopy in patellofemoral Arthritis. In the patellofemoral joint. Edited by Robert, W.J. in 1993. McGraw-Hill. New York.

- Scapinelli, R.; Aglietti.; Baldovin, M; Giron. And Teitge, R. (2002):** Biologic resurfacing of the patella: current status, Clinics in Sports Medicine; vol.21; No3.
- Schenck R.C. and Goodnight J.M. (1996):** Osteochondritis Desiccans. The Journal of bone and Joint Surgery. Vol.78-A,(3), pp. 439-449.
- Settegast, (1921): Quoted from Laurin et al., (1978):** Abnormal lateral patellofemoral angle: a diagnostic roentgenographic sign of recurrent patellar subluxation. J. Bone Joint Surg.; Vol. 60-A.
- Sherman, OH; Fox JM and Sperling, H; et al (1987):** Patellar instability: treatment by arthroscopic electro surgical lateral release. Arthroscopy 3(3): 152.
- Small NC, Glogau AI and Berezin MA (1993).** Arthroscopically assisted proximal extensor mechanism realignment of the knee. Arthroscopy; 9:63–67.
- Solcum, D.B.; Larson, R.L. and James, S.L. (1974):** Late reconstruction of ligamentous injuries of the medial compartment of the knee. Clin Orthop; 100:23-55.
- Staubli H-U, Porcellini B and Rauschning W (1999):** Anatomy and surface geometry of the patellofemoral joint in the axial plane. J Bone Joint Surg 81B: 452–458.
- Steadman JR, Rodkey WG, Singleton SR and Briggs KK. (1997):** Microfracture technique for full-thickness chondral defects: technique and clinical results. Op Tech Orthop; 7:300-7.
- Steadman JR, Miller B, Karas S, Schlegel T, Briggs K and Hawkins R (2003).** The microfracture technique in the treatment of full-thickness chondral lesions of the knee in National Football League players. J Knee Surg; 16:83-86.
- Tang, S (2001):** Vastus medialis obliquus and vastus lateralis activity in open and closed kinetic chain exercises in patients with patellofemoral

pain syndrome: an electromyographic study. Archives of Physical Medicine Rehabilitation 82, 1441–1445.

Theut PC and Fulkerson JP (2003): Anterior knee pain and patellar subluxation in the adult, in DeLee JC, Drez D (eds), Orthopaedic Sports Medicine, ed 2, vol 2. Philadelphia, Saunders, p 1772.

Tuli R, Li WJ and Tuan RS (2003): Current state of cartilage tissue engineering. Arthritis Res Ther 5: 235-238.

Whitehouse RW (2002). Computed tomography (CT) and CT arthrography. In: Davies AM, Cassar-Pullicino VN, editors. Imaging of the knee, 1st ed. Berlin: Springer-Verlag; p. 23—40.

Wiberg G. (1941): Roentgenographic and anatomic studies on the patellofemoral joint. With special reference to chondromalacia patellae. Axta Ortho Scand; 12:319.

Witonski D and Wagrowska-Danielewicz M (1999): Distribution of substance-P nerve fibers in the knee joint in patients with anterior knee pain syndrome: A preliminary report. Knee Surg Sports Traumatol Arthrosc; 7: 177-183.

Witvrouw E, Lysens R, Bellemans J, Cambier D and Vanderstraeten G (2000) Intrinsic risk factors for the development of anterior knee pain in an adolescent population: a two-year follow- up. Am J Sports Med 28:480–489.

Yamamoto RK (1986). Arthroscopic repair of the medial retinaculum and capsule in acute patellar dislocations. Arthroscopy; 2:125–131.

Zappala F 1992. Rehabilitation of patellofemoral joint disorders. Orthopedic Clinics of North America 23 (4), 555–566.

Zukor DJ, Oakeshott RD and Gross AE. (1989): Osteochondral allograft reconstruction of the knee. Part 2: experience with successful and failed fresh osteochondral allograft. Am J Knee Surg; 2:182-91.