

References

REFERENCES

- 1-Amr El-Sayed,Hatem G.Z.,Ahmad Abdel-Aal.** Locked plate fixation for femoral shaft fractures. *International Orthopaedics (SICOT)*(2001)25:214-218.
- 2-Axelrod TS.,McMurtry RY.** Open reduction and internal fixation of comminuted intraarticular fractures of the distal radius. *Journal of Hand Surgery* 1990; 15A: 1-11.
- 3-Borgeaud M.,Cordey J.,Leyvraz PE., et al.** Mechanical analysis of the bone to plate interface of the LC-DCP and of the PC-FIX on human femora. *Injury* 2000;31(suppl 3):C29-C36.
- 4-Claes L.,Heitemeyer U.,Krischak G., et al.** Fixation technique influences osteogenesis of comminuted fractures. *Clin Orthop.* 1999; 365:221-229.
- 5-Cordey J.,BorgeaudM.,Perren SM.** Force transfer between the plate and the bone: relative importance of the bending stiffness of the screws friction between plate and bone. *Injury* 2000;31(suppl 3):C21-C28.
- 6-Eijer H.,Hauke C.,Arens S., et al.** PC-Fix and local infection resistance influence of implant design on postoperative infection development, clinical and experimental results. *Injury.* 2001;32 (suppl 2):SB38-SB43.
- 7- Farouk O.,Krettek C.,Miclau T.,et al.** Minimally invasive plate osteosynthesis and vascularity:preliminary results of a cadaver injection study. *Injury.*1997;28(suppl 1):A7-A12.
- 8-Frigg R.** Locking Compression Plate (LCP). An osteosynthesis plate based on the Dynamic Compression Plate and thePoint Contact Fixator (PC-Fix). *Injury* 2001;32(suppl2):63-66.
- 9-Frigg R.** Development of the locking compression plate. *Injury* (suppl 2):2003;34:6-10.
- 10-Freedman EL.,Johnson EE.** Radiographic analysis of tibial fracture malalignment following intramedullary nailing. *Clin Orthop.* 1996;315:25-33.
- 11-Gautier E.,Perren SM.,** Die "Limited contact Dynamic Compression Plate" (LC-DCP): Biomechanische Forschung als Grundlage des neuer Plattendesigns. *Orthopade.* 1992;21:11-23.
- 12-Gautier E.,Jakob RP.** Surgical reduction and its influence on bone repair: approaches and reduction techniques. In:**Ruedi TP., Murphy WM., eds.** *AO Principles of fracture management.* Stuttgart-New York: Thieme;2000:139-155.

13-Gautier E.,Sommer C., Guidelines or the clinical application of the LCP. *Injury*. 2003;34(suppl 2):63-77.

14-Gerber C.,Mast JW.,Ganz R. Biological internal fixation of fractures. *Arch Orthop Trauma Surg* 1990;109:295-303.

15-Heitemeyer U.,Claes L.,Hierholzer G. Die Bedeutung der postoperativen Stabilität für die ossäre Reparatation einer Mehrfragmentfraktur. Tier experimentelle Untersuchungen. *Unfallchirurg* 1990;93:49-55.

16-Hente R.,Cordey J.,Perren SM. In vivo measurement of bending stiffness in fracture healing. *Biomed Eng Online* 2003;2-8.

17-Hertel R.,Eijer H.,Meisser A., et al. Biomechanical and biological considerations relating to the clinical use of the Point Contact-Fixator evaluation of the device handling test in the treatment of diaphyseal fractures of the radius and/or ulna. *Injury* 2001;32(suppl 2):SB10-SB14

18-Hochstein P.,Aymar M.,Winkler A.,Wentzensen A. Die operative Behandlung diaphysärer Tibia frakturen. Verfahrenswahl und Behandlungsergebniss von 187 Frakturen. *Unfallchirurgie* 1994;20:259-275.

19-Horwitz,Daniel S.,Kent N.,et al. A biomechanical analysis of internal fixation of complex tibial plateau fractures.

20-Hove LM.,Nilsen PT.,Fumes O.,et al. Open reduction and internal fixation of displaced intra-articular fractures of the distal radius: *Acta Orthopaedica Scandinavica* 1997; 68:59-63.

21-Jannotti JP.,Ramsey ML.,Williams GR. Non-prosthetic management of proximal humeral fractures. *J Bone Joint Surg.(Am)* 2003;85:1578-93.

22-Jan-Magnus Bjorkenheim,Jarkko P., Vesa Savolainen. Internal fixation of proximal humeral fractures with a LCP. *Acta Ortho Scand* 2004;75(6):741-745.

23-Jupiter JB.,Barnes KA.,Goodman LJ.,et al. Multiplane fracture of the distal humerus. *J Orthop Trauma* 1993;7(3):216-220.

24-Kannus P.,Palvanen M.,Niemi S., et al. Osteoporotic fractures of the proximal humerus in elderly Finnish persons. *Acta Orthop. Scand* 2000;71:465-470.

25-Kenneth A. Egol, Erik N. Kubiak, Eeic Fulkerson, et al. Biomechanics of Locked Plates and Screws. *J Ortho Trauma*; volume-16;number-18:2004.

26-Kessler SB., Analyse der Refrakturn nach Plattenosteosynthese. In: **Wolter D.,Zimmer W.,eds.** Die Plattenosteosynthese und ihre Konkurrenzverfahren Von Hansmann bis Ilisarow. Berlin,etc: Springer Verlag, 1991:38-40.

- 27-Kregor PJ.,Hughes JL.,Cole PA:** Fixation of distal femoral fractures above total knee arthroplasty utilizing the Less Invasive Stabilization System(LISS). *Injury* 2001;32(suppl 3):SC64-SC75.
- 28-Leunig M.,Hertel R.,Siebenrock K.,Balmer F.,Mast J.,Ganz R.** The evaluation of indirect reduction techniques for the treatment of fractures. *Clin Orthop.* 2001;375:7-314.
- 29-Miclau T.,Remiger.,Tepic S.,et al.** A mechanical comparison of the dynamic compression plate, limited contact-dynamic compression plate, and point contact fixator. *J Orthop Trauma* 1995; 9:17-22.
- 30-Nunley JA.,Rowan PR.** Delayed rupture of the flexor pollicis longus tendon after inappropriate placement of the plate on the palmar surface of the distal radius. *Journal of Hand Surgery* 1999; 24A: 1279-1280.
- 31-OrbayJL.,Fernandez DL.** Palmar fixation for dorsally displaced fractures of the distal radius: a preliminary report. *Journal of Hand Surgery* 2002; 27A:205-215.
- 32-Perren SM.,Schlegel U.** Surgical aspects of implants and infections. *Arch Orthop Trauma Surg.*1990;109:330-333.
- 33- Perren SM. Point contact fixator: part 1.scientific background, design and application.** *Injury AO\ASIF Scientific Supplement*;1995
- 34-Perren SM.,Claes L.,** Biology and Biomechanics in Fracture management.In:Ruedi TP.,Murphy WM,eds. *AO Principles of fracture Management.* Stuttgart-New York:Thieme;2000:7-30.
- 35-Perren SM.** Evolution and rational of locked internal fixator technology. Introductory remarks. *Injury.* 2001;32(suppl 2):S-B3-9.
- 36-Perren SM.** Evolution of the internal fixation of long bone fractures. The scientific basis of biological internal fixation: choosing a new balance between stability and biology. *J Bone Joint Surg Br.*2002;84-B:1093-1110.
- 37-Ricci WM.,Bellabarba C.,Lewis R., et al:** Angular malalignment after intramedullary nailing of femoral shaft fractures. *J Orthop Trauma* 2001;15:90-95.
- 38-Ring D.,Kkoen P.,Kadzielski J.,Helfet D. Et al.** Locking compression plates for osteoporotic nonunions of the diaphyseal humerus. *Clin-Orthop.* 2004;425:50-54.
- 39-Ruedi TP.,Murphy WM., eds.** *AO Principles of fracture management.* Stuttgart-New York: Thieme; 2000.
- 40-Rozbruch SR.,Muller U.,Gautier E.,Ganz R.** The evolution of femoral shaft plating technique. *Clin Orthop.*1998; 354:195-208
- 41-Schandelmaier P.,Stephan C.,Reimers N.,Krettek C.** LISS osteosynthesis for distal fractures of the femur. *Trauma Berufskrankh* 1999;1:392-397

- 42-Schuetz M.,Schmeling A.,Ito K.,Wieling R.,Haas NP.** Der Einfluss des chirurgischen Zuganges auf die Frakturheilung: Vergleich von minimal Invasiver Technik (MIC) mit konventioneller offener Reposition und stabilisierung (ORIF) mit Fixateur intern in einer tierexperimentellen Untersuchung an der Schafstibia. Hefte Unfallchirurg 1999;275:473-4.
- 43-Schutz M.,Muller M.,KaabM, et al.** Less Invasive Stabilization System (LISS) in the treatment of distal femoral fractures. Acta Chir Orthop Traumatol Cech. 2003;70:74-82.
- 44-Tepic S.,Perren SM.** The biomechanics of the PC-Fix internal fixator. Injury.1995;26(suppl 2):5-10.
- 45-Wagner M.,Frigg R.,** Locking Compression Plate(LCP):Ein neuer AO-Standard. OP-Jurnal.2000;16(3):238-243.
- 46-Wagner M.** General principles for the clinical use of the LCP. Injury, Int. J. Care Injured 34 (2003)S-B31-S-B42.
- 47-Wijgman AJ.,Roolker W.,Patt TW.** Open reduction and internal fixation of three and four-part fractures of the proximal part of the humerus. J Bone Joint Surg. (Am) 2002;84:1919-25.