

REFERENCES

REFERENCES

- Acker, D.B.; Gregory, K.D.; Sachs, B.P. and Friedman, E.A. (1988):**
Risk factors for Erb Duchenne Palsy.
Obstet. Gynecol., 71: 389-392.
- Akoury, H.A.; Brodie, G.; Caddick, R. and et al. (1988):**
Active management of labor and operative delivery in nulliparous women. Am. J. Obstet. Gynecol., 158: 255 – 258.
- American College of Obstetricians and Gynecologists (1995):**
Dystocia and the augmentation of labor. Technical Bulletin no. 218.
- American Academy of Pediatrics, Committee on Drugs (1994):**
The transfer of drugs and other chemicals into human milk. Pediatrics, 93: 137-150.
- Arias, F. (1993):**
Practical guide to high-risk pregnancy and delivery. 2nd ed. Mosby Year Book, St. Louis, P-P 385-396.
- Bauer, J.H.; Pape, B.; Zajicek, J. and Groshong, T. (1979):**
Propranolol in human plasma and breast milk. Am. J. Cardiol., 43: 860-862.
- Baxi, L.V. and Petrie, R.H. (1987):**
Pharmacologic effects on labor: effects of drugs on dystocia, labor and uterine activity. Am. J. Obstet. Gynecol., 18: 104-108.
- Beazley, J.M. and Kurjak, A. (1972):**
Influence of a partogram on the active management of labor. Lancet, ii, 348 –352.
- Blanch, G.; Lavender, T.; Walkinshaw, S. and Alfirevie, Z. (1998):**
Dysfunctional labor: a randomised trial. Br. J. Obstet. Gynecol., 105: 117-120.

- Boakers, A.J.; Boeree, B.H. and Prichard (1988):**
Dose response studies in oxprenolol, pindolol, practolol, propranolol and sotalol on tilt valsalva's and exercise tachycardia. Arch. Pharmacol., 300: 42-46.
- Bottari, S.P.; Vokaer, A.; Kaivez, E.; Lescrainier, J.P. and Vanquelin, G. (1985):**
Regulation of alpha and beta-adrenergic receptor subclasses by gonadal steroids in human myometrium. Acta. Physiol. Hung., 65: 335-346.
- Bottoms, S.F.; Hirsch, V.J. and Sokol, R.J. (1987):**
Medical management of arrest disorders of labor: a current overview. Am. J. Obstet. Gynecol., 156: 935-939.
- Bowes, W.A.Jr. (1994):**
Clinical aspects of normal and abnormal labor. In: Maternal-Fetal Medicine. Eds. Creasy, R., Resnik, R., 3rd ed. WB: Saunders, Philadelphia, P. 527.
- Bowman, W.C. and Rand, M.J. (1984):**
Peripheral adrenergic. In: Text Book of Pharmacology. Eds. Bowman, W.C. Rand, M.J. Blackwell Scientific Publication, Malden, P-P. 1-49.
- Boylan, P. (1997):**
Active management of labor. In: Management of Labor and Delivery. Ed. Creasy, R., 1st ed., Blackwell Science. Malden, P-P. 316-327.
- Boylan, P.; Frankowski, R.; Routree, R.; Selwyn, B. and Parish, K. (1991):**
The effect of active management of labor on the incidence of cesarean section for dystocia in nulliparae. Am. J. Perinat. Med., 5: 373-379.
- Breuille, F.M.; Doualla, B.F.; Makaa, B.K.; Geny, and Ferre, F. (1991):**
Alpha-1 adrenergic receptor: binding and phosphoinositide breakdown in human myometrium. J. Pharmacol. Exp. Ther., 258: 82-87.

- Bruner, J. (1991):**
Routine cesarean section for macrosomic fetuses. *Contemp. Obstet. Gynecol.*, 36: 51-55.
- Caldeyero-Barcia, R. and Poseiro, J.J. (1960):**
Physiology of the uterine contraction. *Clin. Obstet. Gynecol.*, 3: 386 – 391.
- Cardozo, L.D.; Gibb, D.M.; Studd, J.W.; Vasant, R.V. and Cooper, D.J. (1982):**
Predictive value of cervimetric labor patterns in primigravidae. *Br. J. Obstet. Gynecol.*, 80: 33 –37.
- Cardozo, L. and Pearce, J. (1990):**
Oxytocin in active phase abnormalities of labor: a randomized study. *Obstet. Gynecol.*, 75: 152-157.
- Challis, J.R.G. and Lye, S.J. (1994):**
Parturition. In: *The Physiology of Reproduction*. Eds. Knobil, E., Neil, J.D. 2nd ed. Raven, New York, P-P. 985-1031.
- Chelmow, D.; Kilparick, S.J. and Laros, R.K. (1993):**
Maternal and neonatal outcomes after prolonged latent phase. *Obstet. Gynecol.*, 81: 486- 490.
- Chen, H.Y. and Huang, S.C. (1982):**
Evaluation of midpelvic contraction. *Int. Surg.*, 67: 516-520.
- Chwalisz, K. (1993):**
Role of progesterone in the control of labor. In: *Basic Mechanisms Controlling Term and Preterm birth*. Eds. Chwalisz, K.; Garfield, R.E. Springer, Berlin, Heidelberg, New York, P-P. 97-162.
- Cole, W.C.; Garfield, R.E. and Kirkaldy, J.S. (1985):**
Gap junctions and direct intercellular communication between rat uterine smooth muscle cells. *Am. J. Physiol.*, 249: 20-31.
- Cohen, T.J.; Vivat, V.; Heilmann, J.; Legr, C. and Maltier, J.P. (1991):**
Regulation by progesterone of the high affinity state of myometrial B-adrenergic receptor and of adenylate cyclase activity in the pregnant rat. *J. Mol. Endocrinol.*, 6: 137-145.

Compton, A. (1987):

Soft tissue and pelvic dystocia, Clin. Obstet. Gynecol., 30: 69-76.

Consensus Conference Report (1986):

Indications for cesarean section: final statement of the panel of the National Consensus Conference on Aspects of Cesarean Birth. Can. Med. Assoc. J., 134: 1348-1352.

Crawford, S.J. (1983):

The stages and phases of labor: an outworn nonenlature that invites hazard. Lancet, ii, 271 – 282.

Creasy, R.K. (1997):

Normal labor and delivery. In: Management of Labor and Delivery. Ed. Creasy, R.K. 1st ed. Blackwell Science, New York, P-P. 74 – 80.

Cunningham, F.G.; MacDonald, P.C. and Gant, N.F. (1997):

Abnormal labor. In: Williams' Obstetrics. Eds. Cunningham, F.G.; MacDonald, P.C and Gant, N.F. 20th ed. Appleton & Lange, New York, P-P. 415-472.

Cunnone, J.G. and Blackwood, G.W. (1987):

Psychosis with propranolol. Still not recognized: Postgrad. Med. J., 57: 63-67.

De Muylder, X. and Thiery, M. (1990):

The cesarean delivery rate can be safely reduced in a developing country. Obstet. Gynecol., 75: 360-364.

Duignam, N.M.; Studd, J.W.W. and Hughes, A.D. (1975):

Characteristics of normal labor in different racial groups. Br. J. Obstet. Gynecol., 82: 593 – 597.

Dujardin, B.; Desachampheleire, I.; Seven, H. and Ndiaye, F. (1992):

Value of the alert and action lines on the partogram. Lancet, 339: 1336 – 1346.

Engler, R.L.; Conant, J.; Maisel, A. and et al. (1986):

Lipid solubility determines the relative C.N.S. effects of beta – blocking agents. J.Am. Coll. Cardiol., 7: 25 – 31.

- Eskes, T.; Stolte, L.; Sellen, J.; Moed, H.O. and Vogelsang, G. (1965):**
The influence of pronethalol and propranolol on the uterine and systemic activity of P-hydroxyphenylisopropylarterenol. *Am. J. Obstet. Gynecol.*, 92: 871-881.
- Estrada, E.; Society for Gynecological Investigation (1991):**
Abstract no. 227. Adapted from Sanchez-Ramos et al. (1996), *J. Obstet. Gynecol.*, 88: 517-520.
- Ferguson, J.K.W. (1941):**
A study of the motility of the intact uterus at term. *Surg. Obstet. Gynecol.*, 73: 359 – 363.
- Fields, L.M.; Entman, S.S. and Boehm, F.H. (1983):**
Correlation of the one-minute Apgar score and the pH value of the umbilical arterial blood. *South. Med. J.*, 76: 1477 – 1481.
- Floberg, J.; Belfrage, P. and Ohlsen, H. (1987):**
Influence of pelvic outlet capacity on labor: A prospective pelvimetry study of 1429 unselected primiparas. *Acta. Obstet. Gynecol. Scand.*, 66: 121 – 125.
- Fraser, W.D.; Marcoux, S.; Moutquin, J.M.; Christen, A. and The Canadian Early Amniotomy Study Group (1993):**
Effect of early amniotomy on the risk of dystocia in nulliparous women. *N. Engl. J. Med.*, 328: 1145-1149.
- Friedman, E.A. (1955):**
Primigravid labor-a graphico-statistical analysis. *Obstetrics and Gynecology*, 6: 567 – 571.
- Friedman, E.A. (1972):**
An objective approach to the diagnosis and management of abnormal labor. *Bull. N.Y. Acad. Med.*, 48: 842 – 849.
- Friedman, E.A. (1978):**
Labor: Clinical evaluation and management. 2nd ed. Appleton-Century. Crofts, New York, P-P. 36 – 40, 115 – 128.
- Friedman, E.A. (1989):**
Failure to progress during labor. *Contemp. Obstet. Gynecol.*, 34: 42-52.

Friedman, E.A. and Neff, R.K. (1987):

Labor and delivery: Impact on offspring. PSG Publishing, Littleton, P-P. 66-80, 459-460.

Friedman, E.A.; Sachtleben, M.R. and Brasky, P.A. (1977):

Dysfunctional labor: Long term effects on the infant. Am. J. Obstet. Gynecol., 127: 779-783.

Friedman, E.A. and Sachtleben, M.R. (1961):

Dysfunctional labor (1). Prolonged latent phase in nullipara. Obstetrics and Gynecology, 17: 135 – 140.

Frigoletto, F.D.; Lieberman, E.; Lang, J.M.; Cohen, A.; Darrs, V.; Ringer, S. and Datta, S. (1995):

A clinical trial of active management of labor. N. Engl. J. Med., 333: 745-748.

Frishman, W.H. and Chesner, M. (1988):

Beta adrenergic blockers in pregnancy. Am. Heart. J., 115: 147-152.

Gabella, G. (1984):

Structural apparatus for force transmission in smooth muscle. Physiol. Rev., 64: 455-477.

Garfield, R.E. (1987):

Cellular and molecular bases for dystocia. Clin. Obstet. Gynecol., 30 : 3-18.

Garfield, R.E.; Rabidoau, S.; Challrs, J.R.G. and Daniel, E.F. (1979):

Ultrastructural basis for maintenance and termination of pregnancy. Am. J. Obstet. Gynecol., 133: 308 – 311.

Garfield, R.E. and Somlyo, A.P. (1985):

Structure of smooth muscle. In: Calcium and Contractility. Eds. Grover, A.K., and Daniel, E.E. Humana, Clifton, P-P. 1-36.

Gibb, D.M.F.; Cardozo, L.D.; Studd, J.W.W.; Magos, A.L. and Cooper, D.J. (1982):

Outcome of spontaneous labor in multigravidae. Br. J. Obstet. Gynecol., 89 : 708 – 712.

Goodlin, R.C. (1982):

Beta blocker in pregnancy-induced hypertension. Am. J. Obstet. Gynecol., 143: 237-240.

Gould, S.H. (1986):

The effects of antihypertensive therapy on the quality of life. N. Engl. J. Med., 314: 1627 – 1631.

Granstrom, L.; Ekman, G. and Malmstrom, A. (1991):

Insufficient remodeling of the uterine connective tissue in women with protracted labor. Br. J. Obstet. Gynecol., 98: 1212-1216.

Green, M.G.; Coupland, V.A. and Kitzinger, J.V. (1990):

Expectations, experiences & psychological outcomes of childbirth: a prospective study of 825 women. Birth, 17: 15-24.

Handa, V.L. and Laros, R.K. (1993):

Active-phase arrest in labor: predictors of cesarean delivery in a nulliparous population. Obstet. Gynecol., 81: 758 – 761.

Hansell, R.; McMurray, K. and Husey, G. (1990):

Vaginal birth after two or more cesarean sections: a five year experience. Birth, 17: 146-150.

Hansson, L. (1988):

Beta-adrenergic blockade in essential hypertension. Acta. Med. Scand. Suppl., 57: 1-40.

Harper, V. and Hall, M. (1991):

Trends in cesarean section. Curr. Probl. Obstet. Gynecol., 1: 158-165.

Hayes, A. and Cooper, R.G. (1987):

Studies on the absorption, distribution and excretion of propranolol in rat, dog, and monkey. J. Pharmacol. Exp. Ther., 177: 302-311.

Hemminki, L.; Lenck, M. and Sarrikoski, S. (1985):

Ambulation versus oxytocin in protracted labor: a pilot study. Eur. J. Obstet. Gynecol. Reprod. Biol., 20: 199-208.

Hendricks, C.H.; Brenner, W.E. and Krans, F. (1970):

Normal cervical dilatation pattern in late pregnancy and labor.
Am. J. Obstet. Gynecol., 106: 1065 – 1069.

Huszar, G. and Walsh, M.P. (1989):

Biochemistry of the myometrium and cervix. In: Biology of The Uterus. Eds. Wynn, R.M., Jollie, W.P. 2nd ed. Plenum, New York, P-P. 355-402.

Inoue, Y.; Nakao, K. and Okabe, K. (1990):

Some electrical properties of human pregnant myometrium.
Am. J. Obstet. Gynecol., 162: 1090-1098.

Kennell, J. and Others (1991):

Continuous emotional support during labor in a US hospital: a randomized controlled trial. JAMA, 265 : 2197-2201.

Khan, M.G. (1993):

Angina. In: Cardiac and Pulmonary Management., Lea & Febiger, Philadelphia, P-P. 38- 46.

Khan, M.G. (1995):

B-adrenoceptor blockers. In: Cardiac Drug Therapy. Ed. Khan, M.G. 4th ed. Saunders Company Ltd. London, P-P. 44-72.

Killpatrick, S. and Laros, R. (1989):

Characteristics of normal labor. Obstet. Gynecol., 74: 85-87.

Kostis, J.B. and Rosen, P.C. (1987):

Central nervous system effects of B-adrenergic blocking drugs. The role of ancillary properties. Circulation, 75: 204 – 12.

Kurjak, A. (1998):

The forces of labor. In : Text Book of Perinatal Medicine. Ed.kurjak, A. 1st ed. The Parthenon Publishing Group Ltd. New York, P-P. 1714 – 1717.

Laurence, D.R. and Bennett, P.N. (1987):

Drug used in arterial hypertension and angina pectoris. In: Clinical Pharmacology. Eds. Laurence, D.R. and Bennett, P.N. 6th ed., Churchill Livingstone, London, P-P. 489-517.

- Leak, D.; Carrol, J.J.; Robinson, D.C. and Ashworth, E.J. (1977):**
Management of pheochromocytoma during pregnancy. Can. Med. Assoc. J., 116: 371-375.
- Lebrec, D.; Poynarol, T. and Hillon (1981):**
Propranolol for prevention of recurrent gastrointestinal bleeding in patients with cirrhosis. A controlled study. N. Engl. J. Med., 305: 1371-1374.
- Leppert, P.C. (1992):**
Cervical softening, effacement and dilatation: a complex biochemical cascade. J. Mat. Fet. Med., 1: 213-223.
- Lilford, R.J.; Vancoeverden, H.; DeGroot, H.A.; Moore, P.J. and Bingham, P. (1990):**
The relative risk of cesarean section (intrapartum and elective) and vaginal delivery. Br. J. Obstet. Gynecol., 97: 883-892.
- Lindheimer, M.D. and Katz, A.I. (1985):**
Hypertension in pregnancy. N. Engl. J. Med., 313: 675 – 679.
- Livingstone, I.; Craswell, P.W.; Bevan, E.B.; Smith, M.T. and Eadie, M.J. (1983):**
Propranolol in pregnancy: three year prospective study. Clin. Exp. Hypertens., 2: 341-350.
- Lopez-Zeno, J.A.; Peaceman, A.M.; Adashek, J.A. and et al. (1992):**
A controlled trial of a program for the active management of labor. N. Engl. J. Med., 326: 450-457.
- Lye, S.J.; Nicholson, B.J.; Mascarenhas, M.; Mackenzie, L. and Petrocelli, T. (1993):**
Increased expression of connexin-43 in the rat myometrium during labor is associated with an increase in the plasma estrogen-progesterone ratio. Endocrinology, 132: 2380-2386.
- Macara, L.M. and Murphy, K.W. (1994):**
The contribution of dystocia to the cesarean section rate. Am. J. Obstet. Gynecol., 171: 71-77.
- Mackenzie, L.W.; Word, R.A.; Casey, M.L. and Stull, J.T. (1990):**
Myosin light chain phosphorylation in human myometrial smooth muscle. Am. J. Physiol., 258: 92-98.

- Leak, D.; Carrol, J.J.; Robinson, D.C. and Ashworth, E.J. (1977):**
Management of pheochromocytoma during pregnancy. Can. Med. Assoc. J., 116: 371-375.
- Lebrec, D.; Poynarol, T. and Hillon (1981):**
Propranolol for prevention of recurrent gastrointestinal bleeding in patients with cirrhosis. A controlled study. N. Engl. J. Med., 305: 1371-1374.
- Leppert, P.C. (1992):**
Cervical softening, effacement and dilatation: a complex biochemical cascade. J. Mat. Fet. Med., 1: 213-223.
- Lilford, R.J.; Vancoeverden, H.; DeGroot, H.A.; Moore, P.J. and Bingham, P. (1990):**
The relative risk of cesarean section (intrapartum and elective) and vaginal delivery. Br. J. Obstet. Gynecol., 97: 883-892.
- Lindheimer, M.D. and Katz, A.I. (1985):**
Hypertension in pregnancy. N. Engl. J. Med., 313: 675 – 679.
- Livingstone, I.; Craswell, P.W.; Bevan, E.B.; Smith, M.T. and Eadie, M.J. (1983):**
Propranolol in pregnancy: three year prospective study. Clin. Exp. Hypertens., 2: 341-350.
- Lopez-Zeno, J.A.; Peaceman, A.M.; Adashek, J.A. and et al. (1992):**
A controlled trial of a program for the active management of labor. N. Engl. J. Med., 326: 450-457.
- Lye, S.J.; Nicholson, B.J.; Mascarenhas, M.; Mackenzie, L. and Petrocelli, T. (1993):**
Increased expression of connexin-43 in the rat myometrium during labor is associated with an increase in the plasma estrogen-progesterone ratio. Endocrinology, 132: 2380-2386.
- Macara, L.M. and Murphy, K.W. (1994):**
The contribution of dystocia to the cesarean section rate. Am. J. Obstet. Gynecol., 171: 71-77.
- Mackenzie, L.W.; Word, R.A.; Casey, M.L. and Stull, J.T. (1990):**
Myosin light chain phosphorylation in human myometrial smooth muscle. Am. J. Physiol., 258: 92-98.

- Maher, E.; Bardequwz, A.; Gardner, J.P.; Goldsmith, L.; Weiss, G.; Macarina, M. and Aviv, A. (1991):**
Endothelin and oxytocin-induced calcium signalling in cultured human myometrial cells. *J. Clin. Invest.*, 87: 1251-1258.
- Mahon, W.A.; Reid, D.W.J. and Day, R.A. (1967):**
The in vivo effects of beta adrenergic stimulation and blockade on the human uterus at term. *J. Pharmacol. Exp. Ther.*, 156: 178-185.
- Mahon, T.R.; Chazotte, C. and Cohen, W.R. (1994):**
Short labor: characteristics and outcome. *Obstet. Gynecol.*, 84:47 – 51.
- Melander, A.; Danielson, K.; Schersten, B. and Wahlin, E. (1985):**
Enhancement of the bioavailability of propranolol and metoprolol by food. *Clinic. Pharmacol. Ther.*, 24: 108-112.
- Miller, F.C. (1983):**
Uterine motility in spontaneous labor. *Clin. Obstet. Gynecol.*, 26 : 78-86.
- Miller, R.R.; Olson, H.G.; Pratt, G.M.; Amsterdam and Mason (1985):**
Propranolol pharmacokinetics and Pharmacodynamic action. *N. Engl. J. Med.*, 294: 416-418.
- Mitrani, A.; Qettinger, M.; Abinader, E.G.; Sharf, M. and Klein, A. (1975):**
Use of propranolol in dysfunctional labor. *Br. J. Obstet. Gynecol.*, 82: 651-655.
- Molnar, M. and Hertelendy, F. (1990):**
Regulation of intracellular free calcium in human myometial cells by prostaglandin F₂ α : comparison with oxytocin. *J. Clin. Endocrinol. Metab.*, 71: 1243-1250.
- Murad, F.; Forstermann, U.; Nakane, M.; Schmidt, H.; Pollock, J.; Sheng, H.; Matsumoto, T.; Warner, T.; Mitchell, J.; Tracey, R. and Buechler, W. (1992):**
The nitric oxide-cyclic GMP signal transduction pathway in vascular smooth muscle preparations and other tissues. *J. Pharmacol.* 58: 23 –28.

Nageotte, M. (1990):

How we can lower the cesarean section rate. *Contemp. Obstet. Gynecol.*, 35: 63-74.

Nelson, K.B. and Ellenberg, J.H. (1981):

Apgar scores as predictors of chronic neurologic disability. *Pediatrics*, 68: 36 – 40.

Notzon, F.C.; Chattinguis, S.; Bergsjo, P.; Cole, S.; Traffel, S.; Irgens, L. and Daltveit, A.K. (1994):

Cesarean section deliveries in the 1980s: International comparison by indication. *Am. J. Obstet. Gynecol.*, 17: 495 – 99.

O'Driscoll, K.; Meagher, D. and Boylan, P. (1993):

Diagnosis of labor. In : *Active Management of Labor*. Eds. O'Driscoll, K.; Meagher, D. and Boylan, P. 3rd ed. London, Mosby-year book, London, P-P. 43-48, 56-72, 92-98.

O'Driscoll, K.; Foley, M. and MacDonald, D. (1984):

Active management of labor as an alternative to cesarean section for dystocia. *Obstet. Gynecol.*, 63: 485-490.

O'Driscoll, K. and Stronge, J.M. (1975):

The active management of labour. *B. M. J.* 3: 135 – 140.

Olah, K.S.J. and Neilson, J. (1994):

Failure to progress in the management of labor. *Br. J. Obstet. Gynecol.*, 101: 1-6.

Petrocelli, T. and Lye, S.J. (1993):

Regulation of transcripts encoding the myometrial gap junction protein, connexin-43, by estrogen and progesterone. *Endocrinology*, 133: 284-290.

Philpott, R.H. (1972):

Graphic records in labor. *B. M. J.*, 4: 163 – 169.

Philpott, R.H. and Castle, W.M. (1972):

Cervicographs in the management of labor in the primigravida. *Gynecol. Br. Commonw.*, 79: 592- 599.

Pritchard, J.A. Macdonald, P.C. and Gant, N.P. (1997):

Physiology of labor. In: Williams' Obstetrics. Eds. Pritchard, J.A. Macdonald, P.C. and Gant, N.P. 20th ed. Appleton-Century-Crofts, New York P-P. 261 – 265.

Pruyn, S.C.; Phelan, J.P. and Buchanan, G.C. (1979):

Long-term propranolol therapy in pregnancy. Maternal and fetal outcome. Am. J. Obstet. Gynecol., 135: 485-489.

Roemer, F.J.; Rowland, D.Y. and Nuaman, I.F. (1991):

Retrospective study of fetal effects of prolonged labor before cesarean delivery. Obstet. Gynecol., 77: 623-658.

Rosen, M.G.; Debanne, S.M.; Thompson, K. and Dickinson, J.C. (1992):

Abnormal labor and infant brain damage. Obstet. Gynecol., 80: 961-965.

Rubin, S.P. (1981):

Beta blockers in pregnancy. N. Engl. J. Med., 305: 1323-1326.

Sanchez-Ramos, L. and et al. (1990):

Reducing cesarean sections at a teaching hospital. Am. J. Obstet. Gynecol., 163: 1081-1088.

Sanchez-Ramos, L.; Quillen, M.J. and Kaunitz, A.M. (1996):

Randomized trial of oxytocin alone and with propranolol in the management of dysfunctional labor. Obstet. Gynecol., 88: 517-520.

Saunders, N.S.G.; Paterson, C.M. and Wadsworth, J. (1992):

Neonatal and maternal morbidity in relation to the length of the second stage of labor. J. Obstet. Gynecol., 99: 381-385.

Shifrin, B.S. and Cohen, W.R. (1989):

Labor's dysfunctional lexicon. Obstet. Gynecol., 74: 121-124.

Serup, J. (1979):

Propranolol for the treatment of hypertension in pregnancy. Acta. Med. Scand., 206: 333 – 37.

- Shabanah, E.H.; Toth, A.; Carassavas, D. and Maughan, G.B. (1968):**
The role of the autonomic nervous system in uterine contractility and blood flow. *Am. J. Obstet. Gynecol.*, 100: 974 – 980.
- Singh, B.N. (1990):**
Advantages of beta-blockers versus anti arrhythmic agents and calcium antagonists in secondary prevention after myocardial infarction. *Am. J. Cardiol.*, 66: 9 – 18.
- Smail, F. (1992):**
Antibiotic prophylaxis and cesarean section. *Br. J. Obstet. Gynecol.*, 99: 789-790.
- Smith, M.T.; Livingstone, I.; Eadie, M.J.; Hooper, W.D. and Triggs, E.J. (1983):**
Metabolism of propranolol in the human maternal placental-fetal unit. *Eur. J. Clin. Pharmacol.*, 24: 727-732.
- Sokol, R.S.; Stojkov, J.; Chik, L. and et al. (1977):**
Normal and abnormal labor progress I. Quantitative assessment and survey of the literature. *J. Reprod. Med.*, 18: 47-53.
- Soliman, S.R.H. and Burrows, R.F. (1993):**
Cesarean section: Analysis of the experience before and after the National Consensus Conference on Aspects of cesarean birth. *Can. Med. Assoc. J.*, 148: 1315-1327.
- Somlyo, A.P. and Somlyo, A.V. (1994):**
Signal transduction and regulation in smooth muscle. *Nature*, 372: 231-236.
- Stewart, P.J.; Dulberg, C.; Arnill, A.C.; Elmslie, J. and Hall, P.F. (1990):**
Diagnosis of dystocia and management with cesarean section among primiparous women in Ottawa-Carleton. *Can. Med. Assoc. J.*, 142: 459-463.
- Studd, J.W.W. (1973):**
Partograms and nomograms of cervical dilatation in the management of primigravid labor. *B. M. J.*, 4: 450 – 458.

- Studd, J.W.W.; Clegg, D.R.; Saunders, R.R. and Hughes, A.O. (1975):**
Identification of high risk labors by labor nomograms. B.M.J., 2: 545-547.
- Studd, J.W.W.; Crawford, S.J.; Duignan, N.M.; Rowbotham, C.J.R. and Hughes, A.O. (1980):**
The effect of lumbar epidural analgesia on the rate of cervical dilatation and the outcome of labor of spontaneous onset. B. J. Obstet. Gynecol., 87: 1015 – 1021.
- Suzuki, Y. (1991):**
Contraction and prostaglandins in pregnant rabbits in response to adenosine 5-triphosphate. Eur. J. Pharmacol., 195: 93-99.
- Svenningsen, L. and Oystein, J. (1986):**
Application of fiberoptics to the clinical measurements of intrauterine pressure in labor. Acta. Obstet. Gynecol., Scand, 65: 551-555.
- Tasaka, K.; Masumoto, N.; Miyake, A. and Tanizawa, O. (1991):**
Direct measurement of intracellular free calcium in cultured human puerperal myometrial cells stimulated by oxytocin: Effect of extracellular calcium and calcium channel blockers. Obstet. Gynecol., 77: 101-106.
- Teuscher, A.; Boss, E.; Imhof, P.; Erb, E.; Stocker, F.P. and Weber, J.W. (1978):**
Effect of propranolol on fetal tachycardia in diabetic pregnancy. Am. J. Cardiol., 42: 304-307.
- Thom, J.H.; Chan, K.K. and Studd, J.W.W. (1978):**
The outcome of spontaneous labor in different racial groups. Am. J. Obstet. Gynecol., 134: 495 – 499.
- Thomson, M. and Hanely, J. (1988):**
Factors predisposing to difficult labor in primiparas. Am. J. Obstet. Gynecol., 158: 1074-1078.
- Thornton, J.G. and Lilford, R.J. (1994):**
Active management of labor: Current knowledge and research issues. B.M.J., 309: 366-401.

- Thorp, J.; Parisiv, M.; Boylan, P.C. and Johnston, D.A. (1989):**
The effect of continuous epidural analgesia on cesarean section for dystocia in nulliparous women. *Am. J. Obstet. Gynecol.*, 16: 670-675.
- Tuck, S.M.; Cardozo, L.D.; Studd, J.W.W.; Gibb, D.M.F. and Cooper, D.J. (1983):**
Obstetric characteristics in different racial groups. *Br. J. Obstet. Gynecol.*, 90: 392 – 398.
- Turner, M.J.; Brassil, M. and Gordon, H. (1988):**
Active management of labor associated with a decrease in the cesarean section rate in nulliparae. *Obstet. Gynecol.*, 71: 150-154.
- Uldbjerg, N.; Ekman, G.; Malmstrom, A.; Olsson, K. and Ulmsten, V. (1983):**
Ripening of the human uterine cervix related to changes in collagens, glycosaminoglycans and collagenolytic activity. *Am. J. Obstet. Gynecol.*, 147: 662-666.
- Valenzuela, G. and Foster, T. (1990):**
Use of magnesium sulfate to treat hyperstimulation in term labor. *Obstet. Gynecol.*, 75: 762-764.
- Valenzuela, G.J.; Gilbert, R.D.; Dusay, C.A. and et al. (1995):**
Myometrial B-receptor concentrations are increased in term labor patients that fail to progress. *Am. J. Obstet. Gynecol.*, 172: 276-281.
- Wang, Y.N.; Chou, J.C.; Chang, D.; Chang, J.K.; Avila, C. and Romero, R. (1990):**
Endothelin-1 in human plasma and amniotic fluid. In: *Endothelium-Derived Vasoconstrictor Factors*. Eds. Rubany, G.M., and Vanhoutte, P., Basel, P-P. 143-148.
- Wansbrough, H.; Nakanishi, H. and Wood, C. (1968):**
The effect of adrenergic receptor blocking drugs on the human uterus. *J. Obstet. Gynecol. Br. Commonw.*, 75: 189-198.

Word, R.A.; Kamm, K.E.; Stull, J.T. and Casey, M.L. (1990):

Endothelin increases cytoplasmic calcium and myosin phosphorylation in human myometrium. Am. J. Obstet. Gynecol., 162: 1103-1108.

World Health Organization (1994):

Partographic management of labor. Lancet, 343: 1399- 1406.

Wray, S. (1993):

Uterine contraction and physiological mechanisms of modulation. Am. J. Physiol., 264: 1 -18.

Zahradnik, H.P. (1996):

The birth process. In: Comprehensive Human Physiology. Eds. Greger, R., Windhorst, U. Springer-Verlag. Berlin. Heidelberg, New York, P-P. 2354- 2363.