

References

- American Medical Association Department of Food and Nutrition :**
Guidelines for multivitamin preparations for parenteral use.
Chicago, 1975.
- Anderson RA, Byden NA, Polansky MM :** Serum chromium of human subjects. Effects of chromium supplementation and glucose.
Am J Clin Nutr, 1985; 41: 571.
- Aubaniac R :** L'injection intraveineuse sous-claviculaire : Avantages et technique. Presse Med, 1952; 60: 1456.
- Bistrain BR :** A simple technique to estimate severity of stress. Surg. Gynecol. Obstet.; 148: 675- 678, 1979.
- Bistrain BR, Blackburn GL, Vitale J, :** Prevalence of malnutrition in general medical patients. JAMA; 235: 1567-1570, 1976.
- Burge JC, Choban P, McKnight T, :** Urinary ammonia excretion as an estimate of total urinary nitrogen in patients receiving parenteral nutritional support. J. Parent. Ent. Nutr.; 17 : 529-531, 1993.
- Cotzias GC :** Trace substances and environmental health, pt. Proceedings of the University of Missouri Annual Conference, 1967.

Crim MC, and Munro HN : Proteins and amino acids. In: Shils ME, Olson JA, Shike M(eds): Modern Nutrition in Health and Disease, 8th edition. Philadelphia, Lea and Febiger. pp. 3-35, 1994.

Cynamon HA, Isenberg JN, Nguyen CH : Erythrocytemalonyldialdehyde release in vitro: A functional measure of vitamin E, status. Clin Chim Acta, 1985; 151:169.

Daly JM, Heymsfield SB, Head CA : Human energy requirements: overestimation by widely used prediction equation. Am. J. Clin. Nutr.; 42: 1170, 1985.

Dark DS, and Pingleton SK : Nutrition and nutritional support in critically ill patients. J. Intensive Care Med.; 8: 6-33, 1993.

Delany HM : An improved technique for needle catheter jejunostomy. Ann Surg 1980; 115: 1235.

Diplock AT, Lucy JA : The biochemical modes of action of vitamin E and selenium: A hypothesis. FEBS Lett 1973; 29: 205.

Gauderer MWL, Ponsky JL : A simplified techniques for constructing a tube feeding gastrostomy. Surg Gynecol Obstet. 1981; 152: 83.

Glyn MFX, Langer B, Jeejeebhoy KN : Therapy for thrombotic occlusion of long-term intravenous alimentation catheters. JPEN 1980; 4: 387.

Halperin ML, Wolman SL, Greenberg GR : Paracellular recirculation of sodium is essential to support nutrient absorption in the gastrointestinal tract : An hypothesis. Clin Invest Med, 1986; 9: 209.

Hands LJ, Royle GT, Kettlewell MCW : Vitamin K requirements during intravenous hyperalimentation. Am J Clin Nutr 1979; 32: 332.

Hirsch S, de Obaldia N, Petermann M, Rojo P, Barrientos C, Iturriaga H, and Bunout D : Subjective global assessment of nutritional status: further validation. Nutrition; 7: 35-38, 1991.

Jacobson S, Western PO : Balance study of twenty trace elements during total parenteral nutrition in man. Br J Nutr 1977; 37: 107.

Jeejeebhoy KN, Anderson GII, Nakhooda AE, : Metabolic studies in total parenteral nutrition with lipid in man: Comparison with glucose. J Clin Invest 1976; 57: 125.

Jeejeebhoy KN, Zohrab WJ, Langer B, : Total parenteral nutrition at home for 23 months without complication and with good rehabilitation. A study of technical and metabolic features. Gastroenterology, 1973; 65: 811.

Keohane PP, Attrill H, Love M, : Relation between osmolality of diet and gastrointestinal side effects in enteral nutrition. Br Med J 1984; 288: 678.

Kinney JM, Long CL, and Duke JH : Carbohydrate and nitrogen metabolism after injury. Ciba Found Symp.; pp. 103-126, 1970.

Kishi H, Nishii S, Ono T : Thiamine and pyridoxine requirements during intravenous hyperalimentation. Am J Clin Nutr 1979; 32: 332.

Konstantinides F, Konstantinides N, Li J, : Urinary urea nitrogen : too insensitive for calculating nitrogen balance studies in surgical clinical nutrition. J. Parent. Ent. Nutr.; 15: 189-193, 1991.

Lemoyne M, Van Gossum A, Kurlan R, : Breath pentane analysis as an index of lipid peroxidation: A functional test of vitamin E status. Am J Clin Nutr, 1987, 46: 267.

Linscheer WG, and Vergoresen AJ : Lipids. In: Shils ME, Olson JA, Shike M (eds): Modern Nutrition in Health and Disease. 8th edition. Philadelphia, Lea and Febiger. pp. 47-88, 1994.

MacFie J, Smith RC, Hill GL: Glucose or fat as a non-protein energy source ? A controlled clinical trial in gastroenterological patients requiring intravenous nutrition. Gastroenterology, 1981, 80: 103.

Marino PL : Nutrition and metabolism. In : ICU Book, second edition. Philadelphia, Williams and Wilkins. Chapter 46, pp. 721-765, 1997.

Murray MJ, Kumar M, Gregory TJ, Banks PL, Tazelaar HD, and De Michele SJ : Select dietary fatty acids attenuate cardiopulmonary dysfunction during acute lung injury in pigs. Am. J. Physiol.; 269 : H 2090- H 2099, 1995.

Page CP : Needle catheter jejunostomy. Contemp Surg 1981; 19: 29.

Peters ML, Maher M, Brennan MF : Minimal IV iron requirements in TPN (abstr). JPEN 1980; 4: 601.

Philipps GD, Garnys VP : Parenteral administration of trace elements to critically ill patients. Anaesth Intensive care, 1981; 9: 221.

Reinhardt GF, Myscowski JW, Wilkens DB, : Incidence and mortality of hypoalbuminemic patients in hospitalized veterans. J. Parenter. Enter. Nutr.; 4: 357-359, 1980.

Robert Schlihtig, Books DC, Bessey PQ, Black PR, : Insulin stimulates branched chain amino acid uptake and diminishes nitrogen flux from skeletal muscle of injured patients. J Surg Res 1986; 40: 395.

Rodriguez JL, Askarnazi J, Weismann C, : Ventilatory and metabolic effects of glucose infusions. Chest; 88: 512-518, 1985.

Rotruck JT, Pope AL, Ganther HF, : Selenium : Biochemical role as a component of glutathione peroxidase. Science 1973; 179: 588.

Roulet M, Detsky AS, Marliss EB, : A controlled trial of the effect of parenteral nutritional support on patients with respiratory failure and sepsis. Clin Nutr 1993; 2: 97.

Russell TR, Brotman M, Norris F : Percutaneous gastrostomy. A new simplified and cost-effective technique. Am J Surg 1984; 148: 132.

Rutten P, Blackburn GL, Flatt JP, : Determination of optimal hyperalimentation infusion rate. J. Surg. Res.; 18: 477, 1975.

Shike M, Roulet M, Kurian R, : Copper metabolism and requirements in total parenteral nutrition. Gastroenterology 1981; 81: 290.

Shike M, Sturtridge WC, Tam CS, : A possible role of vitamin D in the genesis of parenteral-nutrition-induced metabolic bone disease. Ann Intern Med 1981, 95: 560.

Thurlow PM, Grant JP : Vitamin E, essential fatty acids and platelet function during total parenteral nutrition (abstr). JPEN, 1981, 4: 586.

Velez RJ, Myers B, Guber MS : Severe acute metabolic acidosis (acute beriberi): An avoidable complication of total parental nutrition. JPEN 1985; 9: 216.

Wolman SL, Anderson GH, Marliss EB, : Zinc in total parenteral nutrition : Requirements and metabolic effects. Gastroenterology 1979; 76: 458.

Zaloga GP: Bedside method for placing small bowel feeding tubes in critically ill patients. Chest; 100: 1643-1646, 1991.