

---

## REFERENCES

**Abbot, W.M. and Austen, W.G. (1994):**

The reversal of renal cortical ischemia during aortic occlusion by mannitol. *Journal of Surgical Research* 16: 482-489.

**Allen, B.T. (1994):**

The influence of anesthetic technique on perioperative complication after carotid endarterectomy. *J. Vasc. Surg.*, 19: 834-43.

**Alpert, R.A.; Roizen, M.F.; Hamilton, W.K.; Stony, R.J.; Ehrenfeld, W.K.; Poler, S.M. and Wylie, E.J. (1993):**

Intraoperative urinary output does not predict postoperative renal function in patients undergoing abdominal aortic revascularization. *Surgery*, 95: 707-711.

**American Nimodipine Study Group (1992):**

Clinical trial of nimodipine in acute ischemic stroke. *Stroke* 23 (1): 3-8, Amer. Nimodipine Study Group.

**Anderson, K.M.; Castelli, W.P. and Levy, D. (1993):**

Cholesterol and mortality 30 years of follow up from the Framingham Study. *JAMA*, 257: 2176-2180.

**Ansely, D.M.; Whalley, D.G.; Bent, J.M. and Derbeckyan, V. (1996):**

The relationship between central venous pressure and pulmonary capillary wedge pressure during aortic surgery. *Canadian Journal of Anaesthesia*; 34: 594-600.

**Asiddao, C.B. (1982):**

Factors associated with perioperative complications during carotid endarterectomy. *Anes. Analg.*, 61: 631-7.

**Beale, R.; Grover, E.R.; Smithies, M. and Bihair, D. (1993):**

Acute respiratory distress syndrome (ARDS): no more than a severe acute lung injury? *British Medical Journal*; 307: 1335-9.

**Benumof, J.L. (1986):**

Isoflurane anesthesia and arterial oxygenation during one-lung ventilation. *Anaesthesiology*, 64: 419-422.

- Bland, E.G. and William, F.S. (1984):**  
Anaesth for cardio Vasc. Sug. Congenital heart disease. Amer. J. for Anaesth. & Analg.
- Brischetto, C.S.; Connor, W.E.; Connor, S.L. and Matarazzo, J.D. (1990):**  
Plasma lipid and lipoprotein profiles of cigarette smokers from randomly selected families: Enhancement of hyperlipidemia and depression of high-density lipoprotein. Am. J. Cardiol., 52: 675-680.
- Carden, D.L.; Smith, J.K. and Zimmerman, B.T. (1989):**  
Reperfusion injury following circulatory collapse; the role of reactive oxygen metabolites. Journal of critical care; 4: 294-307.
- Carson, J.L. and Willett, L.R. (1993):**  
Is a haemoglobin of 10 g/dl required for surgery? Medical Clinics of North America; 77: 335-47.
- Cartier, R.; Orszulak, T.A. and Pairotero, P.C. (1992):**  
Circulatory support during cross clamping of the descending thoracic aorta. J. Thorac. Cardiovas. Surg., 99: 1038-1047.
- Castresana, M.R. (1994):**  
Incidence and clinical significance of hemidiaphragmatic paresis in patients undergoing carotid endarterectomy during Cervical Plexus Block Anaesthesia. J. Neurosurg. Anaesthesiol., 6: 21-23.
- Castresana, M.R. (1994):**  
Bedside peak expiratory flow rate predicts hemidiaphragmatic paralysis in patients undergoing carotid endarterectomies under cervical plexus block anaesthesia. Anaesthesiology, 81:A 1447.
- Castresana (1994):**  
Incidence of dysphagia in patients undergoing carotid endarterectomy using deep and superficial cervical plexus block anaesthesia. Anes. Analg., 78: 552.
- Castresana, M.R. and Masters, R.D. (1993):**  
Ipsilateral current laryngeal nerve paresis in patients undergoing carotid endarterectomies during cervical plexus block anaesthesia. Anes. Analg., 76: 539.

**Clagett, O.T.; Kirklin, J.W. and Edwards, J.E. (1987):**

Anatomic variation and pathologic changes in 124 cases of coarctation of the aorta. *Surg. Gynecol. Obstet.*, 98: 103.

**Clark, N.J. and Stanley, T.H. (1990):**

Anaesthesia for vascular surgery. In: Miller RD, ed. *Anaesthesia*, Vol. 2, 3<sup>rd</sup> edition. New York, Edinburgh, London, Melbourne, Tokyo: Churchill Livingstone, 1693-736.

**Clark, N.J. and Stanely, T.H. (1986):**

Anaesthesia for vascular surgery. In *anaesthesia* edited by Miller, R.D. Second edition, Chapter 42.

**Colson, P.; Capdevilla, X. and Cuchet, D. (1992):**

Does choice of the anaesthetic influence renal function during infrarenal aortic surgery? *Anaesthesia and Analgesia*; 74: 481-5.

**Crawford, E.S.; Svenson, L.G. and Hess, K.R. (1990):**

A prospective randomized study of cerebrospinal fluid drainage to prevent paraplegia after high-risk surgery on thoracoabdominal aorta. *J. Vasc. Surg.*, 13: 36-46.

**Crawford, E.; Walker, H.; Saleh, S. and Norman, H. (1981):**

Graft replacement of aneurysm in descending thoracic aorta: results without bypass or shunting. *Surgery*, 89: 73-85.

**Cunningham, A.J. (1992):**

Anaesthesia for repair of abdominal aortic aneurysms. In: Atkinson RS, Adams AP, eds. *Recent advances in anaesthesia and analgesia*; Edinburgh, London, New York; Churchill Livingstone, 49-69.

**Cunningham, A.J. (1989):**

Anaesthesia for abdominal aortic surgery a review. Part 1 *Canadian Journal of Anaesthesia*; 36: 426-44.

**Cunningham, J.N.Jr.; Laschinger, J.C. and Spencer, F.C. (1990):**

Monitoring of somatosensory evoked potentials during procedures on the thoracoabdominal aorta: clinical observations and results. *J. Thorac. Cardiovasc. Surg.*, 94: 275-285.

**Cunningham, J.R. (1980):**

Anatomy of aorta (arch of aorta) 3<sup>rd</sup> edition (Thorax) Medical book, P. 123-146.

**Culter, B.S.; Wheeler, H.B.; Paraskos, J.A. and Cardullo, P.A. (1992):**

Applicability and interpretation of electrocardiographic stress testing in patients with peripheral vascular disease.  
American Journal of Surgery, 141: 501-505.

**DelRossi, A.J.; Cernaianu, A.C. and Cilley, J.H. (1993):**

Preventive effect of Fluosol-DA for paraplegia encountered after surgical treatment of the thoracic aorta. J. thorac. Cardiovasc. Surgery, 99: 665-669.

**De Palma, R.G. (1992):**

The pathology of atheromas: theories of aetiology and evolution of atheromatous plaques. In: Bell PRF, Jamieson CCV, Ruckley CV, eds. Surgical management of vascular disease. London, New York, Toronto, Sydney, Tokyo: WB Saunders: 21-34.

**Dobrin, P.B. (1989):**

Pathophysiology and pathogenesis of aortic aneurysms.  
Surgical Clinics of North America; 69: 687-703.

**Edwards, J.E.; Clagett, O.T.; Drake, R.L. and Christensen, N.A. (1994):**

The collateral circulation in coarctation of the aorta Mayo Clin. Proc., 23: 333.

**Eliasziw, M. (1994):**

Significance of plaque ulceration in symptomatic patients with high-grade carotid stenosis. Stroke, 25: 304-8.

**Elliott, W.J.; Weber, R.R.; Nelson, K.S.; Oliner, C.M.; Fumo, M.T. and Gretler, D.D. (1996):**

Renal and haemodynamic effects of intravenous fenoldopam versus nitroprusside in severe hypertension. Circulation, 81: 970-977.

***El-Rakhawy (1983):***

Anatomy of aorta (Thorax & Abdomen.) Med. Book 3<sup>rd</sup> edition Ltd. And Anatomy of common carotid artery (head and neck). Med. Book 3<sup>rd</sup> Ltd.

***Ennix, Jr.C.L.; Lawrie, G.M. and Morris, Jr. G.C. (1979):***

Improved results of carotid endarterectomy in patients with symptomatic coronary disease: an analysis of 1.546 consecutive carotid operations. Stroke; 10: 122-5.

***Ernst, C.B.; Hagihara, P.F.; Caugherty, M.E.; Sachatello, C.R. and Griffen, W.O. (1994):***

Ischemic colitis incidence following abdominal aortic reconstruction: a prospective study. Surgery 80: 417-421.

***Ernster, L. (1988):***

Biochemistry of reoxygenation injury. Critical Care Medicine, 16: 947-53.

***Esterbauer, H.; Wag, G. and Puhl, H. (1993):***

Lipid peroxidation and its role in atherosclerosis. British Medical Bulletin, 49: 566-76.

***Fiddian-Green, R.G. (1996):***

Splanchnic ischaemia and multiple organ failure in the critically ill. Annals of the Royal College of Surgeons of England; 70: 128-34.

***Fiddian-Green, R.G. and Gantz, N.M. (1995):***

Transient episodes of sigmoid ischaemia and their relation to infection from intestinal organisms after abdominal aortic operations. Critical Care Medicine; 15: 835-9.

***Foex, P. and Reeder, M.K. (1993):***

Anaesthesia for vascular surgery. Bailliere's Anaesthesiology; 7: 97-126.

***Franco, C.D.; Goldsmith, J. and Veith, F.J. (1993):***

Resting gated pool ejection fraction: a poor predictor of perioperative myocardial infarction in patients undergoing vascular surgery for infrainguinal bypass grafting. Journal of Vascular Surgery, 10: 656-661.

**Frawley, J.E. (1994):**

Thiopental sodium cerebral protection during carotid endarterectomy: perioperative disease and death. *J. Vasc. Surg.*, 19: 732-38.

**Gamulin, Z.; Forster, A. and Morel, D. (1996):**

Effects of infrarenal aortic cross-clamping on renal haemodynamics in human. *Anaesthesiology*, 61: 394-399.

**Gamulin, Z.; Forster, A. and Simonet, F. (1996):**

Effects of renal sympathetic blockade on renal haemodynamics in patients undergoing major aortic abdominal surgery. *Anaesthesiology*, 65: 688-92.

**Gasecki, A.P. and Ferguson, G.G. (1994):**

Early endarterectomy for severe carotid artery stenosis after a non disabling stroke: Results from the North American Symptomatic Carotid endarterectomy trial. *J. Vasc. Surg.*, 20: 288-95.

**Gelman, S.; Reves, J.; Fowler, K.; Samuelson, Lell, W.A. and Smith, L.R. (1992):**

Regional blood flow during cross clamping of the thoracic aorta and infusion of sodium nitroprusside. *J. Thorac. Cardiovasc. Surg.*, 85: 287-291.

**Ghignone, M.; Calvillo, O. and Quintin, L. (1987):**

Anaesthesia and hypertension: The effect of clonidine on perioperative hemodynamics and isoflurane requirements. *Anesthesiology*, 67: 3-10.

**Goldman, L.; Caldera, D.L. and Nussbaum, S.R. (1996):**

Multifactorial index of cardiac risk in non-cardiac surgery procedures. *New England Journal of Medicine*; 297: 845-50.

**Goldman, L. (1991):**

Cardiac risk assessment in patient with arteriosclerotic disease. In: Kaplan, J.A.; ed *Vascular anaesthesia*; New York, Edinburgh, London, Melbourne, Tokyo: Churchill Livingstone, 1-20.

**Goldman, L. (1988):**

Assessment of the patient with known or suspected ischaemic heart disease for noncardiac surgery. *British Journal of Anaesthesia*; 61: 38-43.

**Gordon, T.; Castelli, W.P.; Hjartland, M.C.; Kannel, W.B. and Dawber, T.R. (1993):**

High density lipoprotein as a protective factor against coronary artery disease. The Framingham Study. *Am. J. Med.*, 62: 707-714.

**Gornick, C.C.Jr. and Kjellstrand, C.M. (1994):**

Acute renal failure complicating aortic aneurysm surgery. *Nephron*, 35: 145-157.

**Gottlieb, A.; Skrinska, V.A. and O'Hara, P. (1989):**

The role of prostacyclin in the menesteric traction syndrome during anaesthesia for abdominal aortic reconstructive surgery. *Annals of Surgery*; 209: 363-7.

**Greenhalgh, R.M. (1994):**

Prognosis of abdominal aortic aneurysm. *British Medical Journal*; 301: 136.

**Guyton, A.C. (1991):**

Metabolism of carbohydrates and formation of adenosine triphosphate. *Textbook of medical physiology*, 8<sup>th</sup> ed. Toronto, Montreal, Sydney, Tokyo, Philadelphia, London: W.B. Saunders, 744: 53.

**Harrison, D.H.; Armstrong, M.L.; Frelman, P.C. and Heistad, D.D. (1993):**

Restoration of endothelium-dependent relaxation by dietary treatment of atherosclerosis. *J. Clin. Invest.*, 80: 1808-1811.

**Heagerty, A.M. and Barnett, D.B. (1992):**

Postoperative cardiac complications following vascular surgery. In: Bell PRF, Jamieson CCV, Ruckley CV, eds. *Surgical managements of vascular disease*. London, New York, Toronto, Sydney, Tokyo: WB Saunders, 999-1011.

**Hensely, F.A. and Martin, D.E. (1995):**

A practical approach to approach to cardiac anaesthesia, 2<sup>nd</sup> ed. Little Brown.

**Hensley, F.A.Jr. and Martin, D.E. (1990):**

The practice of cardiac anaesthesia. P. 489. Boston, Little Brown.

**Hertzer, N.R. (1987):**

Basic data concerning associated coronary disease in peripheral vascular patients. *Annals of Vascular Surgery*; 1: 616-20.

**Hessel, E.A. (1989):**

Intraoperative management of abdominal aortic aneurysms: the anaesthesiologists viewpoint. *Surgical Clinics of North America*; 69: 775-93.

**Hirshl, M. (1993):**

Blood pressure response after carotid surgery: relationship to postoperative Baroreceptor sensitivity. *Am. J. Med.*, 94: 463-68.

**Hirst, A.E.J.; Johns, V.J.Jr. and Kime, S.W.Jr. (1988):**

Dissecting aneurysm of the aorta: a review of 505 cases *medicine*, 37: 217.

**Hobbhahn, J.; Hansen, E. and Keyl, C. (1993):**

Volatile anaesthetics in patients with coronary artery disease and with heart failure. *Bailliere's Clinical Anaesthesiology*; 7(4): 1057-77.

**Hobson, II.R.W. (1993):**

Efficacy of carotid endarterectomy for asymptomatic carotid stenosis. *N. Engl. J. Med.*, 325: 221-27.

**Hollier, L.; Symmond, M.; Pairolero, P.; Cherry, K.J.; Hallette, J.W. and Gloviczki, P. (1993):**

Thoracoabdominal aortic aneurysm repair-analysis of post operative morbidity. *Arch. Surg.*, 123: 871-875.

**Hudson, J.C.; Wurm, W.H. and O'Donnell, Jr.T.F. (1990):**

Ibuprofen pretreatment inhibits prostacyclin release during abdominal exploration in aortic surgery. *Anaesthesiology*; 72: 443-9.

**Hughes, J.M.; Ragsdale, N.V. and Felder, R.A. (1995):**

Diuresis and natriuresis during continuous dopamine-1 receptor stimulation. Hypertension, 11: 1-69.

**Imparato, A.M. (1992):**

Surgical management of abdominal aortic aneurysm. In: Bell PRF, Jamieson CCV, Ruckley CV, eds. Surgical management of vascular disease. London, New York, Toronto, Sydney, Tokyo: WB Saunders, 843-57.

**Jain, K.M.; Patil, D.K.; Doctor, U.S. and Peck, S.L. (1996):**

Preoperative cardiac screening before peripheral vascular operation. American Journal of Surgery, 51: 77-81.

**Jensen, U. and Becker, H.M. (1993):**

Prevention of cerebral ischemia under general anaesthesia. Eur. J. Vasc. Surg. Supplement, A: 8-12.

**Johnston, K.W. and Scobie, T.K. (1988):**

Multicenter prospective study of non ruptured abdominal aortic aneurysms; 1 population and operative management. Journal of Vascular Surgery; 7: 69-81.

**Kaplan, J.A. (1991):**

Thoracic anaesthesia, 2<sup>nd</sup> ed. PP. 205-211. New York Churchill Living-stone.

**Kaplan, J.A. (1991):**

Thoracic anaesthesia 2<sup>nd</sup> ed. PP. 197-203. New York, Churchill Livingstone.

**Kaplan, J.A.; Dunbar, R.W. and Jones, E.L. (1976):**

Nitroglycerine infusion during coronary artery surgery. Anaesthesiology, 45: 14.

**Kazmers, A.; Cerqueria, M.D. and Zieler, R.E. (1988):**

The role of preoperative radionuclide ejection fraction in direct abdominal aortic aneurysm repair. Journal of Vascular surgery, 8: 128-136.

*Klein, L.W.; Ambrose, J.; Pichard, A.; Holt, J.; Gorlin, R. and Teicholz, E. (1990):*

Acute coronary hemodynamic response to cigarette smoking in patients with coronary artery disease. *J. Am. Coll. Cardiol.*, 3: 879-886.

*Kouchoukos, N.T.; Wareing, T.H. and Izumoto, H. (1996):*

Elective hypothermia in cardiopulmonary bypass and circulatory arrest for spinal cord protection during operations on the thoracoabdominal aorta. *J. Thorac. Cardiovasc. Surg.*, 99: 659-664.

*Kresuwik, T.F. (1991):*

Limitation of electroencephalographic monitoring in detection of cerebral ischemia accompanying carotid endarterectomy. *J. Vasc. Surg.*, 13: 439-43.

*Kwitka, G.; Kidney, S.A. and Nugent, M. (1991):*

Thoracic and abdominal aortic aneurysm resection. In: Kaplan J.A., ed. *Vascular anaesthesia*. London, New York, Edinburgh, Melbourne, Tokyo; Churchill Livingstone, 363-94.

*Lake, C.L. (1992):*

Cardiovascular anaesthesia, PP. 405-407. New York, Springer-Verlag.

*Lambert, M.E.; Baguley, P. and Charlesworth, D. (1995):*

Ruptured abdominal aortic aneurysms. *Journal of Cardiovascular Surgery*, 27: 256-61.

*Lanier, W.L. (1991):*

Glucose management during cardiopulmonary bypass: Cardiovascular and neurologic implications. *Anesth. Analg.*, 72: 423-427.

*Lainer, W.L. (1987):*

The effects of dextrose infusion and head position on neurological outcome after complete cerebral ischemia in primates: Examination of Moollel. *Anaesthesiology*, 66: 39-48.

*Macdonald, R.R. (1991):*

Asprin and extradural blocks. *British Journal of Anaesthesia*, 66: 1-3.

**Mangano, D.T. (1989):**

Pre-operative assessment of the patient with cardiac disease.  
Bailliere's Clinical Anaesthesiology, 3: 47-102.

**Mannick, J.A.; Whittermore, A.D. and Couch, N.P. (1997):**

Abdominal aortic aneurysms. In: Greenhalgh RM, ed. Vascular Surgical Techniques. London, Boston, Toronto: Butter Worths, 107-16.

**Margulies, D.R. (1993):**

Bradycardia following carotid endarterectomy. Am. Surg., 59: 578-81.

**Marshall, B.E. and Marshall, C. (1995):**

Continuity of response to hypoxic pulmonary vasoconstriction.  
J. App. Physiol., 59: 189-196.

**Martin, J.; Hulley, S.B.; Browner, W.S.; Kuller, L.H. and Wentworth, D. (1996):**

Serum cholesterol, blood pressure and mortality: Implications from a cohort of 361, 662 men. Lancet, 2: 933-936.

**Marx, G.F.; Mateo, C.V. and Orkin, L.R. (1993):**

Computer analysis of post anaesthetic death.  
Anaesthesiology, 39: 54-8.

**Master, R.D. and Castresana, E.J. (1993):**

Superficial and deep cervical plexus Block: Technical Consideration AANA Journal.

**Moore, K.L. (1990):**

Clinically oriented anatomy, PP. 1129-1133, William and Wilkins.

**Morel, D.R. (1989):**

Role of arachidonic acid metabolism in ARDS in: Vincent JL, ed. update in intensive care and emergency medicine, Berlin, Heidelberg, New York, London, Paris, Tokyo, Springer, Verlag; 115: 24.

**Multiple Risk Factor Intervention Trial Research Group (1989):**

Multiple risk factor intervention trial risk factor changes and mortality results. JAMA, 248: 1465-1477.

- Najafi, H.; Havid, H. and Hunter, J. (1992):**  
Descending aortic aneurysmectomy without adjuncts to avoid Ischemia. *Ann. Thorac. Surg.*, 30: 326-335.
- National Institutes of Health Consensus Development Conference (1989):**  
Peri-operative red cell transfusion- transfusion medicine. Review; 3: 63-8.
- Noman, J.C. and Theadore, H.S. (1994):**  
Anaesthesia for vascular surgery (fourth edition).  
Anaesthesia by RD. Millen (Medical Books) 1851: 1910.
- North American Symptomatic Carotid Endarterectomy Trial (NA S.C.E.T.) (1991):**  
Beneficial effect of carotid endarterectomy in symptomatic patient with high-grade stenosis. *N. Engl. J. Med.*, 325: 445-53.
- O'Brien, B.J. (1991):**  
Cholesterol and coronary heart disease: Consensus or controversy? London: Office of Health Economics, 17.
- Oredsson, S.; Plate, G. and Qvarfordt, P. (1991):**  
Allopurinol-a free radical scavenger-reduces reperfusion injury in skeletal muscle. *European Journal of Vascular Surgery*; 5: 47-52.
- Ouriel, K.; Smedina, N.G. and Ricott, J.J. (1994):**  
Protection of the kidney after temporary ischaemia: free radical scavengers. *Journal of Vascular Surgery*; 2: 49-53.
- Parker, F.D.Jr.; Farrell, B.; Streeten, D.H.; Blackman, M.S.; Sondheimer, H.M. and Anderson, G.H. (1982):**  
Preoperative and postoperative renin levels in coarctation of the aorta. *Circulation*, 66: 513.
- Paterson, I.S.; Kalusner, J.M. and Pugtch, R. (1995):**  
Non cardiogenic pulmonary edema after abdominal aortic aneurysm repair- *Annals of Surgery* 209: 231-6.
- Pearce, A.C. and Jones, R.M. (1994):**  
Smoking and anaesthesia: pre-operative abstinence and perioperative morbidity. *Anaesthesiology*; 61: 576-84.

**Peterson, D.O.; Drummond, J.C. and Todd, M.M. (1995):**

Effects of halothane, enflurane, isoflurane and nitrous oxide on somatosensory evoked potentials in humans. *Anesthesiology*, 65: 35-40.

**Pistolese, G.R. (1993):**

Is the use of shunts in carotid endarterectomy still a problem? *Eur. J. Vasc. Surg.*, 7: 604-9.

**Raby, K.E.; Goldman, L. and Greager, M.A. (1989):**

Correlation between preoperative ischemia and cardiac events after peripheral vascular surgery. *New England Journal of Medicine*, 321: 1298-1300.

**Rao, T.L.K.; Jacobs, K.H. and EL-ETR, A.A. (1983):**

Reinfarction following anaesthesia in patients with myocardial infarction. *Anaesthesiology*, 59: 499-505.

**Ratych, R.E. and Bulkley, G.B. (1992):**

Free radical mediated post ischemic reperfusion injury in the kidney. *J. Free Radicals, Biol. Med.*, 2: 311-319.

**Ream, A.K. and Fogdall (1993):**

Acute cardiovascular management, *Anaesthesia and intensive care*, P 736 Philadelphia, JB Lippincott.

**Rehder, K.; Wenthe, F.M. and Sessler, A.D. (1993):**

Function of each lung during mechanical ventilation with ZEEP and with PEEP in man anesthetized with thiopental meperidine. *Anaesthesiology*, 39: 597-606.

**Riles, T.S. (1994):**

The cause of perioperative stroke after carotid endarterectomy. *J. Vasc. Surg.*, 19: 206-14.

**Roizen, M.F. (1990):**

Anesthesia for emergency surgery for abdominal aortic reconstruction. In: Roizen MF, ed. *Anesthesia for Vascular Surgery*. New York Churchill Livingstone; 311: 16.

**Roizen, M.F. (1990):**

*Anaesthesia for Vascular Surgery Descending thoracic aorta*. Churchill Livingstone.