

REFERENCES

- Aballi A.J. (1965):
The action of vitamin K in the neonatal period. South Med.J. 58: 48.
- Aballi A.J. and de Lamerens S. (1962):
Coagulation changes in the neonatal period and in early infancy. *Pediatr. Clin. North Am.* 9: 785.
- Aballi A.J., Puapondh H. and Desposito F. (1968):
Platelet count in thriving premature infants. *Pediatrics* 42: 685.
- Andrew M., Paes B., Milner B., et al. (1987):
Development of the human coagulation system in the full term infant. *Blood* 70: 165.
- Ansell J.E. (1986):
Basic Considerations. *Handbook of Haemostasis and Thrombosis. A Diagnostic and Therapeutic Approach.* 1st ed. Little, Brown and Company. Boston-Toronto, pp 1-33.
- Baley J.E., Stork E.K., Warkentin P.I. and Shurin S.B. (1988):
Neonatal neutropenia: Clinical manifestations, cause, and outcome. *Am. J. Dis. Child.* 142: 1161-6.
- Baumgartner H.R., Turitto V., and Weiss H.J. (1980):
Effect of shear rate on platelet interaction with subendothelium in citrated and native blood: II. Relationships among platelet adhesion, Thrombus dimensions and fibrin formation. *J. Lab. Clin. Med.* 92: 208.

- **Belfield A. and Goldberg D.M. (1971):**
Enzyme 12, 561. Quoted from pamphlet of Alkaline Phosphatase Kit, bio Merieux, laboratory reagents and instruments.
- **Benedetti T.J., Benedetti J.K. and Stenchever M.A. (1982):**
Severe preeclampsia maternal and fetal outcome. Clin. Exp. Hypertens. 2&3: 401.
- **Bertina R.M., Broekmans A.W., Van Der Linden I.K. and Mertens K., (1982):**
Protein C deficiency in a Dutch family with thrombotic disease. Thromb. Haemostasis, 48, 1-5.
- **Biggs R. and Rizza C.R. (1984):**
Human Blood Coagulation, Haemostasis and Thrombosis. 3 rd ed., Blackwell Scientific Publications, Oxford, p 35.
- **Bishop, A.J., Isreals, L.G., Chernick, V. and Isreals, E.D. (1971):**
Placental transfer of intraventricular coagulation between mother and fetus, Pediatr. Res. 5: 113.
- **Bleil V., and Buessing C.M. (1969):**
Dissaminated intravascular coagulation and perinatal shock. Pathol. 53: 495.
- **Bonnar J., Mc Nicol G.P. and Douglas A.S. (1971):**
Brit. Med. J. 1,22. Quoted from The Gazette of the Egyptian Paediatric Association 1, 15, 1975.
- **Branson H.E., Katz J., Marble R. and Griffin J.H. (1983):**
Inherited protein C deficiency and coumarin-responsive chronic relapsing purpura fulminans in a newborn infant. Lancet. 11: 1165-68.

- **Brass L.F., Shaller C.C. and Belmonte E.J. (1987):**
Inositol 1,4,5 triphosphate induced granule secretion in platelets. *J. Clin. Invest.* 79: 1269.
- **Brazy J.E., Grimm J.K. and Little V.A. (1982):**
Neonatal manifestations of severe maternal hypertension occurring before the thirty sixth week of pregnancy. *Pediatr.* 100:265.
- **Broekmans A.W., Veltkamp J.J. and Bertina R.M. (1983):**
Congenital protein C deficiency and venous thromboembolism. A study of three Dutch families. *New Engl. J. Med.* 309: 340-44.
- **Brunner H.R. and Gavras H. (1975):**
Vascular damage in hypertension. *Hosp. pract.* 10: 97.
- **Buchanan G.R. (1986):**
Coagulation disorder in the neonate. *Pediat. Clin. of North America.* 33: 203-220.
- **Buchanan G.R. (1987):**
Hemorrhagic diseases, in *Hematology of Infancy and Childhood*, 3rd ed, edited by DG Nathan and FA Oski, Vol 1, pp 104-124. Saunders, Philadelphia.
- **Charo I.F., Feinman R.D. and Detwiler T.C. (1977):**
Interrelation of platelet aggregation and secretion. *J. Clin. Invest.* 60: 866.
- **Chen B.D., Lin H.S. and Hsu S. (1983):**
Tumor-promoting phorbol esters inhibit the binding of colony-stimulating factor (CsF-1) to murine peritoneal exudate macrophages. *J. Cell Physiol.* 116: 207-12.
- **Chesley L.C. (1978):**

Hypertensive disorders in pregnancy. New York:Appleton-Century-Crofts, p 88.

- Clark S.C. and Kamen R. (1987):

The human hematopoietic colony-stimulating factors. *Science* 236: 1229-37.

- Clovin B.T. and Newland A.C. (1988):

Hematology. 1st ed., Blackwell Scientific Publications, Oxford 85-100.

- Collen D. (1980):

On the regulation and control of fibrinolysis. *Thromb. Haemost.* 43: 77.

- Colucci M., Stassen J.M. and Collen D. (1984):

Influence of protein C activation on blood coagulation and fibrinolysis in squirrel monkeys. *J. Clin. Invest.* 74: 200-204.

- Comp P.C. and Esmon C.T. (1981):

Generation of fibrinolytic activity by infusion of activated protein C into dogs. *J. Clin. Invest.* 68: 1221-28.

- Corrigan J.J. Jr. (1988):

Neonatal thrombosis and the thrombolytic system: Pathophysiology and therapy. *Am. J. Pediatr. Hematol. Oncol.* 10: 83.

- Cruikshank D.P., Pitkin R.M., Reynolds W.A., Williams G.A. and Hargis G.K. (1979):

Effects of magnesium sulfate treatment on perinatal calcium metabolism. I. Maternal and fetal responses, *Am. J. Obstet. Gynecol.* 134: 243.

- Cunningham F.G. and Pritchard J.A. (1978):

Hematologic consideration of pregnancy-induced hypertension, *Semin Perinatal* 2: 29.

- **Dacie J.V. and Lewis S.M. (1984):**
Basic hematological techniques. Practical Hematology Textbook, 6th ed, p. 22-61, Churchill-Livingstone, Edinburgh, London, Melbourne and New York.
- **D, Angelo S.V., Comp P.C. and Charles T., (1986):**
Relationship between protein C antigen and anticoagulant activity during oral anticoagulant and in selected disease states. J. Clin. Invest. 77: 416.
- **de Boer K., ten Cate J.W., Sturk A., Borm J.J.J. and Treffers P.E. (1989):**
Enhanced thrombin generation in normal and hypertensive pregnancy. Am. J. Obstet. Gynecol. 160: 95-100.
- **Epstein D.J., Bergum P.W. and Rapaport S.I. (1983):**
Kinetics of protein C depression after coumarin administration. Circulation 68: Suppl. III, 316., (Abstract).
- **Esmon C.T. (1983):**
Protein C: Biochemistry, physiology and clinical implication. Blood 62: 1155.
- **Estelles A., Garcia Plaza I., Dasi A. et al. (1984):**
Severe inherited " Homozygous " protein C deficiency in a newborn infant. Thromb. Haemost. 52: 53-56.
- **Fair D.S. and Marlar R.A. (1986):**
Biosynthesis and secretion of factor VII, protein C, protein S, and the protein C inhibitor from a human hepatoma cell line. Blood 67: 64-70.
- **Finnerty FA. Jr., Buchholz J.H. and Guillaudeu R.L. (1957):**
Apressor phenomenon associated with the postpartum period. JAMA 165: 778-80.

- Francis C.W., Marder V.J. and Barlow G.H. (1980):
Plasmic degradation of cross-linked fibrin characterization of new macromolecular soluble complexes and a model of their structure. J. Clin. Invest. 66: 1033.
- Friedman E.A. and Neff R.K. (1977):
Pregnancy hypertension: a systematic evaluation of clinical diagnostic criteria. Littleton, Mass: Publishing Sciences Group.
- Frigoletto F.D., Tullis J.L., Reid D.E. and Hinman J. (1971):
Am. J. Obstet. Gynecol. 11, 867. Quoted from The Gazette of the Egyptian Paediatric Association 1, 20, 1975.
- Gallery E.D.M., Ross M., Hunyor S.N. and Gyory A.Z. (1977):
Predicting the development of pregnancy-associated hypertension: The place of standardized blood pressure measurement-Lancet 1: 1274.
- Galton M., Katharine M. and Bellar F.K. (1971):
J. Reprod. Med. 6, 89. Quoted from The Gazette of the Egyptian Paediatric Association 1, 15, 1975.
- George J.N. and Onofre A.R. (1982):
Human platelet surface binding of endogenous secreted factor VIII, von Willibrand factor and platelet factor 4 . Blood 59: 194.
- Gilabert J., Espana F., Estelles A., et al. (1986):
Functional and antigenic protein C and its inhibitor in normal pregnancy and preeclampsia. Thromb. Res. 6 (suppl): 320.
- Gill F.M. (1974):
Thrombocytopenia in the newborn, Pediatr. Ann. 3: 71.

- **Goguel A.F. and Samama M.M. (1985):**
Feulletts de Biologie, 36 (146), 25-28. Quoted from pamphlet of thromboplastin with calcium, bio Merieux, laboratory reagents and instruments.
- **Goodlin R.C., Cotton D.B. and Haesslein H.C. (1978):**
Severe edema, proteinuria and hypertension gestosis. Am. J. Obstet. Gynecol. 132: 595.
- **Goorin A.M. and Cloherty J.P. (1991)**
Bleeding, Manual of Neonatal Care. Third edition. Edited by JP Cloherty and AR Stark. USA, Little, Brown and Company. Boston-Toronto p. 344-345.
- **Gray O.P., Ackerman A. and Fraser A.J. (1968):**
Intracranial haemorrhage and clotting in low birth weight infants. Lancet 1: 543.
- **Grefe B.S., Marlar R.A. and Manco-johnson M.J. (1989):**
Neonatal protein C: molecular composition and distribution in normal term infants. Thromb. Res. Oct, 56 (1); p. 91-8.
- **Graffin J.H., Evatt B., Zimmerman T.S., Kleiss A.J. and Wideman C. (1981):**
Deficiency of protein C in congenital thrombotic disease. J. Clin. Invest. 68: 1370-73.
- **Griffin J.H., Mosher D.F., Zimmerman T.S. and Kleiss A.J. (1982):**
Protein C, an antithrombotic protein, is reduced in hospitalized patients with intravascular coagulation. Blood 60: 261.
- **Guinto E.R. and Edmon C.T. (1984):**
Loss of prothrombin and factor Xa-factor Va interactions by activated protein C. J. Biol. Chem. 259: 13986.

- **Hanna L.S., Scheraga H.A. and Francis C.W. (1984):**
Comparison of structures of various human fibrinogen and a derivative thereof by a study of the kinetics of release of fibrinopeptides. *Biochemistry* 23: 4681.
- **Hoffbrand A.V. and Lewis S.M. (1988):**
Normal Haemostasis. *Post Graduate Haematology*, 3rd ed., Heinman Professional Publishing Co., London, Chapter 12; 560-598.
- **Holmberg L., Henriksson P. and Ekelund H., et al. (1974):**
Coagulation in the human fetus. Comparison with term newborn infants. *J. Pediatr.* 85: 860.
- **Jaameri K.E.U., Kowuniemi A.P. and Carpen E.D. (1965):**
Gynaecologia, 160, 315. Quoted from The Gazette of the Egyptian Paediatric Association 1, 16, 1975.
- **Jendrassik L. and Grof P. (1938):**
Biochem. Z. 297: 81. Quoted from pamphlet of Test Combination Bilirubin, Boehringer Mannheim GmbH Diagnostica, October 1990.
- **Joist J.H. (1980):**
Test of blood coagulation in Gradwal's clinical laboratory methods and diagnosis. *J. Pediatr.* 113-116.
- **Kaplan A.P. and Silverberg M. (1987):**
The coagulation-kinin pathway of human plasma. *Blood* 70: 1.
- **Karpatkin M., Mannucci P., Bhogal M., Vigano S. and Nardi M. (1986):**
Low protein C in the neonatal period. *Br. J. Haematol.* 62: 137-42.

- **Katz J., Rodriquez E., Mandani G., et al. (1982):**
Normal coagulation findings, the thrombocytopenia and peripheral hemoconcentration in neonatal polycythemia. *J. Pediatra.* 101: 99.
- **Killam A.P., Dillard S.H., Patton R.C. and Pederson P.R. (1975):**
Pregnancy induced hypertension complicated by acute liver disease and disseminated intravascular coagulation. *Am. J. Obstet. Gynecol.* 123: 823.
- **Kind P.R.N. and King E.G. (1954):**
J. Clin.Path. 7, 322. Quoted from pamphlet of Alkaline Phosphatase Kit, bio Merieux, laboratory reagents and instruments.
- **Kisiel W. (1979):**
Human plasma protein C. Isolation, characterization and mechanism of activation by α thrombin. *J.Clin.Invest.* 64: 761-69.
- **Kleikner H.B., Giles H.R. and Corrigan JJ. Jr. (1977):**
The association of maternal and neonatal thrombocytopenia in high-risk pregnancies. *Am. J. Obstet. Gynecol.* 128: 235.
- **Kleikner H.B., Giles, H.R. and Corrigan JJ. Jr. (1982):**
The association of maternal and neonatal thrombocytopenia in high risk pregnancies. *Am. J. Obstet. Gynecol.* 128: 235.
- **Koenig J.M. and Christensen R.D. (1989):**
Incidence, neutrophil kinetics and natural history of neonatal neutropenia associated with maternal hypertension. *New Engl. J. Med.* 321: 557-62.
- **Kruithof E.K.O., Chien T.T., Ransifn A. and Badmann F. (1984):**
Demonstration of a fast-acting inhibitor of plasminogen activators in human plasma. *Blood* 64: 907.

- **Lane P.A. and Hathaway W.E. (1985):**
Vit. K. in infancy. *J. Pediatr.* 106: 351-359.
- **Lechner K., Niessner H. and Thaler E. (1977):**
Coagulation abnormalities in liver disease. *Semin Thromb. Haemostas.* 4: 40-56.
- **Leissering J.C. and Vorlicky N. (1968):**
Am. J. Dis. Child. 115, 100. Quoted from *The Gazette of the Egyptian Paediatric Association* 1, 16, 1975.
- **Lin C.C., Lindheimer M.D., River P. and Moawad A.H. (1982):**
Fetal outcome in hypertensive disorders of pregnancy. *Am. J. Obstet. Gynecol.* 142: 255-60.
- **Lindheimer M.D. and Katz A.I. (1983):**
Hypertension and pregnancy. In: Genest J, Kuchel O, Pavel H, Cantin M, eds. *Hypertension*. 2nd ed. New York. Mc Graw Hill 889-913.
- **Liu L., Jaffe R., Borowski G.D. and Rose L.I. (1983):**
Exacerbation of Cushing's disease during pregnancy. *Am. J. Obstet. Gynecol.* 45: 110-1.
- **Loeliger E.A., Von Den Besselaar A.H.M.P. and Lewis S.M. (1985):**
Thrombos. Haemostas. 53 (1), 148-154. Quoted from pamphlet of thromboplastin with calcium, bio Merieux, laboratory reagents and instruments.
- **Mackemna J., Daver N.L. and Brame R.G. (1983):**
Eclampsia associated with hemolysis, elevated liver enzymes, and low platelets, an obstetric emergency. *Obstet. Gynecol.* 64 :751.

- **Manco Johnson M., Marlar R., Jacobson L., et al. (1988):**
Severe protein C deficiency in newborn infants. *J. Pediatr.* 113: 359.
- **Mannucci P.M. and Vigano S. (1982).**
Deficiencies of protein C, an inhibitor of blood coagulation. *Lancet* 2: 463.
- **Mannucci P.M. and Vigano S. (1984):**
Deficiencies of protein C, an inhibitor of blood coagulation. *Lancet* 2: 463-467.
- **Manroe B.L., Weinberg A.G., Rosenfeld C.R. and Browne R. (1979):**
The neonatal blood count in health and disease. *J. Pediatr.* 95: 89.
- **Marler R.A., Kleiss A.J. and Griffin J.H. (1981):**
Human protein C; inactivation of factors V and VII in plasma by the activated molecule. *Ann. NY, Acad. Sci.* 370: 303-10.
- **Marlar R.A., Kleiss A.J. and Griffin J.H. (1982):**
Mechanism of action of human activated protein C, a thrombin dependent anticoagulant enzyme. *Blood* 59: 1067.
- **Martinoli J.L. and Stocker K. (1986):**
"Fast functional protein C assay using Protac, a novel protein C activator"
Thromb. Res., 43, 253-264.
- **Mauad-Filho F. and Meirelles R.S. (1978):**
Effect of maternal and fetal plasma from toxemic patients on vasomotility of the human umbilical artery. *Am. J. Obstet. Gynecol.* 130: 718.
- **Maymon R., Bahari C. and Moroz C. (1989):**
Placental isoferritin: A new serum marker in toxemia of pregnancy. *Am. J. Obstet. Gynecol.* 160: 681-4.

- **Mc Donald M.M. and Hathaway E. (1983):**
Neonatal hemorrhage and thrombosis. *Semin Perinatal* 7: 213.
- **Mehta P., Vasa R., Neumann L. and Karparkin M. (1980):**
Thrombocytopenia in the high risk infant. *J. Pediatr.* 97: 791.
- **Mimuro J., Sakata Y., Wakabayashi K. and Mastuda M. (1987):**
Level of protein C determined by combined assays during disseminated intravascular coagulation and oral anticoagulant. *Blood*, 69: 1704.
- **Mirro R. and Brown D.R. (1982):**
Edema, proteinuria, thrombocytopenia, and leukopenia in infants of preeclamptic mothers. *Am. J. Obstet. Gynecol.* 144: 851.
- **Misrani N., Manet L., Conard J. and Samama M. (1981):**
Act. Pharm. Biol. Clin. 1, 81-85. Quoted from pamphlet of Cephalite, Activated cephalin (solid activator), bio Merieux, laboratory reagents and instruments.
- **Moutquin J.M., Rainville C., Giroux L., et al. (1985):**
A prospective study of blood pressure in pregnancy: prediction of preeclampsia. *Am. J. Obstet. Gynecol.* 151: 191-206.
- **Mullertz S. and Clemmensen I. (1976):**
The primary inhibitor of plasmin in human plasma. *Biochem. J.* 545.
- **Munteen W., Petek W., Rosanelli K., et al (1979):**
Immunologic studies of prothrombin in newborn. *Pediatr. Res.* 13: 1262.
- **Nawroth L., Kiesel W. and Stem D. (1985):**
The role of endothelium in the haemostatic balance of haemostasis. *Clinics in Haematol.* 14 (2): 531-543.

- Nicola N.A. and Metcalf D. (1984):

Binding of the differentiation, inducer, granulocyte colony stimulating factor, to responsive but not unresponsive leukemic cell lines. *Proc. Natl. Acad. Sci. USA* 81: 3765-9.

- Nielson N. (1969):

Influence of preeclampsia upon coagulation and fibrinolysis in women and their newborn infants immediately after delivery, *Acta. Obstet. Gynecol. Scand.* 48: 523.

- Niiya K., Hodson E. and Bader R. (1987):

Increased surface expression of the membrane glycoprotein 11b/IIIa complex induced by platelet activation. Relationship to the binding of fibrinogen and platelet aggregation. *Blood* 70: 475.

- O'Brien P.F., North W.R.S. and Ingram G.I.C. (1981):

45 (2), 162-168. Quoted from pamphlet of Cephalite, Activated cephalin (solid activator), bio Merieux, laboratory reagents and instruments.

- Owren P.A. and Aas K. (1951):

The control of dicumarol therapy and the quantitative determination of prothrombin and proconvertin. *Scand. J. Clin. Invest.* 3: 201.

- Pabinger-Fasching I., Bertina R.M., Lechner K., Niessner H. and Korninger C. (1983):

Protein C deficiency in two Austrian families. *Thromb. Haemost.* 50: 810-13.

- Page E.W. and Christianson R. (1976):

The impact of mean arterial blood pressure in middle trimester upon the outcome of pregnancy. *Am. J. Obstet. Gynecol.* 125: 740-5.

- Perlman M. and Dvilansky A. (1975):
Blood coagulation status of small for dates and postmature infants. Arch. Dis. Child 50: 424.
- Plow E.F. and Collen D. (1981):
The presence and release of α_2 -antiplasmin from human platelets. Blood 58: 1069.
- Pritchard J.A., Cunningham F.G. and Mason R.A. (1976):
Coagulation changes in eclampsia: their frequency and pathogenesis. Am. J. Obstet. Gynecol. 124: 855.
- Pritchard J.A., Mac Donald P.C. and Gant N.F. (1985):
Hypertensive Disorders in Pregnancy. Williams Obstetrics. Seventeenth edition. Norwalk Connecticut: Appleton-Century-Crofts p. 525-556.
- Rapaport S., Zivelin A. and Donnelly K. (1987):
A plasma protein C activity assay suitable for a clinical laboratory. Am. J. Clin. Path. 87: 491-497.
- Reiss R.E., D'Shoughnessy R.W., Quilligan T.Y. and Zuspan F. P. (1987):
Retrospective comparison of blood pressure course during preeclampsia and matched control pregnancies. Am. J. Obstet. Gynecol. 156: 894-8.
- Reitman S. and Frankel S. (1957):
Am.J.Clin.Path.28:56, Quoted from pamphlet of Test Combination GOT, Boehringer, Mannheim GmbH Diagnostica, July 1981.
- Revak S.D., Cochrane C.G., Johnston A.R. and Hugh T.E. (1974):
Structural changes accompanying enzymatic activation of human Hageman factor. J. Clin. Invest. 54: 619.

- **Richards J.D.M., Linch D.C. and Goldstone A.H. (1983):**
A Synopsis of Haematology. 1st ed. John Wright and Sons (Printing Ltd Stonebridge Press, Bristol) Chapter 19: 179-190.
- **Rodeghiero F., Mannuci P. M. and Vigano S. (1984):**
Liver dysfunction rather than intravascular coagulation as the main cause of low protein C and antithrombin III. *Blood*, 63: 965.
- **Rodger G.M. and Shuman M.A. (1986):**
Congenital thrombotic disorders. *Am. J. Hematol.* 21: 419.
- **Rosenberg R.D. and Rosenberg J.S. (1984):**
Natural anticoagulant mechanism. *J. Clin. Invest.* 74: 1.
- **Sakata Y. and Aoki N. (1982):**
Significance of cross-linking of α_2 -plasmin inhibitor to fibrin inhibitor in fibrinolysis and in haemostasis *J. Clin. Invest.* 69: 536.
- **Sakata Y., Mimuro J. and Aoki N. (1984):**
Defferential binding of plasminogen to cross linked non-cross linked fibrins. Its significance in haemostatic defect in factor XIII deficiency. *Blood* 63: 1393.
- **Schafer A.I. (1985):**
The hypercoagulable states. *Ann. Inter. Med.* 102: 814-828.
- **Schettini F., De Mattia O., Altomare M., et al. (1980):**
Postnatal development of factor IX. *Acta. Pediatr. Scand.* 69: 53.

- Schettini F., De Mattia O., Altomare M., Montagano O., Clavarella G. and Monziona M. M. (1985):
Postnatal development of protein C in full-term new-born. *Acta. Paediatr. Scand.* 74: 226.
- Schmidt B. and Zipursky A. (1984):
Thrombotic disease in newborn infants. *Clin. Perinatal* 2: 461.
- Schmidt. E. and Schmidt. F.W. (1963):
Enzym. biol. Clin. 3:1. Quoted from pamphlet of Cephalite, Activated cephalin (solid activator), bio Merieux, laboratory reagents and instruments.
- Schrier R.W. and Briner V.A. (1991):
Peripheral arterial vasodilation hypothesis of sodium retention in pregnancy: Implication for pathogenesis of preeclampsia-eclampsia. *Obstet. Gynecol.* 77: 632.
- Schwartz B.S., Monroe M.C. and Levin F.G. (1988):
Increased release of plasminogen activator inhibitor type 2 accompanying the human mononuclear cell tissue factor response to lipopolysaccharide. *Blood* 71: 734.
- Seligsohn U., Berger A. and Abend M. (1984):
Homozygous protein C deficiency manifested by massive venous thrombosis in the newborn. *New Engl. J. Med.* 310: 559-62.
- Setzer E.S., Webb I.B., Wassenaar J.W., et al. (1982):
Platelet dysfunction and coagulopathy in intraventricular hemorrhage in the premature infant. *J. Pediatr.* 100: 599.

- Shattil S.J. and Bennett J.S. (1981):
Platelets and their membranes in haemostasis. Physiology and pathophysiology. *Ann, Intern, Med*, 94: 108.
- Sheehan H.L. and Lynch J.B. (1973):
Pathology of toxemia of pregnancy, Edinburgh: Churchill-Livingstone, 2.
- Sherlock S. (1951):
Disease of the liver and biliary tract. First edition. Blackwell Scientific Publications, Oxford, p. 204.
- Sibai B.M. (1988):
Eclampsia. In: Rulin PC, ed. Handbook of hypertension. Hypertension in pregnancy. Amsterdam: Elsevier Science, Vol. 10: 320-40.
- Sibai B.M. (1990):
The HELPP syndrome (hemolysis, elevated liver enzymes, and low platelets): Much ado about nothing ? *Am. J. Obstet. Gynecol.* 162: 311-6.
- Sibai B.M., Anderson G.D. and Mc Cubbin J.H. (1982):
Eclampsia. II. Clinical significance of laboratory findings. *Obstet. Gynecol.* 59: 153-7.
- Sibai B.M., Mc Cubbin J.H., Anderson G.D., et al. (1981):
Eclampsia, observation from 67 recent cases. *Obstet. Gynecol.* 58: 609.
- Sibai B.M., Schneider J.M., Morrison J.C., et al. (1980):
The late postpartum eclampsia controversy. *Obstet. Gynecol.* 55: 74-8.
- Sibai B.M., Taslimi M.M., Nazer A., et al. (1986):
Maternal-perinatal outcome associated with the syndrome of hemolysis,

elevated liver enzymes, and low platelets in severe preeclampsia-eclampsia. *Am. J. Obstet. Gynecol.* 155: 501-9.

- **Sibai B.M., Watson D.L. and Hill G.A. (1983):**

Maternal-fetal correlations in patients with severe preeclampsia/eclampsia. *Obstet. Gynecol.* 62: 745.

- **Sills R.H., Marlar R.A., Montgomery R.R., et al. (1984):**

Severe homozygous protein C deficiency. *J. Pediatr.* 105: 409.

- **Snyder E.Y. and Cloherty J.P. (1991):**

Perinatal asphyxia, *Manual of Neonatal Care*. Third edition. Edited by JP Cloherty and AR Stark. USA, Little, Brown and Company. Boston-Toronto, p. 407.

- **Sprengers E.D. and Kluft C. (1987):**

Plasminogen activator inhibitors. *Blood* 69: 381.

- **Starkie C.M. and Harding L.K. (1971):**

Lancet, 23, 889. Quoted from *The Gazette of the Egyptian Paediatric Association* 1, 15, 1975.

- **Stenflo Y. (1976):**

A new vitamin K-dependent protein. Purification from bovine plasma and preliminary characterization. *J. Biol. Chem.* 251: 63.

- **Stump D.C., Thien Pont M. and Collen D. (1986):**

Purification and characterization of a novel inhibitor of urokinase from human urine. Quantitation and preliminary characterization in plasma. *J. Biol. Chem.* 261: 12759.

- Takamiya O., Kinoshita S., Niinomi K. and Yoshioka K. (1989):
Protein C in the neonatal period. *Haemostasis*: 19 (1); p. 45-50.
- Tapot E.J., Bell W.R. and Weisfeldt M.L. (1985):
Coronary thrombolysis with recombinant tissue-type plasminogen activator. A haematologic and pharmacologic study. *Ann. Inter. Med.* 1985; 103: 837.
- Thaler E. and Lechner K. (1981):
Antithrombin III deficiency and thromboembolism. *Clin. Haematol.* 10: 369-390.
- Thiagarajah S., Bourgeois F.J., Harbert G.M. and Caudle M.R. (1984):
Thrombocytopenia in preeclampsia: associated abnormalities and management principle. *Am. J. Obstet. Gynecol.* 150: 1.
- Thomas R.M., Canning C.E., Lotes P.M., et al. (1983):
Erythropoietin and cord blood haemoglobin in the regulation of human fetal erythropoiesis. *Br. J. Obstet. Gynecol.* 90: 795-800.
- Turitto V.T., Weiss J.H., Zimmerman T.S. and Sussman M. (1985):
Factor VIII/von Willibrand factor in subendothelium mediates platelet adhesion. *Blood* 65: 823.
- Van Assche F.A. and Spitz B. (1988):
Thromboxane synthetase inhibition in pregnancy-induced hypertension. *Am. J. Obstet. Gynecol.* 159: 1015.
- Van de Bor M., Dokkum M.E., Schreuder A.M., et al. (1992):
Hyperbilirubinemia in low birth weight infants and outcome at 5 years of age. *J. Pediatr.* 89: 359-64.

- **Van den Hof M.C. and Nicolaides K.H. (1990):**
Platelet count in normal, small, and anemic fetuses. *Am. J. Obstet. Gynecol.* 162: 735-9.
- **Van Hinsbergh V.W., Bertina R.M. and Van Wijngaarden A. (1985):**
Activated protein C decreases plasminogen activator inhibitor activity in endothelial cell-conditioned medium. *Blood* 65: 444.
- **Verstraete M., Vermeylen J. and Collen D. (1974):**
Intravascular coagulation in liver disease. *Ann. Rev. Med.* 25: 447-455.
- **Vigano S., Mannucci P.M., D'Angelo A. and Rumi M.G. (1985):**
The significance of protein C antigen in acute and chronic liver biliary disease. *Am. J. Clin. Pathol.* 84: 454-458.
- **Volpe J.J. (1981):**
Neonatal intraventricular hemorrhage. *New Engl. J. Med.* 304: 886.
- **Walsh P.N. and Griffin J.H. (1981):**
Contributions of human platelets to the proteolytic activation of blood coagulation factors XII and XI. *Blood* 57: 106.
- **Wardle E.N. and Menon I.S. (1969):**
Fibrinolysis in preeclamptic toxemia of pregnancy. *Brit. Med. J.* 2, 625.
- **Weinstein L. (1982):**
Syndrome of hemolysis, elevated liver enzymes, and low platelet count; a severe consequence of hypertension in pregnancy. *Am. J. Obstet. Gynecol.* 142: 159.

- **Weinstein L. (1985):**
Preeclampsia/eclampsia with hemolysis, elevated liver enzymes, and thrombocytopenia. *Obstet. Gynecol.* 66: 657.
- **Widdershoven J., Bertina F., Monnes L., Lier H.V. and Dehaan A. (1987):**
Protein C level in infancy and early childhood. Influence of breast feeding. *Acta. Paed. Scand.* 76: 7.
- **Winderlov E., Karlman I. and Storsater J. (1980):**
Hydralazine induced neonatal thrombocytopenia. *N. Engl. J. Med.* 303: 1235.
- **Wilcox G., Trudinger B., Cook C., Wilcox W. and Connelly A. (1989):**
Reduced fetal platelet count in pregnancies with abnormal Doppler umbilical flow wave forms. *Obstet. Gynecol.* 73: 693-43.
- **Williams J.W., Bewtler E., Erslev A.J. and Lichtman M.A. (1990):**
Control of coagulation reactions, *Haematology*, 4 th ed., Vol II, Mc Graw-Hill Publishing Co., New York, p. 1305.
- **Yuen P., Cheung A., Ju Lin H., et al. (1986):**
Purpura fulminans in a Chinese boy with congenital protein C deficiency. *Pediatrics* 77: 670-76.