

REFERENCES

REFERENCES

- Abdalla,S.; Marco,F.; Perez-Perez,M.; Pique,J.M. and Bordes,J.M. (1989): "Rapid detection of *Compylobacter pylori* colonization by a simple biochemical test." J. Clin. Microbiol., 22:2604-2605.
- Aceti,A.; Attanasio,R.; Pennica,A.; Taliani,G. and Sebستاني,A. (1987): "*Compylobacter pylori* infection in homosexuals." Lancet, 2:154-155.
- Albenque,M.; Tall,F. and Dabis,F. (1990): "Epidemiological study of *Helicobacter pylori* transmission from mother to child in Africa: Transmission by saliva in Burkina Faso." Rev. Esp. Enferm. Apar. Dig., 78 (Suppl. 1):48.
- Anderson,L.; Holck,S.; Povlsen,C. and Elsborg,S. (1987): "*Compylobacter pyloridis* in peptic ulcer disease, gastric and duodenal infection caused by *Compylobacter*: Histologic and microbiologic findings." Scand. J.. Gastroenterol., 22:219-224.
- Armstrong,J.; Wee,S.; Goodwin,C. and Wislon,B. (1987): "Response to *Compylobacter pyloridis* to antibiotics, bismuth and an acid-reducing agent in vitro: An ultrastructural study." J. Med. Microbiol., 24:343-350.
- Arvind,A.S.; Cook,R.S.; Tabaqchali,S. and Farthing,M.J.G. (1988): "One minute endoscopy room test for *Compylobacter pylori*." Lancet, 1(8587):704.
- Axon,A.T.R. (1988): "*Compylobacter pylori*." Rec. Adv. Gastroenterol., 7:425-544.
- Axon,A.T.R. (1989): "*Compylobacter pylori*: Therapy review." Scand. J. Gastroenterol., 24 (Suppl. 160):35-38.
- Axon,A.T.R. (1991): "Duodenal ulcer: The villain unmasked?." Br. Med. J., 202:919-920.

- Axon, A.T.R. (1992): "Helicobacter pylori." *Rec. Adv. in Gastroenterolgy*, 9:27-48.
- Baron, J.H.; Barr, J. and Batten, J. (1986): "Acid, pepsin and mucin secretion in patients with gastric and duodenal ulcer before and after colloidal bismuth subcitrate (De-Nol)." *Gut*, 27:486-490.
- Beeson, P.B. [Ed.] (1975): "Textbook of Medicine." Mc Dermott and Co. Publication. 14th edition.
- Benjamin, J.; Leaper, S.; Owen, R.J. and Skirrow, M.B. (1983): "Description of *Compylobacter pyloridis*, a new species comprising the nalidixic acid resistant thermophilic *Compylobacter* (NARTC) group." *Curr. Microbiol.*, 8:231-238.
- Blaser, M.J. (1987): "Gastric *Compylobacter*-like organisms, gastritis and peptic ulcer disease." *Gastroenterol.*; 93:371-383.
- Blaser, M.J. (1992): "Hypothesis on the pathogenesis and natural history of *Helicobacter pylori*-induced inflammation." *Gastroenterol.*, 102(2):720-727.
- Blaser, M.J.; Berkowitz, I.D.; Laforce, F.M.; Cravens, J.; Reller, L.B. and Wong, W.L.L. (1979): "*Compylobacter* enteritis: Clinical and epidemiological features." *Ann. Intern. Med.*, 91:179-185.
- Bolton, F.J. and Hutchinson, D.N. (1989): "Evaluation of 3 *Compylobacter pylori* antigen preparations for screening sera from patients undergoing endoscopy." *J. Clin. Pathol.*, 42(7):723-726.
- Booth, L.; Holdstock, G.; MacBride, H.; Hawtin, F. and Gibson, J.R. (1986): "Clinical importance of *Compylobacter pyloridis* and associated serum IgG and IgA antibody responses in patients undergoing upper gastrointestinal endoscopy." *J. Clin. Pathol.*, 39:215-219.

- Borody, T.J.; Cole, P. and Noonan, S. (1988): "Long term *Compylobacter pylori* recurrence post-eradication." *Gastroenterol.*, 94:A43.
- Brandt, L.; Rogers, A. and Marshall, B.J. (1988): "Should we now, routinely be examining gastric biopsies for *Compylobacter pylori*." *Am. J. Gastroenterol.*, 83(5):479-481.
- Bronsdon, M.A.; Goodwin, C.S. and Sly, L.I. (1991): "*Helicobacter nemestrinae* sp. nov., a spiral bacterium found in the stomach of a pig-tailed macaque (*Macaca nemestrina*)."
Int. J. Syst. Bacteriol., 41:148-153.
- Buck, G.E. and Smith, J.S. (1987): "Medium supplementation for growth of *Compylobacter pyloridis*." *J. Clin. Microbiol.*, 25:5970599.
- Buck, G.E.; Gourley, W.K.; Lee, W.K.; Subramanyan, K.; Latimer, J.M. and Dinuzzo, M. (1986): "Relation of *Compylobacter pyloridis* to gastritis and peptic ulcer." *J. Infect. Dis.*, 153:664-669.
- Burnett, R.; Brown, I. and Findly, J. (1987): "Cresyl fast violet staining methods for *Compylobacter*-like organisms." *J. Clin. Pathol.*, 40:353-360.
- Butzler, J.P. and Skirrow, M.B. (1979): "*Compylobacter enteritis*." *Clin. Gastroenterol.*, 8:737-765.
- Caselli, M.; Figura, N.; Trevisani, L.; Pazzi, P. and Guglielmetti, P. (1989): "Patterns of physical modes of contact between *Compylobacter pylori* and gastric epithelium: Implications about the bacterial pathogenicity." *Am. J. Gastroenterol.*, 84(5):511-513.
- Cave, D.R. and Vargas, M. (1989): "Effect of a *Compylobacter pylori* protein on acid secretion by parietal cells." *Lancet*, ii(8656):187-188.

- Borody, T.J.; Cole, P. and Noonan, S. (1988): "Long term *Compylobacter pylori* recurrence post-eradication." *Gastroenterol.*, 94:A43.
- Brandt, L.; Rogers, A. and Marshall, B.J. (1988): "Should we now, routinely be examining gastric biopsies for *Compylobacter pylori*." *Am. J. Gastroenterol.*, 83(5):479-481.
- Bronsdon, M.A.; Goodwin, C.S. and Sly, L.I. (1991): "*Helicobacter nemestrinae* sp. nov., a spiral bacterium found in the stomach of a pig-tailed macaque (*Macaca nemestrina*)."
Int. J. Syst. Bacteriol., 41:148-153.
- Buck, G.E. and Smith, J.S. (1987): "Medium supplementation for growth of *Compylobacter pyloridis*." *J. Clin. Microbiol.*, 25:5970599.
- Buck, G.E.; Gourley, W.K.; Lee, W.K.; Subramanyan, K.; Latimer, J.M. and Dinuzzo, M. (1986): "Relation of *Compylobacter pyloridis* to gastritis and peptic ulcer." *J. Infect. Dis.*, 153:664-669.
- Burnett, R.; Brown, I. and Findly, J. (1987): "Cresyl fast violet staining methods for *Compylobacter*-like organisms." *J. Clin. Pathol.*, 40:353-360.
- Butzler, J.P. and Skirrow, M.B. (1979): "*Compylobacter enteritis*." *Clin. Gastroenterol.*, 8:737-765.
- Caselli, M.; Figura, N.; Trevisani, L.; Pazzi, P. and Guglielmetti, P. (1989): "Patterns of physical modes of contact between *Compylobacter pylori* and gastric epithelium: Implications about the bacterial pathogenicity." *Am. J. Gastroenterol.*, 84(5):511-513.
- Cave, D.R. and Vargas, M. (1989): "Effect of a *Compylobacter pylori* protein on acid secretion by parietal cells." *Lancet*, ii(8656):187-188.

- Cheesbrough, M. [Ed.] (1989): "Medical Laboratory Manual For Tropical Country." In "Microbiology.", Volume 2, English Language Book Society, Tropical Health Technology, Butter Worlts, Page 58-69.
- Chen, M.; Lee, A. and Hazell, S. (1992): "Immunization against gastric *Helicobacter* infection in a mouse/*Helicobacter cells felis* model." *Lancet*, 339:1120-1121.
- Chittajalbe, R.S.; Neithercut, W.D.; MacDonald, A.M.I. and McColl, K.E.L. (1991): "Effect of increasing *Helicobacter pylori* ammonia production by urea infusion on plasma gastrin concentration." *Gut*, 32:21-24.
- Clayton, C.L.; Wren, B.W.; Mullany, P.; Topping, A. and Tabagchali, S. (1989): "Molecular cloning and expression of *Compylobacter pylori* species-specific antigens in *Escherichia coli* K-12." *Infect. Immun.*, 57(2):623-629.
- Clionda, A. and McNutty, M. (1987): "The treatment of *Compylobacter pyloridis*-associated gastritis." *Am. J. Gastroenterol.*, 82(3):245-247.
- Colle, J.G.; Duguid, J.P.; Frasar, A.G. and Marnion, B.P. [Eds.] (1989): "Practical Medical Microbiology." Churchill Livingstone, London, Melborn, New York, Edenberg, Page 21, 59 and 522.
- Cornelius, P.; Dooley, M. and Hartley, M. (1988): "The clinical significance of *Compylobacter pylori*." *Ann. Int. Med.*, 108(1):70-90.
- Correa, P. (1991): "Is gastric carcinoma an infectious disease?." *N. Eng. J. Med.*, 325:1170-1171.
- Correa, P.; Fox, J. and Fontham, E. (1990): "*Helicobacter pylori* and gastric carcinoma: Serum antibody prevalence in populations with contracting cancer risks." *Cancer*, 66(12):2569-2574.

- Coudron, P.E. and Kirby, D.F. (1989): "Comparison of rapid urease tests, staining techniques and growth on different solid media for detection of *Compylobacter pylori*." J. Clin. Microbiol., 27(7):1527-1530.
- Crabtree, J.E.; Taylor, T.D.; Wyatt, J.I.; Heatly, R.V.; Tompkins, D.S. and Rathbone, B.J. (1991): "Mucosal IgA recognition of *Helicobacter pylori* 120 KDa protein: Peptic ulceration and gastric pathology." Lancet, 339:332-335.
- Craig, P.M.; Karnes, W.E. and Territo, M.C. (1990): "*Helicobacter pylori* secretes a chemotactic factor for monocytes and neutrophils." Gastroenterol., 98:A33 (Abstract).
- Crampton, J.R.; Gibbons, L.C. and Rees, D.W. (1988): "Effects of certain ulcer-healing agents on amphibian gastroduodenal bicarbonate secretion." Br. J. Exp. Pathol., 69:833-838.
- Das, S.S.; Bain, L.A.; Karim, Q.N.; Coelho, L.G. and Baron, J.H. (1987): "Rapid detection of *Compylobacter pyloridis* infection." J. Clin. Pathol., 40:701-702.
- Daskalopoulos, G.; Borody, T.; Carrick, J.; Ralston, M. and Hazell, S. (1987): "Relationship of patient's country of origin to endoscopic frequency of *Compylobacter pyloridis* gastritis." Gastroenterol., 92:1358-1363.
- David, Y. and Patrice, A. (1988): "Should I search for *Compylobacter pylori* in my patients?." Am. J. Gastroenterol., 83(5):481-483.
- Davies, G.R.; Simmonds, N.J.; Stevens, T.R.S.; Gradison, A. and Rampton, D.S. (1991): "Enhanced production of reactive oxygen species by gastric antral mucosa infected with *Helicobacter pylori*." Gut, 32:A564.
- Diane, E.; James, A.; Hargereaves, N. and Richard, W. (1987): "Isolation and characterization of *Compylobacter pyloridis* from gastric biopsies." Am. J. Clin. Pathol., 87:49-54.

- Dick, J.D. (1990): "Helicobacter (Compylobacter) pylori: A new twist to an old disease." *Ann. Rev. Microbiol.*, 44:249-269.
- Dick, J.D. and Gamcsik, M. (1989): "Use of nuclear magnetic resonance spectroscopy in the determination of Compylobacter pylori metabolism." Abstract from the Annual Meeting of the American Society of Microbiology, 89:98.
- Doenges, J.L. (1938): "Spirochetes in the gastric glands of Macacus rhesus and humans without definite history of related disease." *Proc. Soc. Exp. Med. Biol.*, 38:536-538.
- Dooley, C.P.; Cohen, H. and Fitzgibbons, P.L. (1989): "Prevalence of Helicobacter pylori infection and histologic gastritis in asymptomatic persons." *N. Eng. J. Med.*, 321(23):1562-1566.
- Dunn, B.; O'Brien, A.; Cutz, E. and Sherman, P. (1987): "Compylobacter pyloridis-associated primary gastritis in children." *Pediatr.*; 80:192-195.
- Dunn, B.; Perez-Perez, G.I. and Blaser, M.J. (1989): "2-dimensional gel electrophoresis and immunoblotting of Compylobacter pylori proteins." *Infect. Immun.*, 57(6):1825-1833.
- Dwyer, B.; Kaldor, J.; Tee, W.; Marakowsk, E.; Lambert, J. and Flannery, G. (1987): "Compylobacter pyloridis sero-epidemiology in a variety of ethnic groups in Australia." The IVth International Workshop on Compylobacter Infection, Cotebong, Sweden, Abstract No. 47.
- Dye, K.P.; Marshall, B.J. and Frierson, H.F. (1990): "Compylobacter pylori colonizing heterotropic gastric tissue in the rectum." *Am. J. Clin. Pathol.*, 93(1):144-147.
- Eaton, K.A.; Morgan, D.R. and Krakwka, S. (1989): "Compylobacter pylori virulence factors in gnotobiotic piglets." *Infect. Immun.*, 57(4):1119-1125.

- Eaton, K.A.; Radin, M.J. and Fox, J.G. (1991): "Helicobacter acinonyx, a new species of Helicobacter isolated from cheetahs with gastritis." Microbiol. Ecol. Hlth. Dis., 4 (Spec. Suppl.):104.
- Engstrand, L.; Pahlson, C.; Gustavsson, S. and Schwan, A. (1986): "Monoclonal antibodies for rapid identification of Compylobacter pyloridis." Lancet, 2(8520):1402-1403.
- Evans, D.G.; Evans, D.J. Jr.; Moulds, J.J. and Graham, D.Y. (1988): "N-acetyl neuraminy-lactose-binding fibrillar hemagglutination of Compylobacter pylori: A putative colonization factor antigen." Infect. Immun., 56:2896-2906.
- Faisal, M.A.; Russel, R.M. and Samloff, I.M. (1990): "Helicobacter pylori infection and atrophic gastritis in the elderly." Gastroenterol., 99(5):1543-1544.
- Ferrero, R.L.; Hazell, S.L. and Lee, A. (1988): "The urease enzymes of Compylobacter pylori and a related bacterium." J. Med. Microbiol., 27:23-40.
- Fich, A.; Talley, N.J. and Shorter, R.G. (1991): "Zollinger-Ellison syndrome: Relation to Helicobacter pylori associated chronic gastritis and gastric ulcer secretion." Dig. Dis. Sci., 36(1):10-14.
- Figura, N.; Guglielmetti, P. and Rossolini, A. (1989): "Cytotoxin production from Compylobacter pylori strains isolated from patients with peptic ulcers and from patients with chronic gastritis only." Digestion, 43:33-40.
- Fong, T.L.; Dooley, C.P. and Dehesa, M. (1991): "Helicobacter pylori infection in pernicious anaemia: A prospective controlled study." Gastroenterol., 100(2):328-332.
- Fox, J.G.; Chilvers, T.; Goodwin, C.S.; Taylor, N.S.; Endomonds, P.; Sly, L.I. and Brenner, D.J. (1989): "Compylobacter mustalae, a new species resulting from the elevation of Compylobacter pylori subsp. mustelae to species status." Int. Syst. Bacteriol., 39:301-303.

- Francis,M.; Francoise,B.; Monique,G. and Herve,L. (1985): "Characterization of *Compylobacter pyloridis* by culture, enzymatic profile and protein content." J. Clin. Microbiol., 22(6):1007-1016.
- Freedburg,A.S. and Barron,L.E. (1940): "The presence of spirochetes in human gastric mucosa." Am. J. Dig. Dis., 7:443-445.
- Gary,C. and Gitrick,G. [Eds] (1976): "Gastroenterology." C.V.M. Mosby Co., Page 33.
- Geis,G.; Leying,H.; Suerbaum,S.; Mai,U. and Opferkuch,W. (1989): "Ultrastructure and chemical analysis of *Compylobacter pylori* flagella." J. Clin. Microbiol., 27(3):436-441.
- George,L.L.; Borody,T.J. and Andrews,P. (1990): "Cure of duodenal ulcer after eradication of *Helicobacter pylori*." Med. J. Aust., 153(3):145-149.
- Gilvarry,J. (1992): "Natural history of gastritis." Fifth Workshop on Gastro-duodenal Pathology and *Helicobacter pylori*. Trinity College, Dublin, July 1992, Meeting of the European *Helicobacter pylori* Study Group.
- Glupczynski,Y.; Labbe,M.; Hansen,W.; Crokaert,F. and Yourassowsky,E. (1991): "Evaluation of the E-test for quantitative antimicrobial susceptibility testing of *Helicobacter pylori*." J. Clin. Microbiol., 29(9):2072-2075.
- Goldie,J.; Vanzanten,S.J.O.V.; Jalali,S.; Riddell,R.H. and Hollingsworth,W. (1989): "Optimization of a medium for the rapid urease test for detection of *Compylobacter pylori* in gastric antral biopsies." J. Clin. Microbiol., 27(9):2080-2082.

- Goodwin, C.S.; Blincow, E.; Warren, J.R.; Waters, T.E.; Sanderson, C.R. and Easton, L. (1985a): "Evaluation of cultured techniques for isolating *Compylobacter pyloridis* from endoscopic biopsies of gastric mucosa." *J. Clin. Pathol.*, 38:1127-1131.
- Goodwin, C.S.; McCullouch, P.K.; Armstrong, J.A. and Wee, S.H. (1985b): "Unusual cellular fatty acids and distinctive ultrastructure in a new spiral bacterium (*Compylobacter pyloridis*) from human gastric mucosa." *J. Med. Microbiol.*, 19:257-267.
- Goodwin, C.S.; Armstrong, J.A. and Marshal, B.J. (1986): "*Compylobacter pyloridis*, gastritis and peptic ulceration." *J. Clin. Pathol.*, 39:353-365.
- Goodwin, C.S.; Armstrong, J.A. and Chilvers, T. (1989a): "Transfer of *Compylobacter pylori* and *Compylobacter mustelae* to *Helicobacter* gen. nov. as *Helicobacter pylori* Comb. nov. and *Helicobacter mustelae* Comb. nov. respectively." *Int. J. Syst. Bacteriol.*; 39:397-405.
- Goodwin, C.S.; McConnell, W.; McCulloch, P.K.; McCullough, C. and Hill, R. (1989b): "Cellular fatty acid composition of *Compylobacter pylori* from patients and ferrets compared with those of other *Compylobacters*." *J. Clin. Microbiol.*, 27(5):938-943.
- Goossens, H.; Glupczynski, Y.; Burette, A.; Borre, C.V. and Butzler, J.P. (1992): "Evaluation of commercially available second generation IgG enzyme immuno-assay for detecting of *Helicobacter pylori* infection." *J. Clin. Microbiol.*, 30(1):176-180.
- Gottrand, F.; Turck, D. and Vincent, P. (1992): "*Helicobacter pylori* infection in early infancy." *Lancet*, 340:495.
- Graham, D.Y. (1989): "*Compylobacter pylori* and peptic ulcer disease." *Gastroenterol.*, 96:615-625.
- Graham, D.Y. (1991): "*Helicobacter pylori*: Its epidemiology and its role in duodenal ulcer diseases." *J. Gastroenterol. Hepatol.*, 6:105-113.

- Graham, D.Y.; Evans, D.J.; Alpert, L.C.; Klein, P.D. and Evans, D.G. (1987): "Compylobacter pyloridis detected non-invasively by the ^{13}C -urea breath test." *Lancet*, 1(8543):1174-1177.
- Graham, D.Y.; Lew, G.M. and Kelein, P.D. (1990): "Factors affecting the eradication of Helicobacter pylori infection with triple therapy." *Rev. Esp. Enferm. Apar. Diag.*, 78 (Suppl. 1):117.
- Graham, D.Y.; Malaty, H.M.; Evans, D.G.; Evans, D.J.; Klein, P.D. and Adam, E. (1991): "Epidemiology of Helicobacter pylori in an asymptomatic population in the United States: Effect of age, race and socioeconomic status." *Gastroenterol.*, 100:1495-1501.
- Hall, D.W.R.; Vandenberg, T.P. and Vandenhoven, W.E. (1988): "Enhancement and protection of rate gastric mucus by colloidal bismuth subcitrate and PGE_2 in vivo." *Gastroenterol. Int.* (Suppl. 1):A343.
- Hazell, S.L. and Lee, A. (1986): "Compylobacter pyloridis, urease, hydrogen-ion back diffusion and gastric ulcers." *Lancet*, ii(8497):15-17.
- Hazell, S.L., Lee, A.; Brady, L. and Hennessy, W. (1986): "Compylobacter pyloridis and gastritis: association with intracellular spaces and adaptation to an environment of mucus as important factors in colonization of the gastric epithelium." *J. Infect. Dis.*, 153:658-663.
- Hazell, S.L., Borty, T.J.; Gal, A. and Lee, A. (1987): "Compylobacter pyloridis gastritis: Detection of urease as a marker of bacterial colonization and gastritis." *Am. J. Gastroenterol.*, 82(4):292-294.
- Hazell, S.L.; Markesich, D.C.; Evans, D.J., Evans, D.G. and Graham, D.Y. (1989): "Influence of media supplements on growth and survival of Compylobacter pylori." *Eur. J. Clin. Microbiol. Infect. Dis.*, 8(7):597-602.

- Higazy, M.M. (1990): "Study of *Campylobacter pylori* in gastric mucosa of uraemic patients." M.Sc. Thesis, Clinical Pathology Department, Faculty of Medicine, Cairo University.
- Howden, A.; Boswell, P. and Tovey, F. (1986): "In vitro sensitivity of *Campylobacter pyloridis* to furazolidone." *Lancet*, 1:907.
- Humphreys, H.; Bourke, S.; Dooley, C.; McKenna, D.; Power, B.; Keane, C.; Sweeney, C. and O'Morain, C. (1988): "Effect of treatment on *Campylobacter pylori* in peptic disease: A randomized prospective trial." *Gut*, 29:279-283.
- Jicong, W.; Guolong, L.; Zhenhua, Z.; Yanglong, M.; Qiang, C.; Jingchuan, W. and Sulong, Y. (1992): "¹⁵NH₄⁺ excretion test: A new method for detection of *Helicobacter pylori*." *J. Clin. Microbiol.*, 30(1):181-184.
- Jones, C. (1992): "Triple therapy still standard treatment of *Helicobacter pylori*." Fifth Workshop on Gastro-duodenal Pathology and *Helicobacter pylori*. Trinity College, Dublin, July 1992, Meeting of the European *Helicobacter pylori* Study Group.
- Jonston, B.; Reed, P. and Ali, A. (1986): "*Campylobacter*-like organisms in duodenal and antral endoscopic biopsies: Relationship to inflammation." *Gut*, 27:1132-1137.
- Kamsteeg, H.; Pool, L.J. and Vandenberg, T.P. (1990): "Activity of colloidal bismuth subcitrate and other bismuth salts against the adhesive properties of *Helicobacter pylori*." *Rev. Esp. Enferm. Apar. Dig.*, 78 (Suppl. 1):119-120.
- Kang, J.Y.; Tay, H.H. and Wee, A. (1990): "Effect of colloidal bismuth subcitrate on symptoms and gastric histology in non-ulcer dyspepsia: A double blind placebo controlled study." *Gut*, 31(4):476-480.

- Kawano, S.; Tsujii, M. and Fusamoto, H. (1991): "Chronic effect of intra-gastric ammonia on gastric mucosal structures in rats." *Dig. Dis. Sci.*, 36(1):33-38.
- Klein, D.; Graham, D.Y. and Opekum, A.R. (1989): "Helicobacter pylori is a water born disease in Peruvian children." *Gastroenterol.*, 95:A69.
- Konturek, S.J.; Bliski, J. and Kuiecin, J.V. (1987): "De-Nol stimulates gastric and duodenal alkaline secretion through prostaglandin dependant mechanism." *Gut*, 28:1557-1563.
- Konturek, S.J.; Dembinski, A. and Warzecha, A. (1988): "Epidermal growth factor in the gastro-protective and ulcer healing actions of colloidal bismuth subcitrate (De-Nol) in rats." *Gut*, 29:894-902.
- Krajden, S.; Fuksa, M.; Anderson, J.; Kempston, J. and Boccia, A. (1989): "Examination of human stomach biopsies, saliva, and ental plaque for Compylobacter pylori." *J. Clin. Microbiol.*, 27(6):1397-1398.
- Kung, J.S.L.; Ho, B. and Chan, S.H. (1989): "Biotyping of Compylobacter pylori." *J. Med. Microbiol.*, 29(3):203-206.
- Lambert, J.R. (1987): "Non ulcer dyspepsia: Role of Compylobacter pylori." In "Compylobacter pylori and peptic disease." Kleeman, S.L. and De-Wal, J. [Eds.], Gist-Brocades Pharmaceuticals, Delft, Netherlands, page 37-40.
- Lambert, J.R. (1991): "Clinical indications and efficacy of colloidal bismuth subcitrate." *Scand. J. Gastroenterol.*, 24:7-13.
- Lambert, J.R.; Lin, S.K. and Borromes, M. (1990a): "Eradication of Helicobacter pylori with colloidal bismuth: Subcitrate/ antibiotic combination (Abstract)." *Gastroenterol.*, 98:A74.

- Lambert, J.R.; Lin, S.K. and Nicholoso, L. (1990b): "Prevalence of *Helicobacter pylori* in abattoir workers: Higher *H. pylori* infection in meat handlers." *Rev. Esp. Enferm. Apar. Dig.*, 78 (Suppl. 1):18.
- Lambert, T.; Megrand, F.; Gerband, G. and Courvalin, P. (1986): "Susceptibility of *Compylobacter pyloridis* to 20 antimicrobial agents." *Antimicrobial Agents and Chemotherapy*, 30(3):510-511.
- Lamovliatte, M.; Couyla, R. and Bernatd, P.H. (1990): "Meta-analysis of randomized trials of *Helicobacter pylori* associated non-ulcer dyspepsia." *Rev. Esp. Enferm Apar. Dig.*, 78 (Suppl. 1):67.
- Langenberg, W.; Rauws, E.A., Widjojokusumo, A.; Tytgat, G.N.J. and Zanen, H.C. (1986): "Identification of *Compylobacter pyloridis* isolates by restriction endonuclease DNA analysis." *J. Clin. Microbiol.*, 24:414-417.
- Langenberg, W.; Rauws, E.A. and Qudbier, J.H. (1990): "Patient-to-patient transmission of *Compylobacter pylori* infection by fiber-optic gastroendoscopy and biopsy." *J. Infect. Dis.*, 161:3507-3511.
- Lee, A.; Carrick, J. and Borody, T. (1986): "*Compylobacter pyloridis* infection as possible complication of weight loss therapy." *Lancet*, 1:1343.
- Lee, A.; Logan, S.M. and Trust, T.J. (1987): "Demonstration of flagellar antigen shared by a diverse group of spiral shaped bacteria that colonize intestinal mucus." *Infect. Immun.*, 55:828-831.
- Lee, A.; Philips, M.W. and O'Rourke, J.L. (1992): "*Helicobacter muridorum* (sp. nov.), a microaerophilic helical bacterium with a novel ultrastructure isolated from the intestinal mucosa of rodents." *Int. J. Bacteriol.*, 42:27-36.
- Lee, S.P. (1991): "The mode of action of bismuth subcitrate." *Scand. J. Gastroenterol.*, 24:13-15.

- Leunk, R.D.; Johnson, P.T.; David, B.C.; Kraft, W.G. and Morgan, D.R. (1988): "Cytotoxic activity in broth culture filtrates of *Compylobacter pylori*." J. Med. Microbiol., 26:414-417.
- Levi, S.; Haddad, P. and Ghosh, P. (1989): "*Compylobacter pylori* and duodenal ulcers: The gastrin link." Lancet, 1(8648):1167-1168.
- Maaroos, H.I.; Hekki, M.; Sipponen, P.; Salupere, V. and Villako, K. (1991): "Grade of *Helicobacter pylori* colonization, chronic gastritis and relative risks of contracting high gastric ulcers: A seven year follow up." Scand. J. Gastroenterol., 186 (Suppl. 26):65-72.
- Majewski, S.I.H. and Goodwin, C.S. (1988): "Restriction endonuclease analysis of the genome of *Compylobacter pylori* with a rapid extraction method: Evidence for considerable genomic variation." J. Infect. Dis., 157:465-471.
- Mapstone, N.P. (1992): "*Helicobacter pylori* detected in faeces by PCR." Fifth Workshop on Gastro-duodenal Pathology and *Helicobacter pylori*. Trinity College, Dublin, July 1992, Meeting of the European *Helicobacter pylori* Study Group.
- Marshall, B.J. (1983): "Unidentified curved bacilli on gastric epithelium in active chronic gastritis." Lancet, i:1273-1274.
- Marshall, B.J. (1988): "Gastric mucosal biopsy: An essential investigation in patients with dyspepsia." Am. J. Gastroenterol., 83(5):481-484.
- Marshall, B.J. and Goodwin, C.B. (1987): "Revised nomenclature of *Compylobacter pyloridis*." Int. J. Syst. Bacteriol., 37:68.
- Marshall, B.J. and Langton, S.R. (1986): "Urea hydrolysis in patients with *Compylobacter pyloridis* infection." Lancet, 1(8487):965-966.

- Marshall, B.J. and Surveyor, I. (1988): "Carbon-14-urea breath test for the diagnosis of *Compylobacter pylori* associated with gastritis." *J. Nucl. Med.*, 29:11-16.
- Marshall, B.J. and Warren, J.R. (1984): "Unidentified curved bacilli in the stomach of patients with gastritis and peptic ulceration." *Lancet*; 1:1311-1315.
- Marshall, B.J.; Royce, H.; Annear, D.J.; Goodwin, C.S.; Pearman, J.W.; Warren, J.R. and Armstrong, J.A. (1984): "Original isolation of *Compylobacter pyloridis* from human gastric mucosa." *Microbiol. Lett.*, 25:83-88.
- Marshall, B.J.; McGechie, D.B.; Rogers, P.A. and Glancy, R.J. (1985): "Pyloric *Compylobacter* infection and gastroduodenal disease." *Med. J. Aust.*, 142:439-444.
- Marshall, B.J.; Barrett, L. and Guerrent, R. (1987a): "Protection and *Compylobacter pyloridis* but not *C. jejuni* against acid susceptibility by urea." Abstract No. 221, The IVth International Workshop on *Compylobacter* infections, Goteborg, Sweden.
- Marshall, B.J.; Warren, J.R. and Francis, G.J. (1987b): "Rapid urease test in the management of *Compylobacter pylori* associated gastritis." *Am. J. Gastroenterol.*, 82:200-210.
- Martin, D.F.; Montgomery, E. and Dobek, A.S. (1989): "*Compylobacter pylori*, NS AIDS and smoking: Risk factors for peptic ulcer disease." *Am. J. Gastroenterol.*, 84(10):1268-1272.
- McFadyean, J. and Stockman, S. (1913): "Report of the department Committee appointed by the Board of Agriculture and Fisheries to enquire into epizootic abortion." Appendix to Part II. Abortion in sheep. Page 1-64. His Majestas Stationary Office, London.
- McNulty, C.A.M. and Dent, J. (1987): "Rapid identification of *Compylobacter pyloridi* by preformed enzymes." *J. Clin. Microbiol.*, 25:1683-1686.

- McNulty, C.A.M.; Dent, J. and Wise, R. (1985): "Susceptibility of clinical isolates of *Compylobacter pyloridis* to 11 antimicrobial agents." *Antimicrobial Agents and Chemotherapy*, 28(6):837-838.
- McNulty, C.A.M.; Grearty, J.C. and Crump, B. (1986): "*Compylobacter pyloridis* and associated gastritis: Investigator blind, placebo controlled trial of bismuth salicylate and erythromycin ethyl-succinate." *Br. Med. J.*, 293:635-641.
- McNulty, C.A.M.; Dent, J.; Uff, J.S.; Gear, M.W.L. and Wilkinson, S.P. (1989): "Detection of *Compylobacter pylori* by the biopsy urease test: An assessment in 1445 patients." *Gut*, 30(8):1058-1062.
- Megraud, F.; Bonnett, F.; Garnier, M. and Lamouliatte, H. (1985): "Characterization of *Compylobacter pyloridis* by culture, enzymatic profile and protein content." *J. Clin. Microbiol.*, 22:1007-1010.
- Megraud, F.; Brassensrable, M.P.; Denis, F.; Belbouri, A. and Hoa, D.Q. (1989): "Seroepidemiology of *Compylobacter pylori* infection in various populations." *J. Clin. Microbiol.*, 27(8):1870-1873.
- Miller, M.R. and Pike, J. (1992): "Bactericidal activity of antimicrobial agents against slowly growing *Helicobacter pylori*." *Antimicrobial Agents and Chemotherapy*, 36(1):185-187.
- Misiewicz, J.J.; Tytgat, G.N.J. and Goodwin, C.S. (1990): "The Sydney system: A new classification of gastritis." Report of the World Congress of Gastroenterology, 26-31 August, 1990, Sydney, Australia.
- Mitchell, H.M.; Lee, A. and Carrick, J. (1989): "Increased incidence of *Compylobacter pylori* infection in gastroenterologists: Further evidence to support person-to-person transmission of *Compylobacter pylori*." *Scand. J. Gastroenterol.*, 24:396-400.

- Mobley, H.L.T.; Cortesia, M.J.; Rosenthal, L.E. and Jones, B.D. (1988): "Characterization of urease from *Campylobacter pylori*." *J. Clin. Microbiol.*, 26:831-836.
- Moi, U.E.; Perez-Perez, G.I. and Blaser, M.J. (1991): "Mechanism of *Helicobacter pylori*-induced inflammation in gastritis." *Rev. Esp. Enferm. Apar. Dig.*, 78 (Suppl. 1):54-55.
- Morgan, D.R.; Freedman, F.; Depew, C.E. and Kraft, W.G. (1987): "Growth of *Campylobacter pylori* in liquid media." *J. Clin. Microbiol.*, 25:2123-2125.
- Morotoni, M.; Hoshina, S.; Green, P.; Neu, H.C. and LoGerfo, P. (1989): "Oligonucleotide probe for detection and identification of *Campylobacter pylori*." *J. Clin. Microbiol.*, 27:2652-2655.
- Morris, A. and Nicholson, G. (1987): "Ingestion of *Campylobacter pyloridis* causes gastritis and raised fasting gastric pH." *Am. J. Gastroenterol.*, 82:192-199.
- Morris, A.; McIntyre, D.; Rose, T. and Nicholson, G. (1986): "Rapid diagnosis of *Campylobacter pyloridis* infection." *Lancet*, i(8473):149.
- Morris, A.; Ali, M.R.; Brown, P.; Lane, M. and Patton, K. (1989): "*Campylobacter pylori* infection in biopsy specimens of gastric antrum laboratory diagnosis and estimation of sampling error." *J. Clin. Pathol.*, 42(7):727-732.
- Moss, S. and Calam, J. (1992): "*Helicobacter pylori* and peptic ulcers: The present position." *Gut*, 33:289-292.
- Moyer, N.P. and Holcomb, L.A. (1988): "*Campylobacteriosis*." In "Laboratory Diagnosis of Infectious Diseases: Principles and Practices." Volume 1, page 155-167.
- Murray, P.R.; Drew, W.L.; Kobayashi, G.S. and Thompson, J.H. [Eds.] (1990): "*Vibrionaceae* and *Campylobacter*." In "Medical Microbiology." Page, 127-137.

- Negrini, R.; Lisato, L.; Cavazzini, L.; Maini, P. and Gullini, S. (1989): "Monoclonal antibodies for specific immunoperoxidase detection of *Compylobacter pylori*." *Gastroenterol.*, 96(2):414-420.
- O'Conner, H.J. (1992): "Helicobacter pylori and gastric cancer: A review and hypothesis." *Eur. J. Gastroenterol. Hepatol.*, 4(2):103-109.
- Oderda, G.; Vaira, D. and Dell'Olio, D. (1989): "Can *Compylobacter pylori* hide in dental pulp?: *Compylobacter pylori* from dental pulp." *Klin. Wochenschr.*, 67 (Suppl. xviii):51.
- Ormand, J.E. and Talley, N.J. (1989): "*Compylobacter pylori* mucus and peptic ulceration: A dynamic interaction." *J. Clin. Gastroenterol.*, 11:492-495.
- Paster, B.J.; Lee, A. and Dewhirst, F.F. (1991): "The phylogeny of *Helicobacter felis* nov., a spiral-shaped bacterium isolated from the gastric mucosa of the cat, *Helicobacter mustelae*, and related bacteria." *Int. J. Syst. Bacteriol.*, 41:31-38.
- Patchett, S.; O'Riordan, T.O. and Leen, E. (1990): "A prospective study of *Helicobacter pylori* eradication in duodenal ulcer." *Gastroenterol.*, 98:A104.
- Queiroz, D.M.M.; Mendes, E.N. and Rocha, G.A. (1987): "Indicator medium for isolation of *Compylobacter pylori*." *J. Clin. Microbiol.*, 25:2378-2379.
- Rauws, E.A.J and Tytgat, G.N.J. (1989): "*Compylobacter pylori*." WC den Ouden BV, Amsterdam.
- Richardson, C.T. (1988): "Gastritis". In: "Cecil Textbook of Medicine." Wyngaarden, T.B. and Smith, L.H. [Eds.], 18th edition, Chapter 99, W.B. Sanders Company, page 689-692.

- Roop,II,R.M.; Smibert,R.M.; Johnson,J.L. and Krieg,N.R. (1985): "DNA homology studies of the catalase-negative *Compylobacters* and '*Compylobacter felis*', an emended description of *Compylobacter sputorum*, and proposed of the neotype strain of *Compylobacter sputorum*." Can. J. Microbiol., 31:823-831.
- Salem,O.E.; Youssri,A. and Farag,H. (1992): "The prevalence of *Helicobacter pylori* antibodies in young Egyptian asymptomatic persons." Annual Meeting of Egyptian Society of Gastroenterology and Egyptian Society of Ultrasonography. Abstract book, page 29.
- Sang,F.C.; Lule,G.N. and Ogutu,E.O. (1991): "Evaluation of culture media and antimicrobial susceptibility of *Helicobacter pylori*." East Africa Med. J., 63(11):865-868.
- Sappala,K.; Volle,J.; Sipponen,P. and Kosmen,T. (1991): "Disappearance of gastric ulcer after eradication of *Helicobacter pylori*: A morphometric study." Scand. J. Gastroenterol., 26:1057-1065.
- Sarasiek,J.; Bilski,J.; Murty,V.L.N.; Slomiany,A. and Slomiany,B.L. (1989): "Colloidal bismuth substrate (denol) inhibits degradation of gastric mucus by *Compylobacter pylori* protease." Am. J. Gastroenterol., 84(5):506-510.
- Sebald,M. and Véron,M. (1963): "Teneur en bases de l'ADN et al classification des Vibrions." Ann. Inst. Pasteur (Paris), 105:897-910.
- Schaber,E.; Unlaucht,F.; Stoffler,G.; Aigner,F.; Paulweber,B. and Sandhofer,F. (1989): "Indirect immunofluorescence test and enzyme-linked immunosorbent assay for detection of *Compylobacter pylori*." J. Clin. Microbiol., 27(2):327-330.

- Schnell, G.A. and Schubert, T.T. (1989): "Usefulness of culture, histology and urease testing in the detection of *Compylobacter pylori*." *Am. J. Gastroenterol.*, 84(2):133-137.
- Serry, G.P. (1991): "Achlorhydra and gastric carcenogenesis." *Lancet*, 2:1508-1509.
- Sherif, M. (1992): "Long term therapy of peptic ulcer disease." Annual Meeting of Egyptian Society of Gastroenterology and Egyptian Society of Ultrasonography, Abstract Book.
- Sidebotham, R.L.; Batten, J.J. and Lik, M. (1990): "Some effects of tripotassium dicitrate bismuth on gastric secretion and the mucus barrier." *Aliment. Pharamacol. Therap.*, 4(5):535-546.
- Sitas, F.; Forman, D. and Yarnell, J.W.G. (1991): "Helicobacter pylori infection rates in relation to age and social class in a population of Welsh men." *Gut*, 32:25-28.
- Skirrow, M.B. (1977): "Compylobacter enteritis: A new disease." *Br. Med. J.*, 2:9-11.
- Smibert, R.M. (1984): "Genus *Compylobacter*." In: R.E. Buchanan and N.E. Gibbons [Eds.], "Bergey's Manual of Determinative Bacteriology.", 8th edition, Volume I, page 111-118, The Williams & Wilkins Co, Baltimore.
- Sobala, G.M.; Crabtree, J.E. and Dixon, M.F. (1991): "Acute Helicobacter pylori infection: Clinical features, local and systemic immune response, gastric mucosal histology and gastric concentration." *Gut*, 32:1415-1418.
- Sonkey, E.A.; Helliwell, P.A. and Dhillon, A.P. (1990): "Immunostaining of antral gastrin cells in quantitavely increased in Helicobacter pylori gastritis." *Histopathol.*, 16(2):151-155.
- Stear, H.W. (1975): "Ultrastructure of cell migration through the gastric epithelium and its relationship to bacteria." *J. Clin. Pathol.*, 28:629-646.

- Stear, H.W. (1984): "Surface morphology of the gastro-duodenal mucosa in duodenal ulceration." *Gut*, 25:1203-1210.
- Stiel, D. and Peters, T.J. (1983): "Tripotassium dicitrate bismuth (De-Nol) binds conjugated bile acids in vitro: A possible mechanism in gastric ulcer healing." *Proc. Aust. Soc. Med. Res.*, 16:18A.
- Talley, N.J. and Piper, D. (1985): "The association between non-ulcer dyspepsia and other gastrointestinal disorders." *Scand. J. Gastroenterol.*, 20:896-900.
- Talley, N.J.; Dimago, E. and Zinsmeister, A.R. (1990): "Helicobacter pylori and gastric cancer: A case control study." *Rev. Esp. Enferm. Apar. Diag.*, 78 (Suppl.):7-8.
- Tasman-Jones, C.; Maher, C. and Thomsen, L. (1987): "Mucosal defenses and gastro-duodenal disease." *Digestion*, 37 (Suppl. 2):1-7.
- Taylor, D.E.; Hargreaves, J.; Lai-King, N.; Sherbaniuk, R. and Jewell, M. (1987): "Isolation and characterization of *Compylobacter pyloridis* from gastric biopsies." *Am. J. Clin. Pathol.*, 87(1):49-54.
- Taylor, D.E., Hiratsuka, K. and Mueller, L. (1989): "Isolation and characterization of catalase-negative strains of *Compylobacter* species, including *C. upsaliensis*, from humans with gastroenteritis." *J. Clin. Microbiol.*, 27:2042-2045.
- Tee, W.; Andersson, B.N.; Ross, B.C. and Dwyer, B. (1987): "Atypical *Compylobacter* associated with gastroenteritis." *J. Clin. Microbiol.*, 25:1248-1252.
- Thomson, L.; Tasmanjones, C.; Morris, A.; Wiggins, P.; Lee, S. and Forlong, C. (1989): "Ammonia produced by *Compylobacter pylori* neutralizes hydrogen ion moving through gastric mucus." *Scand. J. Gastroenterol.*, 24(6):761-768.

- Totten, P.A.; Fennell, C.L.; Tenover, F.C.; Wezenberg, J.M.; Perine, P.L.; Stamm, W.E. and Holmes, K.K. (1985): "Compylobacter cinaedi (sp. nov.) and Compylobacter fennelliae (sp. nov.): Two new Compylobacter species associated with enteric disease in homosexual men." J. Infect. Dis., 151:131-139.
- Tricottet, V.; Bruneval, P. and Vire, O (1986): "Campylobacter-like organisms and surface epithelium abnormalities in active chronic gastritis in human: An ultra-structural study." Ultrastruc. Pathol.; 10:113-122.
- Tytgat, G.N.J. and Rauws, E. (1987): "Significance of Compylobacter pylori." Aliment. Pharmacol. Therap., 1:527-539.
- Tytgat, G.N.J.; Rauws, E. and De Koster, E.H. (1989): "Campylobacter pylori: Diagnosis and treatment." J. Clin. Gastroenterol., 11:S49-S53.
- Tytgat, G.N.J.; Aoxon, A.T.R. and Dixon, M.F. (1990): "Helicobacter pylori: Causal agent in peptic ulcer disease." Report of the World Congress of Gastroenterology, 26-31 August, 1990, Sydney, Australia.
- Vaira, D.; Holton, J.; Cairns, S.; Falzon, M. and Salman, P. (1988a): "Four hour rapid urease test for detecting Compylobacter pylori: Is it reliable enough to start treatment?" J. Clin. Pathol., 41:355-356.
- Vaira, D.; Holton, J. and Londei, M. (1988b): "Compylobacter pylori in abattoir worker: Is it zoonosis?" Lancet, 2:725-726.
- Vandamme, P. and Goossens, H. (1992): "Taxonomy of Compylobacter, Arcobacter and Helicobacter: A review." Inter. J. Med. Microbiol. Virol. Parasitol. Infect. Dis., 276:447-472.

- Vandamme, P.; Falsen, E.; Pot, B.; Hoste, B.; Kersters, K. and DeLey, J. (1989): "Identification of EF group of 22 *Compylobacters* from gastroenteritis cases as *Compylobacter concisus*." *J. Clin. Microbiol.*, 27:1775-1781.
- Vandamme, P.; Falsen, E. and Rossau, R. (1991): "Revision of *Compylobacter*, *Helicobacter* and *Wolinella* taxonomy emendation of generic description and proposal of *Acrobacter* gen. nov." *Int. J. Syst. Bacteriol.*, 41:88-103.
- Vandenberg, F.M.; Zijlmans, H.; Langenberg, W.; Rauwd, E. and Schipper, M. (1989): "Detection of *Compylobacter pylori* in stomach tissue by DNA in situ hybridization." *J. Clin. Pathol.*, 42(9):995-1000.
- Vandenhoven, W.R.E.; Birthehistle, R.D.R. and Hall, D.W.R. (1988): "Morphologic evaluation of gastric mucosal protection by colloidal bismuth subcitrate (De-Nol)." *Int. J. Tiss. Reac.*, 10:297-304.
- Véron, M. and Chatelain, R. (1973): "Taxonomic study of the genus *Compylobacter*: Sebald and Veron designation of the neotype strain for the type species *Compylobacter fetus* (Smith and Taylor)." *Int. J. Sys. Bacteriol.*, 23:122-134.
- Wadstrom, T. (1992): "Detection of *Helicobacter pylori* by PCR." Fifth Workshop on Gastro-duodenal Pathology and *Helicobacter pylori*. Trinity College, Dublin, July 1992, Meeting of the European *Helicobacter pylori* Study Group.
- Walters, L.L., Budin, R.E. and Paull, G. (1986): "Acridine-organs to identify *Compylobacter pyloridis* in formalin fixed paraffin embedded gastric biopsies." *Lancet*, 1:42.
- Warren, J.R. and Marshall, B.J. (1983): "Unidentified curved bacilli on gastric epithelium in active chronic gastritis." *Lancet*, i:1273-1275.

- Warren, J.R. and Marshall, B.J. (1984): "Unidentified curved bacilli in the stomach of patients with gastritis and peptic ulcer." *Lancet*, i:1311-1315.
- Wastell, C. (1992): "Short Practice of Surgery." 21st edition, Volume II, Chapman & Hall Medical, London, New York, Melbourne, Madras, Page 950-1002.
- Way, L.W. [Ed.] (1991): "Stomach and duodenum: Current, surgical diagnosis and treatment." Prentice-Hall International, London, New York, 9th edition, page 460-497.
- Wee, A.; Kong, J.Y.; Choong, H.L. and Sutherland, I.H. (1990): "Gastro-duodenal mucosa in uraemia: Endoscopic and histological correlation and prevalence of Helicobacter-like organisms." *Gut*, 31:1093-1096.
- Westblom, T.U.; Madan, E.; Kemp, J. and Subik, M.A. (1988): "Evaluation of a rapid urease test to detect *Compylobacter pylori* infection." *J. Clin. Microbiol.*, 26:1393-1394.
- Westblom, T.U.; Madan, E.; Gudipati, S.; Midkiff, B.R. and Czinn, S.J. (1992): "Diagnosis of *Helicobacter pylori* infection in adult and pediatric patients by using pyloriset latex agglutination test." *J. Clin. Microbiol.*, 30(1):96-98.
- Wetherall, B.L. and Johnson, A.M. (1989): "Hemolytic activity of *Compylobacter pylori*." *Eur. J. Clin. Microbiol. Infect. Dis.*, 8(8):706-710.
- Wetherall, B.L.; McDonald, P.J. and Johnson, A.M. (1988): "Detection of *Compylobacter pylori* DNA by hybridization with non-radioactive probes in comparison with a ³²P-labelled probe." *J. Med. Microbiol.*, 26:257-263.

- Wotherspoon, A.C.; Ortiz-Hidalgo, C.; Falzon, M.R. and Issacson, P.G. (1991): "Helicobacter pylori associated gastritis and primary B-cell gastric lymphoma." *Lancet*, ii:1175-1176.
- Wyatt, J.I.; De Casetecker, R.; Rathbone, B. and Heatly, R. (1987a): "Compylobacter pyloridis in tropical Africa." *Gut*, 28:1409-1410.
- Wyatt, J.I.; Rathbone, B., Dixon, M. and Heatly, R. (1987b): "Compylobacter pyloridis and acid induced gastric metaplasia in the pathogenesis of duodenitis." *J. Clin. Pathol.*, 40:841-848.
- Wyatt, J.I.; Rathbone, B. and Sobala, G.M. (1990): "Gastric epithelium in the duodenum, its association with Helicobacter pylori and inflammation." *J. Clin. Pathol.*, 43(12):981-986.