

REFERENCES

Abdel-Aziz, F.; and El Medany, A. (1994) :

Helicobacter pylori, hypergastrinaemia and duodenal ulcer: A
Correlation relationship.

J. Egypt. Med. Fac. Med. , 113-117.

Abdel-Aziz, F.; Evans, D.G.; Abdulghani, M.E.; et al. (1990) :

Prevalence of Helicobacter (formerly Campylobacter) pylori
in Saudi Arabia, and comparison of those with and
without upper gastrointestinal symptoms.

Am. J. Gastroenterol. , 85:944-948.

Abdel-Aziz, F.; Ramirz FC.; Lew GM; et al. (1994a) :

Clarithromycin tetracycline and bismuth: A new non-
fluorinated triple therapy for Helicobacter pylori infection.

Am. J. Gastroenterol. , 89:1203.

Abdel-Aziz, F.; Senta, RM.; Graham, DY. (1994b) :

Clarithromycin-tetracycline combinations are inadequate as
therapy for helicobacter pylori infection.

Rev. Pharmacol. therap. , 8: 259-62.

Abdel-Aziz, F.; Dulciene, M.M.Q.; Gifone A.R; et al. (1994) :

Prevalence of Helicobacter pylori infection in children of
low socioeconomic level in Belo Horizonte, Brazil.

Am. J. Gastroenterol., 89: 2201-4.

Abdel-Aziz, F.; and Naish, N. (1957) :

Prevalent abdominal pains: a field survey of 1000 school
children.

Arch. Dis. Child. , 33:165-170.

Atherton, J.C.; and Spiller, R.C. (1994) :

The urea breath test for Helicobacter pylori.

Gut , 35:723.

Axon, A.T.R. (1992) :

Helicobacter pylori. Recent advances in gastroenterology.
Edited by Pounder, R. E. Churchill Livingstone , 9:27-48.

Azuma, T.; Konishi, J.; Tanaka, Y.; et al. (1994) :

contribution of HLA-DQA gene to host's response against
helicobacter pylori.
Lancet , 343: 542.

**Badr-El-Din; Salah-El-Din, A.; Qasem; and Aly Nassrat, M.
(1994):**

Gastroduodenal endoscopic appearance in symptomatic
individuals with *Helicobacter pylori* infection [Abstract].
Alex. Univ. Fac. of med.

Barbara, L.; Biasco, G.; Capurso, L.; et al. (1990) :

Effects of sucralfate and sulglycotide treatment on active
gastritis and *Helicobacter pylori* colonization of the gastric
mucosa in non ulcer dyspepsia patients.
Am. J. Gastroenterol. , 85:1109.

Becx, M.C.; Janssen, A.J.; Clasener, H.A.; et al. (1990):

Metronidazole -resistant *Helicobacter pylori*.
Lancet. , 335: 539-40 (letter).

Berkowicz, J.; and Lee, A. (1987) :

person to person transmission of campylobacter pylori.
Lancet , 2 : 680-1.

Bernerson, B.; Johnsen, R.; Bosted, L.; et al. (1992) :

Is *Helicobacter pylori* the cause of dyspepsia ?
Br. Med. J. , 304 : 1276-1279.

Bizzozzero, G. (1893) :

Ueber die schlauchformiggen Drusen des Magendarmkanals
und die Beziehungen ihres Epithels zu dem
oberflachenepithel des chleimhaut.
Arch. F. mikr Anast., 42: 82. cited in Hook, (1991a).

Blaser, M.J. (1989) :

Compylobacter pylori in gastritis and peptic ulcer disease .
Igaku-shoin medical publishers, inc. NewYork, Tokyo.

Blaser, M.J. (1992) :

Helicobacter pylori. Its role in disease.
Clinical infectious Disease, 15: 386-393

Blecker, U.; Hauser. B.; Lanciers, S.; et al. (1993a) :

The prevalence of *Helicobacter pylori*-positive serology in
asymptomatic children.
J. Pediatr. Gastroenterol. Nutr. , 16: 252-256.

Blecker, U.; Lanciers, S.; Hauser, B.; et al. (1993b) :

Diagnosis of *Helicobacter pylori* infection in adults and
children by using the Malakit *Helicobacter pylori*, a
commercially available enzyme linked immunoadsorbent
assay.
J. Clin. Microbiol. , 31: 1770.

Boettcher, A. (1874) :

Zur genese des perforrenden Magengeschwurs. Dorpater
Medicinische Zeitschrift, 5:148. cited in Hook (1991a).

Borch, G.M.; and Graham, D.Y. (1991) :

Helicobacter pylori in Collen MJ, Benjamin SB, (eds).
Pharmacology of peptic ulcer disease in : Handbook of
experimental pharmacology.
vol 99. Berlin: Spriger- verlag , 107-148.

Boren, T.; Falk, P.; Roth. K.R.; et al. (1993) :

Attachment of *Helicobacter pylori* to human gastric epithelium
radiated by blood group antigens.
Science , 262 : 1892.

Bujanover, Y.; Konikoff, F.; and Baratz, M. (1990) :

Nodular gastritis and *Helicobacter pylori*.
J. Pediatr. Gastroenterol. Nutr. , 11 : 41- 44.

- Bujanover, Y.; Reif, S.; and Yahav, J. (1996) :**
Helicobacter pylori and peptic Disease in the pediatric patient.
Pediatr. Clin. North. Am. , 43 : 213-234.
- Calam, J. (1990) :**
Helicobacter pylori.
Med. Dig. , 16(4) : 3-7.
- Carbtree, J.E.; Mahony, M.J.; Taylor, J.D.; et al. (1991) :**
Immune response to Helicobacter pylori in children with recurrent abdominal pain.
J. Clin. Pathol. , 44 : 768.
- Chamberlain, C.; and Peura, D. (1990) :**
Campylobacter(Helicobacter)pylori : Is peptic disease a bacterial infection?
Arch. Intern. Med. , 150 : 951-955.
- Chang, J.; Marshall, B.J.; Barkin, J.S.; et al. (1994) :**
Occupational exposure to Helicobacter pylori for the endoscopy professional : A sera epidemiological study.
Am. J. Gastroentrol. , 89 : 1987-91.
- Chen, X.G.; Correca, P.; Offerhaus, J.; et al. (1986) :**
Ultra stucture of the gastric mucosa harbouring campylobacter pylori like organisms.
Am. J. Clin. pathol. , 86 : 575-582.
- Chittajallu, RS.; Ardill, J.E.S.; and Mc Collkel. (1992) :**
The degree of hypergastrinaemia induced by Helicobacter pylori is the same in duodenal ulcer patients and asymptomatic volunteers.
Europ. J. Gastroenterol. Hepatol. , 4 : 49-53.

- Clayton, C.; Kleanthous, K.; and Tabaqchali. S. (1991) :**
 Detection and identification of *Helicobacter pylori* by the polymerase chain reaction.
J. Clin. Pathol. , 44 : 515.
- Clayton, CL.; Kleanthous, P.J.; Coates, D.D.; et al. (1992) :**
 Sensitive detection of *Helicobacter pylori* by polymerase chain reaction.
J. Clin. Microbiol. , 30 : 192.
- Cohen, H.A.; Shapiro, R.P.; Frydman, M.; et al. (1991) :**
 Childhood protein losing enteropathy associated with *Helicobacter pylori* infection.
J. pediatr. , *Gastroenterol. Nutr.* , 13 : 201.
- Cover, T.L.; Dooley, C.P.; and Blaser, M.J. (1990) :**
 Characterization of and human serologic response to proteins in *Helicobacter pylori* broth culture supernatants with vacuolizing cytotoxin activity.
Infect. immunol. , 58 : 603.
- Cover, T.L.; and Blaser, M.G. (1992) :**
 Purification and Characterization of the vacuolating toxin from *Helicobacter pylori*.
J. Biol. Chem. , 87 : 1554.
- Czinn, S.Z.; Carr, H.S.; and Speck, W.T. (1991) :**
 Diagnosis of gastritis caused by *Helicobacter pylori* in children by means of ELISA.
Rev. Infect. Dis. 15 (suppl 8) : 700-703.
- Daugherty, D.F.; Lucey, M.R.; and Yamada, T. (1991) :**
 Gastric secretion in Yamada T, Alpers DH, Owyang C, Powell DW, Silverstein FE. Text book of gastroenterology. Vol. Philadelphia: JB Lippincott Co , 233-64.

- Daw, M.A.; Deegan, P.; Leen, E.; et al. (1991) :**
The effect of omeprazol on *Helicobacter pylori* and associated gastritis.
Aliment. Pharmacol. Ther. , 5 : 435.
- Denizot, Y.; Sohami, I.; Rambaud, J.C.; et al. (1990) :**
Pafacether synthesis by *helicobacter pylori*.
Gut , 31 : 1242.
- Dockray, G.J. (1979) :**
Gastrointestinal hormones II. Gastrin cholecystokinin, and secretion in Gray CH, James VHT. *Hormones in blood*.
3rd ed. London: Academic Press.
- Doengen, J.I. (1938) :**
Spirochetes in gastric glands of macacus rhesus and humans without definite history of related disease.
Proc. Soc. exp. Med. Biol., 38: 536-538. Cited in hook 1991a).
- Doenges, J.L. (1938) :**
Spirochetes in gastric glands of Macacus rhesus and humans without definite history of related disease.
Proc. Soc. Exp. Med. Biol., 38:536-538. Cited in Hook (1991a).
- Drumm, N.B.; Sherman ,P.; Cutz, E.; et al. (1987) :**
Association of *Campylo bacter pylori* on the gastric mucosa with antral gastritis in children.
N. Engl. J. Med. , 326 : 1557.
- Drumm, B.; Sherman, P.; Chiasson, D.; et al. (1988) :**
Treatment of *Campylobacter pylori*-asociated antral gastirtis in children with bismuth subsalicylate and ampicillin.
J. Peditr. 113 : 908.

- Drumm, B.; Perez- Perez, G.I.; Blaser, M.J.; et al. (1990) :**
 Intrafamilial clustring of *Helicobacter pylori* infection.
 N. Engl. J. Med. , 322 : 359.
- Drumm, N.B. (1993) :**
Helicobacter pylori in the pediatric patient.
 Gastro. Clin. North. Am. , 22 : 169.
- Dunn, B.E.; Roop, R.M.; Sung, C.C.; et al. (1992) :**
 Identification and purification of a cpn 6a heat shock protein homolog from *Helicobacter pylori*.
 Infect. immune. , 60 : 1946.
- Eaton, K.A.; Morgan, D.R.; and Drakowka, S. (1989) :**
Campylobacter pylori virulance factors in gnotabiotic piglets.
 Infect. Immunol. , 57 : 1119.
- Eaton, K.A.; Brooks, C.L.; Morgan, D.R.; et al. (1991) :**
 Essential role of urease in pathogenesis of gastritis induced by *Helicobacter pylori* in genobiotic piglets.
 Infect. Immunol. , 59 : 2470-5.
- El- Qadhi, Nabil.; and Murad, Magdi. (1994):**
 Prevalence of *Helicobacter pylori* in portal hypertensive gastropathy among infants and children. [Abstract]
 Cairo Univ. Fac. of Med.
 The Egyptian Junior Medical Doctors Association.
- El Zaatari, F.A.K.; Naguyen, A.H.; Genta, M.R.; et al. (1995) :**
 Determiation of *Helicobacter pylori* status by reverse transcription polymerase chain reaction, comparison with urea breath test.
 Dig. Dis. Sci. , 40 : 109.

Elta, G.H. (1991) :

Helicobacter pylori in patients with non-ulcer dyspepsia.
Rev. infect. Dis. , 13(suppl 8) : 5696-5699.

Engstrand, L.; Nguyen, A.M.H.; Graham, D.Y.; et al. (1992) :

Reverse transcription and polymerase chain reaction rRNA for
detection of *helicobacter* species.
J. Clin. Microbiol. , 30 : 2295.

Evans, D.G.; Evans, D.J.; Moulds, J.J.; et al. (1988) :

N-acetylneuraminyl lactose bindings fibrillar hemagglutinin of
campylobacter pylori: A putative colonization factor antigen.
Infect. Immun ., 56: 2896.

Evans, D.J.; Evans, D.G.; Kirkpatrick, S.S.; et al. (1991) :

Characterization of the *Helicobacter pylori* urease and
purification of its subunits.
Microb. pathol., 10 : 15.

Faber, R.; Sobhani, I.; and Laurent, Puig, P. (1994) :

Polymerase chain reaction assay for the detection of
Helicobacter pylori in gastric biopsy specimens: Comparison
with culture, rapid urease test, and histopathologic tests.
Gut , 35 : 905.

Fauchere, J.L.; and Blaser, M.J. (1990) :

Adherence of *helicobacter pylori* cells and their surface
components to Hela membranes.
Microb. Pathog. , 9 : 427.

Fiedorek, S.C.; Evans, D.G.; Evans, D.J.; et al. (1990) :

H pylori infection epidemiology in children: importance of
socioeconomic status, age gender and race.
Gastroenterology , 98 : A44.

- Fiedorek, S.C.; Malaty, H.M.; Evans, D.G.; et al. (1991) :**
Factors influencing the epidemiology of *Helicobacter pylori* infection in children.
Pediatrics , 88 : 578-82.
- Freedberg, A.S.; and Barron, L.E. (1940) :**
The presence of spirochetes in human gastric mucosa.
Am. J. Dig. Dis., 10 : 443- 445. cited in Hook (1991a).
- Fukuda, T.; Kimura, S.; Arakawa, T.; et al. (1990) :**
Possible role of Leukotrienes in gastritis associated with *campylobacter pylori*.
J. Clin. Gastroenterol. , 12(suppl 1) : 131.
- Gad, A.; Hradsky, M.; Furugard, K.; et al. (1989):**
Campylobacter pylori and non ulcerdyspepsia. 2. A prospective study in a Swedish population.
Scand. J. Gastroenterol. , 24(suppl 167) : 44-48.
- Genta, R.M.; Hamner, H.W.; and Graham, D.Y.(1993) :**
Gastric Lymphoid follicles in *Helicobacter pylori* infection: Frequency, distribution and response to Triple therapy.
Hum. Pathol. , 24 : 577.
- Glasman, M.S.; Schwartz, S.M.; Medow, M.S.; et al. (1989) :**
Campylobacter pylori related gastrointestinal disease in children. Incidence and clinical findings.
Dig. Dis. Sci. , 34 : 1501.
- Glassman, M.S.(1992):**
Helicobacter pylori infection in children.
A clinical overview.
Clin. Pediatric.; 8: 481-487.
- Glupeczynski, Y.; and Burette, A. (1990) :**
Drug therapy of *Helicobacter pylori* infection : problems and pitfalls.
Am. J. Gastroenterol.; 85: 1545-51.

- Goh, K.L.; Parasakthi, N.; Peth, S.C.; et al. (1991) :**
Helicobacter pylori infection and non-ulcer dyspepsia: The effect of treatment with colloidal bismuth subcitrate.
Scand. J. gastroenterol. , 26 : 1123-1131.
- Goodwin, C.S.; Blincow, E.D.; Warren, J.R.; et al. (1985a) :**
Evaluation of cultural techniques for isolating Campylobacter pyloridis from endoscopic biopsies of gastric mucosa.
J. Clin. pathol.; 38 : 1127-1131.
- Goodwin, C.S.; McCulloch, R.K.; Armstrong, J.A.; et al. (1985b):**
Unusual cellular fatty acids and distinctive ultrastructure in a new spiral bacterium (Campylobacter pyloridis) from the human gastric mucosa.
J. Med. Microbiol. , 19: 257 - 267.
- Goodwin, C.S.; Armstrong, J.A.; Marshall and B.J. (1986) :**
Campylobacter pyloridis, gastritis, and peptic ulceration .
J. Clin. Pathol. , 39 : 393-365.
- Goodwin, C.S. (1988) :**
Duodenal ulcer, campylobacter pylori and the “ Leaking roof ” Concept.
Lancet , 2 : 1467.
- Goodwin, C.S.; Armstrong, J.A.; Chilvers, T.; et al. (1989) :**
Transfer of Campylobacter pylori and Campylobacter mustelae to Helicobacter gen nov. as Helicobacter pylori comb. nov. and Helicobacter mustelae comb. nov. respectively.
Int. J. Syst. Bacteriol., 39: 397-405. Cited in Hook 1991 a).
- Goodwin, C.S.; and McNulty, C.A.M. (1992).**
Bacteriological and Pharmaceutical.: basis for the treatment of Helicobacter pylori . infection. In Rathbone B, Veal V, eds. Helicobacter pylori and gastrointestinal disease, 2nd ed. London : Blackwell Scientific publications.; 224-31.

Goodwin, C.S. (1992) :

Changing attitudes to ulcer treatment. In Vth workshop on Gastroduodenol pathology and Helicobacter pylori. Dublin. H.P world wide. September : 3.

Goyal, P.K.; Gupta, P.S.; and Chuttani, H.K. (1966) :

Gastric acid secretion in India with particular reference to the ratio of basal to maximal acid output. Gut , 7 : 619-23.

Graham, D.Y.; Malaty, H.M.; Klein, P.D.; et al. (1990) :

Helicobacter pylori infection clusters in families. Rev. Esp. Enferm. Dig. , 78(suppl 1) : 26-7.

Graham, D.Y.; Malaty, H.M.; Evans, D.G.; et al. (1991a) :

Epidemiology of Helicobacter pylori in an asymptomatic population in the united states: effect of age, race and socioeconomic status. Gastroenterology , 100 : 1495-1501.

Graham, D.Y.; Adam, E.; Reddy, G.T.; et al. (1991b):

Seroepidemiology of Helicobacter pylori infection in India. Comparison of developing and developed countries. Dig. Dis. Sci., 36 : 1084-8.

Graham, D.Y.; Lew, G.M.; Evans, D.G.; et al. (1991c) :

Effect of triple therapy on duodenal ulcer. A randomized controlled trial. Ann. Intern. Med.; 115: 266.

Graham, D.Y.; Klein, P.D.; Evans, D.G.; et al. (1992) :

Helicobacter pylori: Epidemiology, relationship to gastric cancer and the role of infants in transmission. Eur. J. Gastroentrol. Hematol. , 4(suppl1) : 51-6.

Graham, D.Y. (1993) :

Treatment of peptic ulcers caused by Helicobacter Pylori. N. Engl. J. Med. , 328: 349-50.

- Gray, S.F.; Wyatt, J.I.; and Rathbone, B.J. (1986) :**
Simplified techniques for identifying *Campylobacter pyloritis*.
J. Clin. Pathol. , 39 : 1279.
- Grayson, M.L.; Eliopoulos, G.M.; Ferraro, M.J.; et al.(1989) :**
Effect of varying PH on the susceptibility of *Campylobacter pylori* to antimicrobial agents .
Eur. j. Clin. Microbiol. infect. Dis.; 8: 888-9.
- Han, S.W.; Flamm, R.; Hachmen, C.Y.; et al. (1994) :**
Transprot and storage of gastric biopsies and cultures containing *Helicobacter pylori*.
Gastroenterology , 106 : A89.
- Hardikav, W.; Davidson, P.M.; Cameron, D.J.S.;et al (1991):**
Helicobacter pylori infection in children.
J. gastroentro. Hepatol. , 6 : 450-454.
- Hassall, E.; and Dimmick, J.E. (1991) :**
Unique features of *Helicobacter pylori* disease in children.
Dig. Dis. Sci. , 36 : 417.
- Hazell, S.L.; Evans, D.J.R.; and Graham, D.Y. (1991) :**
Helicobacter pylori catalase.
J. Gen. Microbiol. , 137 : 97.
- Hilder, E.; Stool, R.; and Domechke, W. (1994) :**
Quantitative assessment of *Helicobacter pylori* colonization of the gastric mucosa by ¹³C-urea breath test.
Gastroenterology , 106 : A93.
- Ho S.A.; Hoyle, J.A.; Lewis, F.A.; et al. (1991) :**
Direct polymerase chain reaction for detection of *Helciobacter pylori* in humans and animals.
J. Clin. Microbiol. , 29 : 2543.

- Holcombe, C.; Omotara, B.A.; Eldridge, J.; et al. (1992) :**
 H. Pylori, the most common bacterial infection in Africa: A random serological study.
 Am . J. Gastroenterol ., 87:28-30.
- Holcombe, C.; Tsimiri, S.; Eldridge, J.; et al. (1993) :**
 Prevalence of antibody to Helicobacter pylori in children in northern Nigeria.
 Trans. R. Soc. Trop. Med. Hyg. , 87 : 19-22.
- Hook, J. (1991a) :**
 Review article on Helicobacter pylori.
 Published by Orion Diagnostics, 1-16.
- Hook , J. (1991b) :**
 Effect of alcohol consumption on the risk of Helicobacter pylori infection [Abstract].
 Digestion, 50 (2) : 92-98.
- Hui, W.M.; Lam, S.K.; Ho, J.; et al . (1991) :**
 Effect of omeprazole on duodenal ulcer-associated antral gastritis and Helicobacter pylori .
 Dig. Dis. Sci.; 36: 577-82.
- Hupertz, V.; and Czinn, S. (1988) :**
 Demonstration of a cytotoxin from campylobacter pylori.
 Eur. J. Clin. Microbiol. Infect. Dis. , 7 : 576.
- Hussan, M.O.; Gottrand, F.; Turck, D.; et al. (1993) :**
 Detection of H pylori in saliva using monoclonal antibody.
 J. Med. Microbiol. Virol. Parasitol. , 279 : 466.
- Israel, D. M.; and Hassall, E. (1993) :**
 Treatment and long-term follow up of Helicobacter pylori associated duodenal ulcer disease in children.
 J. Pediatr.; 123 : 53.

- Jones, D.M.; Eldridge, J.; Fox, A.J.; et al. (1986) :**
 Antibody to the gastric Campylobacter-like organism
 ("Campylobacter pyloridis ") : Clinical correlations and
 distribution in the normal population.
 J. Med. Microbiol.; 22 : 57-62.
- Kaneko, H.; Nakada, K.; Mitsuma, T.; et al. (1992) :**
 Helicobacter pylori infection induces a decrease in
 immunoreactive-somatostatin concentrations of human
 stomach.
 Dig. Dis. Sci. , 37 : 409-16.
- Karttunen, T.; Niemela, S.; and Lehtola, J. (1991) :**
 Helicobacter pylori in dyspeptic patients: Quantative
 association with severity of gastritis intragastric PH and serum
 gastrin concentration .
 Scan. J. gastroenterol.; 186(suppl) : 124.
- Kasper, G.; and Dickgiesser, N. (1984) :**
 Isolation of Campylobacter- Like bacteria from gastric
 epithelium.
 Infection, 12: 179-180 . Cited in Hook (1991a).
- Katelaris, P.H.; Seow, F.; et al. (1993):**
 Effect of age, Helicobacter pylori infection, and gastritis with
 atrophy on serum gastrin and gastric acid secretion in healthy
 men.
 Gut; 34:1032-1037.
- Kelelin, P.D.; Graham, D.Y.; Gaillour, A.; et al. (1991) :**
 Water source as a risk factor for Helicobacter pylori infection
 in Peruvian children.
 Lancet .; 337 : 1503-6.
- Kelly, S.M.; Pitcher, M.C.L.; Farmery, S.M.; et al. (1994) :**
 Isolation of Helicobacter pylori from feces of patients with
 dyspepsia in the united kingdom.
 Gastroenterology; 107 : 1671-4.

- Khandker, M.A.K.; Scott, I.A.; Eastwood, M.A.; et al.(1991):**
Do teeth predispose to duodenal ulcer relapse.
Gut , 32 A 1207-9.
- Kilbridge, P.M.; Dahms, B.B.; Czinn, S.J. (1988) :**
Campylobacter pylori-associated gastritis and peptic ulcer disease in children. Am. J. Dis. Child.; 142:1149.
- Kimura, K. (1972) :**
Chronological Transition of the fundic pyloric border determined by step wise biopsy of the lesser and greater curvatures of the stomach.
Gastroenterology , 63 : 584-92.
- Kimura, K.; Kenichi, I.; Kouji, S.; et al. (1995):**
A 1-h Topical therapy for the treatment of Helicobacter pylori infection.
Am. J. Gastroenterol., 90: 60-63.
- Krienitz, Von, W. (1906):**
Ueber das Auftreten von Spirochäten verschiedener Form in Mageninhalt bei Carcinoma ventriculi.
Dtsch. Med. Wochenschr., 22:872. Cited in Hook , 1991a).
- Labenz, J.; Gyenes, E.; Ruhl, G.H.; et al . (1993) :**
Omeprazole plus amoxicillin: Efficacy of various treatment regimens to eradicate Helicobacter pylori.
Am. J. gastroenterol. , 388 : 491-5.
- Lamers, C.B.; Walsh, J.H.; Jansen, J.B.; et al (1982) :**
Evidence that gastrin 34 is preferentially released from the human duodenum.
Gastroenterology , 83 : 233-9.
- Latif, A.H.; Shami, S.K.; Batchoun, R.; et al. (1991) :**
Helicobacter pylori: a Jordanian study.
Postgrad Med. J. , 67 : 994-998.

- Lau, P.P. ; De Brunner-Vossbrinck, B.; Dunn, B.; et al. (1987):**
Phylogenetic diversity and position of the genus
Campylobacter.
System. Appl. Microbiol., 9: 231-238. Cited in hook (1991a).
- Lee, S.P. (1991) :**
The mode of action of colloidal bismuth subcitrate [abstract].
Scand. J. Gastroenterol. Suppl. , 185 : 1-6.
- Levi, S.; Beardshall, K.; Haddad, G.; et al. (1989) :**
Campylobacter pylori and duodenal ulcers: The gastric link.
Lancet , 1 : 1167.
- Lindstedt, G.; et al. (1985):**
Analytical and clinical evaluation of a radioimmunoassay for
gastrin.
Clin. Chem.; 31:76-82.
- Logan, R.P.; Gummett, P.A.; Hegarty, B.T.; et al. (1992) :**
Clarithromycin and omeprazole for Helicobacter pylori.
Lancet.; 340: 239 (Letter).
- Lopez, D.M.; and Elitsur, Y.(1994):**
A study of Helicobacter pylori in 100 pediatric patients from
the Tri State Area.
W.V. Med. J. Sep. 90 (9):367-9.
- Luck, J.M. ; and Seth, T.N. (1925):**
The physiology of gastric urease.
Biochem. J. 19:357-365. Cited in Hook (1991a).
- Macarthur, C.; Norman, S.;and William, F. (1995) :**
Helicobacter pylori, gastroduodenal disease, and recurrent
abdominal pain in children.
JAMA , 273 : 19 : 57-62.

- Mahony, M.I.; Wyatt, J.I.; and Littlewood, J.M. (1990) :**
 Management and response to treatment of *Helicobacter pylori* gastritis .
 Arch. Dis. Child. , 67 : 940.
- Mai, U.E.H.; Perez-Perez, G.I.; Wahi, L.M.; et al. (1991) :**
 Soluble surface proteins from *Helicobacter pylori* activate monocytes / Macrophages by Lipopolysaccharide independent mechanisms .
 J. Clin. Invest. , 87 : 894.
- Malanoski, G.J.; Eliopoulos, G.M.; Ferraro, M.J.; et al. (1993) :**
 Effect of PH variation on the susceptibility of *Helicobacter pylori* to three macrolide antimicrobial agents and temafloxacin.
- Malaty, H.M.; Graham, D.Y.; Klein, P.D.; et al. (1991) :**
 Transmission of *Helicobacter pylori* infection.
 Scand. J. Gastroenterol. , 26 : 927.
 Eur. J. Clin. Microbiol. Infect. Dis.; 12: 131-3.
- Maostone, N.P.; Lynch, D.A.F.; Lewis, A.F.; et al. (1993) :**
 Identification of *Helicobacter pylori* DNA in the mouth and stomachs of patients with gastritis using PCR.
 J. Clin. Pathol. , 46 : 540.
- Marshall, B.J. (1983):**
 Unidentified curved bacilli in active chronic gastritis.
 Lancet, I:1273-5.
- Marshall ,B.j.; Royce, I.I.; Annear, D.I.; et al. (1984a):**
 Original isolation of *Campylobacter pyloridis* from human gastric mucosa.
 Microbios Letters., 25: 83-88. Cited in Hook (1991a).

Marshall, B.J.; and Warren, J.R. (1984) :

Unidentified curved bacilli in the stomach of patients with gastritis and peptic ulceration.
Lancet, i : 1311-1315.

Marshall, B.J.; Mc Gechie, D.B.; Rogers; et al (1985) :

Pyloric Campylobacter infection and gastroduodenal disease.
Med. J. Aust. , 142 : 439-499.

Marshall, B.J.; Goodwin, C.S.; Warren ,J.R.; et al. (1987a) :

Long-term healing gastritis and low duodenal ulcer relapse after eradication of Campylobacter pyloroides. A prospective double-blind study.
Gastroenterology , 92 : A1516.

Marshall, B.J.; Warren, J.R.; Francis, G.J.; et al.(1987b):

Rapid urease test in the management of Campylobacter pyloridis- Associated gastritis.
Am. J. Gastroenterol; 82:200-210.

Marshall, B.J.; Barrett, L.J.; Gurrant, R.L.; et al. (1987c):

Protection of Campylobacter pyloridis (CP) but Campylobacter jejuni (CJ) against acid susceptibility by urea.[Abstract]221,
The IV th International workshop on campylobacter infections, Goteborg, Sweden.

Marshall, B.J.; Goodwin, C.S.; Warren, J.R.; et al. (1988) :

Prospective double-blind trial of duodenal relapse after eradication of Campylobacter pylori.
Lancet.; 2:1437-1441.

Marshall, B.J.; Plankey, M.W.; Hopffman, S.R.; et al. (1991) :

A 20 minute breath test for H. pylori.
AM. J. Gastroenterology , 86 : 438.

Marshall, B.J. (1995) :

Helicobacter pylori , The Etiologic Agent for peptic ulcer .
JAMA , 274 : 13.

Mc Callion, W.A.; Ardill, J.E.S.; Bamford, K.B.; et al. (1995) :
 Age dependent hpyergastrinaemia in children with
Helicobacter pylori gastritis-evidence of early acquisition of
 infection.
Gut.; 37 : 35-38.

Mc Carthy, C.J.; Collins, R.; Beattie, S.; et al. (1993) :
 Short report : Treatment of *Helicobacter pylori*-associated
 ulcer with omeprazole plus antibiotics.
Aliment. Pharmacol. Ther. ; 7: 463-6.

Mc Nulty, C.A.M.; and Wise, R. (1985) :
 Rapid Diagnosis of *Campylobacter* associated gastritis.
Lancet , 1 : 1443-4.

Mc Nulty, C.A.M.; Dent, J.C.; and Uff, J.S. (1989) :
 Detection of *Campylobacter pylori* by the biopsy. Urase test:
 An assessment in 1445 patients.
Gut , 30 : 1058.

Megraud, F: (1989) :
 Microbiological characteristics of *Campylobacter pylori*.
Eur. J. Gastroenterol. Hepatol.; 1:5-12.

Megraud, F.; Brassens-Rabbe, M.B.; Denios, F.; et al. (1989):
 Seroepidemiology of *Campylobacter pylori* infection in
 various populations.
J. Clin. Microbiol. , 27 : 1870-3.

Megraud, F. (1993) :
 Epidemiology of *Helicobacter pylori* infection.
Gastroentrol. clin. North. Am. , 22 : 73-9.

Mendall, M.A.; Goggin, P.M.; Molineux, N.; et al. (1992) :
 Childhood living conditions and *Helicobacter pylori*
 Seropositivity in adult life.
Lancet , 339 : 896-7.

- Mitchell, H.M.; Bohane, T.D.; Tobias, V.; et al. (1993) :**
Helicobacter pylori infection in children: potential clues to pathogenesis.
J. Pediatric. Gastroentrol. Nutr. , 161 : 120.
- Morris, A.; Ali, M.R.; Brown, P.; et al. (1989) :**
Campylobacter pylori infection in biopsy specimens of gastric antrum: laboratory diagnosis and estimation of sampling error.
J. Clin. Pathol. , 42 : 727.
- Morris, A.J.; Ali, M.R.; Nicholson, G.I.; et al. (1991) :**
Long term follow up of voluntary ingestion of Helicobacter pylori.
Ann. Intern. Med. 114 : 662.
- Moss, S.F.; Legon, S.; Bishop, H.E.; et al.(1992) :**
Effect of Helicobacter pylori on gastric somatostatin in duodenal ulcer disease.
Lancet , 340 : 930-3.
- Mossi, S.; Wyss, B.M.; Renner, E.L.; et al. (1993) :**
Influence of Helicobacter pylori, sex and age on serum gastrin and pepsinogen concentrations in subjects without symptoms and patients with duodenal ulcer.
Gut , 34 : 752-6.
- Mulholland, G.; Ardill, J.E.S.; Fillmore, D.; et al. (1993) :**
Helicobacter pylori related hypergastrinaemia is the result of a selective increase in gastrin 17.
Gut , 34 : 757-61.
- NIH Consensus Conference. (1994) :**
Helicobacter pylori in peptic ulcer disease.
JAMA , 272 : 65-69.

- Oderda, G.; Dell Olio, D.; Morra, I.; et al. (1989) :**
Campylobacter pylori gastritis: Long term results of treatment with amoxycillin.
Arch. Dis. Child. 64 : 326.
- Oedera, G.; Vaira, D.; Dell Olio D.; et al. (1990) :**
Serum pepsinogen I and gastrin concentrations in children positive for Helicobacter pylori.
J. Clin. pathol. , 43 : 762-5.
- Paster, B.J. ; and Dewhirst, F.E. (1988) :**
Phylogeny of Campylobacters, Wollinellas, Bacteroides gracilis, and Bacteroides urealyticus by 16 S ribosomal ribonucleic acid sequencing.
Int. J. Syst. Bacteriol.; 38: 56-62. Cited in Hook (1991a).
- Perez-Perez, G.I.; and Blaser, M.J. (1987) :**
Conservation and diversity of Campylobacter pyloridis major antigens.
Infect. Immun. , 55 : 1256.
- Perez-Perez, G.I.; Taylor, D.N.; Bodhidatta, I.; et al. (1990) :**
Seroprevalence of Helicobacter pylori infection in Thailand.
J. Infect . Dis. 161: 1237-41.
- Perwett, E.J.; Smith, J.T.L.; Nwokolo, C.U.; et al. (1991) :**
Eradication of Helicobacter pylori abolishes 24 hour hypergastrinaemia: A perspective study in healthy subjects.
Aliment. pharm. ther. , 5 : 283.
- Petersen, B.; and Andersen, B.N. (1984) :**
Abnormal processing of antral gastrin in active duodenal ulcer disease.
Eur. J. Clin. Invest. , 14 : 214-8.
- Peterson, W.L.(1991):**
Helicobacter pylori and peptic ulcer disease.
N. Engl. J. Med; 324:1043.

- Peterson, W.L.; Graham, D.Y.; Marshall, B.J; et al. (1993) :**
 Clarithromycin as monotherapy for eradication of *Helicobacter pylori*: A randomized, double-blind trial.
 Am. J. Gastroenterol. , 88 : 1860.
- Pierre, C.; Lecossier, D.; Boussougant, Y.; et al. (1991) :**
 Use of reamplification protocol improves sensitivity of detection of *Mycobacterium tuberculosis* in clinical samples by amplification of DNA.
 J. Clin. Microbiol. , 28 : 712.
- Pipkin, F.B. (1984) :**
 Medical Statistics Made Easy. Churchill livingstone, Edinburgh.
- Prieto, G.; Ploanco, I.; Larrauri, I.; et al. (1992) :**
Helicobacter pylori infection in children: clinical, endoscopic and histological correlation.
 J. pediatric Gastroentrol. Nutr., 14 : 420-5.
- Raju, G.S.; Smith, M.J.; Morton, D.; et al. (1994) :**
 Mini dose ¹⁴ C-urea breath test for the detection of *Helicobacter pylori*.
 Am. J. gastroenterol.; 89 : 1027.
- Rauwas, E.A.; Langenberg, W.; Houthff, HJ.; et al. (1988) :**
 Campylobactr Pyloridis- associated chronic active antral gastritis.
 Gastroentrol.; 94 : 33-40.
- Rauwas, E.A.; and Tytgat, G.N. (1990) :**
 Cure of duodenal ulcer associated with eradication of *Helicobacter pylori*.
 Lancet.; 335:1233-1235.

Rehfeld, J.F.; et al. (1983) :

Misuse of gastrin radioimmunoassay kits.
Lancet 6 Aug ; ii : 338.

Reifen, F.; Rassoly, I.; Drumm, B. ; et al. (1992) :

Symptomatology and dermatographic features of *Helicobacter pylori* infection in children.
Isr. Med. Sci.; 161(suppl) : 25.

Reifen, R.; Assoly, I.; Drumm, M. K.; et al. (1994) :

Helicobacter pylori infection in children. Is there specific symptomatology?
Dig. Dis. Sci.; 39 : 1488-1492.

Rollason, T.P. ; Stone, J.; and Rhodes, J.M. (1984) :

Spiral organisms in endoscopic biopsies of the human stomach.
J. Clin. Pathol., 37:23-26.

Romaniuk, P.J.; Zoltowska, B.; Trust, T.J.; et al. (1987) :

Campylobacter pylori, the spiral bacterium associated with human gastritis, is not a true *Campylobacter* sp.
J. Bacteriol., 169:2137-2141.

Russell R.G.; Wasserman, S.S.; O'Donnoghue, J.M.; et al. (1993):

Serologic response to *Helicobacter pylori* children and teenagers in northern Chile.
Am. J. Med. Hyg. 49: 189-91.

Salomon I.I. (1896) :

Über das *Spirillum* des Säugetiermagens und sein Verhalten zu den Belegzellen Zentralbl Bakteriologie parasitenkd infektionskrankh, Abt, 1, 19: 433-443. Cited in hook (1991a).

- Schaber, E.F.; Umlauf, G.; Stoffer, F; et al. (1989) :**
 Indirect immunofluorescence test and enzyme linked
 immunoabsorbent assay for detection of *Campylobacter pylori*.
J. Clin. Microbiol. , 27 : 327.
- Sherman, P.M.; (1994) :**
 Peptic ulcer disease in children : Diagnosis, treatment, and the
 implication of *Helicobacter pylori*.
Gastroenterol, Clin. North Am.; 23: 707.
- Sipponen, P.; Kekki, M. and Siurala M. (1991) :**
 The Sydney system. Epidemiology and natural history of
 chronic gastritis.
J. Gastroenterol. & Hepatol. , 6 : 244-5.
- Slomiany, B.L.; Biliski, J. and Sarosied J. (1987) :**
Campylobacter pyloridis degrades mucin and undermines
 gastromucosal integrity.
Biochem. biophys. Res. Commun. , 144 : 307-314.
- Sobala, G.M.; Dixon, M.F. and Axon A.T.R. (1990) :**
 Symptomatology of *Helicobacter pylori*- associated dyspepsia.
Eur. J. Gastroenterol. Hepatol. , 2 : 445-449.
- Sullivan, P.B.; Thomas, J.E.; Wight D.G.D.; et al.(1990) :**
Helicobacter pylori in Gambian children with chronic
 diarrhea and malnutrition.
Arch. Dis. child , 65 : 189-91.
- Talley, N.Y. (1994) :**
 A critique of therapeutic trials in *Helicobacter pylori*-positive
 functional dyspepsia.
Gastroenterology , 106 : 1174-83.
- Taniguchi, Y.; Youshida, Y.; Kimura, K.; et al. (1992) :**
 Cytoprotection by 16, 16 dimethyl prostaglandin E2. Role of
 gastric juice and mucus gel layer.
J. Clin. Gastroenterol. , 14 (suppl 1) : S52-8.

- Taylor, D.; and Blaser, M. (1991) :**
The epidemiology of *Helicobacter pylori* infection.
Epidemiol. Rev. , 13 : 42-59.
- Thompson III, I.M.; Smibert, R.M.; Johnsson, J.L.; et al.(1988):**
Phylogenetic study of the genus *Campylobacter*.
Int. J. Syst. Bacteriol.; 38: 190-200 . Cited in hook (1991a).
- Thillainayagam, A.V.; Arvind, A.S.; Cook, R.S.; et al. (1991) :**
Diagnostic efficiency of an ultra rapid endoscopy room test for
Helicobacter pylori.
Gut , 32 : 467.
- Thomas, J.E.; Whatmore, A.M.; Barer, M.R.; et al. (1990) :**
Serodiagnosis of *Helicobacter* infection in children.
J. Clin. Microbiol. , 28 : 2641-2646.
- Thomas, J.E.; Gibson, G.R.; Darboe, M.K.; et al. (1992) :**
Isolation of *Helicobacter pylori* from human feces.
Lancet , 340 : 1194 -5.
- Tsai, Y.H.; and Chang, M.H. (1992) :**
Serum gastrin level in children with peptic ulcer disease.
Journal of the Formosan Medical Association, 91 : 283-6.
- Tucci, A.; Corinaldesi, R.; Stanghellini, V.; et al. (1991) :**
Helicobacter pylori infection and gastric function in patients
with chronic idiopathic dyspepsia.
Gastroenterology , 103 : 768-774.
- Tucci, A.; Corinaldesi, R.; Stranghellini, V.; et al. (1992) :**
Helicobacter pylori infection and gastric function in patients
with chronic idiopathic dyspepsia.
Gastroenterology , 103 : 768-74.

- Vaira, D.; Holton, J.; Osborn, J.; et al. (1989) :**
Use of endoscopy in patients with dyspepsia.
Br. Med. J. , 237 : 299.
- Valentine, J.L.; Arthur, R.R.; Mobley, H.L.T.; et al. (1991) :**
Detection of *Helicobacter pylori* by using the polymerase chain reaction.
J. Clin. Microbiol. , 29 : 989.
- Vandenplas, Y.; Blecker, U.; Devreker, T.; et al. (1992) :**
Contribution of the ¹³C-urea breath test to the detection of *Helicobacter pylori* gastritis in children.
Pediatrics , 90 : 608.
- Van Zanten, S.; and Sherman, P.M. (1993):**
Indications for treatment of *Helicobacter pylori* infection: A systematic Overview.
Can. Med. Assoc. J., 150:189.
- Walsh, J.H.; and Lam, S.K.; (1980) :**
Physiology and pathology of gastrin.
Clinics in Gastroenterology, Sept; 9 (3) : 567-91.
- Warren, J.R.; and Marshall, B. (1983) :**
Unidentified curved bacilli on gastric epithelium in active chronic gastritis.
Lancet , 1 : 1273-1275.
- Weil, J.; Bell, G.D.; Powell, K.; et al . (1990) :**
Helicobacter pylori and metronidazole.
Lancet.; 336: 1445 (letter).
- Westblom, U.; Madan, E.; Gudipati, S.; et al. (1992) :**
Diagnosis of *Helicobacter pylori* in adult and pediatric patients by using pyloriset, a rapid latex agglutination test.
J. Clin. Microbiol.; 30 : 96.

- Wetherall, B.L.; and Johnson, A.M. (1989) :**
Haemolytic activity of *Campylobacter pylori*:
Eur. J. Clin. Microbiol. Infect. Dis. , 8 : 706.
- Wyatt, J.L.; Rathbone, B.J.; Green, D.M.; et al. (1989) :**
Raised fasting serum gastrin in chronic gastritis is independent
of *campylobacter pylori* status and duodenal ulceration.
Gut , 30A 1483.
- Wyle, F.A. (1991) :**
Helicobacter pylori: current prospectives [Abstract] .
J. Clin. Gastroenterol., 13 suppl. 1: 114-124.
- Yardley, J.H.; and Paull, H. (1988) :**
Campylobacter pylori: A newly recognized infectious agent in
the gastrointestinal tract.
Am. J. Surg. Pathol. , 12(suppl) : 89.
- Zaki, H. N. (1992) :**
Study of the incidence of specific human IgG against
Helicobacter pylori among medical personnel.
M.Sc. Thesis (Internal Medicine), Alexandria Univ.

Karpanoja, P; et al.(1993):

Serodiagnosis of *Helicobacter pylori*

Comparison of three methods. Poster presented at the VII International Congress of Rapid Methods and Automation in Microbiology and Immunology. London.Sept. 12-15, 1993.

Midolo, P.D; et al.(1994):

A practical single sample dry latex agglutination test for *Helicobacter pylori* antibody detection.

Poster presented at *Helicobacter pylori*: Beginning the Second Decade and the VII Workshop on Gastroduodenal Pathology and *Helicobacter pylori*. Houston. Texas. Sept. 30-Oct.1, 1994.

Lopez-Brea, M; et al:

Evaluation of a rapid dry latex agglutination test for serological diagnosis of *Helicobacter pylori* infection in children. Poster presented at *Helicobacter pylori*: Beginning the Second Decade and the VII Workshop on Gastroduodenal Pathology and *Helicobacter pylori*. Houston. Texas. Sept. 30-Oct.1, 1994.