

REFERENCES

- Abdel Fattah M., Baddar M.E., Haroun A., Shaker A., and Shein S., (1983).

Complications of oesophageal variceal sclerotherapy.
Armed forces medical Journal Vol. 25 No. 1, 0-128.

- Ayers S.J., Goff J.J., Warren G.H., Schaefer J.W., (1982).

Esophageal ulceration and bleeding after flexible fiberoptic esophageal vein sclerosis.
Gastroenterology; 83:131-6.

- Baltch A.L., Buhac I., Agrawal A., O'Conner P., Bram M., Malatino E., (1977).

Bacteraemia after gastrointestinal endoscopy. Arch Intern Med.; 137:594-7.

- Barsoum M.A., Mooro H.A.-W., Bolous F.I., Ramzy A.F., Rizk-Allah M.A., Mahmoud F.I., (1982).

The complications of injection sclerotherapy of bleeding oesophageal varices. Br. J. Surg.; 69:79.

- Beppu K., Imokuchi K., Koyanagi N., Sakata H., Kitano S., Kobayashi M., (1981).

Predication of variceal haemorrhage by oesophageal endoscopy. Gastrointestinal Endoscopy; 4:213.

- Blackmore A.H. portacaval #; (1946).
A report of fourteen cases. Bull NY Acady Med., 22:254.
- Brayko C.M., Kozarek R.A., Sanowski R.A., Testa A.W., (1985).
Bacteraemia during esophageal variceal sclerotherapy: Its causes and prevention. Gastrointest-Endosc. (1) P.10-2.
- Camara D.S., Gruher M., Barde C.J., Montes M., Caruana J.A. Jr., Chung R.S., (1983).
Transient bacteraemia following endoscopic injection sclerotherapy of oesophageal varices (abstract). Arch-Intern-Med.; 143:1350.
- Cohen L.B., Korsten M.A., Scherl E.J., Velez M.E., Fisse R.D., Arons E.J., (1983).
Bacteraemia after endoscopic injection sclerosis. Gastrointestinal Endoscopy; 29:198
- Conn H.O., (1980).
The varix volcano connection
Gastroenterology; 79:1333.

- Craford C., Freckner P., (1939).

New surgical treatment of varicose veins of esophageas. Acta otolaryngol, 27:422-429.

- Cruickshank R., Duguid J.P., Marimon B.P., Swain R.H.A., (1975).

Medical microbiology, 12th edition. Churchill Livingstone. Edinburgh, London, Melbourne and New York.

- Dagradi A.E., Stempien S.J., Owens L.K., (1966).

Bleeding oesophago-gastric varices (abstract). Arch. Surg.; 692:944.

- Dagradi A.E., Stempien S.J., Tan D.T.D., (1970).

Endoscopic study of the cirrhotic patient before and following portacaval shunt for bleeding varices (abstract).

Am. J. Gastroenterol.; 53:425.

- Davies D.V., Coupland R.E., (1969).

Viens of the abdomen and pelvis.

In:

Gray's Anatomy 34th ed., Longman, Green & Co. Ltd., 920.

- Delming L., Elster K., Koch H., Roesch W., (1982).

Oesophageal varices.

In:

Endoscopy and biopsy of oesophagus, stomach and duodenum: A colour atlas 2nd Ed.

W.B. Saunders Company, Philadelphia, London, Toronto, Mexico City, Rio de Janeiro, Sydney and Tokyo, 52.

- Denck H: (1971).

Endo - esophycal sclerotherapy of bleeding oesophageal varices. Cardiovascular Surg.; 12-146.

- Eckardt V.F., Grace N.D., Kantrowitz P.A., (1976).

Does lower oesophageal sphincter incompetency contribute to oesophageal variceal bleeding? Gastroenterology; 71:185.

- Eckardt V.F., Grace N.D., (1979).

Gastroesophageal reflux and bleeding esophageal varices.

Gastroenterology; 76: 89

- Evans D.M.D., James D.B., Cleary B.K., Smith P.M., (1982).

Oesophageal varices treated by sclerotherapy: a

histopathological study.

Gut; 23:615.

- Fearon B., Sass-Kortsak A., (1959).

The management of esophageal varices in children by injection of sclerosing agent.

Annotat Rhinol Laryngol 68:906-915, 1959.

- Fleischer D.E., Roth B.E., Larson D.E., Greene M.L., (1983).

Therapeutic endoscopy for control of upper gastrointestinal bleeding.

Gastrointestinal Endoscopy; 29:245.

- Franco D., Durandy Y., Deporte A., Bismuth H., (1977).

Upper gastrointestinal haemorrhage in hepatic cirrhosis: causes and relation to hepatic failure and stress.

Lancet; 1:218.

- Gerhartz H.H., Sauerbruch T., Weinzierl M., Ruckdeschel G., (1984).

Nosocomial septicaemia in patients undergoing sclerotherapy for variceal haemorrhage. Endoscopy; (4), P.129-30.

- Gentsch P.H., Mosimann R., Feb. 18, (1984).

Blood flow in oesophageal varices.

Lancet; (1):397.

- Gibbert V., Feinstat T., Burns M., Trudeau W., (1982).

A comparison of the sclerosing agents sodium tetradecyl sulfate and sodium morrhuate in endoscopic injection sclerosis of oesophageal varices.

Gastrintestinal Endoscopy; 28:147.

- Graham D.Y., Smith J.J., (1983).

The course of patients after variceal haemorrhage.

Gastroenterology; 80:800.

- Greene W.H., Moody M., Hartley R., et al., (1974).

Esophagoscopy as a source of pseudomona aeruginosa sepsis in patinets with acute leukaemia.

Gastroenterology; 67-:912-9.

- Health and Public Policy Committee, American College of Physicians, (1984).

Endoscopic sclerotherapy for oesophageal varices.

Ann. Intern. Med.; 100:608.

- Hedberg S.E., Fowler D.L., Ryan R.L., (1982).

Injection sclerotherapy of oesophageal varices using ethanolamine oleate.

Am. J. Surg.; 143:426.

- Henning H., Schmidt D., and Look W., (1972).

Bild., 2. Gastroenterology, 10:609.

- Hughes R.W., Larson D.E., Viggieno T.R., Adson M.A., Van Heerden J.A., Reeves C.B., (1982).

Endoscopic variceal sclerosis: a one year experience. Gastrointestinal Endoscopy; 28:62.

- Ibrahim M.S., (1968).

Portal hypertension.

In:

A text book of Medicine 1st Ed.

Sop. press, Cairo, Egypt; 365.

- Jensen D.M., (1983).

Sclerosants for injection sclerosis of oesophageal varices.

Gastrointestinal Endoscopy; 29:315.

- Johnson G.W., Rodgers H.W., (1973).

A review of 15 years' experience in the use of sclerotherapy in the control of acute haemorrhage from oesophageal varices.

Br. J. of Surg.; 60:797.

- Kane R.A., Katz S.G.; (1982).

The spectrum of sonographic findings in portal hypertension: a subject review and new observations.

Radiology; 142:453.

- Khalil I., Hussein M.M., Taha M.A., Madani S., Elziady A., Amer M.S., Khairy M., Abdullah I., Wahib A., Mandour T., and Nasser H.E., (1985).

Bacteraemia after sclerotherapy for esophageal varices in Egyptian patients with bilharzial hepatosplenomegaly.

Armed forces medical journal Vol.24 No.2, 46-52.

- Koneman E.W., Allen S.D., Dowell V.R., Jr., Sommers H.M., (1983).

Color atlas and text book of diagnostic microbiology, 2nd edition.

- Kraft A.R., Frank H.A., Glotzer D.J.; (1973).

Achalasia of the oesophagus complicated by varices and massive haemorrhage.

N. Engl. J. Med.; 288:405.

- Kuroyanagi Y., Fukuta T.; (1979).

Varices of the caecum as an unusual collateral in portal hypertension (abstract).

In:

Hepatology

Ed. Pooper H., Falk Foundation, Basel; 249.

- Lebrec D., De Fleury P., Rueff B.; (1980).

Portal hypertension, size of oesophageal varices and risk of gastrointestinal bleeding in alcoholic cirrhosis.

Gastroenterology; 79:1139.

- Leger L., (1962).

in: Diseases of the liver. 4th Ed. Schiff. L. (Ed.)

J.B. Lippincott Company, Philadelphia, Toronto.

- Liebowitz H.R., (1961).

Pathogenesis of oesophageal varix rupture.

Jama; 175: 874.

- Low D.E., Shoenut J.P., Kennedy J.K., Harding G.K., Den-Boer.B., Micflikier A.B., (1986).

Infectious complications of endoscopic injection sclerotherapy.

Arch-Intern-Med., 146 (3). P.569-71.

- Macbeth R., (1955).

Treatment of esophageal varices in portal hypertension by means of sclerosing injections. Br Med. J., 2:877-880.

- Macdougall B.R.D., Theodossi A., Westaby D., Dawson J.L., Williams J.L., (1982).

Lancet, 1:124.

- Macdougall B.R.D., Williams., (1983).

A controlled trial of cimetidine in the recurrence of variceal haemorrhage: implications about the pathogenesis of haemorrhage.

Hepatology; 3: 69.

- Manson-Bahr P.E.C., Apter F.I.C., (1984).

Manson's tropical diseases 18th edition,

- McCormack T.T., Rose J.D., Smith P.M., Johnson A.G., (1983).
Perforating veins and blood flow in oesophageal varices. Lancet 2; 1442.

- Mellow M.H., Lewis R.J., (1976).
Endoscopy related bacteremia: incidence of positive blood cultures after endoscopy of upper gastrointestinal tract.
Arch Intern Med., 136:667-9.

- Moersch H.J: (1940).
Treatment of oesophageal varices by injection sclerotherapy. J. Thoracic Surg., 10:300-9.

- Moersch H.J: (1947).
Treatment of oesophageal varices by injection of a sclerosing solution. JAMA; 135:754-7.

- Paquet K.J., (1982).
Prophylactic endoscopic sclerosing treatment of the oesophageal wall in varices: a prospective controlled randomized trial. Endoscopy. 14: 4

- Paquet K.J., (1983).
Endoscopic paravariceal injection sclerotherapy of

oesophagus-indications, technique, complications:
results of a period of 14 years. *Gastrointestinal
Endoscopy*. 29: 310.

- Patterson C.O., Rouse M.O., (1947).

The sclerosing therapy of esophageal varices.
Gastroenterol, 9:391-395.

- Ponce J., Froufe A., de-la-Morena E., Mir J., Rayon M., Pina R., Berenguer J., (1981).

Morphometric study of the oesophageal mucosa in
cirrhotic patients with variceal bleeding.
Hepathology. 1: 641.

- Rappaport., (1975).

Anatomic consideration. In: *Diseases of the liver*.
4th Ed. Schiff L. (Ed.) J.B. Lippincott Company,
Philadelphia, Toronto.

- Renner D.S., Child C., (1963).

Prepancreatic portal vein (abstract). *Ann. Surg.*,
157: 481.

- Reynolds T.B., (1969).

Portal hypertension. In: *Diseases of the liver*. 3rd
Ed. Schiff. L. (Ed). Lippincott, Philadelphia, 271.

- Reynolds T.B., (1980).

Interrelationships of portal pressure, variceal size, and upper gastrointestinal bleeding
Gastroenterology. 79: 1332.

- Reynolds T.B., (1984).

Portal hypertension. In: The liver annual/4 Arias I.M., Frenkel M. and Wilson J.H.P. (Eds. Elsevier, Amsterdam, New York, Oxford, 283.

- Rose J.D., Smith P.M., (1984).

Sclerotherapy for variceal bleeding (letter).
Lancet, January 7 (1):52.

- Sarin S.K., Sachdeva G.K., Nanda R., Vij J.C., Anand B.S., (1985).

Endoscopic sclerotherapy using absolute alcohol.
Gut, 26:120.

- Sauerbruch T., Holl J., Ruckdeschel G., Forstl J., Weinzierl M., (1985).

Bacteraemia associated with endoscopic sclerotherapy of oesoph varices.
Endoscopy. Sep. 17 (5). P.170-2.

- Schoppe L.E., Roark G.D., Patterson M., (1983).

Acute upper gastrointestinal bleeding in patients with portal hypertension: a correlation of endoscopic findings with aetiology (abstract).

South Afr. Med. J., 76:475.

- Shearman D.J.C., Finlayson N.D.C., (1982).

Portal hypertension.

In:

Diseases of the gastrointestinal tract and liver.
11th Ed.

Churchill Livingstone. Edinburgh, London, Melbourne and New York, 596.

- Sherlock S., (1985).

The portal venous system and portal hypertension.

In:

Diseases of the liver and biliary system.

Blackwell Scientific Publications, Oxford, London, Edinburgh, Boston and Melbourne, 134.

- Silpa M.L., Jensen D.M., Machicado G.A., et al., (1982).

Efficacy and safety of agents for variceal sclerotherapy (abstract).

Gastrointestinal Endoscopy, 28:152.

- Smith J.L., Graham D.Y., (1982).

Variceal haemorrhage: a critical evaluation of survival analysis.

Gastroenterology, 82:968.

- Snady H., Korsten M.A., Waye J.D., (1985).

The relationship of bacteraemia to the length of injection needle in endoscopic variceal sclerotherapy.

Gastroint-Endosco, (4). P.243-6.

- Snavely J.G., Breakell F.S., (1954).

Fatal haemorrhage from oesophageal varices due to malformations and congenital stenosis of the portal vein (abstract).

Am. J. Med., 16:459.

- Spence R.A.J., Sloan J.M., Johnson G.W., (1983).

Oesophagitis in patients undergoing oesophageal transection for varices - a histological study.

Br. J. Surg., 70:332.

- Sweeting J.G., (1985).

Azygos blood flow and oesophageal varices.

Gastroenterology, 86:1287.

- Synder N., Atterbury C.E., Correia J.P., Conn H.O., (1977).

Increased concurrence of cirrhosis and bacterial endocarditis.

Gastroenterolog. 73, 1107.

- Terblanche J., (1983).

Indications, technique, results, and complications of sclerotherapy.

Gastrointestinal Endoscopy, 29:308.

- Terblanche J., Northover J.M.A., Borman P. et al., (1979).

A prospective controlled trial of sclerotherapy in the long term management of patients after oesophageal variceal bleeding.

Surg. Gynecol. Obstet., 148:323-333.

- Trudea W., Prindiville T., Gilbert T., Young W., Sieplent, (1983).

An update on the safety of sclerosing agents used in endoscopic injection sclerosis (abstract).

Gastroenterology, 84:XXX.

- Viallet A., Marleau D., Huet M., et al., (1985).

Haemodynamic evaluation of patients with intrahepatic portal hypertension. Relationship

between bleeding varices and the portohepatic gradient.

Gastroenterology, 69:1297.

- Vinel J.P., Cassigneul J., Louis A., et al., (1982).

Clinical and prognostic significance of portohepatic gradient in patients with cirrhosis.

Surg. Gynecol. Obstet., 155:347.

- Westaby D., Macdougall B.R.D., Malia W., Theodossi A., William R., (1983).

A prospective randomized study of two sclerotherapy techniques for oesophageal varices.

Hepatology, 3:681.

- Westaby D., Williams R., (1983).

The history of injection sclerotherapy for oesophageal varices.

Gastrointestinal Endoscopy, 29:303.

- Wexler M.J., Miller N., Mclean A.P., (1983).

An aggressive, non-shunting approach for control of bleeding oesophageal varices.

Surg. Gynecol. Obstet., 157:341.

- Williams P.L., Warwick R., (1976).

Hepatic portal system of veins.

In:

Gray's Anatomy. 35th Ed.

Longman. Edinburgh, 710.

- Wodak E., (1960).

Wein Med Wochenschr, 110:581-583.