




REFERENCES

Avolio A.P., Fa-Quan L. and Wei-Qiangl (1985) :

Effects of aging on arterial distensibility in populations with high and low prevalence of hypertension.

Circulation, 71:202-210.

Badimon J.J., Badimon L., Turitto V.T. and Fuster V. (1991) :

Platelet deposition at high sheer rates is enhanced by high plasma cholesterol level : in vivo study in the rabbit model.

Arterioscler. Thromb., 11: 395-402.

Baker P. (1985) :

Suspected myocardial infarction: Early diagnostic value of analgesic requirements.

Br. Med. J., 290 :27.

Bean W.B. (1984) :

Masquerade of myocardial infarction.

Lancet, 1: 1044.

Bergstrand R., Vedin A., Wilhelmsson C., Waltin J., Weedel M. and Wilhelmsson L. (1978) :

Myocardial infarction among men below age 40.

Br. Heart. J., 40: 78-788.

Bertrand M.E., Leblanche J.M. and Tilmant P.Y. (1989) :

The provocation of coronary arterial spasm in patients with recent transmural myocardial infarction.

Eur Heart J., 4: 532.

Bhatnager G.M., Walford G.D. and Beard E. (1984) :

Dissociation of time to peak force (TPF) and myofibrillar ATP ase activity (MF- APP ase) with aging of the myocardium.
J. Mol cell cardiol., 16: 203-218.

Bonow R.O., Vitale D.R. and Bacharach L. (1988) :

Effect of aging on asynchronous left ventricular regional function and global ventricular filling in normal human subjects.
J. Am. coll. cardiol., 11: 59-58.

Bouchardy B. and Majno G. (1984) :

Histopathology of early myocardial infarcts.
Am. J. Physiol., 74: 301.

Bounameaux M., Slosman D., De Moerloose P. and Reber G. (1988) :

Diagnostic value of plasma D. dimer in suspected pulmonary embolism.
Lancet, 11: 628-629.

Bounameaux H., Girafici P., De Moerloose P., Schneider P.A., Solsman D., Re-ber G. and Unger P.F. (1991) :

Measurment of D. dimer in palsma as diagnostic aid in suspected pulmonary embolism.
Lancet., 337:196.

Bounameaux H., Schneider P.A., Sloman D., De Moerloose P. and Reber G. (1991) :

Value of the plasma measurement of D. dimer in the diagnosis of venous thromboembolism.

J. Mal. Vasc., 16 : 133.

Braunwald E. and Sobel B.E. (1992);

Coronary blood flow and myocardial ischaemia in : Braunwald

Heart Disease, A Textbook of cardiovascular medicine, fourth edition, WB Saunders company, volume 2, PP. 1188-89.

Brenner B., Francis C.W., Totterman S., Kessler C.M., Rao A.K., Rubin R. and Kwaan H.C. (1990) :

Department of Medicine, University of Rochester School of medicine, NY. Circulation, 81 : 181-25.

Califf R.M., Topol E.J. and George B.S. (1990) :

One year outcome after therapy with tissue plasminogen activator: Report from the Thrombolysis and Angioplasty in Myocardial Infarction trial.

Am. Heart. J., 199:177.

Campbell M.J. and Machin D. (1993) :

Medical statistics. A common sense approach. 2nd Ed. John Wiley and Sons. New-york, chichester, Brisbane, Toronto and singapore.

Carroll J.D., Shroff S. and Wurth P. (1990) :

Arterial mechanical properties in dilated cardiomyopathy. Aging and the response to nitroprusside.

J. Clin. Invest., 87 : 1002-1009.

Caulfield J. and Klionsky B. (1979) :

Myocardial ischemia and early infarction. An electron microscopic study.

AM. J. Pathol., 35: 489.

Chesebro J.H., Holmes D.R. Mock M.B., Gersh B.J. and Fuster V. (1988) :

Thrombolysis in acute myocardial infarction.

Cardiol. Clin., 6: 119-137.

Clyne C.A., Medeiros L.J. and Marton K. (1989) :

The prognostic significance of immunoradiometric CK- MB assay (IRMA) diagnosis of myocardial infarction in patients with low total CK and elevated MB isoenzymes.

Am. Heart J., 118: 901.

Conti C.R. (1985) :

Myocardial infarction : thoughts about pathogenesis and the role of coronary artery spasm.

Am. Heart J., 110-187.

Croft C.H., Nicod P., Corbett J.R., Lewis S.E. Huxley R., Mukharji J., Willerson J.T. and Rufe R.E (1982) :

Detection of acute right ventricular infarction by right precordial electrocardiography.

Am. J. Cardiol, 50: 421-427.

Daniel W.W (1987) :

Biostatistics, A Foundation for analysis in the health sciences.

4th Ed. John Wiley and Sons. New-york, Chichester, Brisbane, Toronto and Singapore.

De Wood M.A., Stifter W.F. and Simpson C.S. (1986) :

Coronary arteriographic finding soon after non-Q wave myocardial infarction.

N. Engl. J. Med., 315:417.

Dufour D.R. (1988) :

Creatine kinase aspartate aminotransferase activity ratio as an indicator of the source of an increased creatine kinase activity.

Clin. Chem., 34: 2506-2510.

Eisenberg P.R., Jaffe A.S., Stump D.C., Collen D., Bovill E.G. (1990) :

Cardiovascular division, washington university school of medicine St. Louis, Missouri 63110.

Circulation, 82 : 1159-68.

Ellis A.K. and Saran B.R. (1989) :

Kinetics of myoglobin release and prediction of myocardial myoglobin depletion after coronary artery reperfusion.

Circulation, 80: 676.

Edmunds L.H., Stephenson L.W. and Edie R.N. (1988) :

Open-heart surgery in octonogenarians.

N. Engl. J. Med., 319: 131-130.

Elveback L. and lie J.T. (1984) :

Continued high incidence of coronary artery disease. In :
Circulation.

Ed. by olmsted county, Minnesota, 195-1979, 70: 345-349.

Fleg J.L., Gerstenblith G. and Zonderman A.B. (1990) :

Prevalence and prognostic significance of exercise induced silent myocardial ischaemia detected by thallium scintigraphy and electrocardiography in asymptomatic volunteers.

Circulation, 81: 428-436.

Fleisch J.H. and Hooker C.S. (1986) :

The relationship between age and relaxation of vascular smooth muscle in the rabbit and rat.

Cir. Res., 38: 243-249.

Forman M.B. and Virmani R. (1989) :

Nonatherosclerotic ischemic heart disease.

Am. J. Cardiol., 64:410.

Forman M.B., Wilson H. and Sheller J.R. (1987) :

Right ventricular hypertrophy is an important determinant of right ventricular infarction complicating acute inferior left ventricular infarction.

J. Am. Coll. Cardiol., 10:1180.

Francis C.W., Connaghan D.G., Scott W.L., Marder V.J. (1987) :

Increased plasma concentration of cross-linked fibrin polymers in acute myocardial infarction.

Circulation, 75: 1170-77.

Friedrich T., Lichey J. and Nigam S. (1985) :

Follow-up of prostaglandin plasma levels after an acute myocardial infarction.

Am. Heart. J. 109:222.


Gadsboll N., Hoilund Carlsen P.E. and Nielsen G.G. (1989) :

Symptoms and signs of heart failure in patients with myocardial infarction: Reproducibility and relationship to chest x-ray, radionuclide ventriculography and right heart catheterization.

Eur. heart J., 10: 1017.

Galbraith L.V., Leung F.Y., Jablonsky G. and Henderson A.R. (1990) :

Time related changes in the diagnostic utility of total lactate



isoenzyme-1 ratios in serum after myocardial infarction.

Clin chem., 36: 1317-22.

Gali R.L., Cooper R. and Ford E. (1990) :

Trends in hospitalization rates for heart failure in the United States and evidence for increasing population prevalence.

Arch. intern. Med., 150: 769-773.

Ganz W., Geft I. and Shah P.K. (1984) :

Intravenous streptokinase in evolving myocardial infarction.

Am. J. Cardiol., 53:1209.

Garcia-Webb P., Bhagat C.L. and Beilby J.P. (1985) :

Plasma creatine kinase/ aspartate aminotransferase ratio in the diagnosis of acute myocardial infarction .

Clin. Chem., 31: 495-499.

Guarnieri T., Filburn C.R. and Zitnik G. (1980) :

Contractile and biochemical correlates of beta-adrenergic stimulation of the aged heart.

Am. J. Physiol., 239.

Gurfinkel E., Altman R. and Rouvier J. (1994) :

Importance of thrombosis and thrombolysis in silent ischemia :

Comparison of patients with acute myocardial infarction and unstable angina.

Br. Heart J., 71: 151.

Hajjar K., Gavish D., Breslow J.L., Nachman R.L. (1989) :

Lipoprotein (a) modulation of endothelial surface fibrinolysis and its potential role in atherosclerosis.

Nature, 339: 303-305.

Harrison K.A., Haire W.D., Papas A.A., Purenell G.L., Palmer S., Holdemen K.P., Fink L.M. and Darlynple (1993) :

Plasma D. dimer: U useful tool for evaluating suspected pulmonary embolus.

J. Nucl. Med., 34 : 896.

Herlitz J. (1984) :

Time lapse from estimated onset of acute myocardial infarction to peak serum enzyme activity.

Clin. Cardiol., 7: 433.

Hirsh P.D., Hillis L.D., Campbell W.B., Firth B.G. and Willerson J.T. (1981) :

Release of prostaglandins thromboxane into the coronary circulation in patients with ischaemic heart disease.

N. Engl. J. Med., 304: 685-691.

Hirota Y. (1980) :

Aclinical study of left ventricular relaxation.

Circulation, 82: 756-763.

Hurst J.W. (1990) :

Atherosclerotic coronary heart disease: historical benchmarks, methods of study and clinical features, differential diagnosis, and clinical spectrum in : The Heart, Arteries and Veins, seventh edition, volume 1 PP. 972-973.

Isoyama S., Wei J.Y. and Izumos S. (1987) :

The effect of age on the development of cardiac hypertrophy produced by aortic constriction in the rat.

Circ. Res., 61: 337-342.

James T.N. (1987) :

Small arteries of the heart.

Circulation, 56:2.

Jenning R.B. and Ganote C.E. (1974) :

Structural change in myocardium during acute ischemia.

Circ. Res., 35 : 156.

Joensuu H. (1990) :

Acute myocardial infarction after heart irradiation in young patients with hodgkin's disease.

Chest, 95: 388.

Kannel W.B. (1976) :

Blood pressure and the development of cardiovascular disease in the aged. In : Cardiology in old age.

Ed. By Caird FI, Dall JLC, Kennedy RD, Quality medical publishing, New York and london, Plenum, 143-175.

Kario K., Matsuo T., Kabayashi H., Matsn M., Yamamoto K., Sakurai G. and Baba M. (1992) :

Department of Internal medicine. Hyogo Prefectural Awaji Hospital, Japan.

Thromb. Resp., 66 : 179-89.

Katus H.A., Remppes A., Neumann F.J., Scheffold T., Diederich K.W., Vinar G. Noe A., Matern G. and Kuebler W. (1991) :

Diagnostic efficiency of troponin T measurments in acute myocardial infarction.

Circulation, 83: 902-912.

Kitzman D.W., Higginbotham M.B. and Cobb F.R (1991) :

exercise intolerance in patients with heart failure and preserved left ventricular systolic function : failure of Frank- Starling mechanism.

J. Am. Coll. cardiol., 17 : 1065- 1072.

Kloner R.A., DeBoer L.W.V., Carlson N. and Braunwald E.L. (1982) :

The effectt of verapamil on myocardial ultrastructure during and following release of coronary artery occlusion.

Exp. Mol. Pathol., 36: 277.

Kloner R.A. and Parisi A.F. (1987) :

Acute myocardial diagnostic and prognostic applications of two-dimensional echocardiography.

Circulation, 75:521.

Kopelman H.A., Forman M.B. and Wilson B.H. (1985) :

Right ventricular myocardial infarction in patients with chronic lung disease : Possible role of right ventricular hypertrophy.

J.Am. Coll. Cardiol., 5: 1302.

Koppert P.W. and Itoegee De-Nobel E. and Nieuwenhuizen W. (1988) :

A monoclonal antibody enzyme immunoassay for fibrin degradation products in plasma.

Thromb. Haemost., 59: 310-1990.

Kragel A.H., Reddy S.G., Wittes J.T. and Roberts W.C. (1989) :

Atherosclerotic plaques in the major epicardial coronary arteries in acute myocardial infarction in sudden coronary death.

Circulation, 80:1747.

Krainin F.M., Flessas A.P. and Spodick D.H. (1984) :

Infarction-associated pericarditis. Rarity of diagnostic electrocardiogram.

N. Engl. J. Med., 311: 1211.

Kruskal J.B., Commerford P.J., Franks J.J. and Kirsh R.E. (1987) :

Fibrin and Fibrinogen-related antigens in patients with stable and unstable coronary artery disease.

N. Engl. J. Med., 317: 1361-1365.

Lakatta E.G. and Yin F.C.P. (1982) :

Functional alterations and related cellular mechanisms in myocardial aging .

Am. J. Physiol., 95: 242-249.

Lang H (1981) :

Creatine kinase isoenzymes. In : Pathophysiology and Clinical Application.

Ed. by Weisfeldt M., Berlin, 354-398.

Lee T. H. and Goldman L. (1986) :

Serum enzyme assays in the diagnosis of acute myocardial infarction.

Ann. Intern. Med., 105:221.

Levy D., Garrison R.J. and Savage D.D. (1989) :

Left ventricular mass and incidence of coronary heart disease in an elderly cohort.

Ann. intern. Med., 110: 101-107.

Lund - Johansen P. (1988) :

Hemodynamics in essential hypertension at rest and during exercise - a 20 - year follow - up study.

Ann. clin. Res., 20 : 31-38

Malliani A. (1986) :

The elusive link between transient myocardial ischemia and pain.

Circulation, 73 : 201.

Malliani A. and Lombardi F. (1989) :

Consideration of the fundamental mechanisms eliciting cardiac pain.

Am. Heart j., 103:575.

Markert C.L. (1963) :

Lactate dehydrogenase isoenzymes : Dissociation and recombination of subunits.

Science, 140: 1329.

McComb R.B. (1983):

The measurement of lactate dehydrogenase. In : Clinical And Analytical Concepts In Enzymology. Homburger HA.

Ed. Skokie IL. College of American pathologists, PP. 157 - 171.

Mclauchlan D.M. (1988):

Enzymes in: Gowenlock AM, McMurray JR and Mclauchlen DM (eds) Varley's Practical Biochemistry, Sixth edition, London, P. 504 .

Merrillon J.P., Motte G. and Masquet C. (1982) :

Relationship between physical properties of the arterial system and left ventricular performance in the course of aging and arterial hypertension.

Eur. Heart J., 3 : 95-102.

Miklozek C.L., Crumpacker C.S. and Royal H.D. (1988) :

Myocarditis presenting as acute myocardial infarction.

Am. Heart J., 115: 768.

Miller R.D., Burchell H.B. and Edwards J.E. (1988) :

Myocardial infarction with and without acute coronary occlusion : A pathological study.

Arch Intern. Med., 88: 597.

Miller T.R., Gross man S.J. and Schectman K.B. (1986) :

Left ventricular diastolic filling in the healthy elderly.

Am. J. cardiol., 58 : 531-535.

Moseri A., L'Abbate A. and Baroldi G. (1978) :

Coronary vasospasm as a possible cause of myocardial infarction : a conclusion derived from the study of preinfection angina N. Eng. J. Med., 299 : 1271 - 1277.

Moss D.w. and Henderson A.R. (1994) :

Enzymes in : Tietz Textbook of Clinical Chemistry, second edition, WB Saunders Company, pp797-800,812-813, 824.

Muller D.W.M., Topol E.J and Califf R.M. (1990) :

Relationship between antecedent angina pectoris and short-term prognosis after thrombolytic therapy for acute myocardial infarction.

Am. Heart J., 119:224.

Muller J.E., Tofler G.H. and Stone P.H. (1989) :

Circadian variation triggers of onset of acute cardiovascular disease.

Circulation, 79: 1158.

Mullertz (1987) :

Fibrinolysis general aspects, characteristic features and perspectives.

Fibrinolysis, 1 : 3.

Nadelmann J., frishman W.H. and ooiwl (1990) :

Prevalence, incidence and prognosis of recognized and unrecognized myocardial infarction in persons aged 75 years or older.

Am. J. cardiol., 66 : 533 - 537.

Nichols W.W., O'rourke M.F. and Avolio A.P. (1985) :

Effects of age on ventricular-vascular coupling.

Am. J. cardiol., 55 : 1179-1184.

Nicod p., Gilpin E. and Dittrich H. (1984) :

Short-and long- term clinical outcome after Q wave and non - Q wave myocardial infarction in a large population.

Circulation, 79 : 528 - 536.

Nieuwenhuizen W. (1989) :

Plasma assays for derivatives of fibrin and of fibrinogen, based on monoclonal antibodies.

Fibrinolysis, 2: 1-5.

Nitterhauge S., Erikson J., Thaulow E. and Vatne K. (1981) :

Angiographic and risk factor characteristics of subjects with early onset ischaemic heart disease.

Br. Heart J., 46 : 325 - 330.

Norris N.M. (1982) :

Myocardial Infarction.

New York, Churchill Livingstone, P322.

Quoted from : Tofler G.H., Stone P.H. and Maclure M (1990) :

Am. J. Cardiol., 66 : 22.

Obarski T.P., Loop F.D. and Cosgrove DM (1990) :

Frequency of acute myocardial infarction in valve repairs versus valve replacement for pure mitral regurgitation.

Am. J. Cardiol., 65:887.

Oh JK, Miller FA, Shub C, Reeder GS and Tajik AJ (1987) :

Evaluation of acute chest pain syndromes by two-dimensional echocardiography : Its potential application in the selection of patients for acute reperfusion therapy.

Mayo Clin. Proc., 62 :59-66.

Pasternak R.C., Braunwald E. and Sobel B.E. (1992):

Acute myocardial infarction in : Braunwald Heart Disease, A Textbook of Cardiovascular Medicine, WB Saunders Company, fourth edition, volume 2, pp 1218-19.

Pellikka P.A., Nushimura R.A., and Baily K.R., (1990) :

The natural history of adults with asymptomatic hemodynamically significant aortic stenosis.

J. Am. coll. cardiol., 15:1012-1017.

Reis G.J., Kaufman H.W., Horowitz G.L. and Pasternak R.C. (1988):

Usefulness of lactate dehydrogenase and lactate dehydrogenase isoenzymes in the diagnosis of acute myocardial infarction.

Am. J. Cardiol., 61 : 754.

Richard C., Pasternak M.D., Eugene Braunwald E. and Burton E. (1993) :

Acute myocardial infarction.

Am. Heart J., 136 : 816.

Riley C.P., Russell R.O. and Rackley C.E. (1982) :

Left ventricular gallop sound and acute myocardial infarction.

Am. Heart J., 86:598.

Ritchie J.M., and Greene N.M. (1990):

Local anesthetics. In : The Pharmacologic Basis of Therapeutics. Gilman AG (ed.), 8th ed. New York, Macmillan, P311.

- Robalino B.D., Petrella R.W. and Jubran F.Y. (1990) :**
Atrial natriuretic factor in patients with right ventricular infarction.
J. Am. Coll. Cardiol., 15:546.
- Rodeheffer R.J., Gerstenblith G and Beckerlc (1984) :**
Exercise cardiac output is maintained with advancing age in healthy human subjects.
Circulation, 29 : 203-213.
- Roger V.L., Kopecky S.L., Gibbons R.J., Puetz P.A., Hench V.S., Zinsmeister AR and Gersh B.J. (1988):**
Exercise radionuclide angiography after non-Q wave myocardial infarction (abstract).
J. Am. Coll. cardiol., 11 : 216.
- Rosalki S.B. : (1976) :**
Enzymes in diseases of skeletal muscle. In : The Principles and Practice of Diagnostic Enzymology.
Ed. by Wilkinson JH., London, Edward Arnold, pp 263-302.
- Rosengren A., Wilhelmsen L., Eriksson E.B. and Wedel H. (1990) :**
Lipoprotein (a) and coronary heart disease : a prospective case-control study in a general population sample of middle aged men.
B.M.J.; 301: 1248-1251.
- Rowbotham B.J., Carroll P. and Whitaker A. N. (1987) :**
Measurment of cross linked fibrin dervatives use in the diagnosis of venous thrombosis.
Thromb. Haemost., 57 : 59-61.

Sabiston D.C. Jr. (1974) :

The coronary circulation. The William F. Rienhoff. Jr. Lecture.
Johns Hopkins Med. J., 134- 314.

***Saito - M., Asakura - H., Jokaji - H, Uotonzi - C, Kumabashiri - I.,
Yoshida - T., Hashizume - K. and Matsuda - T. (1990) :***

Department of Internal Medicine (III), Kanazawa University
school of Medicine Japan.

Acta-Haemolol., 84 : 149 - 55.

Schulman S.P., weiss J.L. and Becker L.C. (1990) :

The effects of anti hypertensive therapy an left ventricular mass
in elderly patients.

N. Engl. J. Med., 322 : 1350 - 1356.

***Schulman S.P., Lakatta E.G.,F. leg J.L., Lakattal, Becker L.C., and
Gerstenblith G. (1992) :***

Age - related decline in left ventrieular filling at rest and
exercise.

Am. J. physiol., 63 : 13-22.

Seltzer A. (1987) :

Changing aspects of the natural history of valvular aortic
stenosis.

N. Engl. J Med., 317 : 91-98.

Shah P.K., Maddahi J. and Berman D.S. (1985) :

Scintigraphically detected predominant right ventricular dysfunction in acute myocardial infarction: clinical and hemodynamic correlates and implications for therapy and prognosis.

J. Am. Coll. cardiol., 6:1264.

Sleight P. (1981) :

cardiac vomiting.

Br. Heart J., 46:5.

Sobel B.E. and Shell W.E. (1972) :

Serum enzyme determinations in the diagnosis and assessment of myocardial infarction.

Circulation, 45: 471, 1972.

Sobel B.E, Roberts R. and Larson K.B. (1976) :

Estimation of infarct size from serum MB creatine phosphokinase activity : application and limitations.

AM. J. Cardiol., 37: 474.

Soria J., Boucheivc and Perrot Y. (1989) :

Monoclonal antibodies that react preferentially with fibrinogen degradation products or with cross-linked fibrin split products.

Ann. New York Acad. Sci., 408 : 665.

The International Study Group (1990) :

In-hospital mortality and clinical course of 20,891 patients with suspected acute myocardial infarction randomised between alteplase and streptokinase with or without heparin.

Lancet, 2:71.

Tresh D.D. and Platia E.V. and Guarnierit (1987) :

Refractory symptomatic ventricular tachycardia and ventricular fibrillation in elderly patients.

Am. J. Med., 83 : 399-404.

Tresh D.D., Troup P.H. and Thakur R.K. (1991) :

Comparison of efficacy of automatic implantable cardioverter defibrillator in patients older and Younger than 65 years of age.

Am. J. Med., 90 : 717-724.

Turi Z.G., Rutherford J.D., Roberts R., Muller J.E., Jaffe A.S., Rude R.E., Parker C., Raabe D.S., Stone P.H., Hartwell T.D., Lewis S.E., Parkey R.W., Gold H.K., Robertson T.L., Sobel B.E., Willerson J.T. and Braunwald E. (1985) :

Cooperating investigations from the MILIS study group: Electrocardiographic, enzymatic and scintigraphic criteria of acute myocardial infarction as determined from study of 726 patients (a MILIS study).

Am. J. Cardiol., 55: 1463-68.

Tuzcu E.M., Block P.C., Griffin B.P., Newell J.B. and Palacios I.F. (1992) :

Immediate and long - term outcome of percutaneous mitral valvotomy in patients 65 years and older.

Circulation, 85: 963-971.

Uhi G.S. and Farrel P.W. (1983) :

Myocardial infarction in young adults; risk factors and natural history.

Am. Heart J., 105 : 548-553.

Weisfeldt M.L. (1980) :

The function and Response of the aging heart to stress.

Am. J. physiol., 231.

Wilcox R.G., Olsson C.G. and Skene A.M. (1988) :

Trial of tissue plasminogen activator for mortality reduction in acute myocardial infarction.

Lancet, 2: 525-530.

Willerson J.T., Hillis L.D. and Buja L.M. (1982) :

Ischemic heart disease.

New York, Raven Press, P374.

Willerson J.T. (1988) :

Radionuclide assessment and diagnosis of acute myocardial infarction.

Chest, 93 (Suppl) : 75-95.

Wilson R.F., Holida M.D. and White C.W. (1986) :

Quantitative angiographic morphology of coronary stenosis leading to myocardial infarction and unstable angina.

Circulation, 73:286.

Winniford M.D., Wheelan K.R. and Kremers M.s. (1986) :

Smoking induced coronary vasoconstriction in patients with atherosclerotic coronary artery disease : evidence of adrenergically mediated alterations in coronary artery tone.

Circulation, 73: 662-667.

Wolfe M. W. and Vacek J.L. (1988) :

Myocardial infarction in the young. Angiographic features and risk factor analysis of patients with myocardial infarction at or before the age of 35 years.

Chest, 94 : 926 - 930.

Yano K. and maclean C.J. (1989) :

The incidence and prognosis of unrecognized myocardial infarction in the Honolulu, Heart program.

Arch Intern. Med., 149:1528.

Yin F.C.P. (1980) :

The aging vasculature and its effect on the heart. In : The aging heart.

Ed. by Weisfeldt ML. Quality Medical Publishing, New York, Raven, 137-213.