

Refernces

Adams ED, and Copper BH :

Evaluation of a modified wickerham medium for idenfying
medically important yrasts.

Am.J. Med.technol. 40:377, 1974.

Adler O, and Adler R :

Ueber das verhalten gevisser organischer verbindungen
gegenuber . Blunt mit, besonder Beruck-Sichtigundes
Nachweises Von Blut .Hoppe-Saylirs Z.physiol.chem.41,
59-67,1904

Cited From J.clinical Path. 24:501-505,1971.

Ahearn D G :

Medically important yeast.

Review of Microbiology 32:59-68, 1978.

Ajello L, Goerg LK,Kaplan W and Kaufman L:

Laboratory manual for Medical Mycology .

U.S Department of health Education and Welfare,1966.

Akiba T :

Cited from Rook A,Wikinson DS and Eblina,1972

Text book of Dermatology.Z nd edition. Blackwell

Sci.Publ,Osney Mead, oxford,1961.

Ambroise-Thomas P :

Etudesero-immunologique de dix parasitoes par
Les techniques. Cited from Exp.parusitology 32:
405-410, 1969 .

Anderson NA, Sage DN, and Spanlding EH:

Oralmoniliasis in newborn infant.
Amer.J. Dist. Child, 67:450, 1944.

Andrieu S, Biguet J, and Jacques R :

Photoinhibition of chlamydosporulation of C.albicans
Sabouraudia , 15/2 : 207, 1977.

Arendof TM, and Walker :

The prevalance and intraoral distrubution of C.albucansin
man .
Arch. oral Biol. 25:1-10, 1980.

Avrames S and Bouteille M :

Ultrastructural Localization of antibody by antigen
Labelled with peroxidase .
Exp. Cell.Res. 53: 166-176, 1968

Avrameas S :

Detection d'anticorps et d'antigen al'aide d'enzymes.
Bull.Soc.Chim.Biol. 50:1169,1968 , cited from
J.of Histochemistry and cytochemistry vol.17 No.H :
211-224, 1969 .

Avrameas S and Trnynck T :

Biologically active water-insoluble protein polymer.
Their use for the isolation of antigen and antibodies.
J.Biol.chem. 292:1651,1967 .

Avrameas S and Termynck T :

The cross Linking of proteins with glutaraldehyde and
its use for the preparation of immunoadsorbent.
Immuno chemistry 6 no 1 , 1969.

Aurameas S and Uriel J :

Methode de marquage d'antigenes et d'anticorps avec
des enzymes et son application en immunodiffusion.
C.R.Acad.Sci (paris) 262:2543.
Cited from J. of Histochem. Cytochem. vol 17 No.4:211-
224, 1969.

Axelsson NH and Buckley HR :

J. Immunol.4 (suppl.2) : 217 , 1975 .

Bakerspigel A :

Soil extract agar for Candida albicans .
Arch. Derm. syph. (chic) 69:735,1945.

Backerspigel A :

Sodium tauro cholate medium for idenfication of Candida
albicans.
J.Bact.,87:694 , 1962.

Benham RW :

Certain nonliasis parasitic on man,their identification
by morphology and agglutination
J. infect.dis. 49 : 183 , 1931 .

Bhaskaram C and Reddy V :

Cellmediated immunity in iron and vitamin difficient
children.
British Medical Journal, 3:522, 1975.

Benjamian DR :

Diagnostic procedures for viral, Ricttesial and
chlamydial infection , eds, E.H.lemette and Nathalic
J.Schmidt .
American public Health Association.Washington P.153, 1979.

Bojanovsky A :

Cellnlar de fence mechanisms in Candidiasis .
Mgkosen 2011:35, 1977 .

Bowman PI and Ahearn DG :

Evalution of commercial system for identification
of clinical yeast isolates .
J.clin. Microbiol. H: 49, 1976.

Buesching WJ, Kurek K and Roberts GD :

Evalutation of the nodified API 20 c system for
identification of clinically important yeasts .
J.clin.Microbiol. 9 : 565,1979 .

Bullock SL and Wallsk :

J.infect , Dis. 136(suppl.) s 279 , 1977

Briody BA and Gillis RE :

Microbiology and infections diseases. MC Graw
Hill Book company, Blackiston Puublication,1974.

Caroline L , Rosner F ans Kozinn PJ :

Elevated serum iron, Lowunbound transferrin and
candidosis in acute leukemia .
Blood, 34 : 441,1969 .

Catchings BM and Guidy DJ :

Effects of PH and temp. on the in vitro growth of
sporothrix .
Sabourandia , 11:70, 1973.

Centeno A, Davis CP, Coben MS and Warren MM:

Infection and Immunology.39 (3): 1354-60,1983.

Coons AH and Kapalon MH :

Localization of antigen in tissue cells.II Improvment
in method for detection of antigen by means of fluors-
cent antibody.
J. Exp. Med. 91:1-13, 1950 .

Cutler JE and Lloyd RK :

Enhanced antibody responses induced by C.albicans.
Infection and Immunity 38(3):1102-1108,1982 .

Croft CC and Black LA :

Biochemical and morphologic methods for the isolation and isentification of yeast-like fungi.

J.Lab. Clin.Med.,23;1248. cited from Winner and Hurley, Candida albicans . J.&A. churcill, 1964.

Davey FR and Busch GJ :

Immunohistochemistry of glomerulonephritis usin hors-eradish peroxidase and fluorescent labelled antibody. Acomparsion of the two technique .

Amer. J.clin.path. 53 : 531-36 , 1970.

Deelder AM, Streefk JG :

Schistosoma mansoni: immunohistoperoxidase Procedure in Defined Antigen Substrate Sphere(DASS) system as as serologic field test.

Exp.Parasitology 37:405-410, 1975.

Dixon FJ :

The pathogenesis of glomerulonephritis.

Amer.J. Med. 44:493-98, 1968 .

Dorling J and Johson GD :

Use of peroxidase-conjugated antiglobulin as an alternative to immunofluorescence for detection of antinuclear factor in serum .

J.clin.Path., 24: 501-505,1971.

Duc-Nguyan H, Rose HM and Morgan C:

An electron microscopic study of changes at the surface of influenza-infected cells as revealed by Ferritin conjugated antibodies.

Virology 28 : 909, 1966.

Drew JH :

chronic mucocutaneous Candidosis with abnormal function of serum Complement.

Medical J. of Australia , 2:77 , 1973 .

Elegbe IA and Botu M :

Direct microscopic versus cultural method in screening for Candidiasis among non gravid Nigerian women .

Mycopathologia 79(3) : 137-139 , 1982 .

Elham AL-Kassi and Ann Mostratos :

Assessment of substrates for horseradish peroxidase in enzyme immunoassay .

J. of Immunological Methods , 58: 127-132 , 1983 .

Elizabeth H, Ledu C, Geoffrey B. Scott and Stratis :

Ultra structural localization of intracellular immunoglobulins in plasma cell and lymphoblast by enzyme labelled antibodies .

J. of Histochem. and cytochem. Vol. 17 No.4 : 211-224, 1969.

Emmons CW and Binford CH :

Medical Mycology , 3rd ed. p.185-201, 1977 .

Esterly NB :

Am.J.clin.pathol. 50:291 , 1968 .

Fuentes CA, Trespalacion F, Baquero GF and Abo Lafia R :

Effect of acitidione on mold Contaminantes and on human pathogens .

Mycologia , 44 : 170, 1952 .

Gene B and Martiza M :

A quantative immunofluorsence test for the detection of anticandida antibodies .

J.of Immunological Methods, 35:105-113,1980.

Gentry LO and Wilkinson ID :

Latex agglutination test for detection of Candida antigen in patients with disseminated disease .

. European J.of Clinical Microbiology 2(2) : 122-28,1983.

Gibbons RJ and Van Houte J :

Bacterial adherence in oral microbial mycology .

Rev.Microbiol. 25 : 19-44, 1975.

Glew RH and Buckley H :

Amer.J. Med. 64:586, 1978 .

Gohar MA and Elian AS :

The use of pencillin in isolation of yeast form
the mouth Cavity .

J. Royal Egyption Medical Association , 17: 134,1944

Goldstein E and Hoeprich PD :

J. infect. Dis. 125: 190, 1972 .

Goldstein E and Hoeprich PD :

Candidosis. In P.D. Hoeprich (ed).

Infections diseases , Harper, Row , Hagerstawn
Md. 372-82, 1977 .

Goudsward J and Virella G :

J. Immunol. Methods 20:357, 1978.

Graham RC,Lumdholm U ans Karnovsky MJ :

Cytochemical demonstration of Peroxidase activity
with 3-amino-9-etheylcarabazole .

J.Histochem.cytochem.13: 150-152, 1965 .

Gruby M :

Recherches anatomiques sur plante cyrptogame qui constitue
le vrai muguet alles enfants .

C.R.Acas. Sci: (Paris), 14 : 637: cited from Winner
and Hurley. Candida albicans.J.&A. Churcill,1964.

Hansen EC :

Action des ferments erlco opliques sur les diveress
es peces de sucre .

Ann. Microgr.,1 : 219,cited from Winner and Hurly.

Candida albicans J.&A.churchill, 1964.

Hippocrates :

Medical works , Epidemics, Book3. Transl. by J.chadwick
and W.M.Mam. oxford, Blackwell.,1950 . Cited from Winner
and Hurley .

Candida albicans J.&A.churchill,1964 .

Ho et al :

J.clin. pathol, 29 : 1007, 1976 .

Hoeprich PD :

Infections diseases. Harper and Row Publishers,1977.

Holborow EJ :

. Instandrization in immunofluroscence. edited by
E.J.Holoborow,Black Ewll. Scientific Publication
S,oxford and Edinburg, 91-93,1970.

Holbrow EJ and Johnson GD :

The immunofloursence test for serum . antinuclear factor.
Association of clinical Pathologists.Broudsheets,65,1969.

Holbrow E, Weir J and Johnson GD :

A serum factor in lupus erythematosus with affinity for tissue nuclei .

Brit. Med. J., 2:734, 1957.

Hommel M, Truong TK and Bidwell DE :

Nowv. Presse. Med. 5: 2789, 1976.

Huppert and Harper M :

Rapid methods for identification yeasts .

J. clin. Microbiol, 2:21, 1975.

Jawetz E, Melnick JL and Adlberg EA :

Review of . Medical Microbiology. 16 edition .

Medical Mycology, 307-310, 1984.

Jean C and Robert D :

Characterization of C. albicans adherence to human vaginal epithelial cells in vitro.

Infection and Immunity , 1024-1030 vol. 41 No.3, 1983.

Jenkins and Macfarlane :

Nutritional deficiency in oral candidiasis .

Int. J. oral surgery. 614:204, 1977.

Johnson GD , Beutner EH and Holbrow EJ :

Developments in immunofluorescence . The need for standardization .

J. clin. Path. 20:720-723, 1967.

Johnson DHM, Jacobs A, Walker DM and Dobly AE :

Defect of cell mediated immunity in patients with iron deficiency anaemia .

Lancet , 2 : 1058, 1972 .

Jonshon SAM, Guzman MG and Aguilera CT :

Candida (Monilial) albicans. Effects of amino acids, glucose, PH, chlortetracycline, dibasic sodium and calcium phosphates and anaerobic, condition on its growth .

Arch.Derm.Syph.(chic.), 70:49 , 1954 .

Kerr PS, Pascher F and Sulzberger MB :

Monilia and trichophyton extracts, their combined use in eczematous ring worm .

J.Allergy, 5:288, cited from Winner and Hurley. Candida albicans J.&A.churcill, 1964 .

King RD, Lee JC and Moris AL :

Adherence of C. albicans and other Candida speices to mucosal epithelial cell.

Infect.Immun.27:667-674, 1980.

Kostialia I and Kostila AAI :

Antibodies against antigens of Candida albicans in Patients with Fungemeia and bactermia , stuched by ELISA, preceptation, passive heamagguletnation and immnofluorsence techniques.

J. Med. Microbiology Vol 14, 483-92, 1981 .

Kozinn PJ and Taschdjian CL :

Enteric candidiasis: diagnosis and clinical consideration
Pediatrics , 30 : 71, 1962 .

Kuhn G , Friedrich E and Schwartz H :

Immunoserological diagnosis of Candidosis by methods
of immunofluorescence and immunodiffusion cited from
Review of Human and Veterinary Mycology vol. 3 No 1,
March 1983 .

Lagenbeck B :

Auffindung von Pilzen aus der Schleimhaut der Speiseröhre
einer Typhus-leiche .

Neue Not. Geb. Natur- u. Heilk., 12: 145 cited from
Wimmer and Hurly Candida albicans J. & A. Churchill, 1964.

Lebedev TN :

specific humoral immunity in patients with candidiasis
Vestnik Dermatologii Venerologii No.9, 22-25 .

Cited from Review of Human and Veterinary Mycology Vol.
18 No. 1, 1983 .

LEDUCE EH, Scot GB and Avrameas S :

Ultrastructural localization of intracellular immune globulin
in Plasma cell and lymphoblast by enzyme-labelled
antibodies .

J. Histochem. cytochem. 17:211-24 , 1969 .

Leider M :

Practical Pediatric Dermatology, 2nd edition.

C.V Mosby Company , 1961 .

Lodder J and Kroger-Van RIJNJW :

The yeasts ,ataxonomiw study .Amsterdam Holland

Publishing Co., 1952.

Lodder J , Sloof WCH and Kreger-Van Rij :

The claaification of yeast .

In chemistry and biology of yeasts.Ed.AH Cook. New York.

Academic Press, 1958 .

Leduce EH, Scot GB and Avrameas S :

Ultrastrural localization of intercellular immune
globulin in plasma cells and lympho blasts by enzyme
-Labelled antibodies .

J.Histochem cytochem. 17 : 211-24,1969.

Levinthal et al :

The detection of intracellular adunoversus type 12
antigens by indirect immunoferritin technique.

Int.J. cancer 2:85 , 1967 .

Lewis GM, et al :

Textbook of Dermatology 2nd edition Blackwell.

Sci Pub. Onsey Mead,oxford, 1972 .

Lewis GM and Hopper ME :

An introduction to Medical Mycology.4th Edition

The year book Publishers,Inc.,Chicago.,1958.

Maisch PA and Calderone RA :

Adherence of C.albicans to afibrin-platelet Matrix
formed in Vitro .

Infec.Immu. 27:650-656, 1980.

Mathur SG, et al :

Infect. Immun. 15:287 , 1977 .

Morgan C. and Rifkind RA :

Electron microscopic localization of intracellular
Viral Omtigen by the use of ferritin conjugated antibody.
Virology 14 : 292 , 1961 .

Nakane PK and Pierce GB :

Enzyme labelled antibodies for light and electron micro-
scopic localization of tissue antigens .

J. Cell Biol. 33:307-18, 1967.

Nakane PK and Pierce GB :

Enzyme labelled antibodies , Preparation and application
for localization of antigens .

J. Histochem.cytochem. 19:929, 1966.

Nickerson WJ and Mankowisk ZT :

A polysaccharide medium of known composition favouring
chlamydospore formation in *C.albicans*.

J. Infection Dis., 92:20, 1953 .

Odds FC :

Candida and Candidosis .University Park Press,Baltimore,
P.223, 1979 .

Othman T, Guesdon JL and Drouhet E :

Dosage enzymoimmunologique des anticorps humaine
anticandida albicans en utilisant des. perles de poly-
acrylamide agarose magnetiques.

Bull.Soc. Fr.Mycol.Med. *, n°2 : 249-54,1978.

Othman T and Drouhet E :

La technique enzymoimmunologique utilisant la peroxydase
sur frottis de candida albicans. Applique A la Recherche
Des anticorps Dans les candidoses . Comparaison Avec La
technique D'immunofluorescence .

Bulletin de La Societe de Mycologie Medicale Tome IX-No1-
(p,p 117-120) ,1980.

Price MF and Canson RA :

Phospholipase activity of *Candida albicans*.

Sabouraudia, 1512 : 179,1977.

Ramos-Zepeda R and Gunzaleg Mendoza A :

Phagocytosis of *C.albicans* by morphonuclear leucocytes
from Patients with nodular Leporsy .

Bulltein de la Societe de pathologic. Exotique et de
se filiales 75(5)., 476-83 cited from Rev. of Humand
and Veterinary Mycology Vol. 18 No.1, 1983 .

Reid JD , Jores M and Mand Carter EP :

Asimple clear medium for demonstration of chlaymdospores
of *Candida albicans* .

Amer. J. clin. path. , 23: 938, 1953.

Remington et al :

Lancet , 413, 1972 .

Reynold R and Brande A :

The filament inducing property of blood for *C.albicans*,
its nature and significance.

Clin. Res. Proc., 4:40 , 1956.

Rifkind RA et al :

The intracellular distrubation of gammaglobulin
immunoplasma cell tumour (x5563) as revelead by fluora-
ence and electron microscopy.

J.Exp.Med. 116: 423, 1962.

Remington JS, Gaines JD and Gilmer MA :

Lancet 1: 413, 1972.

Roberts GD :

Lab. diagnosis of Fungal infection. Human Path. 7:161,1976.

Robin CP :

Histoire Naturelle des vegetans parasites qui crassent
sur l'homme et sur les an moux vivants-Paris. Balliere.

Cited from Winner and Hurley. Candida albicans .J&A .
Churcill, 1964 .

Rogers KB :

An aid to differentition between cases of moniliasis
and moniliasis carriers .

J. clinic. pathol. 10:406, 1957.

Rook A et al :

Textbook of Dermatology . 2nd edition .

Blackwell scipul. Osney Mead Oxford, 1972.

Rosenthal SA and Furnari D :

Chlamydospore production by Candida albicans. Comparsion
of dehydrated rice extract agar with other media. J. Invest.
Derm. 32:115. Cited from Winner and Hurly. Candida albicans
J.&A. Churchill, 1964 .

Sadum EH and Anderson RI :

A plasma card test for rapid Serodiagnosis of Schistosomiasis (SPC).

Proceeding of the society for Exp. Biology and Medicine
112:280-83, 1963 .

Schopfer WH and Guilloved M :

Les besoins en facteurs de croissance de vgt-trois
especes et varietes de genre Candida, la production de
lactoflamine .

Arch. Sci,phys nat (15) 26, suppl. 232

Cited from Winner and Hurly Candida albicans,J.&A.
Churcill, 1964 .

Seeliger HPR :

Fungi and fungus diseases .

Ed. Dalldorf. G springblet, Thomas , 1982.

Singer SJ :

Preparation of an electron dense antibody conjugate
Nature (London) 183:1523-59, 1959 .

Somas S et al :

Mykosen 25(9) 497-501 .

Cited from Rev. of Human and Veterinary Mycology
Vol.18. No 1, 1983 .

Staib F and Abel T :

Serodiagnostic value of extracellular antigens of an actively Proteolysin culture of *C. albicans*.
Hyg. Abt. 1. Orig. A 23812:284, 1977.

Stanley VC and Hurley R :

The growth of *Candida* species in Cultures of mouse peritoneal macrophages .
J. of pathology, 97:357-66, 1969 .

Staples PJ, Bawiak, Douglas J and Leddy JP :

Disseminated candidiasis in a previously healthy girl.
Implication of aleucocyte candidicidal defect.
Cl. Immunology. Immunopath. 7/2 :157, 1977.

Sternberger LA :

Electron microscopic immunochemistry. 15:139, 1967.

Sticll DL and Kanfran SO :

Appl. Microbiol. 23:490, 1972.

Stowens D :

Pediatric Pathology. Williams & Wilkions Co., 1966.

Strans W :

Factors affecting the cytochemical reaction of peroxidase with benzidine and stability of blue reaction product .
J. Histochem. cyochem. 12:462-469, 1964 .

Taschdjian CL, Burchall JJ and Kozinn PJ :

Rapid identification of *C.albicans* by filamentation
on serum and serum substitutes.

A.M.A.J.Dis. child, 99:212, 1960.

Taschdjian CL :

Textbook of Dermatology. 2nd edition .

Blackwell. Sci. publ; Osney Mead, Oxford, 1964 .

Taschdjian CC, Kozinn PJ and Cardine :

Sabourdia, 3:310, 1969 .

Thompson L :

Notes on a selective medium for fungi.

Proc.Mycclin. 20:248, 1945 .

Todd, Sandford, Davidson :

Textbook of clinical diagnosis and mangment by lab.
methods.vol.11, 17 edition .

Med.Mycology : 1145, 1984 .

Toussaint AJ and Amderson RI :

Soluble antigen fluorscent-antibody technique.

Applied Microbiology, 13:552-57, 1965.

Valdimarsson H, Vanarva MH and Hobbs RS :

Immune abnormalities associated with chronic mucocute-
nous Candidasis.

Cellular Immunology, 6 : 348, 1973 .

Voller A, Bidwell DE and Bartlett, A:

The enzyme linked immunosorbent assay (ELISA).
A Guide with abstracts of Microplate applications.
J. Chem. Soc. 105:2501, 1979.

Walker L and Huppert M :

A rapid available technique for identification of *C. albicans* .
Amer. J. Clin. Path. 31:551, 1959.

Waren RC, Barlett A and Bidwell DE :

Diagnosis of invasive candidiasis by enzyme immuno-
assay of serum antigen.
J. Med. 1/6070: 1183, 1977.

Weiner MH and Yount WJ :

Mannan antigenemia in diagnosis of invasive candida
infections.
J. clin. Invest. 58:15:1045, 1967 .