

REFERENCES

Abdou, M.M. (1986) :

Antibodies to herpes virus hominis in mal-nourished Egyptian children. Master degree Thesis accepted by the Faculty of Medicine, Al-Azhar University.

Afifi, N.; Gaffar, T.M.; Osman, M.; Gad, W. and Hilal, S. (1987) :

Herpes virus antibodies in carcinoma of the cervix in Egyptian females. Med. J. Cairo University, 55 : 50.

Allison, A.C.; Harington, J.S. and Birbeck, M. (1966):

An examination of the cytotoxic effect of silica on macrophages. J. Exp. Med., 124:141.

Andervont, H.B. (1927) :

Activity of herpes virus in mice. Am. J. Hyg., 14 : 383

Arsenakis, M.; Tomasi, L.F.; Speziali, V.; Roizman, B. and Campadelli-Fiume, G. (1986) :

Expression and regulation of glycoprotein C gene of herpes simplex virus-I Resident in a clonal L-cells line. J. Virol. 58(2) : 367.

Ashley, R.; Benedetti, J. and Grey, L. (1985) :

Humoral immune response to HSV-I & HSV-II viral proteins in patients with primary genital herpes. J. Med. Virol. 17 : 153.

Bader, C.; Crumpacker, C.S. and Schnipper, L.E. (1978) :

The natural history of recurrent focial-oral infections with herpes simplex virus. J. Inf. Dis., 138 : 897.

Balachandran, N.; Harnish, D.; Rawls, W.E. and Bacchettis, S. (1982) :

Glycoproteins of HSV-II as defined by monoclonal antibodies. J. Virol., 44 : 344.

Bard, V.C.; Person, S. and Warner, S.C. (1982) :

The isolation and characterization of mutants of herpes simplex virus type-I that induce cell fusion. J. Gen. Virol., 61:245.

Bishop, G.A.; Kumel, G.; Schwartz, S.A. and Glorioso, J.C. (1986) :

Specificity of human natural killer cells in limiting dilution cultures for determinants of herpes simplex virus type-I glycoproteins. J. Virol., 57 : 294.

- Black, F.L. (1975) :
Infectious diseases in primitive societies.
Science, 187 : 515.
- Black, F.L.; Hierholzer, W.J. and Pinheiro, F. (1974):
Evidence for persistence of infectious
agents in isolated human populations. Am.
J. Epidemiol., 100 : 230.
- Braun, D.K.; Roizman, B. and Pereira, L. (1984) :
Characterization of post-translational pro-
ducts of herpes simplex virus gene 35 pro-
teins binding to the surface of full capsids
but not empty capsids. J. Virol., 49 : 142.
- Breinig, M., Kingsley, L.; Armstrong, J. and Freeman,
D. (1990) :
Epidemiology of genital herpes in Pittsburgh
serologic, sexual and racial correlates
of apparent and inapparent herpes simplex
infections. J. Inf. Dis., 162 : 299.
- Bzik, D.J.; Fox, B.A.; Deluca, N.A. and Person, S.
(1984) :
Nucleotide sequence of a region of the her-
pes simplex virus type-I gB glycoprotein
gene: mutations affecting rate of virus
entry and fusion. Virology, 137 : 185.

Carter, V.C.; Shaffer, P.A. and Tevethia, S.S. (1981):

The involvement of herpes simplex virus type-I glycoproteins in cell mediated immunity. J. Immunol., 126 : 1655.

Cereda, P.M.; Debiaggi, M. and Perduca, M. (1985):

Herpes simplex virus infections affected by dental caries. Microbiologica. 8:289.

Deever, W.; Corey, L.; Adams, H.; Vontver, L. and Holmes, K. (1981) :

Risk of recurrence after first episode of genital herpes: Relation to HSV type-II and antibody response. N. Engl. J. Med., 305 : 315.

Dix, R.; Periera, L. and Baringer, J. (1981) :

Use of monoclonal antibodies directed against herpes simplex using glycoproteins to protect mice against acute virus-induced neurological disease. Inf. and Immunol., 34 : 192.

Docherty, J.J. and Chopan, M. (1974) :

The latent herpes simplex virus. Bacteriological Reviews. 38 : 337.

Dodd, K.; Johnson, L.M. and Baddingh, G.J. (1938):
Herpetic Stomatitis. *Pediat.*, 12 : 95.

Douglas, R.G.Jr. and Couch, R.B. (1970) :
A prospective study of chronic herpes simplex virus infections and recurrent herpes labialis in humans. *J. Immunol.*, 104 : 289.

Dunkle, L.M.; Schmidt, R.R. and O'Connor, D.M. (1979):
Neonatal herpes simplex infections possibly acquired via maternal breast milk. *Pediatrics*, 63 : 150.

Eagle, H. (1955) :
Nutrition needs in mammalian cells in tissue culture. *Science*, 122 : 501.

Earle, W.R. (1943) :
Production of malignancy in vitro. The mouse fibroblast cultures and changes seen in the living cells. *J. Nat. Cancer Inst.*, 4 : 165.

Eberle, R. and Mou, S.W. (1983) :

Relative titres of antibodies to individual polypeptide antigen of herpes simplex virus type-I & type-II in human sera. J. Infect. Dis., 3 : 436.

Eisenberg, R.J.; Lang, D.; Ponce de Leon, M.; Mathews, J.T.; Spear, P.G.; Gibson, M.G.; Lasky, L.A.; Berman, P. et al. (1985) :

Localization of epitopes of herpes simplex virus type-I glycoprotein-D. J. Virol., 53 : 634.

El-Falaky, I.H.; Vestergaard, B.F. and Hornsleth, A. (1977) :

IgG, IgA and IgM antibody responses in patients with acute genital and non-genital herpetic lesions determined by indirect fluorescent antibody method. Scand. J. Inf. Dis., 9 : 79.

Friedman, M.G. and Kimmel, N. (1982) :

Herpes simplex virus specific serum IgA: Detection in patients with primary or recurrent herpes infections and healthy adults. 37 (1) : 374.

Gabral, G.; Fry, D.; Humpkin, C.; Mercer, L. and
Goplerud, D. (1983) :

A herpes virus antigen in human premalignant
and cervical biopsies and explants. Am.
J. Obstet. Gynaecol., 1 : 145 (1) : 79.

Gidlund, M.; Orn, A.; Wigzell, H.; Senik, A. and
Gresser, I. (1978) :

Enhanced NK-cell activity in mice injected
with interferon inducers. Nature, 273:759.

Gilman, S.C.; Docherty, J.J. and Rawls, W.E. (1981):
Antibody response in humans to individual
proteins of herpes simplex viruses. Infect.
Imm., 34 : 880.

Glezen, W.P.; Fernold, G.W. and Lohr, J.A. (1975):
Acute respiratory disease of university
students with special reference to the etio-
logic role of herpes virus hominis. Am.
J. Epidemiol., 101 : 111.

Glorioso, J.C.; Wilson, L.A.; Fenger, T.W. and Smith, J.W. (1978) :

Complement-mediated cytolysis of HSV-I & HSV-II infected cells: plasma membrane antigens reactive with type-specific and cross reactive antibody. J. Virol., 40 : 443.

Gompels, U. and Minson, A. (1986) :

The properties and sequence of glycoprotein-H of herpes simplex virus type-I. Virology, 153 : 230.

Gompels, U. and Minson, A. (1989) :

Antigenic properties and cellular localization of herpes simplex virus glycoprotein-H synthesized in a mammalian cell expression system. J. Virol., 63 (11) : 4744.

Guinan, M.E.; Wolinsky, S.M. and Reichman, R.C. (1985) :

Epidemiology of herpes simplex virus infection. Epidemiol. Review, 127 : 146.

Habu, S.; Akamatsu, K.; Tamaoki, N. and Okumura, K. (1984) :

In vivo significance of NK-cells on resistance against HSV-I infection in mice. J. Immunol., 133 : 2743.

Hadar, T. and Sarov, I. (1984) :

Specific IgG and IgA antibodies to herpes simplex virus-induced surface antigen in patients with HSV-infection and in healthy adults. J. Med. Virol., 14 : 201.

Halpern, B.; Frag, Y.; Crepin, O.; Plastica, A.; Lorinet, A.M.; Rabourdins, A.; Sparros, L. and Isaac, R. (1973) :

Immunopotential, Vol. 18, Ciba foundation symposium, Associated scientific publishers, Amsterdam, P. 217.

Hanks, J.H. and Wallace, R.E. (1949) :

Relation of oxygen and temperature in the preservation of tissue by refrigeration. Proc. Soc. Exp. Biol. Med., 71 : 196.

Hausen, H.Z. (1982) :

Human genital cancer: Synergism between two virus infections or synergism between a virus infection and initiating events. The Lancet. 18 : 1370.

Heberling, R.L. and Kalter, S.S. (1986) :

Rapid dot immunobinding assay on Nitro-cellulose for viral antibodies. J. Clin. Microb., 23 (1) : 109.

Herberman, R.B. (1980) :

Natural cell mediated immunity against tumours, Herbern R.B. ed., Academic Press.

Highlander, S.L.; Dorney, D.J.; Gage, P.J.; Holland, T.C.; Cai, W.; Person, S. et al. (1989): Identification of mar mutations in herpes simplex virus type-I glycoprotein-B, which alter antigenic structure and function in virus penetration. J. Virol., 63 (2) : 730.

Highlander, S.L.; Sutherland, S.L.; Gage, P.J.;
Johnson, D.C.; Levine, M. and Glorioso,
J.C. (1987) :

Neutralizing monoclonal antibodies specific
for herpes simplex virus glycoprotein-D
inhibit virus penetration. J. Virol.,
61 : 3356.

Hill, T.J. and Blyth, W.A. (1976) :

An alternative theory of herpes simplex
recurrence and a possible role for prosta-
glandins. Lancet I : 397.

Hirsch, J.G. and Fedorko, M.E. (1970) :

Morphology of mouse mononuclear phagocytes,
In Mononuclear phagocytes. Von Furth, R.
Ed., Blackwell Scientific Publications,
Oxford, P. 7.

Horohov, D.; Wyckoff, J.; Moore, R. and Rouse, B.
(1986) :

Regulation of HSV specific cell mediated
immunity by a specific suppressor factor.
J. Virol., 58 (2) : 331.

- Isaacs, A. and Lindenmann, J. (1956) :
Virus interference I. The interferons. Proc.
Roy. Soc. Ser. B, 147 : 258.
- Isola, V.J.; Eisenberg, R.J.; Siebert, G.R.; Heilman,
C.J.; Wilcox, W.C. and Cohen, G. (1989):
Fine mapping of antigenic site II of herpes
simplex virus glycoprotein D. J. Virol.,
63 (5) : 2325.
- Jawetz, E.; Melnick, J.L. and Adelberg, E.A. (1980):
Herpes virus family. Review of Med. Microb.,
38 : 484.
- Johnson, R.T. (1964) :
The pathogenesis of Herpes virus encephalitis II. A cellular basis for the development of resistance with age. J. Exp. Med.,
51 : 312.
- Johnson, A.; Salimonu, L. and Osunkoya, A. (1981):
Antibodies to herpes virus hominis types
I & II in malnourished Nigerian children.
Arch. Dis. of Child., 56 : 45.
-

Johnson, R.M.; Lancki, D.W.; Fitch, F.W. and Spear, P.G. (1990) :

Herpes simplex virus glycoprotein-D is recognized as antigen by CD₄⁺ and CD₈⁺ lymphocytes from infected mice. J. Immunol. 145 (2) : 702.

Johnson, R.; Nahmias, A.J.; Magder, L.; Lee, F.K.; Brooks, C. and Snowden, C. (1989) :

A sero-epidemiological survey of the prevalence of herpes simplex virus type-II in the United States. N. Engl. J. Med., 321 : 7.

Jordan, S.W.; Evangel, E. and Smith, N.L. (1972):

Ethnic distribution of cytologically diagnosed herpes simplex genital infection in a cervical cancer screening program. Acta. Cytol., 16 : 363.

Kalimo, K.O.K.; Mantilla, R.J.; Granfors, K. and Viljanen, M.K. (1977) :

Solid phase radioimmunoassay of human IgM & IgG antibodies against herpes simplex virus type-I capsid, envelope and excreted antigen. Infection and Immunity, 130 : 883.

Kapoor, A.K.; Nash, A.A.; Wildy, P.; Phelan, J.; McLean, C.S. and Field, H.J. (1982) :
Pathogenesis of herpes simplex virus in congenitally athymic mice: The relative roles of cell mediated humoral immunity. J. Gen. Virol., 60 : 225.

Killington, R.A.; Newhook, L.; Balachandran, N.; Rawls, W.E. and Bachetti, S. (1981) :
Growth, assay and purification of herpes viruses. J. Virol. Methods. 2 : 223.

Klein, R.J. (1982) :
The pathogenesis of acute, latent and recurrent herpes simplex virus infections. Arch. Virol., 72 : 143.

Kohl, S.; Adam, E.; Matson, D.O.; Kaufman, R.H. and Dreesman, G.R. (1982) :
Kinetics of human antibody response to primary genital herpes virus infections. Intervirology, 18 : 164.

Kohl, S.; Loo, L.S. and Pickering, L.K. (1981) :

Protection of neonatal mice against herpes simplex viral infections by human antibody and leukocytes from adult but not neonatal humans. J. Imm., 127 : 1273.

Kohl, S.; Starr, S.E.; Oleske, J.M.; Shore, S.L.;

Ashman, P.B. and Nahmias, A.J. (1977) :
Human monocyte-macrophage mediated antibody dependent cytotoxicity to herpes simplex virus infected cells. J. Immunol., 118:729.

Lee, C.K. and Knipe, D.M. (1983) :

Thermolabile in-vivo DNA binding activity associated with a protein encoded by mutants of HSV-I. J. Virol., 46 : 909.

Lopez, C.; Fitzgerald, P.A. and Siegal, F.P. (1983):

Severe acquired immunodeficiency syndrome in male homosexuals: Diminished capacity to interferon in-vitro associated with susceptibility to opportunistic infections. J. Inf. Dis., 148 : 962.

Lopez - Guerrero, J.A.; Alarcon, B. and Fresno, M.
(1988) :

Mechanism of recognition of herpes simplex
virus type-I infected cells by natural
killer cells. J. Gen. Virol., 69 (11):2859.

Lowhagen, G.; Jansen, E.; Nordenfelt, E. and Lycke,
E. (1990) :

Epidemiology of genital herpes infections
in Sweden. Acta. Derm. Ven., 70 : 330.

Mackem, S. and Roizman, B. (1982) :

Regulation of α -gene of herpes simplex virus:
The α -27 gene promotor-thymidine kinase
chimerais positively regulated in converted
L cells. J. Virol., 43 : 1015.

Mann, D.R. and Hilty, M.D. (1982) :

HSV-I polypeptides and glycoproteins in
primary and recurrent infection. Pediat.
Res., 16 : 176.

- Marlin, S.D.; Highlander, S.L.; Holland, T.C.; Levine, M. and Glorioso, J.C. (1986) :
Antigenic variation (mar-mutations) in herpes simplex virus glycoprotein-B can induce temperature dependent alterations in gB processing and virus production. J. Virol., 59 : 142.
- McDougall, J.K.; Galloway, D.A. and Fenoglis, C.M. (1980) :
Cervical carcinoma, detection of HSV RNA in cells undergoing neoplastic change. Int. J. Cancer. 25 : 1.
- McGeoch, D.J.; Dolan, A. and Frame, M.C. (1986) :
DNA sequence of the region in the genome of herpes simplex virus type-I containing exonuclease gene and neighbouring genes. Nucleic Acid Research. 25, 14 (8) : 3435.
- McKendall, R.; Klassen, T. and Baringer, J. (1979):
Host defenses in herpes simplex infections of the nervous system. Effect of antibody on disease and viral spread. Inf. and Imm., 23 : 305.
-

Mertz, G.J.; Asley, R.; Burke, R.L.; Benedetti, J.;
Crilchlow, C.; Jones, C.C. and Corey, L.
(1990) :

Double blind placebo controlled trial of
a herpes simplex virus-II glycoprotein va-
ccine in persons at high risk for genital
herpes infections. J. Inf. Dis., 161(4):653.

Mertz, G.J.; Peterman, G.; Ashley, R.; Jourdan, J.L.
Salter, D.; Morrison, L.; McLean, A. and
Corey, L. (1984) :

Herpes simplex virus type-II glycoprotein
subunit vaccine: tolerance and humoral and
cellular responses in human. J. Inf. Dis.,
150 : 242.

Meyer - Elliott, R.H.; Pecttit, T.H. and Maxwell,
A. (1980) :

Viral antigens in the immune ring of herpes
simplex stromal keratitis. Arch. Ophthalmol.
98 : 897.

Mogensen, S.C. (1978) :

Macrophages and cell dependent resistance
to hepatitis induced by HSV-II in mice.
Infection & Immunol., 19 : 46.

- Nahmias, A.J.; Josey, W.E.; Naib, Z.M.; Luce, C. and Duffey, C. (1970) :
Antibodies to herpes virus hominis types I & II in humans. Am. J. Epidemi., 91 : 539.
- Nahmias, A.J. and Roizman, B. (1973) :
Infection with herpes simplex viruses I & II. N. Engl. J. Med., 289 : 667 and 781.
- Norrild, B. (1980) :
Immunochemistry of herpes simplex virus glycoproteins. Curr. Top. Microb. Imm. 90 : 67.
- Norrild, B.; Pedersen, B. and Møller-Anderson, S. (1982) :
Herpes simplex virus specific secretory IgA in lacrimal fluid during herpes keratitis. Scand. J. Clin. Lab. Investig., 161 : 29.
- Norrild, B.; Shore, S.L. and Nahmias, A.J. (1979):
Herpes simplex virus glycoproteins. Participation of individual herpes simplex virus I glycoprotein antigens in immunocytolysis and their correlation with previously identified peptides. J. Virol., 32 : 741.
-

Norrild, B. and Teglbjaerg, C.S. (1984) :

Immunological reactivity and specificity of herpes simplex virus proteins. *Herpes viruses*, 23 : 35.

Oberle, M.; Rosero-Bixby, L.; Lee, F.; Sanchez - Bravermann, M.; Nahmias, A.J. and Guinan, M. (1989) :

Herpes simplex virus type-II infection in Costa-Rica, high prevalence in monogamous women. *Am. J. Trop. Med. Hyg.*, 41 : 224.

Oleske, J.M.; Ashman, R.B.; Kohl, S.; Shore, S.L.; Starr, S.E.; Wood, P. and Nahmias, A.J. (1977) :

Human polymorphnuclear leucocytes as mediators of antibody dependent cellular cytotoxicity to herpes simplex virus infected cells. *Clinic. Exp. Imm.*, 27 : 446.

Ortaldo, J.R. and Herberman, R.B. (1984) :

Heterogenity of natural killer cells. *Annual Review of Imm.*, 2 : 359.

Overall, J.C., Jr. (1984) :

Herpes simplex virus latency and reactivation: human disease animal models correlation. Herpes viruses, 145 : 158.

Pass, R.F.; Dworsky, M.E.; Whitley, R.J.; August, A.M.; Stagno, S. and Alford, C.A.Jr. (1981): Specific lymphocytes blastogenic responses in children with cytomegalovirus and herpes simplex virus infections acquired early in infancy. Infect. Immun., 34 : 166.

Pogue - Geile, K.L. and Spear, P.G. (1986) :

Enhanced rate of conversion or recombination of markers within a region of unique sequence in the herpes simplex virus genome. J. Virol., 58 (2) : 704.

Ratner, J. and Smith, K. (1980) :

Serum antibodies to herpes simplex virus type-I during active oral herpes infection. Inf. and Immunol., 27 : 130.

Rawls, W.E.; Adam, E. and Melnick, J.L. (1972) :
Geographical variation in the association
of antibodies to herpes virus type-II and
carcinoma of the cervix. Int. Agency for
Research on Cancer, 424.

Rawls, W.E. and Compione-Piccardo, T. (1980) :
Epidemiology of HSV types I & II. In Nahmias,
A., Dowble, N. and Schinazi, R. (eds.).
"The human herpes viruses". An interdisci-
plinary prospective. New York, Elsevier,
North Holland, P. 137.

Rawls, W.E.; Iwatnoto, K.; Adam, E. and Melnick,
J.L. (1970) :
Measurement of antibodies to HSV I & II
in human sera. J. Immunol., 104 : 599.

Reed, L. and Muench, H. (1938) :
A simple method of estimating fifty percent
end points. Am. J. Hyg., 27 : 493.

Roane, P.R.Jr. and Roizman, B. (1964) :

Studies of the determinant antigens of variable cells II. Demonstration of altered antigenic reactivity of HEp-2 cells infected with herpes simplex virus. Virology, 22:1.

Roizman, B.; Norrild, B.; Chan, P. and Pereira, L. (1984) :

Identification and preliminary mapping of a unique herpes simplex virus-II glycoprotein with monoclonal antibodies. Virology, 133 : 242.

Schmidt, N.J. (1979) :

Cell culture techniques for diagnostic virology. Viral, Rickettsial and chlamydial infections. 3 : 65.

Schrier, R.D.; Pizer, L.I. and Moorhead, J.W. (1983):

Type specific delayed hypersensitivity and protective immunity induced by isolated herpes simplex virus glycoprotein. J. Immunol., 130 : 1413.

- Sethi, K.K.; Omata, Y. and Schneeweis, K.E. (1983):
Protection of mice from fatal herpes simplex
virus type-I infection by adoptive transference
of cloned virus specific H-2 restricted
cytotoxic T-lymphocytes. J. Gen. Virol.,
64 : 443.
- Ship, I.; Morris, A.L.; Durocher, R.T. and Burket,
L.W. (1960) :
Recurrent aphthous ulcerations and recurrent
herpes labialis in a professional school student
population. Oral Surg. Oral Med. Oral Path.
13 : 1191.
- Shore, S.L.; black, C.M.; Melewics, F.M.; Wood, P.A.
and Nahmias, A.J. (1976) :
Antibody dependent cell mediated cytotoxicity
to target cells infected with type
I & type II HSV. J. Immunol., 116 : 194.
- Skinner, G.R.; Woodan, C.B.; Hartly, C.E.; Buchan,
A. and Fuller, A. (1982) :
Preparation and immunogenicity of vaccine
AcNFU (S⁻) MRC, towards the prevention of
herpes genitalis. Br. J. Vener. Dis., 58:381.

Stanberry, L.R.; Bernstein, L.I.; Burke, Pachl, C.
and Myers, M.G. (1987) :

Vaccination with recombinant herpes virus glycoprotein: protection against initial and recurrent genital herpes. J. Inf. Dis., 155 : 914.

Stanwick, T.L.; Campbell, D.E. and Nahmias, A.J.
(1980) :

Spontaneous cytotoxicity mediated by human monocytes-macrophages against human fibroblasts infected with HSV augmentation by interferon. Cell. Immunol., 53 : 413.

Stiehm, E.R.; Kronenberg, L.H.; Rosenblott, H.M.;
Bryson, Y. and Merigan, T.C. (1982) :

Interferon: Immunobiology and clinical significance. Ann. Inter. Med., 96 : 80.

Sullender, W.M.; Miller, J.L. and Yasukawa, L.L.
(1987) :

Humoral and cell mediated immunity in neonates with herpes simplex virus infection. J. Infect. Dis., 155 : 28.

Timbury, M.C. (1983) :

Herpes virus diseases. Notes on Medical Virology. 10 : 75.

Virelizier, J.L. (1981) :

Viral infections in patients with selective disorders of the interferon system. Fifth International Congress of Virology, P. 152.

Walzman, M. and Wade, A.A.H. (1989) :

Labial adhesions after genital herpes infections. Genitourin Med., 65 : 401.

Whitley, R.J. (1984) :

Herpes simplex virus infections of CNS. Herpes Viruses, 71 : 90.

Whitley, R.J. (1990) :

Herpes simplex viruses. Virology, second edition by Fields, B.N. Raven Press Ltd. New York, Volume 2 (66) : 1843.

Yasukawa, M.; Inatsuki, A. and Kobayashi, Y. (1989):

Differential in vitro activation of CD_4^+ CD_8^- and CD_8^+ CD_4^- herpes simplex virus specific human cytotoxic T-cells. J. Immunol. 143 (6) : 2051.

- Yasukawa, M.; Shiroguchi, T. and Kobayashi, Y. (1983):
HLA restricted T-lymphocyte-mediated cyto-
toxicity against herpes simplex infected
cells in humans. Infect. Immunol., 40:190.
- Yasumura and Kawakita, Y. (1963) :
Studies on SV₄₀ in relationship with tissue
culture. Nippon Rinsho. 21 : 1201.
- Young, T.; Rimm, E. and D'Alessio (1988) :
Cross sectional study of recurrent herpes
labialis (prevalence and risk factors).
Am. J. Epidem., 127 (3) : 612.
- Younger, J.S. (1954) :
Monolayer tissue cultures. Preparation and
standerdization of suspensions of trypsin-
dispersed monkey kidney cells. Proc. Soc.
Exp. Biol. Med., 85 : 202.
- Zweerink, H. and Corey, (1982) :
Virus specific antibodies in sera from
patients with genital herpes simplex virus
infection. Inf. Immunol., 37 : 413.