

References

- Anderson et al 1976:

Anderson J.D., Forshaw, H.L. Adams,
M.A., Gillespie, W.A., and Sellin
M.A.(1976).

Pathogenesis of U.T.I. due to Micrococcus
subgroup 3 (staphylococcus
saprophyticus Biotype 3).

J. Med. Microbiol. Vol 9:317.

- Annear, D.I. , (1968):

Med . J. Aust. 1,444.

- Arbuthnott, J.P. (1970):

Staph. toxin in Microbial toxins.

Vol III, P. 189, edited by T.C. Montie.

- Arnett, E.N. and Roberts, W.C. (1977):

In: infections of prosthetic heart
valves and vascular Grafts p17. Ed.
by R.J. Duma university park press
Baltimore.

- Asscher, A.W., sussman, M., waters, W.E., Davis

R.H. and Chick, S.(1966):

urine as a medium for bacterial growth.
Lancet 11: 1027.

- Asscher et al (1978):

Asscher , A.W., Sussman, N. and Weiser
R.(1968):

Bacterial growth in human urine, in
urinary tract infection.

Ed. O'Grady F., Brum fitt W. oxford
univ. press London pp. 3.

- Atal et al (1970):

Atal P.R., K. Mukherjee and R.C.

Kulshrestha (1970):

Bacteruria a diagnostic problem.

Indian J. med Sci. 24:703.

- Auletta, A.E., and Kennedy, E.R. 1966.

Deoxyribonucleic acid base composition
of some members of the Micrococccae.

J. Bacteriol 92:28-34.

- Bailey et al (1972):

Bailey R.R., Gower, P.E., Roberts A.P.
(1973):

U.T.I. some recent concepts.

Cited from C.M.A. Journal, 107 & 316.

- Bailey, R.R. 1973:-
Significance of coagulase -ve staph.
in urine .
J. infect Dis. 127:179-182.
- Bailey et al (1978):
W. Robert Bailey, Elvyng. Scott
Micro organisms encountered in U.T.
70-74, 1978.
- Baird-parker, A.C. 1983.
A classification of micrococci and
staphylococci based on physiological
and biochemical test J.Gen. Microbiol
30 : 409 - 427.
- Baird - Parker, A.C. , 1965 aw.
The classification of staph. and micro-
cocci from world-wide sources.
J.Gen. Microbiol. 38:387.
- Baird - Parker, A.C. 1970
The relationship of cell wall compos-
ition to the current classification of
staphylococci and micrococci.
Intern J. Syst. Bacteriol. 20(4):
433-440.

- Baird-Parker, A.C. 1972:
Classification and ident. of staph.
and their resistance to physical
agents.
Cited from Cohen, J.C (ed). 1972 P. 1-24.
In the staph. Wiley interscience.
New York.
- Baird - Parkers, A.C. , 1974 a:
Micrococcaceae.
Bergey's maunal of determinative
bacteriology 8th ed, ed P.478 U.S.A.
Buchanan, R.E., Gibbons, N.E.
Williams, Wilkino Co./ Blatimore.
- Bayston, R., and S.R. Penny 1972:
Excessive production of mucoid substance
in staph. S₁₁A: a possible factor in
colonization of holter shunts. Dev.Med.
child.
Neuro. Suppl. 14:25-28.
- Beeson. P.B. (1957):
Experimental pyelonephritis.
Influence of local injury in different
parts of the kidney on susceptibility
to hematogenous infection.
J. Am. Phys. 65 : 112.

- Bergey's Manual of Determinative Baeteriology, 8th edition. Williams and Wilkins, Baltimore
- Blandy (1976):
 Blandy, A.M. (1976):
 Urology.
 Blackwell scient. publications Vol I.
- Blouse, L.E. , Lathrop, G.D. , Kolonel, L.N. and
 Brockett, R.M. Zbl Bakt. A 241,119.
- Bobitt, 1952, Porder, 1956, Ericesson, 1958, Perk
 off (1960).
 - . Bobitt, Ray, M.(1952) Secondry path-
 ological changes in polycystic kid-
 ney disease J.urol 50:131.
 - . Porder, K.A. and Girls H.Mc. C.(1956):
 A pathological study of 5 cases pyel-
 onephritis in the new born.
 Arch. Dis. children 31:303.
 - . Ericesson. Ivemark B.I. (1958):
 Renal dysplasia and pyelonephritis
 infants and children part 1.
 Arch Path 66-255.

- Braude and Semieniski (1978):
Braude A.J. and Semieniski J.S.(1968):
The influence of bacteriocins on
resistance^{to} infection by Gm^{-ve} bacteria
J. Clin Invest. 47:1763.
- Braude, A.L. (1982):
U.T.I. Medical microbiology and
infections diseases.
- Breckinridge , J.C. and M.S. Bergdoll 1971:
Outbreak of foodborn gastroentritis
due to coagulase negative enterotoxin
producing staphylococcus. N.Eng.
J.Med. 284:541 - 543.
- Brian J. Harrington and J. Michael Gay Dos.
Five-hour Novobiocin test for diff-
erentiation of coagulase negative
staphylococci .
J.Clin Microbiol Vol 19, P279-280.
- Brien et al (1962):
Brien G., Ellis L., Godzeski C.W.(1962):
Antimicrobial agents.
Chemotherap cited from lancet 1967
4:464.

- Bruin, Y., J. Fleurette, and F. Forey 1978.
Micromethod for biochemical identification of coagulase negative staph. J. Clin Microbiol 8.503-508.
- Buchanan and Gibbons (1974):
Buchanan, R.E., and Gibbons, N.E. eds (1974):
Bergey's manual of Determinative Bacteriology , 8th edition Williams and wilkins, Baltimore.
- Callaghan, R.P., S.J. Cohen, and G.T. Stewart (1961):
Septicaemia due to colonization spitz
Molter Values by staph. Br. Med J.
1:860 - 863.
- Campbell et al 1929:
Campbell. M.F. and lyttle, J.D.(1929):
Ureteral obstruction in infancy J.A.M.A.
92 : 544.
- Campbell , 1975:
Campbell, M.F. and Harison, J.H.(1975):
urology 4th ed.(1975) Publ.W.B. Saunders company, philadelphia-London-Toronto.

- Campbell (1978):

Campbell, M.F. and Harision, J.H.
(1978): Urology 4th edition Vol 1.
Publ W.B. Saunders Company, Phila-
delphia, london, Toronto.

- Carson; C.C. McGrow V.D., and Z. wadyk, P. (1982):

Bacterial prostatitis caused by.
Staph. Saprophyticus.
Urology 19:576. - 578.

- Chapra, I., Bennett, P.M. and Lacey ; R.W. -(1973)

J. gen-microbiol 79,343.

- Cluff and Jonson (1972):

Cluff, L.E. and Jonson, F J.E. (1972)
Clinical concepts of infectious
diseases. Butter worth publication.
London, pp. 268.

- Coetzee (1972):

Coetzee, J.N. (1972): Genetics of the
proteus group. Ann Rev. Microbiol.
26:23.

- Corfan, R.S., and Pennington, J.E. 1981
U.T.I. pyelonephritis and reflux
nephropathy The kidney Vol 1.,
Chapter 28 . 1571:1633.

- Cown, S.T., and steel, K.J. 1946.
Comparison of differentiating criteria
for staphylococci and micrococci.
J. Bacteriology 88. : 804-805.

- Creevy (1964):
Creevy, C.D. (1964): outline of urology
2nd ed Blakiston. outline series.
McGraw - Hill Book Company. N.Y.

- Cruickshank R., Dugrid, J.P., Marmion, B.P., and
Swain, R.H.A., (1982):
The practice of medical Microbiology.
12th ed Vol 2:356-366.

- Davidson, S.K., Keller, K.F. , and Doyle, R.J. 1982:
Differentiation of coagulase +ve and
Coagulase -ve staph by Lectins and
plant agglutinins. J. Clin Microbiol.
15 (4): 547-553.

- Dewardener (1967):

De wardener, H.B. (1967): An outline
of normal and abnormal structure and
function 3rd ed. J.A. Churchill L.T.D.
London.

- Digranes, A., and Oeding , P., 1975:

Characterization of Micrococcaceae
from the urinary tract
Acta. pathol. Microbiol. Scand. Sect. B.83:
373-381.

- Dismukes, W.E., Karchmer, A.W. , Buckley, M.J. Austen,

W.G. and Swartz, M.N. 1973.

Prosthetic valve endocarditis.

Circulation 48:365-377.

- Donald (1981):

Donald R. Smith proffessor of urology ,
university of California (1981).

Schistosomaises.

- Doren, G.V. Earls, J.E. Jenach, P.A., and parker D.S.

(1981):

Species identification and biotyping of
staphylococci by the API Staph. ident.
System.

J. Clin Microbiol . 17:260:263.

- Dudgeon 1908:
Dudgeon L.S. 1908 J. Path. Bacteriol 12.
242-57.

- Duguid, J.P. Marmion, B.P. Swain, R.H.A. (1983):
Medical microbiol.
13th ed. Vol 1 Microbial infections.
236-245 ; 595-596.

- Duthie, E.S. and Loreny, L.L; (1952):
J. Gen-Microbiol 6.95.

- Duthie, E.S. (1954 b):
J. Gen-Microbiol Epid 10, 437.

- Ekstedt, R.D., and Nungester W.J. (1955):
Proc.Soc.Exp. Biol., N.Y. 89:90.

- Elek, S.D., Levy, E.(1950):
The distribution of haemolysins and
pathogenic staph.
J. Path. and Bacteriol. 62:541.

- Elek, S.D. (1959):
Staph. Pyogenes and its relation to
disease Edinbuagh, Livingstone 767.
- Eng, R.H.K. Wang, C., Person, A., Kieh, T.E. and
Armstrong , D., 1982.
Species identification of Coagulase
-ve staph. isolated from blood
Cultures.
J. Clin, Microbiol 15 : 439-442.
- Evans, J.B. Bradford, W.L. Niven, C.F. 1955.
comments concerning the taxonomy of
general Micrococcus and Staphylococ-
cus,. Intern Bull Bacteriol. Nomen
Tax 5 61-66. Cited from Cohen J.O.(ed)
1972. In the staphylococci. Wiley -
Interscience. U.S.A.
- Evans, J.B., and Kloos, W.E. , 1972. Use of Shake
cultures a semisolid thioglycolate
medium for differentiating staphylo-
cocci from micrococci.
App. Microbiol 23 326-331.

- Fainstate (1963):
Fainstate, F.(1963): Effect of pregnancy
on ureters,.
Am. review - obstet-Gynecol survey
18.845.
- Fairbrother, R.W. (1940):
J. Path. Bact 50,84.
- Feigin, R.D.n, P.G. Shakelford, J. Compell ,T.O.
Lyles, M. Scheshter, and R.D. lins.
1973. Assessment of the role of
staphylococcus epidermidis as a
cause of otitis media.
pediatrics 52:569-576.
- Flügge, C. 1890
Microorganisms with special referances
to the etiology of the infectious dis-
eases . London : New Sydenham.
- Frank (1910)
Frank , K.(1910) Lymphatic connection
between the Appendix, caecum and the
right kidney "IPZ" Anatom.
Abt. 191. Cited from Arch. path 66;
255:1958.

- Franklin E.C. (1959):
Physico-Chemical and immunologic studies of gamma. globulins of normal human urine.
J. Clin Invest, 38:215.

- Fredericq, P. (1946):
C.R. Soc. Biol. Paris , 140, 1167.

- Freeman, R., and Hjerding, N., 1980
Species of coagulase - negative staphylococci isolated from catheter tips from open-heart surgery Patients. Thorax 35:359-362.

- Fusillo, M.H. and Weiss, D.L. 1959:
Qualitative estimation of staphylococcal deoxyribonuclease.
J. Bacteriol 78:520.

- Ganity, F.L. , Detrick, B., Kennedy; E.R. 1969:
Deoxyribonucleic acid base composition in the taxonomy of staphylococcus.
J. Bacteriol. 97:557-560.

- Gemmell , C.G. 1980 :
New developments among the coagulase
negative staphylococci Clin·Microbiol·
News1 2: 5-7.
- Gemmell, C.G. Dawson, ... J.E. 1982:
Identification of coagulase -ve staph.
with API staph System.
J. clin Microbiol 16:(5) 874:877.
- Giger et al 1984:
Giger, O., charilook , C.C. Cundy
K.R., (1984): Comparison of the
API staph. ident and DMS staph.
Trac system with conventional methods
for the identification of coagulase
-ve staphylococci 19(1):68.
- Gillespie, .A. and Alder, V.G. 1952:
Production of opacity in egg yolk
media by coagulase +ve staph.
J. pathol. Bacterial 64:187.
- Goldstein, J., and Roberts, J.W. 1982):
Microtube coagulase test for detection
of coagulase +ve staph.
J. Clin Microbiol 15 :848-851.

- Goldstein et al

Goldstein, J., Schulman., R., Kelley
E., McKinley., G., and Fung., Joan.
Effect of different media on deter-
mination of novobiocin resistance
for differentiation of coagulase
-ve staph. J. Clin Microbiol. Vol.
18 : 592-595.

- Gordon 1904-1905.:

Gordon, M.H. 1904 -1905 34th Ann Resp.
Med off Local Gov. Board Londonn, pp.
387:409.

- Gross, H. (1933):

Klin Wschr. 12,304.

- Gutman and Schaller (1967):

Gutman, L.T. and Schaller J. (1967):
Bacterial L-forms in relapsing U.T.I
Symposia of the society for general
microbiology 11:69 cited from the
lancet 1:990, 1967.

- Halbert, S. P., Swick, L. and Sonn, C., (1953):
J. Immunol. 70 , 400.

- Hale J.H. and Smith, W.(1945):
Brit J. Exp. Path. 26 ;209.

- Hartman, D.P., and Murphy, R.A. (1977):
Infect. Immun. 15; 59.

- Heddaeus, H., Hecsko P.B., and pulverer, G. 1979:
Evaluation of the lysostaphin suscept-
ibility test for the classif-
ication of staphylococci.
J. med. Microbiol 12:9-15.

- Helmhelz (1918):
Helmhelz H.F. and Beder.C.,(1918):
Experimental pyelitis in rabbit J.
urol 2:395.

- Herrdry W.F. (1976):
Recent advances in urology no 2.
Churchill Livingstone , Edinburgh,
London, New York.

- Hine (1922):

Hine, T.G.M. 1922 Lancet 2: 1380-82.

- Hinman (1974):

Hinman, R. (1974):

Urinary tract damage in children.
pediatrics 54:142.

- Hofstad, T. (1964): Acta path. Microbiol. scand.
61:558.

- Holt, R.J. (1971):

Lysozyme production by staph. and
micrococci

J. Med. Microbiol. 4 : 375-379.

- Holt, R.J. 1971:

The colonization of ventriculoatrial
shunts by coagulase -ve staph. p.
81-87 . In M. Finland, W. Marget and
K. Bartmann (ed) Bacterial infections:
Changes in their causative agents
trends and possible bases . Bayer
symposium 3rd ed Springer verlag
New York , Inc, New York.

- Hovelius, B., and Mardh, P., (1979):
U.T.I. caused by staph. Saprophyticus,
recurrences and complications.
J. Urol 122:645-647.

- Hurley, R. (1966):
Epidemic conjunctivitis in the newborn
associated with coagulase -ve staph.
J.Obstet-Gynecol Br. Common W. 73:
990-992.

- Jackman et al (1975):
Jackman, F.R. et al (1975): Urinary
infection and prostatectomy. British
J. Urol. 47.545.

- James et al (1976):
James J.A., Leiberman E., and Fine.
R.N. (1976):
Renal diseases in children 3rd ed.
Th C.V. Mosby Company St. Lewis, 143.

- Jawtez et al 1984:
Jawtez E., Melnick, J., Adelberg, E., A.,
Normal microbial flora of the human body
Review of Microbiology 16th ed 291-294.
medcial

- Jay, J.M.,¹ 1966:

production of lysozyme by staph. and its
correlation with three other extrac-
ellular substances.

J.Bacteriol. 91:1804-1810.

- Jeff W. Morgan 1983:

Abbreviated scheme for presumptive
ident. of staph. saprophyticus from
urine cultures .

J. Clin. Micro. Vol 18 ,1272-1274.

- Jevons M.P. (1961):

Brit. med. J., 1 124.

- John, F.,¹ Gramling P.D., and O'Dell N. (1978):

Species ident. of coagulase -ve staph.
from urinary tract isolates .

J.Clin. Microbiol 8:435-437.

- Jones and Edwards 1966:

Jones, G.W. and Edwards, S.J. (1966):

J.Dairy Res. 33,271.

- Kanffman et al (1970):
Kanffman D.B. , Katz R., and Mc Intosh
R.M. (1970):
Secretory IgA in U.T.D.
B.M.J. 4:463.

- Karchmer, A.W. and Swarty, M.N. (1977):
Infective endocarditis P58. Ed. by E.L.
Kaplan and A.V. Taranter American
heart association Dalles.

- Kashiba, S., Nurzu, K., Tanaka, S., Nozu, and Amano
T., 1959 Lysozyme an index of pathogenic
staph.
Biken's J. 2:250-55.

- Kass (1956):
Kass, E.H. (1956): Asymptomatic
infection of the urinary tract.
Trans. Ass. Am phys 96:56

- Kass (1960):
Kass, E.H. (1960) In the biology of
pyelonephritis edited by E.L.
Quinn and E.H. Kass, P.399.
Churchil London.

- Kass and Zangwill (1960):

Kass E.H. and zangwill D.P. (1960):
 use of D. methionine for reduction
 of bacterial counts in urine of
 patients with chronic U.T.I.
 Quinn . E.L. and kass E.U. Ed.,
 Boste..

- Kass, E.H. Trans Ass . Amer. Phys 69;56, (1960)

In the Biology of pyelonephritis,
 p.399.Ed by E.L. Quinn and E.H.

Kass Churchill, London .
 Kurin. G.M. , Southall, I. and Paquin,
 A.J. (1960).
 New Engl.J. Med. 263,817.

- Kerr (1973):

Kerr H., (1973):
 Urinary infection caused by Microc-
 occus subgroups 3.
 J. Clin. path. 26:918-920.

- Klesius, P.H, and V.T. Schuhardt 1968.

use of lysostaphin in the isolation
 of highly polymerized deoxyribonucleic
 acid and in the taxonomy of aerobic
 Micrococcaceae.
 J. Bacteriol 95:739-743.

- Kloos 1975:

Kloos, W.E. and Musselwhite, M.S.
1975:
Appl. Microbiology. 30:381-95.

- Kloos and Schleifer (1975a):

Kloos, W.E. , and Schleifer, K.H. 1975a
Isolation and characterization of
staphylococci from human skin.
II Description of four new species:
Staphylococcus warneri, Staph. capitis,
Staph. Hominis and Staph Stimulans.
Int.J. Syst. Bacteriol 25:62-79.

- Kloos, W.E. and Schleifer, J K.H. (1975a):

J.Clin Microbiol 1, 82.

Kloos, W.E. and Schleifer K.H.(1975b)
Int.Syst. Bact. 25:62.

- Kloos, W.E., and Schleifer, K.H. 1975b.

Simplified scheme for routine
identification of human staph. species
J. Clin. Microbiol. (1) 82-88.

- Kloos , W.E., and Smith, P.B. 1980.
Manual of Clinical Microbiol., 3rd ed.
American Society of Microbiol , Wash-
ington, D.C. Chapter 7:83-87.

- Kloos (1980):
Kloos, W.E., Wolfshohl, J.F. 1980 .
Abstr. Ann. Meet Am. Soc. Microbiol
94 (Abst).

- Kloos, W.E. and Wolfshohl, J.F. , 1982:
Ident of staph species with the API
staph-ident system
J.Clin-Microbiol 16 : 509 -516.

- Kocur, M., Bergan , T., Mortensen N., 1971.
DNA: base composition of gram-positive
cocci.
J.Gen-Microbiol 69: 167-183.

- Lachica, R.V.F., Hoeprich, P.D., and Genigeorgis,
C., 1971.
Nuclease production and lysostaphin
susceptibility of staphylococcus
aureus and other catalase positive
cocci.
App. Microbiol 21:823-826.

- Lapdes, J. (1973):

Pathophysiology of U.T.I. Mich. Med.
cont J. 39 :103 Cited from J. urol
(Baltimore) 112:383.

- Laughlin et al 1978:

Laughlin L.W. Farid, Z., Mansour,
N., Edman, D.C. and Higashi, G.I.
(1978):
Bacteruria in U.T. Shistosomiasis in
Egypt.
Am. J. Trop. Med., 27;916.

- Lewis, et al (1982):

Lewis J.F. S.R. Brake , D.J. Anderson
and G.N. Vredeveld.
urinary tract infection due to coagulase
negative staphylococcus:.
Am. J. Clin.Pathol, 77:736-739.

- Liekweg, W.G. , Jr, and L.J. Green field 1977

Vascular prosthetic infections:
Collected experience and results of
treatment surgery 81:335-342.

- Lindberg , V., Cloesson I., Hanson (1978):
Asymptomatic bacteruria in school
girls.
J. Paediatric.

- Lindblad, B.S. , and Ekengren, K (1969):
The long term prognosis of non-obstr-
uctive U.T.I. in infancy and child-
hood.
Amm. Pediat . Scand.

- Littlewood et al (1969):
Littlewood J.M., Kite, P. and Kite
B.A., (1964):
Arch-Dis-childh 44,617.

- Loeb, L. (1903 -1904):
J. Med-Res. 10, 407.

- Lominski, I., and Roberts, G.B.S. (1946):
J. Path-Bact 58,187.

- Longstein 1913:
Longstein L.(1913): Beitragezur kenntnis
der pyelitis in kidesathern. Mesche.Clin-
9:1491/ Cited from J. Clin-Invest-41
1760: 1962.

- Mabeck C.E. (1969):

Studies in U.T.I. , II: U.T.I. due
to coagulase -ve staph.

Acta Medica Scandinavica, 186, 186;
39-45.

- Mahajan, V.M., 1979:

Classification of staphylococci isolated from ocular tissues.

J. Clin-Path-32:396-398.

- Maki, D.G. (1981):

Nasocomial bacteraemia, an epidemiologic overview.

Am. J. Med-70:719-732.

- Marcus A. Krupp. (1982):

current medical Diagnosis, treatment
middle east edition.

- Marples 1965:

Marples, M.J. 1965:

The ecology of the Human Skin. Springfield. Thomas 970 pp.

- Marrie et al(1982):

Marrie T.J., C., Kwan, M.A. Noble,
A. West and L. Duffield.

Staph Saprophyticus as a cause of U.T.I.
J.Clin.Microbiol. 16:427-431.

- Marsik F.J., and S. Brake 1982.

Species identification and susceptibility
to 17 antibiotics coagulase negative
staphylococci isolated from clinical
specimens J. Clin.Microbiol 15:640-643.

- Martin C.M. and Bookarajian E.N. (1962):

Bacteruria prevention after indwelling
urinary catheterization .
Arch . Int. Med. 110 : 703.

- Maskell, R. (1974):

Importance of coagulase -ve staph.
as pathogens in U.T. Lancet, I.,
115-1158.

- Mccadyen, I.R. (1980):

Proc-R. Soc. Med. 73,227.

- McGeachie and Kennedy (1963):

McGeachie, J. Kennedy, A.C. (1963)
Simplified quantitative methods for
bacteruria and pyuria. Journal of
clinical pathology 16,32.

- Meers, P.D. (1974):

The Bacteriological exam. of urine;
a computer - aided study;
Journal of Hygiene, 72, 229-244.

- Migula, W. 1900 :

System der Bakterien 2. specielle
systematik der bakterien.
Jena, Germany: Fischer 1068 pp.

- Miles and Misra (1938):

Miles, A.A. & Misra, S.S. (1938):
Journal of Hygiene (London), 38,732.

- Mitchell (1964):

Mitchell R.G. (1964): U.T.I. due to
coagulase -ve staphylococci. Journal
of clinical pathology 17,105-106.

- Mitchell , R.G. , 1968:

Classification of staphylococcus
albus strains isolated from the
U.T.

J. Clin Path. 21:93-96.

- Moulin et al (1974):

Moulin, A., Flandrois, J.M., Fleurette
J. (1974): Rev. Epidem. Med. Soc. et
sante publ. pp. 427 Cited from Acta
paediatr. Scand. 65:81,1976.

- Much H. (1908):

Biochem . Z. 14,143.

- Namavar , F., de Graaff, and Maclaren, D.M.

1978b. Leeuwenhoek ned Tidschr.
44,425.

- National Committee for clinical laboratory

standard 1979:

Performance standards for antimicrobial
disc susceptibility tests approved
standard no.

ASM.2. 2nd ed National committee for
clinical laboratory standards,
Villanova Pa.

- Noble (1974):

Noble, W.C. , Someville, D.A. 1974;
Microbiology of human skin. London:
Saunders 341 pp.

- North and Miller 1966:

North J.D.K. and Miller, T.E.(1966):
Effect of protein intake on Bacterial
growth in the kidney In Abstracts of
3rd Interait.
Congress of Nephrology, Washington,
D.C. 2 : 248.

- Oeding, P., and Hasselgren , I.L. (1972):

Acta . path microbiol. Scand. B80,265.

- O'Leary, W.M., and Weld, J.T., 1964:

Lipolytic activities of staph. aureus
J. Bacteriol 88 :1356-1363.

- Ogston 1881:

Ogston, A. 1881. Br. Med , J. 1 : 329-75.

- Ogston, A. 1882:

J. Anat. 17:24-58.

- Paik , G. 1980:

Reagents , stains and miscellaneous
test procedures p. 1000-1024. In
E. lennette, A. Balows, W. Hausler,
Jr. and J. Truant(ed) Manual of clinical
microbiology 3rd ed. American society
for Microbiology Washington D.C.

- Parker, M.T. , and Hewitt, J.H. (1970):

Lancet i, 800.

- Passet 1885:

passet, J. 1885. Fortshr. Med .3:33-43.

- Patterson, F.P. , and C.S. Brown. 1972:

The McKeefauar total hip replacement
Preliminary results and complications
of 368 operations performed in 5
general hospitals.
J. Bone int. Surg 54:257-800.

- Pazin and Braude

Pazin, G.J. and Braude A.T. (1977):

Infectious diseases.

2nd ed 462-W.B.

Saunders Co. philadelphia, London, Toronto.
Mexico City, Sidney, Tokyo.

- Penfold, J.B. (1944):

J. Path Bact-56,247.

Pennock, C.A. and Huddy R.B., 1967

Phosphatase reaction of coagulase

~~va~~ staph and micrococci.

J.Path. Bacterial 93:685-688.

- Pereira (1962):

Pereira, A.T. (1962):Coagulase -ve
strains of staphylococcus possessing
antigen 51 as agents of U.I.

Journal of clinical pathology

15. 252 - 253.

- Perkoff, G.T. (1960):

Hereditary interstatial nephritis.

In Biology of pyelonephritis edited
by E.L. Qunin and E.H. Kass, Boston;
Little. Brown and Co. pp. 427.

- Porter, I.A. & Brodie, J.(1969):

Boric acid preservation of urine
samples British Medical Journal
1,353.

- Quain, E.L. Cox, F. and Drake, E.H. (1966):
J.Amer. med. Ass. 196.815

- Raymond, E.A. and Traub, W.H. ; 1970:
Identification of staphylococci
isolated from clinical material
App. Microbiol 19.:919.

- Micrococcaceae from the U.T. in pregnancy.
J. Clin.Path.20 :631-632.

- Rolleston, G.L. , Maling, T.M.J. and Hodson C.J.
(1974):
Arch Dis Childh 49 , 531

- Rommelkamp, C.H. Hesebicks, M.M. and Dingle, J.H.
(1950):
J. Exp. Med. 91,295.

- Rosenbach, F.J. 1884. Micro-organisms bei den
wound infections krankheiten des
Menschen Wiesbaden: Berg mann 122pp.

- Rosypal, S., Rosypalova, A., and Horejs, J. 1966:
The classification of micrococci and staphylococci based on their DNA base composition and Adansonian analysis. J. Gen-Microbiol. 44:281-292.

- Rubin, J.W. , W.A. Rodgers, H.M. Taylor, E.D. Everett B.F. prowant, L.V. Fruto and K.D. Nolph 1980.
Peritonitis during continuous ambulatory dialysis.
Ann. Intern-Med. 92:7-13.

- Sandvik, O., and Fossum, K. (1965):
Amer. J. Vet Res 26 ; 327.

- Satta, G., Varaldo, P.E. Tenca, M., and Radin, L. 1978.
The relevance of bacterial lytic activity in the taxonomy of the Micrococcaceae. failure of its production by Micrococcus and planococcus as opposed to staphylococcus. J. Gen-Microbiol. 109:385:388.

- Schleifer , K.H. , and Kloos, W.E. (1975b):
Int. J. Syst. Bact. 25, 50.

- Schindler C.A., and Shunardt, V.T. (1964):
Proc. nat. Acad. Sci, Wash. 51, 415.

- Schoenbaum, S.C., Gardner P., and Shillito J.
1975.
Infections of cerebrospinal fluid
shunts epidemiology, clinical mani-
festations, and therapy.
J. Infect . Dis. 131:543-552.

- Sellin et al 1975:
Sellin, M.A., Cooke, D.I. Gillespie,
W.A. Sylvester, D.G.H., and Anderson,
J.D.(1975): Micrococcal U.T. infec-
tions in young women.
Lancet, 2, 570-572.

- Sewell, C.M., Clarridge, J.E. young E.J. and Guthrie
R.K. -1982-
Clinical significance of coagulase
negative staph.
J.Clin.Microbiol 16:236-239.

- Shand et al (1970):

Shand. B.G., Niman C.C. and O'Grady
F.(1970):

Relation between residual urine volume
and response to treatment.

Lancet II : 1305.

- Silvestri, L.G. and Hill, L.R. , 1965:

Agreement between deoxyribonucleic
acid base composition and taxometric
classification of gram positive
cocci . J.Bacteriol .90:136-140.

- Simeberkoff , M.S., (1977):

In infective endocarditis p.46.

Ed. by E.L. Kaplan and A.V.

Taranta. American heart Association
Dalles.

- Sitges-creus, A.(1980):

Catheter species due to staph . epider-
midis during prenatal nutrition.

Surg.Gynecol.Obstet.151:481-483.

- Smith,W., Hale,J.H. and Smith, M.M.(1947):

Brit J. Exp. Path. 28,57.

- Speller, D.C.E., and R.G. Mitchell 1973 :
Coagulase-ve staph. Causing endocarditis
after cardiac surgery.
J.Clin.Path. 26 : 517 - 522.

- Stamey and Colleagues 1965 :
Stamey T.A., Gavan, D.E., and palmer, J.M.j :
The localization and treatment of urinary
tract infections; the role of bacteriocidal
urine levels as opposed to serum levels,
Medicine 44 : 1 - 36, 1965.

- Subcommittee on Taxonomy of staph. and Micrococci(1965):
Recommendations.
Int. J. syst. Bacteriol. 15 : 109 - 110

- Subcommittee, 1976 :
Minutes of the meeting 9 Sept 1975 :
Int. J. Syst. Bacteriol. 26 : 332 - 334.

- Talbot (1958) :
Talbot, H.S (1958) Role of ureter in
pathogenesis of ascending pyelonephritis.
J.A.M.A. 168 : 1595.

- Tapsall et al (1975) :

Tapsall P.C., Taylor, S.M., Bell D.D
Smith (1975) : Relevance of significant
bacteruria to aetiology and diagnosis
of U.T.I cited from Lancet 3 : 637.

- Taylor, W.I. (1971) :

Rapid detection of bacteria in urine.
Lab. Med., 2 : 29.

- Tirumarayanan, M.O., and Lund beck, H., 1968 C. :

Investigations on the enzymes and
toxins of staphylococci. Assay of lipase
using tween as the subtrate. Acta pathol.
Microbiol. Scand 72 : 263 - 276.

- Tirunarayanan, M.O., and Lund beck, H., 1968 d. :

Investigations on the enzymes and toxins of
staphyococci. Hydrolytic of triglycerides
and other esters by lipase. Acta. pathol.
Microbiol Scand. 73 : 437 - 449.

- Topely and Wilson's (1984) :

Principles of Bacteriology, Virology and
immunity. 7th ed. Vol 1. 219 : 237.

- Tselenus - Kotosowillis, A.D., Koliomichalis, M.P.,
and parpavassiliou, 1982 :

Acute pyelonephritis caused by staphylococcus
xylosus J.Clin Microbiol. 16 : 593 - 594.

- Turner, W.H., 1978 :

Purification and characterization of an
immunologically distinct delta haemolysin
from a common strain of staph. aureus.
Infection. Immunity 20 : 485 - 494

- Turner, W.H., and pickard, D.J., 1979 :

Immuological relationship between delta-
haemolysis of staph. aureus and coagulase
negative strains of staphylococci.
Infection immunity. 23 : 910 - 911.

- Valenton, M.J., Brubacker, and Allen H.F (1973) :
Staph. epidermidis (albus) endophthalmitis :
Arch, Ophthalmol. 89 : 44 - 96.
- Van Daranyi, J. 1925:
Arch. Hyg. 96 : 182 - 84.
- Vanbreuseghem, R. (1934) :
C.R.Soc. Biol. 116, 650.
- Varaldo, P.E., Grazi, G., Cisani, G., and Satta, G. 1979:
Routine separation of Staphylococci from Micrococci
based on bacteriolytic activity production.
J.Clin. Microbiol. 9 : 147 - 148.
- Varalda, P.E., Grazi, G., Soro, O., Cisani, G., and
satta, G., 1980:
Simplified lyogroup system, a new method
for routine identification of staphylococci :
description and comparison with three other
methods.
J. Clin. Microbiol. 12 : 63 - 68.

- Verneuil 1880 :

Arch. Gen. Med. 146 : 641 - 54.

- Walker, B.S., Derow, M.A., and Schaffer, N.K. (1948):

J. Bact. 56, 191.

- Weckman, B.G., and B.W. Cathin, 1957 :

Deoxyribonuclease activity of micrococci
from Clinical Sources. J. Bacteriol.
73 : 747 - 753.

- Welch 1891 :

Welch, W.H. 1891. Am.J.Med.Sci.
102 : 439 - 65.

- Williams, R.E.O. and Harper, G.J. (1946) :

Brit. J. exp. path. 27, 72; (1947)
J. path. Bact. 59, 69.

- Williams et al (1976) :

Williams D.H, M.E. Lund and D.J. Blazevic
Significance of urinary isolates of coagulase.
negative Micrococcaceae
J. Clin. Microbiol. 3 : 556 - 559 .

- Wilson, T.S., and Stuart R.D 1965 :

Staph. albus in wound infection and in
Septicaemia. Can. Med. Assoc. J.
93 : 8 - 16.

- Wilson, P.D., H.C. Amstutz, A.Czerniecki, E.A.

Salvati, and D.G. Mendes. 1972 :
Total hip replacement with fixation by
acylic cement. A preliminary study of
100 consecutive McKee - Farrar prosthetic
replacements.
J. Bone F. surg. 54 : 207 - 236.

- Wilson, P.D., Jr. E.A. Salvati, P. Aglietti, and

L.J. Kutner. 1973 :
The problem of infection in endo-prosthetic^c
surgery of the hip joint.
Clin. Orthop. Relat. Res. 96 : 213 - 221.

- Winberg et al (1974) :

Winberg, J., Anderson, H.J., Bergstrom,
T.Jacobsson, B., Larsson, H., Lincoln, K.(1974).
Epidemiology of symptomatic U.T.I in child-hood.
Acta pediatr. Scand suppl. 252 : 1.

- Winslow, C.E.A., Rogers, A.F. 1906 :

J. infect. Dis. 3 : 485 - 546.

- Winslow et al (1908) :

Winslow, C.E.A., winslow, A.R. 1908.
The systematic relationships of the
coccaceae. New York : Wiley. 300 pp.

- Wiseman, G.M (1970) :

The beta, and delta toxins of ~~staphylococcus~~
aureus in microbial toxins.
Vol III, P. 237, ed by Montie T.C., Kadis
S. and Ajl S.J. New York and London
Academic press.

- Youman (1975) :

Youman, G.P., M.D., Patreson P.Y., M.D.,
Sackett S.S.G., Sommers H.M., M.D.(1975) :
The biologic and clinical basis of
infectious disease W.B. Saunders Co. philad
London, Toronto.

- Zeirdt, C.H., and Gold, D.W., 1970 :

Deoxyribo nuclease - positive staphylococcus
epidermidis strains. Appl. Microbiol.
20 : 54.