

REFERENCES

- 1) **Abel MF, Sutherland DH, Wenger DR and Mubarak SJ (1994):** Evaluation of CT Scans and 3-D reformatted images for quantitative assessment of the hip. *J Pediatr Orthop*; 14:48-53.
- 2) **Aerkin AM and Katz JF (1956):** Effects of pressure on epiphyseal growth the mechanism of plasticity of growing bone. *J. Bone Joint surg.* 38-A:1056.
- 3) **Agnew PS (1997):** Evaluation of a child with ligamentous laxity. *Clin Podiatr Med Surg*; 14:117-130.
- 4) **Agnew PS (2001):** Metatarsus adductus and allied disorder in: McGlamry Ed, Banks. As. Eds. *Comprehensive textbook of foot and ankle surgery* 3rd ed. Lippincott Williams and Wilkins: 915:941.
- 5) **Allen WD, Weinter DS and Riley PM (1993):** The treatment of rigid metatarsus adductovarus with the use of a new hinged adjustable shoe orthosis. *Foot ankle*: 14:450-454.
- 6) **Axer A, Ryzetelny V and Styr J (1971):** torsional deformities of the femur in the rabbit. *J. Bone joint Surg*, 53-B:558.
- 7) **Bailey WH and, Wooley D (1976):** Femoral anteversion and toeing-in. preliminary report. *J. Bone Joint surg*: 58-B: 143.
- 8) **Banks HH and Green WT (1960):** Adductor myotomy and obturator neurectomy for the correction of adduction contracture of the hip in cerebral palsy. *J. bone joint surg.*, 42-A: 111, 1960.
- 9) **Banks SW and Evans EA (1955):** Simple transverse osteotomy and threaded pin fixation for controlled correction of torsion deformities of the tibia. *J. Bone Joint Surg.*, 37-A:193.
- 10) **Barr JS (1943):** Muscle transplantation for combined flexion internal rotation deformity of thigh in spastic paralysis. *Arch-surg*, 46:650, quoted by Ingram 1980.
- 11) **Bastard EA (1984):** A modified Furlong procedure for the correction of metatarsus adductus. *Contemp orthop* 8:19-23.
- 12) **Bennett JT, Bunnell WP and Mac Ewen GD (1985):** Rotational osteotomy of the distal tibia and fibula. *J. Pediatric Orth* 5:294-8.
- 13) **Berg EE (1986):** A reappraisal of metatarsus adductus and skewfoot. *J. bone joint surg.*, 68-A:1185.

- 14) **Berman A and Gartland JJ:** Metatarsal osteotomy for the correction of adduction of the for epart of the foot inchildren. J Bone joint surg Am; 53:498.
 - 15) **Berman L (1987):** Ultrasound assessment of femoral anteversion J. Bone Joint surg; 69-B: 268.
 - 16) **Berman L (1987):** Ultrasound assessment of femoral arteversion J. bone joint surg., 69-B: 268.
 - 17) **Bestard EA, Lal SR and Schoene HR (1977):** A modified Durlong procedure for the correction of metatarsus adducuts, Contemp Orthop; 8:19.
 - 18) **Bleck EE and Minaire P (1983):** Persistent medial deviation of the neck of the talus: a common cause of intoeing in children. J. pediatric orth. Vol.3 P149.
 - 19) **Bleck EE, (1983):** Metatarsus adductus: Classification and relationship to outcomes of treatment. J. Ped. orthop; 3:2-9.
 - 20) **Bleck, EE (1971):** Postural and gait abnormalities caused by hip flexion deformity in spastic cerebral palsy: treatment by iliopsoas recession, J. Bone joint surg., 53-A: 1468.
 - 21) **Blount WP (1937):** Tibia vara J. Bone Joint Surg; 19:1-29.
 - 22) **Blumel J, Eggers GWN, and Evans EB (1957):** Eight cases of hereditary bilateral medial tibial torsion in four generations J. bone joint surg., 39-B: 1198.
 - 23) **Bobroff ED, Chambers HG, Sartoris DJ, Wyatt MP and Sutherland DH (1999):** Femoral anteversion and neck-shaft angle in children with cerebral palsy. Clin Orthop; 364:194-204.
 - 24) **Boham M (1993):** Infantile deformities of the knee and hip. J. Bone joint surg; 15: 574.
 - 25) **Bowker P and Powell ES (1992):** A clinical evaluation of plaster of paris and eight synthetic fracture splniting materials. 23:13-20.
 - 26) **Browne RS and Paton DF (1979):** Anomalous insertion of the tibialis posterior tendon in congenital metatarsus varus. J Bone joint Surg. Br; 61:74.
 - 27) **Cappello T and Mosca VS (1998):** Metatarsus addutus and skewfoot. Foot ankle Lin; 3:683.
-

- 28) **Chapple CC (1950):** Response of bone to local and general disturbances. In Mitchell – Nelson's textbook of pediatrics, 5 th ed, W.E. Nelson, editor's Philadelphia, W.B. Saunders company: :1469.
 - 29) **Clementz BG (1989):** Assessment of tibial torsion and rotational deformity with a new fluroscopic technique. Clin-Orthop; Aug (245) :199-209.
 - 30) **Clementz BG and Magnusson A (1989):** Assessment of tibial torsion employing fluoroscopy, computed tomography. Acta-Radiol; Jan-Feb; 30(1):75-80.
 - 31) **Clementz BG and Magnusson A (1989):** Fluoroscopic measurement of tibial torsion in adults Arch-Orthop-Trauma Surg; 108(3): 150-300.
 - 32) **Couch WH JR, Derosa P and Throop FB (1977):** Adductor transfer for spastic cerebral palsy, , (Unpublished). Quoted by Ingram1977.
 - 33) **Crane L (1959):** Femoral torsion and its relation to toeing-in and toeing-out. J. Bone-joint surg., 41-A:421.
 - 34) **Crane, L. (1959):** Femoral torsion. J Bone Joint surg., 41-A:425.
 - 35) **Crawford AH (1987):** Foot and ankle problems, Orthop Clin North Am; 18:649-666.
 - 36) **Cumming RJ and Lovell WW (1988):** Operative treatment of congenital idiopathic talipes. J. Bone joint surg Am; 70:1108.
 - 37) **Dalinka MK, Coren G, Hensinger RN, et al:** Arthrography in blounts disease, radiology; 113:161-164.
 - 38) **Davids JR, Amanda D, Marshall MD, Friek SL et al (2003):** Femoral anteversion in children With crebral palsy. assessment with two and three dimensional computed tamography scans, J. Bone joint surg Ann 85:481-488.
 - 39) **Davies WR (1964):** Family studies and the cause of congenital clubfoot, talipes equino-varus. Talipes calcaneovalgus and metatarsus varus. J Bone Joint Surg Br; 46:445.
 - 40) **Davis WR (1969):** Talipes equinovarus. A review of 84 cases. After completion of treatment J. Bone joint surgery; 46-B : 464.
 - 41) **Davis WR, Little John A and Gormley J (1982):** Aetiology and Interrelationship of some common skeleton deformities J Med Genet; 19: 321 – 328.
-

- 42) **Delpach JM (1829):** De L'orthomorphie, Par rapport with l'Espece humaine, Paris, Gabon.:301. quoted by tachdjian1990.
- 43) **Dias LS, Jasty MJ and Collins P (1984):** Rotational deformities of the lower limb in myelomeningocele. J. Bone joint surg., 66-A: 215.
- 44) **Dietz A (1994):** Intoeing: fact, fiction, and opinion. Am Fam Physican; 50:1249.
- 45) **Donley BG:** Acquired hallux varus. Foot ankle int; 18:586.
- 46) **Dunlap K., Shands AR, Hollister LC, Guhl JS and Streite (1953):** A new method for determination of torsion of the femur. J. Bone Joint Surg., 35-A:299.
- 47) **Dunn DM (1952) :** Anteversion of the neck of the femur. J. Bone Joint surg; 34 – B: 181.
- 48) **El-Zorkani K (1970):** Orthopedic surgery. Dar AL-Maaref, Cairo. :224.
- 49) **Engel E, Erlick N, Krems I:** A Simplified metatarsus adductus angle J. Am Podiatry Assoc 73: 620-628.
- 50) **Engel OM, Saheli LT (1974):** Lower extremity rotational problems in children J. Bone joint surg: 54A : 39.
- 51) **Erlacher P (1922):** Deformierende prozesse der epiphyse gegent beikindern. Arth orthop un fall-chir; 20:81-86, Quoted by Saheli (1987).
- 52) **Fabry G, MacEwen GD and Shands AR (1974):** Torsion of the femur. A follow up study in normal and abnormal children J. Bone Joint surg, 55-A : 1726.
- 53) **Fabry G, MacEwen GD and Shands AR (1974):** Torsion of the femur. A follow up study in normal and abnormal conditions. J. Bone Joint Surg., 55-A 1726.
- 54) **Fabry G, MacEwen GD and Shands AR Jr (1973):** A study to determine the angle of anteversion of the neck of the femur. J Bone Joint Surg Am, 30:745-51.
- 55) **Fagan JP (1992):** Metatarsus adductus. In: De valentine SJ ed: foot and ankle disorders in children. New York: Churchill Livingstone 175 – 192.
- 56) **Fagan JP Metarsus adductus. In(1992):** DeValentine SJ, ed. Foot and ankle disorders in children. New York: Churchill Livingstone.175-192.

- 57) **Farsetti P, Weinstein SL and Ponseti IV (1994):** The Long term functional and radiographic outcome of untreated and non operatively treated. Metatarsus adductus. J. Bone Joint surg Am; 76:257.
- 58) **Ferguson AB (1975):** Orthopaedic surgery in infancy and childhood, 4 th ed Baltimore, Williams and Wilkine company :82, 102.
- 59) **Fixen JA (1983):** Metatarsus varus or adductus in children textbook of clinical orthopaedics, NH. Harris, Editor. Bristol, Wright Peg; P.147.
- 60) **Forriol CF, (1990):** The development of tibiofibular torsion, surg, Radiol. Anta, 12 (2):109-120.
- 61) **Fowler SB, Brooks Al and Parrish TF (1959):** The cavovarus foot. J Bone joint surg Am; 41:757.
- 62) **Gamble FO (1975):** Clinical foot roentgenology. Huntington, NY: RE Kreiger; 284 – 288.
- 63) **Ganley JV (1981):** Lower extremity examination of the infant. J Am Pediatric Asoc; 71:92-98.
- 64) **Ganley JV and Ganley TJ (1992):** Metatarsus adductus deformity. In: Mc glamry ED, Banks AS. Downey MS. Eds, comprehension text book of foot surgery, 2 nd ed. Baltimose: Williams and willikins: 829-852.
- 65) **Gelberman RH (1987):** Femoral anteversion. J. Bone Joint surg., 66-B:376.
- 66) **Ghali NN, Abberton MJ and Silk FF (1964):** The management of metatarsus adductus and supinatus. J Bone joint surg Br: 46-376.
- 67) **Ghali NN, Abberton MJ and Silk FF (1984):** The management of metatarsus adductus. J. Bone joint surg., 66-B:376.
- 68) **Ghali, N.N. Abberton,M.J.a and Silk, FF (1984):** The management of metatarsus adductus J. Bone joint surg., 66-B: 376.
- 69) **Giannestras NJ (1973):** Foot disorders, medical and surgical management 2 nd ed Philadelphia, 1ea 2 nd febiger:86, 93.
- 70) **Gloski A and Menelaus MB (1967):** The treatment of intoed gait in spina bifida patients by lateral transfer of the medial hamstring: Australian and newzealand. J. Surg, 46:157 quoted by Dias et al 1984.

- 71) **Goss CM (1973):** Gray's anatomy Philadelphia, Lea and Febiger, 36.
- 72) **Harris NH (1972):** Rotation deformities and their secondary effects in the lower extremities in children. J. Bone Joint surg. 54-B:172.
- 73) **Harris NH (1983):** Postgraduate textbook of clinical orthopaedics. Bristol, Wright PSG:220.
- 74) **Harty M (1983):** Foot disorders, medical and surgical management, 2 nd ed. Philadelphia, Lea and Febiger:32, 34,54.
- 75) **Hensinger RN (1976):** Rotational problems of the lower extremity. Postgrad Med 60:161-7.
- 76) **Hermann KL, Egund N (1997):** CT Measurement of anteversion in the femoral neck. The influence of femur positioning. ACTA Radiol; 38:527-32.
- 77) **Hernandez RJ and Poznanski AK (1985):** Femoral torsion orthop. Clin. North Am., 16:3.
- 78) **Herring M.D. (2002):** Femoral anteversion, Disorders of the femur in Tachdjian Pediatric Orthopedic, 3 rd ed: 783:786.
- 79) **Herring M.D. (2002):** Hallux Varus, Disorders of the foot in Tachdjian Pediatric orthopedics, 3 rd ed: 1019.
- 80) **Herring M.D. (2002):** Metatarsus adduction, congenital deformities disorders of the foot in Tachdjian Pediatric orthopedic, 3 rd ed: 901:905.
- 81) **Herring M.D. (2002):** Tibial torsion, Disorders of the leg in Tachdjian Pediatric Orthopedic, 3 rd ed: 863-807.
- 82) **Herzenberg JE, Carroll, Christofereen MR, et al (1988):** Clubfoot analysis with three-dimensional computer modeling, J.pediatric orth. 8:257.
- 83) **Heyman CH, Herndon CH and Strong JM (1958):** Mobilization of the tarsometatarsal and intermetatarsal joints for the correction of resistant adduction of the forepart of the foot in congenital clubfoot or congenital metatarsus varus. J Bone Joint surg Am;40:299-310.
- 84) **Hoiseth A, Reikeras O and Fonsteli E (1989):** Basic concepts of femoral neck anteversion: comparison of two definitions. Br. J. Radiol; 62:114-6.

- 85) **Hubbard AM, Davidson RS, Meyer JS et al (1996):** Magnetic resonance imaging of skewfoot. *J Bone Joint Surg Am*; 78:389-397.
- 86) **Hubbard DD, Staheli LT, Chew DF and Mosca JA (1988):** Medial femoral torsion and osteoarthritis. *Journal of Ped. Orthopaedics*, 8: 540-2.
- 87) **Hung SMK (1981):** Hip disorders in infants and children. Philadelphia, Lea and Febiger; P.16.
- 88) **Hunziker UA, Largo RH and Due G (1988):** Growth and development metatarsus adductus, Joint mobility access and rotation in preterm and term children 0-5 years of age, *Eur J Pediatr*; 148:19-23.
- 89) **Hutter GG, and Scott W (1949):** Tibial torsion. *J. Bone Joint Surg.*, 31-A:141.
- 90) **Ingram AJ (1980):** Cerebral palsy. In Campbell's operative orthopaedics, ed6, A.S. Edmonson and, A.H. Crenshaw, editors, St. Louis, C.V. Mosby company:1588, 1599.
- 91) **Jacobs JE (1960):** Metatarsus varus and hip dysplasia, *Clin-Orthop.*, 16:., quoted by Kumar and Mac-Ewen 1982.
- 92) **Jakob, R.P. Haertel M and Stussi E (1980):** Tibial torsion calculated by computerized tomography and compared to other methods of measurements. *J. Bone Joint Surg.*, 62-b:238.
- 93) **Kapandji IA. (1970):** The physiology of the joints, 2 nd ed. E & S livingstone, Edinburgh and London volume 2 P10-80.
- 94) **Karol LA (1997):** Rotational deformities in the lower extremities. *Curr opin pediatric*; 9:77.
- 95) **Kendrick R, Sharma N and Hassler W (1970):** Tarsometatarsal mobilization for resistant adduction of the forepart of the foot: a follow-up study. *J Bone Joint surg Am*; 52:61.
- 96) **Kingsley PC, and Olmsted KL (1948):** A study to determine the angle of ante-version of the neck of the femur *J. Bone Joint Surg.*, 30. A: 745.
- 97) **Kitaoka HB, weiner DS, Cook AJ and Askew MJ (1989):** Relationship between femoral anteversion and osteoarthritis of the hip. *Journal of Ped Orthopaedics*; 9:396 – 404.
- 98) **Kite JH (1950):** Congenital metatarsus varus. Report of 300 cases. *J. Bone joint surg.*, 32-A:500.

- 99) *Kite JH (1954)*: Torsion of the lower extremities in small children. J. Bone joint surgery 36-A: 511.
- 100) *Kite JH (1964)*: The clubfoot. New York: Grune and Stratton.
- 101) *Kite JH (1967)*: Congenital metatarsus varus. J Bone Joint Surg Am; 49:388-397.
- 102) *Kling TF, Hensinger RN (1983)*: Angular and torsional deformities of the lower limbs in children. Clin orth, 176; 136 – 47.
- 103) *Knight RA (1954)*: Developmental deformity of the lower extremities. J. Bone joint surg. 36-A:521.
- 104) *Knittel G and Staheli LT (1976)*: The effectiveness of shoe modifications for intoeing. Orthop. Clin. North AM, 7:1019.
- 105) *Krengel WF and Staheli LT (1992)*: Tibial rotational osteotomy for idiopathic torsion. Clin-orthop; (283); P285-9.
- 106) *Kumar SJ, and Macewen, GD (1982)*: Torsional abnormalities in children's lower extremities. Orthop. Clin. Nort,Am; 13 : 629-39.
- 107) *Lagasse DJ., and Staheli LT (1972)*: The direct radiographic measurement of femoral anteversion. A comparison of the fluoroscopic and biplane Roentgenographic methods of measurments. Clin. Orthop., 86:13.
- 108) *Lahoti Om (2002)*: Common disorders of the lower limb, Oxford textbook of Orthopedics and Trauma 1 st edition: 2538:39.
- 109) *Levine AM and Drennan JC (1982)*: Physiological bowing and tibia vara. The metaphyseal diaphyseal angle in the measurement of bowleg deformities. J. Bone Joint Surg. 64 A: 1158-1163.
- 110) *Lichtblau S (1975)*: Section of the abductor hallucis tendon for correction of metatarsus varus deformity. Clin. Orthop, 110:228.
- 111) *Lloyd-Roberts JC and Clark RC (1973)*: Ball and socket ankle joint in metatarsus adductus varus. J Bone joint Surg Br; 55:193.
- 112) *Lowe LW and Hannon MA (1973)*: Residual adduction of the forefoot in treated congenital clubfoot. J Bone Joint surg Br; 55:809-813.
- 113) *Lynch FR (1984)*: The Ganley Splint: indications and usage. Clin podiatr; 1:517-534.

- 114) **Mac Ewen GD and Shand AP (1960):** Rotational and angulation deformities of the lower extremity in childhood orthopedics, 2:66.
- 115) **Magilligan DJ (1956):** Calculation of the angle of anteversion by means of horizontal lateral roentegenography. J. Bone joint surg., 38:1231.
- 116) **Mc Sweeny AF, Masel J and Hndson PR (1982):** Anteversion of the hip: its natural history and sequelae. J. Bone joint surg, 64-B 124.
- 117) **Mc-Cormick, D.W. and Blount WP (1949):** Metatarsus adductus (Skewfoot). J.A.M.A., 141:449.
- 118) **McDonough MW (1981):** Fetal position as a cause of right, and left sided foot and leg disorders. J. Am. pediatric assoc: 7:65-68.
- 119) **Mckay DW (1982):** New Concepts of approach to club foot treatment, principles and morbid anatomy, J. Pediaric oath, 2:347.
- 120) **Mcsweery A (1971):** A study of femoral torsion in children J. Bone Joint Surg., 53-B:90.
- 121) **Miller F, Liang Y, Merlo M and Harcke HT (1997):** Measuring anteversion and femoral neck-shaft angle in cerebral palsy. Dev Med Child Neurol; 39:113-8.
- 122) **Miller F, Merlo M, Liang Y, Kupcha P, Jamison J and Harcke HT (1993):** Femoral version and neck shaft angle. J Pediatr Orthop; 13:382-8.
- 123) **Miller F, Slomczykowski M, Cope R and Lipton GE (1999):** Computer modeling of the pathomechanics of spastic hip dislocation in children. J Pediatr Orhtop; 19:486-92.
- 124) **Mills JA, Menalaus and MB (1989):** Hallux varus. J. Bone Joint surg 1989; 71-B:437.
- 125) **Mitchell GP (1980):** Abductor hallucis release in congenital metatarsus varus int orthop; 3:299-304.
- 126) **Morcuende JA and Ponseti IV (1996):** Congenital metatarsus adducuts in early human fetal development: a histological study. Clin. Orthop: 333:261-266.
- 127) **Morrisy RT, (2001):** Cerebral palsy in Lovell and Winters Pediatric Orthopedics. 5 th ed : 585-589.

- 128) **Moulton A, SS (1982):** A direct method of measuring femoral anteversion using ultrasound. J. bone joint surg., 64-B:469.
- 129) **Mubarak SJ, O'Brien TJ and Davids JR (1993):** Metatarsal epiphysial bracket: treatment by central physiolyss J. Pediatr Orthop.; 13:5.
- 130) **Mubarak SJ, Valencia FG and Wenger DR (1992):** One-stage correction of the spastic dislocated hip. Use of pericapsular acetabuloplasty to improve coverage. J Bone Joint Surg Am; 74:1347-57.
- 131) **Murphy SB, Simon SR, Kijewski PK, Wilkinson RH, Griscom NT (1987):** Femoral anteversion. J Bone joint surg Am; 69:1169-76.
- 132) **Nachlas IW (1934):** Medial torsion of the leg Arch. Surg. 28:909 quoted by kite (1954).
- 133) **O'Donoghue DH (1940):** Controlled rotational osteotomy of the tibia. Southern Med. J. 33. Quoted by banks and Evans(1955).
- 134) **Patel M and Herzenberg J (2004):** Tibial torsion article in e medicine Jan 27.
- 135) **Paulos L, Coleman SS, Samuelson KM (1980):** Pes cavo varus. J Bone Joint Surg Am; 62:942-953.
- 136) **Peabody CW, Muro F (1933):** Congenital metatarsus varus J. Bone Joint surg; 15:171.
- 137) **Peterson HA, Klassen RA, Mcleod RA and Hoffman AD (1981):** The use of computed tomography in dislocation of the hip and femoral neck anteversion in children. J. bone joint surg., 63-B:198.
- 138) **Ponseti IV and Becker JR (1996):** Congenital metatarsus adductus: the result of treatment. J Bone Joint surg Am; 48:702.
- 139) **Ponseti IV and Beeker JR (1966):** Congenital metatarsur varus. J.Bone Joint surg. 98-A: 702.
- 140) **Reimann I and Werner HH (1975):** Congenital metatarsus varus: a suggestion for a possible mechanism in relation to other foot deformities. Clin. Orthop; 110:223-226.
- 141) **Richardson EG (1999):** Complications after hallax valgus surgery, inst. cause lect, 48:331.
- 142) **Rogers SP (1934):** Observations on torsion of the femur. J. Bone Joint Surg., 16:284.

- 143) *Root ML, Orien WP and Weed JH (1974):* Biomechanical examination of the foot. Los Angeles: Clinical Biomechanics: 33.
- 144) *Rosen H and sandick H (1955):* Measurement of tibiofibular torsion J.Bone Joint surg 37-A:847.
- 145) *Ruby L, Mital M, O'conner J and Patel U (1979):* Anteversion of the femoral neck: comparison of methods of measurements in patients. J. Bone Joint Surg., 61-A:46.
- 146) *Rushforth GF (1978):* The natural history of hooked forefoot J. Bone Joint surg. Br; 60:530.
- 147) *Ryder CT and crane L (1953):* Measuring femoral anteversion: the problem and a method. J. Bone Joint Surg., 35-A:321.
- 148) *Sass P and Hassan G (2003):* Lower extremities abnormalities in children. Am. Fam Physiaan, 68:461-8.
- 149) *Scheimer OM (1957):* chiropodical management of infantile metatarsus varus J. Mat assoc chirop; 47:435.
- 150) *Scoales PV (1982):* Pediatric orthopedic in clinical practice year book medical publishers, INC. Chicago. London 83-84.
- 151) *Sgarlato TE (1973):* A discussion of metatarsus adductus. Arch podiatric med Foot Surg; 1:35.
- 152) *Shands AR, and Steel MK (1958):* Torsion of the femur. J. Bone Joint Surg., 40-A:803.
- 153) *Sharrad WJW (1971):* Pediatric orthopaedics and Fractures, Oxford. Blackwell scientific publications: 199-237.
- 154) *Sharrard WJW (1993):* Congenital and developmental abnormalities of the knee and leg. In pediatric orthopaedics and fracture third edition-blackwell scientific publications: 461-62.
- 155) *Silver CM (1978):* The treatment of metatarsus adductus in childhood. R I Med J; 61:380-381.
- 156) *Simons GW (1977):* Analytical radiography of clubfeet. J Bone Joint Surg Br; 59:485-489.
- 157) *Smillie IS (1980):* Diseases of the knee joint 2nd edition. Churchill living stone, Edin Bourgh and London: 330-385.
- 158) *Smith JE (1982):* current concepts review: Tibia vara (Blount's dis) J. Bone Joint Surg. 64-A. 630-632.

- 159) **Somerville E.W (1957):** Persistent foetal alignment. J. Bone Joint surgery. 39. B:106.
- 160) **Somerville EW (1963):** Rotational abnormalities of the lower limb J. Bone Joint surg 54-B: 622.
- 161) **Staheli LT (1977):** Torsional deformity. Ped. Clin. North, Am. 24:799.
- 162) **Staheli LT (1980):** Medial femoral torsion orthop. Clin. North Am., 11:39.
- 163) **Staheli LT (1986):** Staheli LT: Torsional deformities. Pediatr Clin North Am 33:1373-1383, 1986
- 164) **Staheli LT (1987):** Rotational problems of the lower extremities. Orthopaedic clinical of north Am Vol. 18 No. 4. Oct.
- 165) **Staheli LT (1990):** Rotational problems in children. J. Bone joint surg. 75-A. No.6: 939-949.
- 166) **Staheli LT (1993):** Rotational problems in children J. Bone joint surg. 75 – A No. 6 June 939: 949.
- 167) **Staheli LT (2001):** Fundamentals of pediatric orthopedics, Lower limb, torsion. 3rd ed:42:45.
- 168) **Staheli LT (2001):** Fundamentals of pediatric orthopedics. lower limb, torsion 3rd ed: 12:47.
- 169) **Staheli LT (2001):** Lower limb, intoeing and outtoeing. In lovell, and winter's pediatric orthopedic 4th ed vol 2, 741:746.
- 170) **Staheli LT, Corbett M, Wyss C and King TT (1985):** Lower extremity rotational problems in children. J. Bone Joint Surg., 67-A:39-47, Jan.
- 171) **Stanly MK, and Chung MD (1981):** Normal hip geometry in hip disorders. In Infants and children, Lea febiger Philadelphia: 11-18.
- 172) **Stapleson JP (1967):** A four year analysis of tendon transplant for correction of the adducted foot. Surgery; 6:1.
- 173) **Stark JG, Johanson JE and Winter RB (1987):** The Heyman-Herndon Tarsometatarsal capsulotomy for metatarsus adductus: results in 48 feet. J Pediatr Orthop; 7:305-310.
- 174) **Steel HH, Sandraw RE and Sullivan PD (1971):** Complications of tibial osteotomy in children for genu varum or valgum. Evidence that neurological changes are due to ischaemia. J. Bone joint surg. (Am.) 53-A. 16

- 207) *Yu GV and Wallace GF (1987):* Metatarsus adductus in: Mcglamry ed, compenhesive textbook of foot surgery, Vol 1, Baltimore: Williams and wilkins 324:353.
- 208) *Yu GV, Dinapoli DR (1989) :* Surgical management of hallux abducto valgus with concomitant metatarsus adductus in: Mc Glamry ED, ed. Reconstructive surgery of the foot and leg update 89. Tucker, GA: Poditry institute: 262 – 268.
- 209) *Yu GV, Johng B and Freireich R (1987):* Surgical management of metatarsus adducuts deformity. Clin podiatr Med Surg; 4:207-232.