

REFERENCES

- Alpaslan, M.; Evcik, D. and Onrat, E. (2001):* Aortic valve aneurysm : a novel cardiac manifestation of rheumatoid arthritis? J. Am. Soc. Echocardiogr., 14 (11): 1137 -8.
- Alpert, M.A.; Pressly, T.A.; Murkerj, V. et al. (1991):* Acute and long term effects of nifedipine on pulmonary and systemic hemodynamics in patients with diffuse systemic sclerosis. The CREST Syndrome and mixed connective tissue disease. Am. J. Cardiol., 68: 1187 – 91.
- Anderson, J.B. and Jespersen, J.B. (1980):* Demonstration of intersegmental respiratory bronchioles in normal human lungs. Eur. J. Respir. Dis., 61 : 336 .
- Anderson, R.J. (1997):* Clinical and laboratory features of R.A. In primer on Rheumatic Disease, 11th edition. Edited by Klippel J.H. Arthritis foundation company, 161 – 7.
- Ansell, B.W. (1978):* Chronic arthritis in childhood. Ann cheum. Dis. 37 : 107 – 120.
- Antonio, M.; Norma, B. and Paolo, B. (1996):* More on pericardial tamponade during methotrexate therapy. J. Rheum., 23 (12): 2182-3.
- Apstein, C.S. and Berly, F.R. (1998):* Diastolic function and dysfunction with exercise hypertrophy, ischaemia and heart failure. Cardiology, p. 1269-79.
- Apstein, C.S. and Eberly, F.R. (1998):* Diastolic function and dysfunction with exercise hypertrophy ischaemia, and heart failure. Cardiologia; 43 : 1269 –79.

- Ar, J.; Vivancos, J.; Soler Carrillo, J.; Pare, J.C. ; Cervera, R. and Front, J. (1998):* Hypertrophic cardiomyopathy and systemic lupus erythematosus. Clin. Rheumatol., 17 (6): 531-3.
- Ara, J.; Vivancos, J.; Soler-Carrillo, J.; Pare, J.C. ; Cerverakfont, J. (1998):* Hypertrophic cardiomyopathy and systemic lupus erythematosus. Clin. Rheumatol., 17 (6) : 531-3.
- Aranow, C. and Ginzler, E.M. (2000):* Epidemiology of cardiovascular disease in systemic lupus erythematosus. Lupus, 9 (3) : 166- 9.
- Asherson, R.A.; Higenbotam, T.W.; Dihn Xuan, A.T. et al. (1990):* Pulmonary hypertension in a lupus clinic: experience with twenty – four patients. J. Rheumatol., 17 : 1291-8.
- Ayed, K. (2000):* Anti-DNA antibodies : structure and pathogenic role. Arch Inst. Pasteur. Tunis, 77 (1-4) : 3-9.
- Bach, D.S.; Curtis, J.L. and Christensen, P.J.(1998):* Preoperative echocardiographic evaluation of patients referred for lung volume reduction surgery. Chest 114:972- 80.
- Bankhead, C.; Silman, A.; Barrett, B. et al. (1996):* Incidence of rheumatoid arthritis is not related to indicators of socioeconomic deprivation. J. Rheumatol., 23 : 2039.
- Banks, M.; Dudley, N.H.; Trast, U.K. (2001):* Heart disease strikes early and silently in RA. The heart. Org. Jun; 25 (1): p1200.
- Bartoloni, G.; Satvatrice, D.M. and Carlo, R. (2002):* Sudden death in a 21 – year old man caused by thrombosed coronary aneurysm: late seq. velae or a very late on set of Kawasaki. Cardiovascular path., 11(6): 318 – 21.

- Bell, C.L. (1994):** Rheumatoid arthritis: Complications beyond the joints. Postgrad Med., 95 (4): 127 – 9.
- Black, C.M. and Stephen's (1993):** Systemic sclerosis and related disorders. Oxford Text book of Rheumatology, p. 771 – 89.
- Bodolay, E.; Gaal, J.; Vegh, J.; Soltesz, P.; Szodoray, P.; Lako, S.G.; Nemes, Z.; Dezso, B.; Szegedi, G. (2002):** Evaluation of survival in mixed connective tissue disease. Orv Hetil. 10, 143 (45): 2543-8.
- Bohan A. Peter J.B. (1975):** Polymyositis and dermatomyositis: first of two parts. N. Engl. J. Med. 292:344-347
- Bombardier, C.; Gladman, D.D.; Urowitz, M.B.; Caron, D. and Chang, C.H. (1992):** and the committee on prognosis studies in SLE. Deviation of the SLED AI: A disease activity index for lupus patients. Arthritis rheum 35: 630-40.
- Bourdillon, P.D.V.; Broderick, T.M.; Sawada, S.G. et al. (1989):** Regional wall motion index for infarct and noninfarct regions after reperfusion in acute myocardial infarction: comparison with global wall motion index. J. Am. Soc. Echocardiogr. 2 : 398- 407.
- Bruce, I.N.; Gladman, D.D. and Urowitz, M.B. (1998):** Detection and modification of risk factors for coronary artery disease in patient with systemic lupus erythematosus : A quality study Clin. Exp. Rheumatol. 11 : 435.
- Butle, D.J.; Handley, C.J. and Ilia, C.M.Z. (1993):** Evidence for two converting pathways of chondrocyte mediated proteoglycan degradation. Arthritis Rheumatology. P. 36 : 1709.
- Camilleri, J.P.; Douglas –Jones, A.G.; Pritchard, M.H. (1991):** Rapidly progressive aortic valve incompetence in a patient with rheumatoid arthritis. Br. J. Rheumatol., 30 (1): 379 –81.

- Candell-Riera, J.; Armandan, S. – Gil, L.; Simeon, C.P.; Castell Conesa, J.; Fonollosa-Plav, Garcia-Del Castilla, H. et al. (1996):** Comprehensive noninvasive assessment of cardiac involvement in limited sysem sclerosis, *Arthritis Rheum.* 39 : 138 – 45.
- Carlos, A.; Roldan; Brucek; Shively and Michael, H. Crawford (1997):** An echocardiographics study of valvular heart disease with SLE. *New England Journal of medicine* November 7.
- Cervera, R.; Font, J. and Pare, C. (1992):** Cardiac disease in systemic lupus erythematosus: prospective study of 70 patients. *Ann rheum Dis* 51:156-9.
- Chand, E.M.; Freant, L.J. and Rubin, J.W. (1999):** Aortic valve rheumatoid nodules producing clinical aortic regurgitation and a review of the literature. *Cardiovascular Pathol.* Nov-Dec; 8 (6) :333-38.
- Chartash, E.K.; Lans, D.M. and Paget, A.S. (1989):** Aortic insufficiency and mitral regurgitation in patients with systemic lupus erythematosus and the antiphospholipid syndrome. *Am J Med* 1989; 86: 407-12.
- Cheigh, J.S. and Stenzel, K.H. (1993):** End – Stage renal disease in systemic lupus erythematosus. *Am J kidney Dis* 21:2-8.
- Chen, C.; Rodriuez, L.; Lethor, J.P. et al. (1994):** Continuous wave doppler echocardiography for non invasive assessment for mitral regurgitation. *Am. Coll. Cardiol.*, 23 : 970 – 6.
- Chuang, M.L.; Hibbrd, M.G.; Salton, C.J. et al. (2000):** Importance of imaging method over imaging modality in non invasive determination of left ventricular volumes and ejection fraction. *J. Am. Coll. Cardiol.*, 35 : 477 – 84.

- Chuang, M.L.; Parker, R.A.; Riley, M.F.; et al. (1999):** Three - dimensional echocardiography improves accuracy and compensates for sonographer inexperience in assessment of left ventricular ejection fraction. J. Am. Soc. Echocardiogr. 12 : 290 - 299.
- Cimmino, A.M.; Parisi, M.; Moggaiana, G. et al. (1998):** Prevalence of rheumatoid arthritis. In Italy : The chiavarie study. Ann. Rheum. Dis., 57 : 315.
- Com, A.F. Ch. and Edwothy, G. (1991):** Echo finding in cardiac abnormalities. Cardiology, pp. 556.
- Corrao, S.; Sali, L.; Arnone, S.; Seaglione, R.; Amato, V.; Cecala, M.; Licata, A. and Licata, G. (1999):** Cardiac involvement in rheumatoid arthritis., evidence of silent heart disease. Eur. Heart J., 16 (2) : 253-6.
- Corrao, S.; Salli, L.; Arnone, S.; Scaglione, R.; Amato, V.; Cecala, M.; Licata, A. and Licata, G. (1995):** Cardiac involvement in rheumatoid arthritis. Evidence of silent heart disease. Eur. Heart J.; 16 (2):253 - 56.
- Cotch, M.F.(2000):** The socioeconomic impact of vasculitis. Curr Opin Rheumatol 12:20-23.
- Crowley, J.J.; Donnelly, S.M.; Tobin,M.; FitzGerald, O.; Bresnihan, B.; Maurer, B.J. and Quigley, P.J. (1993) :** Doppler echocardiographic evidence of left ventricular diastolic dysfunction in ankylosing spondylitis. Am. J. Cardiol. Jun 1; 71 (15) : 1337-40.
- Crowson, A.N.; Mihm Mc Jr and Magro, C.M. (2003):** Cutaneous vasculitis, J. Cutan. Pathol., 30 (3): 161 -73.

- Crozier, I.; Li, E.; Milne, M. et al. (1990) :** Valvular disease in systemic lupus erythematosus. *N. Engl. J. Med.* 320 : 739-40.
- Cuilleret, F.J.; Agraou, B.; Kyndt, X.; Cuilleret, V.; Agraou, H.; ElMansour, N.; Abolmaalik, Bodart, J.C.; Cattet, J.; Manouvrier, J. and Vilarem, D. (2003) :** Cardiac effect of dermatomyositis *Arch Malcoeur Vaiss.*, 26 (9) : 919 – 22.
- Dabestani A. Mohan S. Gardin JM. Lakenake, Burn C and Allfie A. (1987):** Evaluation of pulmonary artery pressure and resistance by pulsed doppler echocardiography. *Am. J. Cardiol.*; 59:662.
- Dafna, D.; Gladman, Dominique Ibanez and Murray B. Urowitz (2002):** Systemic lupus erythematosus disease activity index 2000. *The J. of Rheumatology*, 29 : 2.
- Dalkas, M.C. and Hoklfeld, R. (2003):** Diagnostic criteria for polymyositis and dermatomyositis *lancets*, 22, 362 (9397) : 1763.
- Dawson, J.K.; Goodson, N.J. Graham, D.R. and Lynch, M.P. (2000):** Raised pulmonary artery pressures measured with Doppler echocardiography in rheumatoid arthritis patients 39: 1320-1325.
- Delgado, E.A.; Petty, R.E.; Mallson, P.N.; Patterson, M.W.; D'Orsogna, L. and LeBlan, C.J. (1998):** Aortic valve insufficiency and coronary artery narrowing in a child with polyarticular juvenile rheumatoid arthritis. *J. Rheumatol.* 15 (1) : 144-7.
- Devereux, R.B.; Alonson, D.R.; Lutas, E.M. et al. (1986):** Echocardiographic assessment of left ventricular
-

hypertrophy : comparison to necropsy findings. Am. J. Cardiol. 57 : 450 – 458.

DiFranco, M.; Paradisco, M.; Mammarella, A.; Paoletti, V.; Labadia, G. ; Coppotelli, L. ; Taccari, E. and Musca, A. (2000): Diastolic function abnormalities in rheumatoid arthritis, Evaluation by Echo-Doppler transmitral flow and pulmonary venous flow : relation with duration of disease. Ann. Rheum. Dis.; 59 : 227 – 29.

Dooley, M.A.; Hogan, S.; Jennette, C. and Falk, R.(1997): Cyclophosphamide therapy for lupus nephritis: poor renal survival in black Americans. Kidney Int 51:1188-95.

Dumonde, D.C. (1996): Infection and immunology in rheumatic diseases. Arthritis Rheum., 12 : 957 – 63.

Engel, A.G.; Holfeld, R. and Banker, B.Q. (1994): The polymyositis dermatomyositis syndromes, In Engel A.G., Franzini-Amstrong (eds) mycology 2nd ed. New York, McGraw – Hill, pp. 1335 – 1383.

Erhardt, C.C.; Mumford, P.A.; Venables, P.J. and Maini, R.N. (1989): Factors predicting a poor life prognosis in rheumatoid arthritis. Ann. Rheum. Dis. 48 : 7 – 13.

Eric Toussirot, Gaele le huede, Christiane mougin, Jean-Charles Balblanc, Dominique Bettiner, et al., (2002): Presence of Hepatitis C virus RNA in the Salivary Glands of Patients with Sjogren's syndrome and hepatitis C virus Infection. Journal of Rheumatology 29: 11.

- Ewa Boro Wicka, W.; Adys, Awrokicki, Klinika Kardiologii Dzieci, Ce j and Skiej, A.M. (1998):* Cardiac involvement in juvenile chronic arthritis polish heart Journal, Vol. XL VIII, N. 15.
- Eymard, B. (2003):* Polymyositis, dermatomyositis and inclusion body myositis, pathological aspects. Presse Med., 25; 32 (35): 1656-67.
- Falcini, F.; Taccetti, G.; Erimini, M.; Trapani, S.; Calzolari, A.; Franchi, A. and Cerinic, M.M. (1997):* Methotrexate associated appearance and progression of rheumatoid nodules in systemic onset juvenile rheumatoid arthritis. Arthritis Rheum. Jun; 40 (1): 175 – 8.
- Fernandez-Muixi, J.; Vidal, F. ; Bardaji, A. and Richart, C. (1994) :* Recurrent pericarditis and cardiac tamponade in rheumatoid arthritis : Effectiveness of colchicine. Br. J. Rheumatol. 33 (6): 596-7.
- Ferri, C.; DiBello, V. and Martini, S. (1998):* Cardiopathy in systemic sclerosis an ultrasonic characterization. Ann. Rheum. Dis., 57; 296 – 302.
- Firestein, G.S. (1997):* Etiology and pathogenesis of rheumatoid arthritis : in Kelly W.N., Harris E.D. Ruddys, Sted ge C.B. (eds): Text book of Rheumatology. 5th ed. Philadelphia, London, Toronto, Saunder, pp. 851-897.
- Fluture, A.; Chaudhari, S. and Frishman, W.H. (2003):* Valvular heart disease and systemic lupus erythematosus; therapeutic implication. Heart Dis., 349 -53.
- Follansbee, W.P. (1996):* The cardiovascular manifestation of systemic sclerosis curr. Prob. Cardiol. 34, 1044-7.
-

- Ford, L.E.; Feldman, T. and Carroll, J.D. (1994):** Valve resistance. Circulation 89 : 893 -895.
- Fox, R.I.; Tornwall, J. and Michelsonp (1999):** Current issues in the diagnosis and treatment of Sjogren's syndrome curr opin. rheumatol. 11 : 364-371.
- Freed, L.; Levy, D.; Levine, R. et al. (1999):** Prevalence and clinical outcome of mitral- valve prolapse, N. Engl.J. med., 34: 1-7.
- Frustaci, A.; Gentiloni, N. and Caldarulo, M. (1996):**Acute myocarditis and left ventricular aneurysm as presentations of systemic lupus erythematosus. Chest, 109 : 282 – 4.
- Galve, E.; Candell-Riera, J.; Pigrau, C. et al. (1988) :** Prevalence, morphologic types, and evolution of cardiac valvular disease insystemic lupus erythematosus. N. Engl. J. Med., 319 : 817 – 23.
- Garcia, D.; Pibarot, P.; Dumesnil, J.G. et al. (2000) :** Assessment of aortic valve stenosis severity : A new index based on the energy loss concept. Circulation 101 : 765.
- Giesler, M.; Grossmann, G. and Schmidt, A. (1993):** Color Doppler echocardiographic determination of mitral regurgitant flow from the proximal velocity profile of the flow convergence region. Am. J. Cardiol. 71 : 217-24.
- Giordano, J.M.; Hoffman, G.S. and Leavitt, R.Y.(1995):** Takayasu's disease. In Rutherford RB (ed): Vascular Surgery. 4th ed. Philadelphia, WB Saunders, 245-532.
- Gleason, C.B.; Stoddard, M.F.; Wagner, S.G.; Longaker, R.A; Pierangeli, S. and Harris, E.N. (1993):** A comparison of cardiac valvular involvement in the primary

antiphospholipid syndrome versus anticardiolipin- negative systemic lupus erythematosus. *Am Heart J* 125: 1123- 29.

Goldenber, J.; Ferraz, M.B.; Pesooa, A.P.; Fonseca, A.S.; Carvalho, A.C. and Hilario, M.O. (1998): Symptomatic cardiac involvement in juvenile rheumatoid arthritis. *Int. J. Cardiol.*, 34 (1): 57 – 62.

Goldenberg, J.; Pessoa, A.P. and Roizenblatt, S. (1992): Cardiac tamponade in juvenile chronic arthritis: Report of two cases and review of publications. *Ann. Rheum. Dis.* 49: 549-53.

Golding, R.M. (2003): Polymyositis – a further investigation *physiol. Meas.*, 24 (9): 859 – 78.

Gonzalez- Juanatey, C.; Testa, A.; Garcia- Castelo, A.; Garcia- Porrua, C.; Llorcal, J.; Ollier, W.E. and Gonzalez- Gay, M.A. (2004): Echocardiographic and Doppler findings in long- term treated rheumatoid arthritis patients without clinically evident cardiovascular disease. *Semin arthritis Rheum.* Feb; 33(4): 23, 1-8.

Gonzalez-Juanatey, C.; Testa, A.; Garcia-Castelo, A. et al. (2004): Echocardiographic and Doppler findings in long-term treated rheumatoid arthritis patients without clinically evident cardiovascular disease. *Semin. Arthritis. Rheum.*, 33 (4): 231-8.

Goodson, N.J.; Wiles, N.J.; Lunt, M.; Barrell, E.; Silman, A.J. and Symmon, D.E.M. (2000): Mortality in early inflammatory polyarthritis. *Arthritis Rheumatism* 29(s): 346-50.

Gopal, A.S.; Shen, Z.; Sapin, P.M. et al. (1995): Assessment of cardiac function by three – dimensional echocardiography

compared with conventional non-invasive methods.
Circulation 92 : 842 – 853.

Gordon, C. (2002): Long-term complications of systemic lupus erythematosus, Rheumatology (oxford), Oct., 41 (10): 1095 – 100.

Gorscscon, J.; Denault, A.; Gasior, T.A. et al. (1994): Rapid estimation of left ventricular contractility from end systolic relation by echocardiographic automated border detection and femoral arterial pressure. anesthesiology, 81 : 553 – 62.

Greenbury, C.L. and Wood, P.H. N. (1993): The significance of auto – antibodies in the population of an English Country Towns. International Congress of Rheumatology, No. 299. Exrpta Medica,, Amesterdam. 20.

Grzegorzewska, A.E. and Leander, M. (2001): Lymphocyte subsets in the course of continuous ambulatory peritoneal dialysis. Adv. Perit Dial, 17 : 10-4.

Guindo, J.; Rodriguez, De La Serra, A. ; Ramnio, J. et al. (1990) : Recurrent pericarditis : Relief with colchicine. Circulation. 82 : 1117 – 20.

Gyongysi, M.; Pokorny, G.; Jambrik, Z.I Kovacs, L.; Kovacs, A.; Makula, E. and Csanady, M. (1996): Cardiac manifestations in primary Sjogren's syndrome. Ann. Rheum. Dis. Jun; 55 (97):450-4.

Hakala, M.; Pettersson, T.; Tarkka, M.; Leirisalo-Repo, M.; Mattila, T.; Airaksinen, J. and Sutinen, S. (1993): Rheumatoid arthritis as a cause of cardiac compression. Favourable

long-term outcome of pericardiectomy. Clin. Rheumatol.;
12 (2): 199 – 203.

Hampton, T. (2003): Autoantibodies predict lupus. JAMA, 24; 290 (24):
3186.

Handa, R.; Gupta, K.; Malhorta, A. et al. (1999) : Cadiac involvement
in limited sclerosis non invasive assessment in
asymptomatic patient. Clin. Rheumatol., 136 – 39.

Handschoe, R. and DeMaria, A.N. (1985): Doppler assessment of
intracardiac pressures. echocard. Rev. Cardiovasc.
Ultrasound, 2 : 127 – 139.

**Hara, K.S.; Bauard, D.J.; Ilstrup, D.M.; Conolly, D.C. and Vollertsen,
R.S. (1990):** Rheumatoid pericarditis: Clinical features and
survival. Medicine (Baltimaore); 69: 81-91.

Harris, E.D. (2001): The clinical features of rheumatoid arthritis. In
Textbook of Rheumatology. Edited by Kelley W.N., Harris,
E.D.; Ruddy, S; Sledge, C.B. sounders company
Philadelphia 6th edition, 967-1022.

Hashimoto, Y.; Tanaka, M. and Hata, A. (1997): Four years followup
study in patients with Takayasu arteritis and severe aortic
segurgitation: Assessment by echocardiography. Int J
Cardiol 54 (Suppl): 173-176.

Hochberg, hl, C. (1990): Systemic lupus erythematosus rheumatic. Dis.
Clin. North. Am. 10 : 613 – 39.

Hochberg, M.C. Chang RW, Dwosh I. Et al., (1992): The American
College of Rheumatology 1991 revised criteria for the
classification of global function status in rhematoid

arthritis. *Arthritis Rheum.* 35:498-502. With permission of the American College of Rheumatology.

Hochberg, M.C.; Perimutter, D.L.; Medsger, T.A. et al. (1995): Prevalence of self reported physician – diagnosed systemic lupus erythematosus in USA. *Lupus* 4 : 454.

Hogarth, M.B.; Judd, L.; Mathias, C.J.; Ritchie, J.; Stephens, D. and Rees, R.G. (2002): Cardiovascular autonomic function in systemic lupus erythematosus. *Lupus*, 11 (5): 308 – 12.

Hojnik, M.; George, J.; Ziporen, L. et al. (1996): Heart valve involvement (Libman-Sacks endocarditis) in the antiphospholipid syndrome. *Circulation*, 93 : 1579-87.

Hugen, D.; Tervaert, J.W. and Heeringa, P. (2004): Antineutrophil cytoplasmic antibodies and pathophysiology., new insights from animal models *Curr. Opin. Rheumatol.*, 16 (1) : 4-8.

Hughes, G.R.V.(1999): Connective tissue diseases. In : *Oxford Textbook of Rheumatology*, Black well, Scientific Publications.

Hull, R.G.(1998): Outcome in Juvenile arthritis. *Br. J. Rheumatol*, 27 suppl., 1 : 66 – 71.

Hunder, G.G.; Block, D.A.; Michel, B.A. et al. (1990): American colleague of rheumatology for classification of giant cell arteritis. *Arthritis Rheumatism*, 33 : 1129.

Ikeda, K.; Takasaki, Y.; Hirokawa, K. and Takeuchi, K. (2003): Clinical significance of antibodies to TS1- RNA in patients with mixed connective tissue disease. *J. Rheumatol.*, 30 (5): 998 – 1005.

- Inokuma, S.; Setoguchi, K.; Ohta, T.; Matsuzaki, Y., and Yoshida, A.*
(1999): Serum leucine aminopeptidase as an activity indicator in systemic lupus erythematosus. *J. Rheum.* 38: 705-8.
- Inove, C.; Ikeda, Y.; Tanaka, M.; Sakazume, X. and Okamoto, K.*
(2003): A case of mixed connective tissue disease showing a lymphoid follicle in muscle pathology, *J. Neurol. Sci.* No. 15; 215 (1-2): 119-21.
- Jacobsson, L.T.H.; Knowler, N.C.; Pillemer, S. et al.* (1993): Rheumatoid arthritis mortality. *Arthritis Rheumatism*, (36): 1045-53.
- Jacobsson, L.T.H.; Knowler, W.C. and Pillemar, S.* (1993): Rheumatoid arthritis and mortality. A longitudinal study in Pima Indians. *Arthritis Rheum.* 22 :1-65-67.
- Janosk, D.L.; Osborn, T.G.; Moore, T.L. et al.* (1992): Cardiac manifestation in systemic sclerosis. *Arthritis Rheumatism*, 35, 1356 – 61.
- Jensen-Urstad, K.; Svenungsson, E.; Defaire, M.; Silveira, A.; Witzum, J.L.; Hamsten, A. and Frog Stegard, J.* (2002): Cardiac valvular abnormality are frequent in systemic lupus erythematosus patients with manifest arterial disease. *Lupus*, 11 (1) : 744 – 52.
- Jerzy Krzysztof Wranicz, Marzenna Zielinska, Iwona Cygankiewicz, Bozena Dziankowska- Bartkowiak, Anna Sysa- Jedrzejewska*
(2002): Early cardiovascular involvement in patients with systemic sclerois (SSC). *Signature Med Sci Monit*, 8 (2):78-82.
-

- Kalke, S.; Bala Kri Shanan, C.; Mangat, G.; Mittal, G.; Kumar, N.; Joshi, V.R. (1998):** Heart in systemic lupus : lupus, 7 (8) : 540 -4.
- Kao, A.H.; Sabatine, J.M. and Manzi, S. (2003):** Update on vascular disease in systemic lupus erythematosus. Curr. Opin Rheumatology, 15 (5): 519 – 27.
- Karrar, A.; Sequeira, W. and Block, J.A. (2001):** Coronary artery disease in systemic lupus erythematosus. semin Arthritis Rhum. 30 (6):436-41.
- Kawamura, N.; Tsutsui, H.; Fukuyamuk, Hayashidani, S.; Koike, G.; Egashira, K.; Abe, Y.; Yamamoto, H.; Tsuneyoshi, M. and Takshita, A. (2002):** Severe pulmonary hypertension in a patient with systemic lupus erythematosus and minimal lupus activity. Internal med., 41 (2): 109 – 12.
- Keser, G.; Capar, I.; Aksu, K.; Inal, V.; Danaoglu, Z.; Savas, R.; Oksel, F. (2004):** Tunc E, Kabasakal Y, Kitapcioglu G, Doganavsargil E. pulmonary hypertension in rheumatoid arthritis. Scand J Rheumatol. 33 (4) : 244-5.
- Khamashta, M.A.; Cervera, R. and Asherson, R.A.(1990):** Association of antibodies against phospholipids with heart valve disease in systemic lupus erythematosus. Lancet 335:1541-4.
- Khamashta, M.A.; Cuadrado, M.J.; Mujic, F.; Taub, N.A.; Hunt, B.J. and Hughes, G.R.V. (1995):** The management of thrombosis in the antiphospholipid- antibody syndrome. N Engl J Med ; 332: 993 – 997.
- KirWan, J.R.(1990):** The effect of glucocorticoidson joint destruction in rheumatoid arthritis. N. Engl. J. Med., 333 : 142.

- Klein, A.L.; Cohen, G.L.; Pietrolungo, J.F. et al. (1993):** Differentiation of constrictive pericarditis from restrictive cardiomyopathy by doppler transesophageal echocardiographic measurements of respiratory variation in pulmonary venous flow. *Am. Coll. Cardiol.* 22 : 1935 –45.
- Klemperer, C.A. (1942):** Quoted after Dieppe et al., (eds) *Connective Tissue Diseases, Rheumatological Medicine*, London, Churchill Living stone.
- Klippel, J. H.; Weyand, C.M. and Wortmann, R.L. (1997):** History of rheumatic diseases. In : *Primer on the Rheumatic Diseases*, 11th ed., Atlanta, Arthritis Foundation,. 28- 38.
- Koh, W.H.; Chan, S.H.; Lin, Y.N.; Boey, M.L. (1997):** Association of HLA-DRB1*0405 with extra articular manifestations and erosions in Singaporean Chinese with rheumatoid arthritis. *J. Rheumatol.* Apr.; 24 (4) : 629-32.
- Konecke, L.L.; Feigenbaum. H.; Chang, S. et al. (1973) :** Abnormal mitral valve motion in patients with elevated left ventricular diastolic pressures. *Circulation* 47 : 989 – 996.
- Kotha, P.; McGreevy, M.J.; Koth, A.; Look, M.; Weisman, M.H. (1999):** Early deaths with thrombolytic therapy for acute myocardial infarction in corticosteroid dependent rheumatoid arthritis. *Clin. Cardiol.* Nov.; 21 (11) : 853-56.
- Lahita, R.G. (1997):** Clinical presentation of systemic lupus erythematosus. Quoted from: *Textbook of Rheumatology*. Edited by: Kelley WN, Ruddy S, Harris ED and Sledge CB, Saunders WB Company, Philadelphia, 1028- 29.

- Laing, T.J.; Gillespie, B.W.; Toth, M.B. et al. (1997):** Racial differences in scleroderma among women in michiga. Arthritis Rheumatism, 40 : 734.
- Lazarus, M.; Dang, T.Y.; Gardin, J.M. et al. (1988):** Evaluation of age, gender, heart rate and blood pressure changes and exercise conditioning on Doppler.
- Leak, A.M.; Millar- Craig, M.W. and AnSell, B.M. (1991):** Aortic regurgitation in seropositive juvenile arthritis. Ann. Rheum. Dis., 40 (3) : 229 – 34.
- Leigh, J.P. and Fries, J.F. (1991):** Mortality predictors among 263 patients with rheumatoid arthritis. J. Rheumatol.; 18 : 1307 –12.
- Leung, W.H.; Wong, K.L.; Lau, C.P. et al. (1990(a)):** Doppler echocardiographic evaluation of left ventricular diastolic function in patients with systemic lupus erythematosus Am. Heart. J., 120 : 82-7.
- Leung, W.H.; Wong, K.L.; Lau, C.P. et al. (1990(b)):** Cardiac abnormalities in systemic lupus : a prospective mode cross – sectional and Doppler echocardiographic study Int. J. Cardiol., 27 : 367 – 75.
- Levendoglu, F.; Temizhan, A.; Ugurlu, H.; Ozdemir, A. and Yazici, M. (2004):** Ventricular function abnormalities in active rheumatoid arthritis: a Doppler echocardiographic study. Rheumatol. Int., 24 (3) : 1416.
- Levendoglu, F.; Temizhan, A.; Ugurlu, H.; Ozdemir, A.; Yazici, M. (2004):** Ventricular function abnormalities in active rheumatoid arthritis: a Doppler echocardiographic study. rheumatol Int. May; 24 (3): 141-6 Epub 2003 Jun 19.

- Levin DC, Kauff M.; Baltaxe HA (1973):** Coronary collateral circulation. *AJR.* 119:463.
- Levine, M.J.; Lorell, B.H.; Diver, D.J. et al. (1991) :** Implication of echocardiographically assisted diagnosis of pericardial tamponade detection before haemodynamic embassement. *J. Am. Coll cardiol.* 17 : 59 – 65.
- Lily, O.; Palace, J. and Vincent, A. (2003):** Serum auto antibodies to cell surface determinants in multiple sclerosis: of low cytometric study *Brain*, Dec 8.
- Lindblom, D.; Lindblom, U. and Quist, J. (1990):** Long-term survival rates after heart valve replacement. *J. Am. Coll. Cardiol.;* 15 : 566.
- Lopez, P.; Mozo, L.; Gutierrez, C. and Suarez, A.(2003):** Epidemiology of systemic lupus erythematosus in a northern spanish population : gender and age influence on immunological features : *lupus*, 12 (11) : 860 – 5.
- Main, M.L.; Grayburn, P.A. (1999):** Clinical applications of transpulmonary contrast echocardiography. *Am. Heart. J.* 137 : 144 – 153.
- Maione, S.; Valentini, G.; Giunta, A.; Migliaresi, S.; itri, F.; U.; Tirri, G. and Condorielli, M. (1991):** Evaluation of cardiac structure and function in systemic sclerosis by Doppler echocardiography. *Cardiology* (79) :165-71.
- Maione, S.; Valentini, G.; Guinta; Tirri, R.; Giacummo, A.; Lippolis, C.; Arnese, M.; De-Paulis, A. and Marone, G. (1993) :** Cardiac involvement in rheumatoid arthritis : An echocardiographic study. *Cardiology* 83 (4):234-9.

- Mallya, R.K. and Mace, B.W. (1981):** The assessment of disease activity in rheumatoid arthritis using a multivariate analysis. *Rheumatol. Rehabil.*, 20 : 14 – 17.
- Manzi, S. and Wasko, M.C. (2000):** Inflammation mediated rheumatic diseases and atherosclerosis. *Ann. Rheumatol. Dis.*
- Manzi, S.; Meilahn, Rairie, J.E. et al. (1997):** Age- specific incidence rates of myocardial infarction and angina in women with systemic lupus erythematosus., comparison with the Framingham study. *Am. J. Epidemiol.* 145 : 408.
- Mariann Gyongyosi, G. Pokorny, Z Jabrik, L. Kovacs, A. Kovacs, et al., (1996):** Eric Cardiac manifestations in primary Sjogren's syndrome. *Annals of the Rheumatic Disease*; 55: 45-454.
- Masi, A.T. (1994):** Incidence of rheumatoid arthritis. *Br. J. Rheumatol.* 33 : 697.
- Masi, A.T.; Rodnan, G. and Medsger, T.A. (1980):** Preliminary criteria for the classification of systemic sclerosis. *Rthritis Rheum.*, 23 : 581 – 590.
- Matayoshi, A.H.; Dhond, M.R. and Laslett, L.J.(1999):** Multiple coronary aneurysms in a case of S.L.E. *Chest*, 116 (4): 1116-8.
- Matteson, E.L.; Cohen, M.D. and Conn, D.L. (1998):** Rheumatoid arthritis : clinical features and systemic involvement. In textbook of Rheumatology. Edited by Dieepe P.A. and Klippel second edition, Mosby company (S1: 4.1 – 4.8).
- Mayer, M.D. (1997):** Epidemiology of systemic sclerosis and related disorders *curr opin Rheumatol.* 9 : 557.

- McLaughlin, V.V.; Genthner, D.E.; Panella, M.M. and Rich, S. (1998):** Reduction in pulmonary vascular resistance with long-term epoprostenol (prosta-cyclin) therapy in primary pulmonary hypertension. *N. Engl. J. Med.*, 338 : 273 – 7.
- McRori, E.R.; Wright, R.A.; Errington, M.L. et al. (1997):** Rheumatoid constrictive pericarditis. *Rheumatol.* 36 : 100.
- Mead, J.; Turner, J.M. and Macklem, P.T. (1997):** Significance of the relationship between lung recoil and maximal expiratory flow. *J. Appl. Physiol.*, 22:95-108.
- Meredith J.; Titus JL. (1986):** The anatomic atrial connections between sinus and A-V node. *Circulation* 37:566.
- Meyer, N. (2003):** Evaluating inflammatory joint disease how and when can autoantibodies help. *Joint Bone spine*, 70 (6): 433 – 47.
- Miller, F.W.; Rider, L.G.; Plot, Z.P.; Isenberg, D.A. and Oddis, C.V.(2003):** Diagnostic criteria for polymyositis and dermatomyositis *lancet*, 22; 362 (9397): 1762-3).
- Miller, J.J. and French, J.W. (1990):** Myocarditis in Juvenile rheumatoid arthritis. *Am. J. Dis. Child.*, 131 (2): 205-9.
- Miller, W.E.; Richards, K.L. and Crawford, M.H. (1990):** Accuracy of mitral Doppler echocardiographic output determinations in adults. *Am. Heart, J.* 119 : 620 – 6.
- Mitchell GAG. (1956):** Cardiovascular innervation. Edinburg, Livingstone.
- Moder, K.G.; Miller, T.D. and Tazelaar, H.D. (1999):** Cardiac involvement in systemic lupus erythematosus. *Mayo. Clin. Proc.*, 74 (8): 845.

- Moder, K.G.; Miller, T.D.; Tazelaar, H.D. (2003):** Cardiac involvement in systemic lupus erythematosus. *Circulation*, 335, 135-39.
- Montecucco, C.; Gobbi, G.; Perlini, S.; Rossi, S.; Grandi, A.M.; Caporali, R. and Finardi, G. (1999):** Impaired diastolic function in active rheumatoid arthritis: Relationship with disease duration. *Clin. Exp. Rheum.*; 17 :407-12.
- Moyssaki, S.; Tzioufas, Triposkiadis, Strateges, N. and Kyriakidis, M. (2002):** Severe aortic stenosis and mitral regurgitation in a woman with systemic lupus erythematosus. *Clin. Cardiol.*, 25 (4) : 194 -6.
- Mugge, A.; Danil-W.G.; Hermann, G. et al. (1990):** Quantification of tricuspid regurgitation by Doppler color flow mapping after cardiac transplantation. *Am. J. Cardiol.* 66 : 84 – 27.
- Mullins, P.A.; Grace, A.A.; Stewart, S.C. and Shapiro, L.M. (1991):** Rheumatoid heart disease presenting as acute mitral regurgitation. *Am. Heart. J.*; 122 (1): 242-5.
- Mustonen, J.; Laakso, M.; Hirvonen, T.; Mutru, O.; Pirnes, M.; Vainio, P. et al. (1993):** Abnormalities in left ventricular diastolic function in male patients with rheumatoid arthritis without clinically evident cardiovascular disease. *Eu. J. Clin. Invest.*, 23 :246-53.
- Myck, R.B.H. and Spodick, D.H. (1999):** Constrictive pericarditis., Pathophysiologic characteristics. *Am. Heart J.* 138:219– 32.
- Myssakis, I.; Tzioufas, A.; Triposkiadis, F.; Strateges, N.; Kyriakidis, M. (2002):** Severe aortic stenosis and mitral regurgitation in a woman with S.L.E. *Clin. Cardiol.*, 25 (4) : 194-6.
- Naguch, S.F.; Kopelen, H.A. and Zoghbi, W.A. (1996):** Relation of mean right atrial pressure to echocardiography and Doppler

- parameters of right atrial and right ventricular functions. Circulation, 93 : 1160 -9.
- Nihoyannopoulos P, Gomez PM, Joshi J, (1990) :** Cardiac abnormalities in systemic lupus erythematosus: association with raised anticardiolipin antibodies. Circulation 89:369-75.
- Niksic, F.; Burmucic, K.; Kullich, W. and Klein, G. (2002):** Cardiovascular manifestations in inflammatory rheumatic disease. wien Med. Wochenschr, 152 (9-10): 220-2.
- Nishigami, K.; Yoshikawa, J.; Yoshida, K. et al. (1992):** Quantification of aortic regurgitant stroke volume by Doppler color flow proximal isovelocity surface area method. Jpn. J. Med. Ultrasonics 19 : 9.
- Nishimura, R.A.; Tajik, H.J. (1997):** Evaluation of diastolic filling of left ventricle in healthy and disease, Doppler echocardiography is the clinician's Rosetta Stone. J. Am. Coll. Cardiol. 30 : 8 – 18.
- Nishimura, R.A.; Vonk, G.D.; Rumberger, J.A. et al. (1992) :** Semiquantitation of aortic regurgitation by different Doppler echocardiographic techniques and comparison with ultrafast computed tomography. Am. Heart. J. 124 : 995 – 1001.
- Oddis, C.V. (2003):** Idiopathic inflammatory myopathies : a treatment update. Curr. Rheumatol. Rep., 5 (6): 431 -6.
- Oen, K.; Fast, M.; Post, L.B. (1995):** Epidemiology of Juvenile rheumatoid arthritis in Manitoba, Canada, 1975-92. Cycles in incidence. J. Rheumatol., 22 : 745.

- Oguaz, D.; Ocal, B.; Ertan, U.; Narin, H. ; Karademir, S. and Senocak, F. (2000):** Left ventricular diastolic functions in juvenile rheumatoid arthritis. *Pediatric. Cardiol.* Jul-Aug; 21 (4): 374-7.
- Oh, J.K.; Appleton, C.P.; Hatle, L.K. et al. (1997):** The noninvasive assessment of left ventricular diastolic function with two – dimensional and Doppler echocardiography. *J. Am. Soc. Echocardiogr.* 10 : 246 – 270.
- Okano, Y. (1996):** Antinuclear antibody in systemic sclerosis (scleroderma). *Rheum- Dis-Clin-North-Am.* Steen V.D. (ed.). W.B. Saunders Company, 22 : 709 – 35.
- Olivares L.M, Gatti JG, Romorini A (1998):** Cardiac involvement in scleroderma (article in Spanish). *Med. Cutan ibero Lat Am*, 16:481-8.
- Olsen, N.J. and Wortmann, R.L. (1997):** Inflammatory and metabolic muscle diseases. In *Primer of Rheumatic Diseases* 11th edition Klipple J.H. (ed.). Arthritis Foundation Company, 21 : 276 – 82.
- Ong, M.L.; Veerapen, K.; Chambers, J.B. et al. (1992):** Cardiac abnormalities in systemic lupus erythematosus prevalence and relationship with disease activity. *Int. J. Cardiol.*, 3469-74.
- Pace, L.; Capelli, L.; Bove, E.; Coppola, N.; Ciarmiello, A.; Sorrentino, S. et al. (1992):** Left ventricular diastolic function in systemic sclerosis : assessment by radionuclide angiography. *J. Nucl. Med.*, 33 : 68 – 72.

- Padial, L.R.; Abascal, V.M.; Moreno, P. R. et al. (1999):** Echocardiography can predict the development of severe mitral regurgitation after percutaneous mitral valvuloplasty. Am. J. Cardiol. 1210 – 31.
- Padial, L.R.; Oliver, A.; Sagie, A. et al. (1997) :** Two-dimensional echocardiographic assessment of the progression of aortic root size in 127 patients with chronic aortic regurgitation : Role of the supraaortic ridge and relation to the progression of the lesion. Am. Heart. J. 134 : 814 – 821.
- Palmieri, V.; Dahlof, B.; DeQuattro, V. et al. (1999):** Reliability of echocardiographic assessment of left ventricular structure and function. The P.R.E.S.E Rve .study. J. Am. Coll. Cardio. 34 : 1625-32.
- Paradiso, M.; Gabrielli, F. and Coppotelli, L. (1996) :** Signal- averaged electrocardiography and echocardiography in the evaluation of myocardial involvement in progressive systemic sclerosis. I t J Cardiol, 1996; 53: 17-7.
- Perry, F.; Heller, P.H.; Kamiya, J. and Levine, J.D. (1989):** Altered autonomic function in patients with arthritis or with chronic myofascial pain. Pain; 39 : 77 – 84.
- Petri, M.; Perez-Gutthanns, Spence, D. and Hochberg, M.C. (1992):** Risk factors for coronary artery disease in patient with systemic lupus erythematosus. Am. J. med., 95 : 513.
- Piha, S.J. and Voipio-Pulki, L.M. (1993):** Elevated resting heart rate in rheumatoid arthritis: Possible role of physical deconditioning. Br. J. Rheumatol; 32 (3): 212-215.

- Pinals, R.S. (1994):** Palyarthritis and fever. N. Eng. J. Med., 330 :769 - 74.
- Pradhan, V.; Badakere, S.S.; Shankar Kumar, U.; Lyer, S.; Ghosh, K. and Karnad, D. (2002):** Antineutrophil cytoplasmic antibodies in malaria. Indian J. Malerial, 39 (3-4): 51-9.
- Pump, K.K. (1964):** The morphology of the finer branches of the bronchial tree of the human lung. Dis. Chest, 46:379.
- Reichlin, M. (1991):** Current perspectives on serological reactions in systemic lupus erythematosus patients, clinical and experimental. Immunology, 44 : 1- 10.
- Riboldi, Gerosa, M.; Luzzan, C. and Catelli, L. (2002):** Cardiac involvement in systemic autoimmune disease. Clin. Review Allergy, Immunol., 23 (3): 247 – 61.
- Riboldip, Gerosa, M.; Luzzana, C. and Catelli, L. (2002):** cardiac involvement in systemic autoimmune disease : Clin. Rev. Allergy, Immunol., 23 (3) : 247 – 61.
- Riesco-Eizaguirre, G.; Arpa-Gutierrez, F.J.; Gutierrez, M. and Toribio, E. (2003) :** Severe polymyositis with vinblastin use. Rev. Neurol., 16-30; 37 (10): 934-6.
- Ritchie, D.M.; Boyle, J.a.; Mcinnes, J.M.; Jasani, K.M. Dalakas, T.G. and Buchanan, W. (1968):** Clinical studies withan articular index for the assessment of joint tenderness in patients with rheumatoid arthritis. Quart. J. Med., 37 : 393 – 406.
- Ritto, D. and Sutherland, G.R. (1994):** Posterior left ventricular pseudoaneurysm after aortic valve replacement in a patient with rheumatoid arthritis: diagnosis by transesophageal

echocardiography. J. Am. Soc. Echocardiogr. Jun- Aug; 7 (4) :429-33.

Rivera, J.M.; Vandervoort, P.M.; Morris, E. et al. (1994): Visual assessment of valvular regurgitation, Comparison with quantitative doppler measurement. J. Am. Soc. Echocardiography, 7 : 480-7.

Roberts, W.C. and High, S.T. (1999): The heart in systemic lupus erythematosus curr. Probl. Cardiol., 24 (1) : 1-56.

Rokas, S.; Mavrikakis, M.; Iliopoulou, A. and Mouloupoulos, S. (1990) : Electrophysiologic studies of the heart in patients with rheumatoid arthritis. Int. J. Cardiol. 26 (1);75-82.

Roldan, C.A.; Shively, B.K. and Gravvford, M.H. (1996): An echocardiographic study of valvular heart disease associated with systemic lupus erythematosus. N. Engl.J. Med., 335 : 1424 – 30.

Rowland DG, and Gutgesell HP. (1995): Non invasive assessment of myocardial contractility, preload, and afterload in healthy newborn infants. Am. J. Cardiol; 75:818.

Roldan, C.A.; Shively, B.K. and Crawford, M.L. (1997): An echocardiographic study of valvular heart disease associated with systemic lupus erythematosus. N. Engl. J. Med., 336 (180: 1324-5.

Rossvoll, O. and Hatle, L.K. (1993): Pulmonary venous flow velocities recorded by transthoracic Doppler ultrasound : relation to left ventricular diastolic pressures. J. Am. Col. Cardol. 21 : 1687 – 1696.

- Saklatvala, J. and Buttle D.J. (1992):** Lysomal cysteine endopeptidase mediate I.L.1 stimulated cartilage protease glycan degradation. *Biochem. J.* pp. 287, 677.
- Salerni, R.; Rodnan, G.P.; Leon, D.F. and shaver, J.A. (1997):** Pulmonary hypertension in the CREST syndrome variant of progressive systemic sclerosis. *Ann. Intern. Med.*, 86: 394.
- Samoilenko, L.E.; Famicheva, O.A.; Nasonov, E.L. ; Samko, A.N. ; Karpov, I.U.A. ; Sergienko, V.B. (2001):** Myocardial microcirculation in patients with systemic lupus erythematosus. *Er Arkh*, 73 (5) : 29 – 33.
- Samuelson, U.K. and Ahlmen, E.M. (2000):** Development and evaluation of a patient education program for persons with systemic sclerosis (scleroderma). *Arthritis Care Res.*, 13 (3) : 141 -8.
- Saraux; Gueder, C.; Belghomari, H.; Youinou, P. and Le Goff, P. (1999):** Sex – associated factors and the presentation of rheumatoid arthritis : Comment on the article by Weyand, (letter). *Arthritis Rheum.* P589.
- Sasson, Z.; Rasooly, Y.; Chow, C.W.; Marshall, S. and Urowitz, M.B. (1992):** Impairment of left ventricular diastolic function in systemic lupus erythematosus. *Am. J. Cardiol.*, 69 : 1629 – 34.
- Satoh, M.; Tokuhira, M. and Hama, N. (1995):** Massive pericardial effusion in sclerodermia : a review of five cases. *Br. J. Rheumatol.*, 34: 564- 67.
- Schmidt, M.A.; Ohazama, C.J.; Agyeman, K.O. et al. (1999):** Real – time three – dimensional echocardiography for

measurement of left ventricular volumes. Am. J. Cardiol. 84 : 1434 – 1439.

Schwammental, E.; Block, M.; Schartzkapfl, B. et al. (1992): Prediction of the site and severity of obstruction in hypertrophic cardiomyopathy by flow mapping and continuous wave Doppler echocardiography. J. Am. Coll. Cardiol., 20 : 964 – 72.

Scott D.L.; Grindulis, K.A.; Coulton, B.L. et al., (1984): Progression of radiological changes in rheumatoid arthritis. Ann. Rheum. Dis. 43:8-17.

Segal, A.M.; Calabrese, L.H.; Ahmed, M.; Tubbs, R.R. and White, C.S. (1995): The pulmonary manifestations of systemic lupus erythematosus. Semin. Arthritis. Rheum., 14: 202 – 24.

Senior, R.; Soman, P.; Khattar, R.S. et al. (1999): Improved endocardial visualization with second harmonic imaging compared with fundamental two dimensional echocardiographic imaging. Am. Heart. J. 138 : 163 – 168.

Seward, J.B.; Khandheria, B.K.; Edwards, W.D. et al. (1990): Biplanar transesophageal echocardiography : Anatomic correlations, image orientation and clinical applications. Mayo Clin. Proc. 65 : 1193 – 1213.

Seyer, J.M. and Kang, A.H. (1989): Collagen and elastin. In Textbook of Rheumatology. Edited by: Kelley WN, Harris ED and Ruddy CB, Saunders WB Company, Philadelphia.

Seyer, J.M. and Kang, A.H. (1991): Covalent structure of collagen amino acid sequence of CB9 from type III collagen of human liver. Biochemistry, 20: 2621.

- Shapiro, R.F.; Gamble, C.N. and Wiesaer, K.B. (1977):** Immunopathogenesis of Libman sacks endocarditis: assessment by light and immunofluorescent microscopy in two patients. *Ann. Rheum. Dis.*, 36 : 508 – 516.
- Shaum Rudy; Edward D.; Haris, and Clement B. Sledge (2001):** Diagnosis of systemic lupus erythematosus. *Kelleys Textbook of Rheumatology*, p. 1115.
- Shaum Rudy; Edward, D.; Harris and Clement B. Sledge (2001):** Diagnosis of systemic lupus Erythematosus. *Kelleys textbook of rheumatology*, 1115.
- Shen, J.Y.; Che, S.L.; Wu, Y.X.; Tao, R.Q.; Guy, X.; Bao, C.D. and Wang, Q. (1999):** Pulmonary hypertension in systemic lupus erythematosus. *Rheumatol. Int.*, 18 (4) : 147 – 51.
- Sherrid, M.V.; Chu, C.K.; Delia, E. et al. (1993):** An echocardiographic study of the fluid mechanics of obstruction in hypertrophic cardiomyopathy. *J. Am. Coll. Cardiol.*, 22 : 816 – 825.
- Shimaya, K.; Kurihashi, A.; Masago, R.; Kasanuki, H. (1999):** Rheumatoid arthritis and Simultaneous aortic, mitral, and tricuspid valve incompetence (Letter). *Arthritis Rheum.* Oct 31; 71 (2): 181-3.
- Shiota, J.; Jones, M.; Teien, D.E. et al. (1994) :** Evaluation of mitral regurgitation using adigitally determined colour doppler flow convergence. *Circulation*, 89 : 2879 – 2887.
- Silman, A.; Bankhead, C.; Rowlingson, B. et al. (1997):** Do new cases of rheumatoid arthritis cluster in time or in space? *Int. J. Epidemiol.*, 26 – 628.
- Spain, M.G.; Smith, M.D.; Gravburn, P.a.; Harlamert, E.A. and DeMaria, A.N. (1989):** Quantitaive assessment of miral

regurgitation by Doppler color flow imaging : angiographic and hemodynamics correlation. J. Am. Coll. Cardiol.; 13 : 585-90.

Spencer, K.T.; Bednarz, J.; Rafter, P.G. et al. (1998): Use of harmonic imaging without echocardiographic contrast to improve two – dimensional image quality. Am. J. Cardiol. 82 : 794 – 799.

Spiewak, R. and Stojc, N.(2003): Antinuclear antibodies among eastern polish rurals inhabitants. Ann. Agric. Environ. Med., 10 (2) : 297-9.

Steen, V.D.; Owens, G.R.; Redmond, C.; Radnan, G.P. and Medsger, T.A. (1995): The effect of D-penicillamine on pulmonary findings in systemic sclerosis. Arthritis Rheum., 28:882- 8.

Steinbrocker O. Traeger CH. Batterman R.C. (1949): Therapeutic criteria in rheumatoid arthritis. JAMA 140: 659-662.

Stevenson, J.G. (1989): Comparison of several noninvasive methods for estimation of pulmonary artery pressure. J. Am. Soc. Echocardiogr. 2 : 157 – 171.

Stewart, W.J.; Currie, P.J.; Salcedo, E.E. et al. (1992): Evaluation of mitral leaflet motion by echocardiography and jet direction by Doppler color flow mapping to determining the mechanisms of mitral regurgitation. J. am. Coll. Cardiol. 20 : 1353 – 1361.

Stone, J.J. and Hoffman, G.S. (2000): Vasculitis at the millennium editorial. Curr. Opin. Rheumatol 12:1-2.

- Straburzynska-Migaj, E.; Leszczynski, P.; Piszczek, I.; Cieslinski, A. and Mackiewicz, S. (1997):* Echocardiographic heart assessment in systemic lupus erythematosus. *Pol Markuriusz Lek* Aug; 3 (14): 76-8.
- Sturfelt, G.; Eskilsson, J.; Nived, O. et al. (1992):* Cardiovascular disease in systemic lupus erythematosus – a study of 75 patients from a defined population. *Medicine*, 71 : 216-23.
- Symmons, D.P.M.; Jones, M.A.; Scott, N. and Prior, P. (1998):* Longterm mortality outcome in patient with rheumatoid arthritis, *J. rheumatology*.
- Tan, E.M.; Cohen A.S.; Fries, J.E. et al., (1982):* The 1982 revised criteria for the classification of SLE. *Arthritis Rheum.* 25:1271-77.
- Tan, E.M.; Cohen, M.a.; Fries, J.F.; Masi, A.T.; McShane, D.J.; Roth Aeld, N.; Schaller, J.S.; Talal, N. and Winchester, R.J. (1982):* ACR (1982) revised criteria for the classification on SLE. *Rthritis Rheum.*, 25 : 1271 – 77.
- Ter Borg, E.J.; Horts, G.; Limburg, P.C.; Van Ruswijk, M.H. and Kallenberg, C.G.M. (1990):* C-reactive protein levels during disease exacerbation and infections in systemic lupus erythematosus; a prospective longitudinal study, *J. Rheumatol* 17 : 1642 -8.
- Thorburn, C.M. and Ward, M.M.(2003):* Hospitalization for coronary artery disease among patients with systemic lupus erythematosus. *Arthritis Rheum.*, 48 (9) : 2519-23.
- Thurlbeck, W.M.; Henderson, J.A. and Fraser, R.G. (1978):* Chronic obstructive lung disease: A comparison between clinical, functional, roentogenologic and morphological criteria in

chronic bronchiolitis, emphysema and asthma. *Medicine*, 49: 81 – 145.

Tojo, T. and Akiya, K. (1999): Cardiovascular complications of collagen diseases. *Nippon Rinsho*, 57 (2) : 404-8.

Truex RC. Sythe MQ. Taylor MJ. (1967): Reconstruction of the human sinoatrial node. *Anat Rec* 159: 371.

Turesson, C.; Jacobsson, F. and Bergstrom, U. (1999): Extra-articular rheumatoid arthritis prevalence and mortality. *rheumatology*, 38: 668 – 74.

Turesson, C.; Jacobsson, L.; Bergstron, U.; Truedsson, L. and Sturfelt, G. (2000): Predictors of extra-articular manifestation of rheumatoid arthritis. *Scand. J. Rheumatol.*, 9-28.

Uhlig, T.; Hagen, K.B. and Kvien, T.K. (1999): Current tobacco smoking. Formal education, and the risk of rheumatoid arthritis. *J. Rheumatol.*, 26 : 47.

Uramoto, K.M.; Michet, C.J.J.; Thumboo, J. et al. (1999) : Trends in the incidence and mortality of systemic lupus erythematosus 1950-1992. *Arthritis Rheum.*, 42 : 46.

Valentini, G.; Vitale, D.F.; Giunta, A.; Maione, S.; Gerundo, G.; Arnese, M.R. et al. (1996): Diastolic abnormalities in systemic sclerosis : evidence for associated defective cardiac functional reserve. *Ann. Rheum. Dis.*, 55 : 455 – 60.

Valentinig; Vital, D.F.; Ginsta A.; Maione S.; Gerando, G. and Arnese, M.R. (1996): Diastolic function abnormality in systemic sclerosis. *Annals Rheumatology*, pp. 55 : 455 – 60.

- Vitali, C.; Bombardieri, S.; ESGOD criteria (1997):** The European classification criteria for sjogren's syndrome SS: proposal for modification of the rules for classification suggested by the analysis of the receiver operating characteristic (ROCS) curve of the criteria performance. *J. Rheumatol.* 24 (suppl) : 518.
- Vukman, R.B.; Fay, G.J. (1997):** Juvenile rheumatoid arthritis with pericardial tamponade in an adult *Arch. Intern. Med.*, 141 (8): 1078-9.
- Waggoner, A.D.; Miller, J.G. and Perez, J.E. (1994):** Two-dimensional echocardiographic automatic boundary detection for evaluation of left ventricular function in unselected adult patients. *J. Am. Soc. Echocardiogr.* 7 : 459-464.
- Wang, A.; Ryan, T.; Kisslo, K.B. et al. (1999):** Assessing the severity of mitral stenosis variability between non invasive measurements in patients with symptomatic mitral valve stenosis. *Am. Heart J.* 138 : 777 -84.
- Wats, R.A.; Lane, S.E.; Bentham, G. and Scott, D.G. (2000):** Epidemiology of systemic vasculitis: A ten- year study in the United Kingdom. *Arthritis Rheum* 43:414- 419.
- Winslow, T.M.; Ossipov, M.A.; Fazio, G.P. et al. (1995):** Five year follow up study of the prevalence and progression of pulmonary hypertension in systemic lupus erythematosus. *Am. Heart J.*, 129 : 510- 5.
- Wisłowska, M.; Sypula, S. and Kowalik, I. (1999):** Echocardiographic findings and 24-h electrocardiographic Holter monitoring in patients with nodular and non- nodular rheumatoid arthritis. *Rheumatol. Int;* 18 (5-6):69.
-

- Wolf, F.; Mitchell, D.M.; Sibley, J.T. et al. (1994):** The mortality of rheumatoid arthritis. *Arthritis & Rheum.*; 37 :481-94.
- Wong, M.; Bruce, S.; Joseph, D. et al. (1991):** Estimating left ventricular ejection fraction from two dimensional echocardiograms. *echocardiography*, 8 :1-7.
- Wood, P.H.N. (1998):** Nomenclature and classification in rheumatology. In : Copeman's Textbook of the Rheumatic Disease, 5th ed., Scott JT, Churchill LE (eds).
- Wortmann RL. (1996):** Metabolic myopathies. In Johnson R, Griffin JW (eds): Current Therapy in Neurologic Disease, 5th ed. Philadelphia, Mosby- Year Book, pp. 246-255.
- Wranicz, T.W.; Cygan, Kiewicz, I.; Zielinska, M.; Wozniacka, A.; Sysa-Jedrzejowska, A. (2001):** Non-invasive cardiac evaluation in patient with systemic lupus erythematosus. *J. Med.*, 32 (3-4): 195 – 206.
- Yates, D.B. and Scott, J.T. (1975):** Cardiac valvular disease in chronic inflammatory disorders of connective tissue. *Ann. Rheum. Dis.* 34 :321 – 5.
- Yeung A.C.; Plappert, T. and St. John Sutton, M.G. (1992):** Calculation of aortic regurgitation orifice area by Doppler echocardiography : An application of the continuity equation. *Br. Heart. J.* 68 : 236 – 240.
- Yokoya, T.; Goto, Y. (2003):** Non atherosclerotic coronary artery disease *Nippon Rinsho*, 61 suppl, 9 : 107 – 12.
- Yu, C.M.; Sanderson, J.E.; Chan, S.; Yeung, L.; Hang, Y.T. and Wook, S. (1996):** Right ventricular diastolic dysfunction in heart failure. *Circulation*, 8 : 1500 – 14.



Yvorchuk, K.J.; Davies, R.A. and Chang, K.L. (1994): Measurement of left ventricular ejection fraction by acoustic quantification and comparison with radionuclide angiography. Am. J. Cardiol. 74 : 1052 –56.

Ziff, M. (1990) : The rheumatoid noduli. Arthritis Rheum. 33 : 761 – 767.