

References

Abd El Ghany, H. (1989) :

Blood ammonia level in the edematous group of PEM . Master Degree.Thesis, Alexandria University, Pediatric Department .

Abiodum, P.O. (1991) :

Use of Soya beans for the dietary prevention and management of malnutrition in Nigeria . Acta pediatr . Scand . Supp, 374 : 175 – 185 .

A. Abou- Zaid and Nossair, A. (1992) :

Fibronectins as indicators of improvement in PEM – First International Conference of the Egyptian Society for Pediatric Gastroenterology and Nutrition, Cairo, Egypt .

Adamson , L. ; Esamgbedo, A.; and Abiodum (1988)

Pepsin in protein energy malnutrition .
Enzymes. 39 (1) : 44 .

Adegbenio, S. A.; Dado, O.A.; Olanrewaju, D.M. and Mafunso, M.O. (1991):

Comparative study of glycosylated hemoglobin and serum fructosamine values in children with PEM. Cent. Africa . J. Med; 145 –150 .

Albern S.E. Brozenas . J. and Fenske N.A. (1993) :

A case of Kwashiorkor . Cutis . Jun, 51 : (6) : 445 – 6 .

Allain , CC ; Poon LS , Chan CSG ; Richmoud, W. F. (1974) :

Enzymatic determination of total serum cholesterol Clin. Chem ., 20 (4) : 470 .

Ashworthl (1985) :

Practical aspects of dictary management during rehabilitation froun severe PEM. J. Hum.; 34 : 360 – 9 .

Atoley , Y.; Arcassay, A. and Kurkenoglu, M. (1989) :

Oral plasma Zinc tolerance test in patients with PEM. Arch . Dis . Child.; 64 : 1608 – 1611 .

Badrawy, N.; El Beshlawy, A. ; Hamed , Z. ; Ragab, L. ; El – Sebaie , W.; Atalla , M. and El Benhawy, I. (1992) :

E.E.G – Changes in relation to psychomotor development in malnourished Egyptian infants Egypt . J. Neurol . Psychiatr. Neurosurg. ; 28 : 87 .

Badr, M.A. ; El– Shafie, N.A.; Hussan, G. A. ; Omar, N.F. and El Safy, U.R. (1992) :

“ Blood lead and protoporphyrin level in infants with PEM” . Egy. J. Pediatr.; 9 (1 – 2) : 35 44 .

Ballabriga , A. (1988) :

“ The problem of malnutrition : an introduction” . Ann – Nestle, Malnutrition”. 43 (1) : 1- 4 .

Barltrop , D. (1992) :

“Nutrition” ; In : compell, A.G. M. and Mc Intocly N. (eds.) “ For far and Arneil’s text book of Pediatrics” (4th ed.), Churchill Livingstone , New York, Edinburgh London : PP : 1257 – 1298 .

Barness, L.A. (1992) :

“ Nutritional disorders”. In : Behrman, R.E.; Nelson, W.E. and Vaughan, V.C. (eds.) : “ Nelson text book of Pediatrics” (13th ed.) W.B. Saudners Company, Philadelphia, London , Toronto ; Chap (4), PP 130 .

Barness, J. (1987) :

“ Nutrition and nutritional disorders” . In : Behraman , R.E and Vaughan, V.C. (eds.) : “ Nelson test book of Pediatrics “. (14th ed.) W.B. Saudners Company, Philadelohia, London, Torontog . Chapter 7 PP 138.

Beaufere B.; Bresson JL.; Briend A. et al., (1998) :

Protein energy needs of the infants with severe malnutrition . Application in a hospital enviroment for the treatment of malnutritional caused by deficiency intake . Arch Pediatr. Jul; 5 (7) 763 – 71 .

Behar, M. and viteri , F.E. (1979) :

“ Disturbance of nutrition in protein energy malnutrition” . In : Jelliffe, D.B. and stand field J.P. (eds.) . “ Diseases of children in the subtropics and tropics” (3rd . ed.) . The English language Book Soviety and Edward Arnold Ltd, London : 196 – 205 .

Behrman, R.E. and Kliegman, R. (1990) :

“Malnutrition”. In : Nelson Textbook essentials of Pediatrics , Saunders Company, Philadelphia . London, Toronoto, Montreal, Tokyo. p.71 .

Beisel, W.R. (1980) :

“ Effects of Infection on nutritional status and immunity. Fed. Proc. 39, 13, 3105 – 3108 .

Belfield A and Goldberg, D.M. (1971) :

Revised assay for serum phenylphosphatase activity using 4 – amino – antipyrine Enzyme , 12 : 561 – 573 .

Benabe, J.E. and Martinez – Maldonado, M. (1998) :

“ The impact of malnutrition on kidney function. Miner. Electrolyte” . Metab.; 24 (1) : 20 – 6 .

Benjamin, D. R. (1989) :

“Laboratory tests and nutritional assessment in protein energy malnutrition”. Pediatr. Clin . North . Am; 36 : (1) : 139 – 161 .

Benjamin, T. and Fernando , E. (1988) :

Protein energy malnutrition (Chapter 42) ; In : Modern nutrition in health and diseases, 7th . ed. , P. 446 . Ed, by avrice , E.S., Vernon, LEA abd Ebiger, Philodelphia .

Branca, F.; Robin , S.P. ; Luzz, A.F. and Golden , M.H.N. (1992) :

“Bone Turnover in malnourished children”. Lancet ; 340 : 1493 – 1496 .

Bregman, J.W; Human, D.C. and Schulz, M. (1988) :

Effect of KWO on the cardiovascular system . Arch . Dis . Child., 63: 1369– 62 .

Brasel, J. (1980) :

Endocrine adaptation to malnutrition . Pediatr. Res.; 14 : 1299 – 1303 .

Brasseur, D.; Hennart, P.; Dramaix, M.; Bahwere, P.; Donnen, P.; Tonglet, R.; Deverecker, T. and Duchateau, J. (1994) :

Biological risk factors for fatal protein energy malnutrition in hospitalized children in Zaire . *J. Pediatr . Gastrointerol . Nutr.*; 18 (2) 220 – 224 .

Brewster, D. R.; Manary., M. J. and Graham, M.S. (1997 a) :

“ Case management of kwashiorkor”. An intervention Project at seven nutrition rehabilitation centers in Malawi. *Eur . J. Clin. Nutr.* 51 (3) : 139 – 147 .

Brewster , D. R., : Manary , M.J.; I . S.G.; Loughlin, E.V. and Henry , R. L. (1997 b) :

“ Intestinal permeability in KWO” *Arch. Dis. Child.* ; 76 (30) : 236– 241 .

Brown , K.H. (1991) :

“ Appropriate diets for the rehabilitation of malnourished children in the community setting” . *Acta. Pediatr. Scand. (Suppl.)* ; 347 : 151 – 159 .

Bucolo G and David H (1973) :

Quantitative determination of serum triglycerides by the use of enzymes . *Clin. chem .* 19 : 476 .

Buritt, M.F. (1984) :

Laboratory assessment of nutritional status *Hums . Pathol.*; 15 (2) : 130 .

Castiglia, P.T. (1996) :

“ Protein energy malnutrition (Kwashiorkor and marasmus)” . *J. Pediatr. Health. Care*; 10 (1) : 28 – 30 .

Celis, JE and Bravo, R. (1984) :

Two dimensional Gel. electrophoresis of proteins . *Methods and Applications Annu Rev Biochem*; 53 : 537 .

Chandra R.K. (1988) :

Nutritional regulation of immunity . An introduction In : Chandra R.R. (Eds.) *Nutrition and immunology*, 2nd edition. Alan R., Inc., New York. Chap. (1), P. (1) .

Chandra , R.K. (1991) :

“ Nutrition and immunity”. Lessons from the past and new insights into the future . Am. J. clin. Nutr.; 53 : 1087 – 1101 .

Chandra P.K. (1992) :

Protein energy malnutrition and immunological responses. J. Nutr. ; 129 : (35) : 597 .

Chandra , P.K. (1993) :

Nutrition and immunology ; In : Lachman , P. J., Peter, D.K.; Rosen, S.S. and Wolport, M.J. (Eds.) : Clinical aspects of immunology vol. 2, 5th . ed., Boston, Black well scientific publ., oxford, London, Chapter 69, P. 1325 – 1338 .

Chandra R.K. (1997) :

“ Nutrition and the immune system” . Am . J. clin Nutr, 66 : 460s – 63s .

Champion, R.H.; Burton , J.L.; and Ebling , E.J.G. (1992) :

“ Metabolic and nutritional disorders”. In : Rook, W.E. (ed.) : “ Text book of Dermatology” (9th. ed.) . New York Raven Press : 225 – 229 .

Cleghron , G.J.; Erilich .; Bowling F.G. et al., (1991) :

“ Exocrine pancreatic dysfunction in malnourished children”
Med. J.; 154 : (1) : 45 .

Cole, T.F.; Freeman, J.V. and Preece, M.A. (1995) :

“ Body mass index reference curves for the UK” . Arch . Dis. Child .; 73 : 25–29

Cooper, A. and Heird, W.C. (1982) :

PEM

Am. J. Clin. Nutr. ; 35 : 1132 .

Coward, W.A. and Fiorotto A. (1979) :

“ The Pathogenesis of edema in KWO : The role of plasma proteins”. Pro. Nutr. Soc.; 38 : 51 .

Coward, W.A. and Lunn, P.G. (1981) :

The Biochemistry and Physiology of KWO and marasmus . Br. Med. Bull.; 37 : (1) : 19 .

Christie, C.D.; Heikens, G.T. and Golden, M.H. (1992) :

“ Coagulase negative staphylococcal bacteremia in severely malnourished Jamaican Children” . *Pediatr. Infect. Dis. J.*; 11 (12) : 1030 – 1036 .

Dankis, N. (1988) :

Copper deficiency in humans . *Am . Rev. Nutr.*; 8 : 235 .

Das, B.B.; Ramesh, J.; Agarwal, J. K.; Mishra, O.P., Bhatt, R.P. (1998):

Blood sugar and serum Insulin response in protein energy malnutrition. *J. Trop. Pediatr.* 1998 Jun; 44 (3) : 139 – 41 .

Davies, P.S.W. (1994) :

“ Body Composition assessment” . *Arch. Dis. Child.*; 69 : 337 – 338 .

DeLong, G.R. (1993) :

“ Effect of nutrition on brain development in humans” . *Am. J. clin. Nutr.*; 57 : 286 – 290 .

Delpuech, F.; Cornu, A. and Chevalier , P. (1980) :

The effect of non deficiency anemia on two indices of nutritional status, Pre – albumin and transferrin. *Brit. J. Nutr.* 43 : 357 - 379 .

Delvin , Y.; Amitara . D.; Angela , O. and Robert, H.G. (1998) :

Lysosomal enzymuria in protein energy malnutrition . *Am. J. Nephrol.*; 18 : 9 – 15 .

Dekolster, C.C.; Kolster, J.G.; Rached, I.; Estopinan, M.; Bordones , G.; Castro, J.; Carvajal, A. and Laurentin N. (1991) :

Pancreatic dysfunction in children with PEM. Bibliographic citation GEN, 45 (2) : 92 – 7 .

Dhansay, M.A.; Benade, S. and Donald, P.R (1991) .

Plasma Lecithin cholesterol acyltransferase activity and plasma Lipoprotein Composition and Concentrations in KWO. *Am. J. Clin. Nutr.*; 53 : 517 – 519 .

Dobbing, J. (1974) :

The latter growth of the brain and its vulnerability . *Pediatrics* ; 53 : 21 – 30 .

Doumas, B.T. (1971) :

Determination of serum albumin using bromocresol green. . *Clin. Chem. Acta*, 31 : 81 – 96

Dubey, D.P. and Yunis E.J. (1991) :

Aging and Nutritional effects on immune functions in humans; In : *Basic and clinical immunology*, 7th. ed. Edited by Sities , D.P.; Tett, A.I., Appleton and Ing! California , PP 193.

El- Baroudy, R. (1982) :

“ Abnormal nutrituin”. In : El Baroudy, R. (ed.) “ *Forwards to Pediatrics*”, (1st. ed.) El Nasr Modern Book shop : 37 – 39 .

El Harim J.; Befor, J.J.; Blafrei, A.; Lahrichi. M. and Globa, A. G. G. (1993) :

Lipids and Lipoprteins of malnourished Children during early renutrition Apolipoprotein A (Iv) as a potential Indeses of recovery. *Am J Clin Nutr.*; 58 – 407 – 411 .

El Sharkawy A.; El Baz M.; Morsy M.; El Dossouky A.; Risk E. and Risk A. (1993) :

A study of some trace elements in protein calorie malnutrition in Qalyubia. *Ain Shams Medical Jornal*, 46 , No 1, 2, 3 .

Erinoso H.O.; Akinbami F.O. and Akinyinka O.O. (1993) :

Prognostic factors in severely malnourished hospitalized Nigerian children. *Tropical and Gcographical medicine*; 45 (6) : 290 .

Field , C.R. (1991) :

Control of protein synthesis and its relationship to bioenergetics of growth . *Acta Pediatr. Scand . Suppl.*; 374 : 15 –21 .

Frenk, S. (1986) :

Metabolic adaptation in protein energy malnutrition. *J. Am. Coll. Nutr.*; 5 : 371 – 381 .

Frenk, S. (2001) :

Serum ionized Calcium in mexican protein energy malnutrition children. *Arch. Med. Res.* 2001 Jul – Aug; 32 (4) : 324 .

Fuchs, G.L. (1990) :

“ Secondary malnutrition in children” In: Suskind, R; Lewifter Suskind, L. (Eds.) : The malnourished child, Nestle Nutrition Workshop series, vol. (19), New York , Raven Press., 23 – 36 .

Gabr, M.; Abou El- Hassan, A.; El- Gazzar, F. and Ghali, I. (1984) ;

“ Thyroid status in protein energy malnutrition in Egyptian children “ . *Egypt. Gaz. Pediatr. Assoc.*; 32 : 45 .

Galler, J.R. Dibley, M.J. and Ropss, R.N. (1993) :

Alnutrition and mental development; In : Suskind, R.M. and L. Lewinter Susking (Eds.) : Text book of Pediatric nutrition, 2nd. ed. New York Raven Press; 173 – 179 .

**Garg, S.K. ; Marwaha, P.K. Gampathy, V.; Sialy, R.; Thapa, B.P., :
Walla, B.N.S. and Dash, R.J. (1989) :**

“ Serum growth hormone, insulin and blood sugar responses to oral glucose in PEM”. *Trop. Geogr. Med.*; 4 : 9 – 13 .

Garrow, J.S. (1966) :

“ Classification of PEM” . *Arch. Latin. Am. Nutr.*; 16 : 145 .

Gatheru, Z.; Kinoti, S.; Alwar, J. and Mivitg, M. (1988) :

Serum Zinc levels in children with Kwo aged one to three years at Kenyatta National hospital and the effect of Zinc supplementation during recovery . *East Afr. Med. J.*; 65 (10) : 670 – 674 .

George, A.B. and Susan, E.C. (1990) :

“ Nutrition and nutritional disturbances”; In : Robert, L.; Summitt, S.; Manning, A.G. and Richard, B. (eds.): “ Comprehensive Pediatrics” . Cvmosby Co. 9 : 150 – 168 .

Getaneh, T.; Assefa, A.; and Tadess, Z. (1998) :

Protein energy malnutrition in urban children: Prevalence and Determinants
Ethiop. Med. J; 1998 Jul : 36(3) : 153 –66 .

Golden, M.H.N. (1988) :

“ The effect of malnutrition in the metabolism of children.” Trans. Roy. Soc. Trop. Med . Hyg.; 82 : 3 – 6 .

Golden, M.H.N. and Ramdath, D. (1987) :

Free radicals in the pathogenesis of KWO. Proceedings of the Nutrition Society, 46 : 53 – 68 .

Golden, M.H.N.; Ramdath, D. and Golden, B.E. (1990) :

“ Free radicalsand malnutrition”; In : Dreosti, I. And Cilfton, N.J. (eds.);
“ Trace elements, micronntrients and frec radicals” Human Press :
PP 87– 89

Gomez, F.J.; Ramos Galvan, R.; Frenk, S.; Graviato Munoz, J.; Chavez, R. and Vazquez J. (1956) :

“ Classification and definition of PEM. B.M.J.; 2 : 566 – 569 Quoted from : Waterlow, J.C. (1972) .

Gopalan, G. and Rao, B.S. (1971) :

PEM. Indian , J.M. Research (suppl.,) : 59 – 143 .

Gopalan, G . (1984) :

“ Anthropometry and malnutrition”. J. Trop. Pediatr.; Vol (30) , N.T., P.7.

Guerrant, R.L.; Schorling, J.B.; McAuliffe, J. F. and De Souza , M.A. (1992) :

“ Diarrhea as a cause and an effect of malnutrition increase diarrhea frequency and duration”. *Am. J. Trop . Med. Hyg.*; 47 (1) : 28 .

Gunston, G.D.; Burkinsher, D.; Malan, H. and swe, A.A. (1992) :

“ Reversible cerebral shrinkage in Kwashiorkor : An MRI study”. *Arch. Dis child.*; 67 : 1030 – 1032 .

Gurson , C. T.; Kurdoglu, G.; and Saner, G. (1995) .

Serum total lipids and lipid fraction in marasmus. *Nut. Metabolic* 15 : 181 – 186 (1995) .

Hansen, T.D.L. and Pettifor, T.M. (1992) :

“ Protein energy malnutrition”; In : McLaren , D.S.; Burman, D.; Belton, N.R. and Williams, A.F. (eds.) : “ Text book of pediatric nutrition”, (3rd ed.) Churchill livingstone, Edinburgh; 357 – 390 .

Hansen, J.D.L .; Duchman , N. and pettifor, J.M (1976) :

“Nutrition in children” . In : Textbook of pediatric Nutrition , McLaren D.S.; Burman, D. (Eds.). 3rd edition, Edinburgh; Churchill Livingstone; Chapter 7 , p. 118 .

Hassanein El- SA; Assem, HM; Rezk, M. and El Maghraby, RM. (1998) :

Study of Plasma albumin , transferrin and fibronectin in children with mild to moderate PEM . *J. Trop. Pediatr* ; 44 (6) : 362 – 5 .

Hendrickse , R.G. (1991) :

“ Kwashiorkor : The hypothesis that incriminate aflatoxins” . *Pediatrics*; 88 (2) : 376 – 379 .

Hendrickse , R.G. (1984) :

The influence of aflatoxins on child health in the tropics with particular reference to KWO. *Trans. Roy. Soc. Trop. Med. Hyg*; 78 : 427 .

Hoffman- Goetr, L.; Bell, R.C. and Dier R. (1985) :

“ Effects of protein malnutrition and interleukin – 1 on in vitro rabbit lymphocyte mitogenesis” . *Nutr. Res.*; 4 : 769 – 780 .

Houssaini, FZ.; Foulon, T. ; Iraq. M, M; and Payen , N Gros Lambert, P. (1999) :

Lipids – lipoproteins and fatty acids during infantile marasmus . *Biomad pharmaco – ther* 53 (5 – 6) 578 – 83 .

Ibrahim SA, Eltom AM, Abdul – Rahman AM, Saeed Bo. (1994) :

Correlation of some biochemical parameters with clinical features of protein energy malnutrition. *East Afr. Med. J.* 1994 Feb; 71 (2) : 77 – 83.

Ighoboja , S.I. (1992) :

“ Some factors contributing to PEM in middle belt of Nigeria”. *East . Afr. Med. J.*; 69 (10) : 566 – 71 .

Jackson, A.A. (1986) :

“ Severe Undernutrition in Jamaica, Kwashiorkor and marasmus : The disease of the weaning” . *Acta . Pediatr. Scand. Suppl.*; 323 : 43 – 51 .

Jelliffe, D.B. (1968) :

“ The assessment of the nutritional status of the community (with special reference to field surveyo in developing regions of the world” . *WHO Monogr . Ser.*; 53 : 3 – 271 .

Jelliffe , D.B. and Jelliffe, E.F. (1969) :

The arm circumference as a public health index in PEM in early childhood. *J. Trop. Pediatr.*; 12 : 179 .

Jelliffe, D.B. and Jelliffe, E.F. (1984) :

“ Nutrition deficiency disorders. In : Hunter, A., (ed.) Hunter, S. : *Tropical Diseases* 6th edition W.B. Saunders Company, Philadelphia , P. 834 – 845.

Jelliffe, D.B. and Jelliffe, E.F. (1992) :

“ Causation of Kwashiorkor : Towards a multifactorial consensus” *Pediatrics*; 90 (1) : 110- 113

Karp, R.J.; Scholl, T.O.; Decker, E. and Ebert, E. (1989) :

“ Growth of abused children : Contrasted with non abused in an urban poor community” . *Clin. Pediatr . (Phil.)*, 28 : 317 – 320 .

Khalil M.; Kabiell A.; El Khateeb S. And Arefk . (1974) :

Plasma and red cell water and elements in protein calorie malnutrition . *Am J.. Clin. Nutr.*; 27 : 260 .

- Khalil, M.; Aref, M.K.; Mahmoud, S.; El Sawy, M.; Abdel Hady, M.M. and Sidrak, M.S. (1981) :**
 "Platelet functions and phospholipids". *Gaz. Egy. Pediat. Ass.*; 21(2) : 33
- Khar, S. and Aleyne. G.A.O. (1973) :**
 " The effect of chronic caloric malnutrition on the Kidney" . *Kidney Int.*; 3 : 129 .
- Kiyu, A. Teo, B.; Hardin, S. and Ong, F. (1991) :**
 " Nutritional status of children in rural sarawak Malaysia. *South. Asian J. Trop . Med . Public Health*; Jun, 22 : (2) : 211 – 5 .
- Konatey – Ahulu F.I.D (1991) :**
 Kwashiorkor .
 Brit. Med. J.; 302 : 180 – 181 .
- Kotb A.; Badrawi N.; Moustapha A.; Ragab L and El Tagu; M. (1992) :**
 Study on some aspects of the platelets in protein energy malnutrition. *JAC*; 3 (1) : 18 .
- KOW, F. and Balasubramaniam, E. (1991) :**
 The determination of anthropometric cut – off points for PEM using the maximum chi-square statistical technique . *P.N.G. Med.J.* (March); 34 : 49 –53 .
- Kumar, R.; Rao, Y.N.; Talukdar, B.; Agarwal, S. and Puri, R.K. (1993):**
 Serum enzyme abnormalities in protein energy malnutrition. *Indian Pediatr.* 30 (4) : 469 – 73 .
- Kumar, D. and Christensen, J. (1996) :**
 Nutritional assessment of patients .In : Kummar, D. and Christensen, J. (eds.) " A diagnostic Guide to Clinical Gastroentrology" .Churchill Living stone, Edinburgh, London, Madrid, Melbourne, New York : PP 63 – 78 .

Laditen A.A.O. and Tindime baw G. (1993) :

The protein energy malnutrition in malnourished child in a Nigerian teaching hospital .

J. Trop. Pediatr.; 29 : 61 .

Latham, M.C. (1991) :

“ The dermatosis of KWO in young children”. Semin. Dermatol.; 10 (4) : 2702.

Leicher R.E.; Mezoff A.G. and Hyam J.S. (1991) :

Focal cerebral deficits in severe hypomagnesemia Pediatr. Neurol; (7) : 380

Leichsenrig, M.; Doehring Schwerdtfeger, E. and Brewer , H.J. (1988):

“ Investigation of the nutritional state of children in a Congolese village : Anthropometric data, Plasma prealbumin, albumin, immunoglobulins, Ferritin, C- reactive protein circulating immune complexes” Eur. J. Pediatr.; 148 : 155 – 158 .

Lennard – Jones , J.E. (1992) :

“ A positive approach to nutrition as treatment;” In : Lennard – Jones, J.E. (ed.); King's Fund Centre, London. Quoted from : Reilly, J. In : “ For far and Arneil's Textbook of Pediatrics”. (5th ed.) Campbell, A.G. and McIntoch, N. (eds.) Chapter; 21 p. 1186 .

Listernick , R.; Christoffel, K.; Pace., J. and Chairamoute, J. (1985) :

Severe Primary malnutrition in US children A. J. D.C.; 139 : 1157 – 1160

Lunn, P.G.; Northrop, C.A. (1993) :

The impact of gastrointestinal parasites on PEM in man. Proc. Nutr. Soc.; 52 (1) : 101 – 111 .

MacDaugall, L.; Moodley, G.; Eyberg, C and Quirk, M. (1982) :

“ Mechanisms of PEM in Johannesburg”. Am. J. Nutr.; 35 : 229 – 235 .

Magnani , R.J.; Mock, N.B.; Bertrand, W.E. and Clay, D.C. (1993) :

“ Breast feeding water sanitation and childhood malnutrition in the philippines”. J.Bisco. Sci. ; 25 (2) : 195 – 211 .

Mahmoud F.; Omran, S.; Fouad, H. and Salah, Z. (1992) :

Evaluation of Cardiac function in the children with KWO : first international conference of the Egyptian society for Pediatric Gastroenterology and Nutrition. Cairo. Egypt.

Maki, P.A. and New berne . P.M. (1992) :

Dietary Lipids and immune function. J. Nutr; 122 : 615 – 614 .

Malozziowski, S.; Muzzos, S.; Burrows R.; Loriaux L.; Chrousosn G., W.J and cassorla , F. (1990) :

The hypothalamic pituitary adrenal axis in infantile malnutrition. Clin Endocrinol. Oxf.; 32 : (4) : 461 .

Mann, M.D.; Bowe, B. and Hansen, M.D. (1972) :

Potassium in PEM . Afr. Med. J.; 46 : 2062 .

Marin, M.C.; De Tomas, M.E.; Mercuri, O.; Fernandez, A. and Deseners, C.T. (1991) :

Interrelationship between PEM and essential fatty acids deficiency in nursing infants. Am. J.clin Nutr.; 53 : 466 – 468 .

Mason, J.B. and Rosen berg , I.H. (1991) :

“ Protein energy malnutrition”; In : Wilson, J.D.; Branvwald, E.B. and Isselbacher, K.J. (eds.) “ Principles of internal medicine” . (12th ed.) . New York , Mc Graw Hill ; Vol. (1) : 406 – 411 .

Mast, A.; Gallal, G.E. and Dietz, W.H. (1991) :

“ Reference data for obesity, 85th. and 95th. Percentiles for BMI and triceps skin fold thickness”, Am. J. Clin. Nutr.; 53 : 839 – 846 .

Mata. L. (1992) :

“ Diarrheal disease as a cause of malnutrition” Am. J. Trop. Med. Hyg.; 47 (1) : 16 – 27 .

Mauron. J. and Antener, I. (1983) :

The adult protein energy malnutrition syndrome, the same as that described in the infant. *Experimenta Suppl.* 44 : 298 – 388 .

Maxwell, S.A.; Apeagye, F.; De Uries, H.R.; Mwanmut, D.D. and Hendrickse R.G. (1989) :

“ Aflatoxin in breast milk neonatal cord blood and sera of pregnant woman”. *Toxicol. Toxin. Rev.*; 8 : 19 – 29 .

Mayatepeck, E.; Becker.; Gana, L.; Hoffman, G.F., and Leichsenring, M. (1993) :

“ Leukotrienes in pathophysiology of KWO”. *Lancet*; 342 : 958 – 960 .

McGeagor , S.M.G. (1993) :

“ Assessment of the effects of nutrition on mental development and behavior Jamaican studies”. *Am. J. Clin. Nutr.*, 57 : 3035 – 3095 .

Mckone , T.K.; Davis, A.T. and Deau. R.E. (1985) :

Fibronectin: A new nutritional parameter . *Am . Surg.*; 51 (3) : 336 – 369.

Mclaren, D.S.; Pellett, P.L : and Read, W.W. (1967) :

“ A simple scoring system for classifying the severe forms of protein calorie malnutrition of early childhood.” *Lancet*; 1 : 533 –535 .

Mclaren , D.S. (1976) :

Protein energy malnutrition classification, pathogenesis , prevalence and prevention; In : McLaren, D. S.; Burman, D. (Eds.) : *Textbook of pediatric nutrition*, 1st. ed. . Edinburgh, Churchill living stone, 105 – 45 .

Mehta, H.C.; Sarini, A.S.; Singh , H. and Dhatt, P.S. (1984) :

Biological aspects of malabsorption in PEM . *Brit. J. Nutr*; 51 : 1 – 6 .

Metcoff, J. (1980) :

“Maternal nutrition and fetal development” *Early Human Develop.*; 2 : 90

Migasena, P. (1984) :

Interrelationship between nutrition and infection. In : Sornsam A (editor),
Human Nutrition, Bangkok Thailand, 126 .

Nohr, C.W.; Tchervenkor, J.I.; Meakens, J.L. and christou, N.V. (1985):

“ Malnutrition and humoral immunity” : Short term acute nutritional
deprivation. Surgery; 98 : 769 – 76 .

Nichol B.L.; Alvarado J. and Road quez (1974) :

Therapeutic implications of electrolyte, water and nitrogen during
recovery from PEM. J. Pediat.; 84 : 759 – 768 .

Nichols, B. (1990) :

“ Pediatric nutrition and nutritional disorders”. In : Behrman, R.E.;
Kliegman, R.M. and Nelson, W.E. (eds.) : “ Nelson essential of
Pediatrics”. . WB Saunders, Philadelphia, London, Toronto ; 57 – 65 .

**Nosair A.E. ; El Sayed L.M. ; Abou El fotouh M.N. and Megahed Y.E.
(1992) :**

Growth hormone reserve in protein calorie malnutrition JAC, 391 : 59 .

Ogunshina, S.A. and Hassan, M.A. (1980) :

Plasma thyroxine binding prealbumin as an index of mild PEM in
Nigerian Children . Am. J. Clin. Nutr.; 33 : 794 – 800.

Orfan, N. A. Kolsk, G.B. (1993) :

Physical urticaria .

Am : Allergy : 71 : 205 – 272 .

**Osman, G.A.; El Mougi, M.; El Badrawy, F. and El – Mossalami,
M. A. (1978) :**

“ An epidemiological study of PEM in rural community in Egypt”. J.
Egypt. Med. Assoc.; 61 : 613 .

Osman , G.; Khalaf, N.; Shalian, S.; El Madhad, M.; El Badawy, N. and Mostafa; H. (1995) :

“ Acute respiratory infection (ARI); Nutritional and Immunological aspects” . The Gaz. Egypt. Pediatr. Assoc. Vol. (43) , 3 : 1 – 11 .

Peters T (1968) :

Determination of total protein in serum by Biuret reaction. Clin. Chem; 14 : 1147 .

Potter, J.; Klipstein, K.; Reilly, J.J. and Roberts , M.A. (1995) :

“ Nutritional status and Clinical course of acute admissions to a geriatric unit. Age and Aging”; 24 : 131 – 136 .

Puri, S. and Chandra, R. (1985).

“ Nutritional regulation of host reistance and predictive value of immunologic tests in assessment of outcome” . Pediatr. Clin. North. Am; 32 .

Razloan , S.Z.; Olusi, S.O.; Ade Serrano, M.A.; Osunkoya, B.O.; Adesh : naa, H.A. and Mefarlans , H. (1975) :

Acute phase proteins in children with protein malnutrition. J. Trop. Med. Hyg.; 78 (12) : 264 – 6 .

Reddy, V. (1981) :

“ Protein energy malnutrition : and overview” In : Harper, A. E. and Davis, G.K. (eds.) “ Nutrition in health and disease and industrial development”. Alan Rliss, New York 227 – 235 .

Remondetal., Remond , H.P.; Shou, J.; Keely, C. K; schreiber, S.; Miller, E.; P. and Daly, J.M. (1991) :

“ Immunolo suppressive mechanisma in protein caloric malnutirtion. Surgery, 110 : 311 – 317 .

Reilly, J.(1998) :

“ Anthropometric nutritional assessment”; In : Campbell, A.G.M. and McIntoch, N. (eds.) : “ For far and Arneil’s Textbook Pediatrics”. (5th. ed.) Churchill Livingstone, New York, Edinburgh, London, Madrid, Melbourne, San Francisco and Tokyo; 21 : 1186 – 2 .

Revillard, J.P. and Cozon, G. (1990) :

Experimental models and mechanisms of immune deficiencies of nutritional origin. Food Additives and Contaminants., Vol. 7, 1, 582 – 586 .

Richardson D. and Lputs, J. (1992) :

“ Effects of KWO malnutrition on measured Capillary filtration rate in forearm” Am. Physio, Soc.; 262 : 496 – 502 .

Roberts, T. I.C. (1993) :

“Studies of human and murine giardiasis”. Clin. Inf. Dis.; 16 (2) : 98 – 104.

Robinson, P. (1998) :

“Biochemical nutritional assessment” ; In : Campbell, A.G.M. and McIntoch, N. (eds.) : “ Forfar and Arneil’s Textbook of Pediatrics” (5th. ed.), Churchill livingstone, New York, London and Tokyo ; 21 : 1187 – 1192 .

Romer, H.; Urbach, R. and Gomez , M.A. (1982):

“ Moderate and severe PEM in childhood : effects on jejunal mucosal morphology and disaccharides activities “. J. Pediatr. Gastroenterol; 2 : 459 – 64

Rowland, M. (1986) :

“ The weanlings dilemma : Are waking progress?” Acta Pediatr. Scand. Suppl. 323 : 33 – 42 .

Said, A.; El Hamary, M.F.S.; Abel Khalek, M.K. (1973) :

Serum Enzymes as indices of liver involvement in Protein energy malnutrition in Egypt . J. Egypt. Med. Assoc. 55, 121 .

Sallon , S.; Deckelbaum, R.J.; and Schmid, I.I. (1988) :

“ Cryptosporidium, malnutrition and chronic diarrhea in children”. Am. J. Dis. Child.; 142 : 312 – 315 .

Sathy, N.; Elizabeth, K.E.; Nair, M.K. and Bai, N. S. (1991) :

“ Growth failure development delay in children with PEM”. Indian J. Pediatr, ; 28 : (3) : 255 – 8 .

Schimshaw, N.S. (1979) :

Nutrition and infection, KWO. Marasmus and intermediate forms of P.C.M. cited from Cecil Textbook of medicine, 15th edition. P 1678 – 1683. Edited by Benson P.B. Mc Dermott and Wynagaarden J.B.W.B Sounders Co. philadephia . London . Tornoto .

Schreiberm R. and Adelson , J.W. (1985) :

“ Kwashiorkor in an urban Canadian” Child. Canad. Med. Assoc. J.; 133 : 888 – 889 .

Shaaban, S.Y.; El Shakankiry, H.M.; Ayam, A.M.; Motta, L.F. and Abd El – Wahab, M.S. (1995) :

“ Cerebral changes in Kwashiorkor : A functional and anatomical brain imaging study”. EMJ; 12 (5) : 622 – 629 .

Sherret, S.G.; Henderson , W.R. and Martin, T.R. (1990) :

“ Alveolar macrophage function in rats with protein calorie malnutrition” J. Immunol .; 144 : 1052 – 61 .

Shukry, A.S; Labib , F.M. and Kamel, L.M. (1973) :

Value of wt/ht classification PEM in Egyptian studies .
Gaz. Egypt. Ped. Assi; 27 : 47 .

Shukry , A.S. and Kamel ; L.M. (1974) :

“ Classification of PEM according to length” Egypt. Gaz. Pediatr. Associ.; Vol (22) , No. I.

Singh, G.R.; Malahi, K.E.; Kasliwal, R.R.; Ommar, R.; Padmavati, S. and Ramji, (1989) :

An evaluation of cardiac function in malnourished children by non invasive methods .
Indian Pediatr; 26 : (9) : 875

- Sive, A.A.; Dampster, W.S.; Malan, H.; Rosseau, S. and Heese, H.D.(1997) :
“ Plasma free Iron : a possible cause of anemia in Kwashiorkor”. Arch .
Dis. Child 76 (1) : 54 – 56 .
- Smith, I. F. ; Latham, M.C.; Azubuike, J.A.; Buther, W.R.; Philipsol .
S.; Pondw, G. and Enwonwu, C. O. (1981) :
Plasma level of cortisol, Insulin, growth hormone and somatomedin in
children with marasmus, KWO and intermediate forms of protein energy
malnutrition proceeding of society of experimental biology and Medicine,
167 : 607 .
- Soriano, J.R. (1991) :
“ Electrolyte metabolism in PEM” In : 19th . Nestle Nutrition Workshop.
The malnourished child ; 21 (1) 64 –85 .
- Spiekerman, M. (1996) :
“ Nutritional assessment”; In : Bishop, M.L.; Duben. Engelkrik J.L. and
Fody, E.P. (eds.); “ Clinical Chemistry” (3rd ed.) , Lippincott – Raven,
Philadelphia , New York .; 30 : 637 – 658.
- Spender, Q.W.; Cronk. C.E. and Stallings, V.A. (1988) :
“ Far distribution in children with cerebral palsy” . Ann. Hum. Biol.;
15 : 191 – 196 .
- Srikantia, S.G. and Mohanranum, M. and Hidson, M.A. (1970) :
“Antidiuretic hormone values in plasma and urine of malnourished
children” . J. Pediat .; 82 : 635 – 641 .
- Srikantia , S.G. (1982) :
“ An out break of aflatoxicosis in man” . In : Jelliffe, E.F.P. and Jelliffe,
D.B. (eds.) . Adverss effects of food . Plenum Press , New York, Ny. Am.
J. Nutr. ; 35 : 156 – 175 .

Steyn, M.F.; Meyer, B. J.; Coetzec A.; Prinstoo, J,G. and Theron, J.J. (1986) :

Plasma melatonin level in KWO patients S. African Med. J.; 70 (4) : 239 – 240 .

Sullivan, P.B. ; Marsh, M.N.; Mirakian, R.; Hill, S.M.; Millar, P.J. and Ncale G. (1991) :

“ Chronic diarrhia and nutrition, histology of the small intestine lesion”. J. Pediatr. . Gastro enterol , Nutr.; 12 : 195 – 203 .

Suskind , R. (1981) :

Malnutrition and immun response; In : Textbook of Ped. Nutr., Ed. by Suskind, R. New York, Raven Press ; 241 – 254 .

Suskind, L.L; Suskind , D.; Murthy, K.J. and Suskind, R.M. (1993) :

“ The malnuourished child”; In Suskinds, R.M. and lewinter Suskind, L. (Eds.) : Textbook of pediatric nutrition” . (2nd . ed.) . Raven Press, New York ; 127 – 140 .

Talboom, J.J.M.; Ralitapole; Maruping, A. P.; Kabir, H.; Malatseli , P. and Anderson, J. (1986) :

“ Severe protein energy malnutrition , death and survival in hospital, Clinical finding”. Trop. Geogr. Med.; 38 : 351 – 358 .

Tatli, M. M. ; H.; Koc, A.; Kosecik, M. and Atas (2000) .

Altered Antioxidant status and increased lipid peroxidation in marasmus children. Pediatr, Int; 42 (3) : 289 – 92 .

Thanagkul , O., Damrangsak, D.; Vilhayasoc, V. and Olsen, E.R. (1980):

“ The clinical aspects of protein deficiency with special reference to PEM in children” . J. Nutr.; 26 : 189 – 208 .

Tomkins, A.M. (1981) :

“ Tropical malabsorption, recent concepts in pathogenesis and nutritional significance” . J. Clin. Sci.; 60 : 131 – 136 .

Thomas, K. D.; Taiwo, OO (1992) :

“ Plasma biochemical parameters in Nigerian children with protein energy malnutrition. *East. Afr. Med. J.* 1992 Aug ; 69 (8) : 428 – 32 .

Torum B, and viteri F.E. (1988) :

PEM . In : Shils M.R. and young V.R. (Eds.) . *Modern Nutrition in health and diseases*. 7th edition LEA and Febiger, Philadelphia, Ch. 42 : P 746 – 773 .

Torun, B. and Chew, F. (1994) :

Protein energy malnutrition” In. Shills, M.E.; Dslon, J.A. and Skike , M. (ed.s) :

“ Modern nutrition in health and disease”. (8th . ed.), Lea and Febringer , Philadelphia : 950 – 976 .

Toure, M.; Sall, M.G.; Gauthier F.; weill, J.; Mourary, H. and Fall, M. (1991) :

Apolipoprotein AI as an early index of protein energy malnutrition .
Eur. J. Clin. Nutr.; Oct; 45 (10) : 511 – 4 .

Trinder, P. (1969) :

Determination of glucose in blood using glucose oxidase with an alternative oxygen acceptor . *Ann . clin. Biochem.*; 6 : 24 .

Truswell, A.S. (1982) :

Protein versus energy in PEM .
S. Afric. Med. J. ; 59 : 753 – 756 .

Udani, P.M. (1992) :

“ Brain changes imaging in PEM” . *Indian J. Pediatr.*; 59 : 165 – 186 .
U.S. Agency for International Development (1987) :
“ Child survival : A third report to Congress on th USAID program” .
Washington D.C. ; 19 – 20 .

Vis, H.L. (1985) :

“ On the treatment of certain forms of PEM in childhood with respect to fatal Complication” . Ann. Nestle; 43 : 19 – 23 .

Warrier, R.P.; Kuvibidila, S. and Wulfe, K. (1988) :

“ Nutritional evaluation of children with hemophilia” Clin. Res.; 36 : 62 A.

Waterlow, J.C. and Alleyne, G.A.O. (1971) :

PEM in children : Advances in knowledge in the last 10 years. Advances protein chemistry; 25 : 117 – 135 .

Waterlow, J. C. (1972) :

“ Classification and definition of PEM”.

Br. Med. J.; 2 : 566 – 569 .

Waterlow , J.C. (1988) :

“ Observation on the natural history of stunting” In : Waterlow, J.C. (ed.) : “ Linear, growth retardation in less developed countries”. Nestle Nutritional Workshop series, Raven Press, New York, 1 – 6 .

Waterlow, J.C. (1994) :

“ Childhood malnutrition in developing nations . Looking back and looking forward”. Annu. Rev. Nutr.; 14 : 1 – 19 .

Weinsier, R. L.; Morgan, S.L., and Perrin, V.G. (1993) :

Nutrition and the hospitalized patients . In : Fundamentals of Clinical Nutrition, Mosby , St. Louis, Blatimore , Boston, London ; 9 : 127 : 37 .

Wellcome , T. (1970) :

“ Wellcome trust working study: Committee on Nutrition”. Lancet; 2 : 302.

Wharton, B.A. (1991) :

“ PEM . Problems and priorities”. Acta. Pediatr. Scand. (suppl.) ; 349 : 5 – 14 .

Wharton, B.A. and Weaver, L.T. (1998) :

“ Protein energy malnutrition”, In : Campbell, A.G.M. and McIntoch, N. (eds.) : “ For far and Arneil’s Textbook of Pediatrics”. (5th ed.), Churchill livingstone, New York , Edinburgh, London Madrid, Melbourne, San Francisco and Tokyo 21 : 1191 – 1194 .

World Health Organization (WHO) (1973) :

“ Food and nutrition terminology”.
Terminology circular No. 27 .

World Health Organization (WHO) (1983) :

“ Measuring change in nutritional status”.
World Health Organization , Geneva.

Yoder, M.C. ; Anderson, D.C.; Gopalakrich, G.S; Douglas, S.D.; Polin, R.A., (1987) :

J. Pediatr. Gastroenterol Nutr.; 31 : 429 .

Zetterstrom , R. (1991) :

“ Salt and fluid haemostasis in PEM”. Acta . Pediatr. Scand.; (Suppl.)
347 : 45 – 50 .