

REFERENCES

REFERENCES

- Abdin, Z.H. (1960):
Rheumatic fever and rheumatic heart disease in
Egyptian children.
G.E.P.A., 8 : 2, 282 - 292.

- Abdin Z.H., and Abul-Fadl, M.A.M. (1971):
Effect of subclinical streptococcal infections
and certain parasitic infestations on blood
erythrocyte sedimentation rate.
Med. J. Cairo Univ., 34, 17.

- Abdin, Z.H., and Abul-Fadl, M.A.M. (1972):
Evaluation of congestive heart failure in chil-
dren with rheumatic heart disease as a criterion
of rheumatic activity.
Ann. Rheum. Dis., 31, 134.

- Abdin, Z.H. and Eissa, A. (1965):
Rheumatic fever and rheumatic heart in children
below the age of five years in the tropics.
Ann. Rheum. Dis. 24 : 389.

- Agarwal, B.L. (1981):

Rheumatic heart disease unabated in developing countries.

Lancet 24; 2 (8252), 1910 - 11.

- Aird, I; Benthall, H.H. and Roberts, J.A.F. (1954):

Brit. Med. J. 2, 315 Quoted from Mourant, A.E.

(1973). Association between hereditary blood factors and diseases.

WHO. Bull. Vol.49 No. I : 93 - 101.

- Albam B.; Epstein, J.A.; Feinstein, A.R.; Gavrin, J.B.; Jonas, S.; Kleinberg, E.; Simpson, R.; Spagnuolo, M.; Stollerman, G.H.; Taranta, A.; Tursky, E. and Wood H.F. (1964):

Rheumatic fever in children and adolescents. A long term epidemiologic study of subsequent prophylaxis, streptococcal infections, and clinical sequelae.

Ann. Intern. Med. 60 (Suppl. 5) No. 2 Part II.

- Anderson, H.C.; Kunkel, H.G. and McCarty, M. (1948):

Quantitative anti-streptokinase studies in patients infected with group A haemolytic streptococci:

A comparison with serum anti-streptolysin and gamma globulin levels with special reference to the occurrence of rheumatic fever.

J. Clin. Invest. 27 : 425.

- Anderson, H.C. and McCarty, M. (1951):

J. exp. Med. 93 : 25.

- Ayoub, E.M. and Dudding, B.A. (1970):

Streptococcal group A carbohydrate antibody in rheumatic and non-rheumatic bacterial endocarditis.

J. Lab. Clin. Med., 76 : 322.

- Ayoub E.M. and Wannamaker, L.W. (1962):

Evaluation of the streptococcal desoxy - ribonuclease B antibody tests in acute rheumatic fever and acute glomerulonephritis.

Pediatrics 29 : 527.

- Babb, J.M.; Stoneman, M.E.R. and Stern, H. (1961):

Myocarditis and croup caused by Coxsackie virus type B₅.

Arch. Dis. Child. 36 : 551.

- Baldwin, J.S.; J.M.; Kuttner, A.G. and Doyle, E.F.
(1960):

Observations on rheumatic nodules over a 30 year
period.

J. Pediat. 56 : 465.

- Barnes, A.R.; Smith, H.L.; SloCumb, C.H.; Polley,
H.F. and Hench, P.S. (1951):

Effect of cortisone and corticotropin (ACTH)
on the acute phase of rheumatic fever. Further
observations.

Amer. J. Dis. Child. 82 : 397.

- Beachey, E.H.; Chiang, E.Y.; Seyer, J.M.; Kang, A.H.;
Chiang, T.M. and Stollerman, G.H. (1977):

Separation of the type specific M protein from
toxic cross-reactive antigens of group A strepto-
cocci.

Trans. Assoc. Am. Physicians 90 : 390.

- Bergner - Rabinowitz, S.; Ofek, I.; Fleiderman, S.;
Zohar, M.; Rabinowitz, K. and Ginsbury, I. (1973):

Evaluation of streptozyme and streptolysin O tests
in streptococcal pyoderma nephritis.

Appl. Microbio. 26 : 56.

- Braunwald, E. (1980):
"Rheumatic fever in" A text book of Cardiovascular
medicine.
WB Saunders Company Philadelphia, London, Toronto.
- Breese B.B. and Disney F.A. (1958):
Penicillin in the treatment of streptococcal
infections: A comparison of effectiveness of five
different oral and one parenteral form.
N. Engl. J. Med. 259 : 57.
- Bruke, P.J. (1947):
Penicillin prophylaxis in acute rheumatism.
Lancet 1 : 255.
- Brumfitt, W.; O'Grady, F. and Slater J.D.H. (1959):
Benign streptococcal sore throat.
Lancet 2 : 419.
- Burch, G.E.; De Pasquale, N.P.; Sun, S.C.; Mo-
gabgab, W.J. and Hale, A.R. (1965):
Endocarditis in mice infected with Coxsackie
virus B₄.
Science 151 : 447.

- Burch, G.E.; Giles, T.D. and Colcolough, H.L. (1970):
Pathogenesis of rheumatic heart disease: Critique
and theory.
Amer Heart J. 80 : 556.
- Burch G.E.; Sun, S.C.; Chu, K.C. (1968):
Interstitial and Coxsackie virus B myocarditis
in infants and children.
J.A.M.A. 203 : 1.
- Burch G.E.; Sun, S.C.; Colcolough, H.L.; Sohal, R.S.
and De Parquale, N.P. (1967):
Coxsackie B viral myocarditis and valvulitis iden-
tified in routine autopsy specimens by immuno-
fluorescent techniques.
Amer Heart. J. 74 : 13.
- Burke, J.B. (1955):
Erythema marginatum.
Arch. Dis. Child. 30 : 359.
- Bywaters, E.G.L. (1950):
The relation between heart and joint disease
including rheumatoid heart disease and chronic

post rheumatic arthritis (type Jaccoud).

Brit. Heart J. 12 : 101.

- Carmichael, D.B. (1955):

The corrected Q - T duration in acute convalescent rheumatic fever.

Amer Heart. J. 50 : 528.

- Carter, B. (1954):

Recent advances in pediatrics, p. 389, Quoted from Abdin, Z.H. (1960).

G.E.P.A., 8 : 2.

- Catanzaro E.J.; Rammelkamp, C.H. and Chamovitz, R.

(1958):

Prevention of rheumatic fever by treatment of streptococcal infections, II factors responsible for failures.

N. Engl. J. Med. 259 : 51.

- Caughey, E.D.; Douglas, R.; Wilson, W. and Hassal, I.B.

(1975):

HLA antigens in Europeans and Maoris with rheumatic fever and rheumatic heart disease.

J. Rheumatol. 2 : 319.

- Chamovitz, R.; Catanzaro, F.J.; Stetson, C.A. and Rammelkamp, C.H., Jr.(1954):

Prevention of rheumatic fever by treatment of previous infections. I. Evaluation of benzathine penicillin G.

N. Engl. J. Med. 251 : 466.

- Cheesbrough, M. and McArthur, J. (1978):

A laboratory manual for rural tropical hospitals. Churchill Livingstone p. 37 & 56.

- Clarke, C.A.; Mc Connell, R.B. and Streppard, P.M. (1960):

Brit Med. J. Vol. I, No. 21. Quoted from Mourant, A.E. (1973) Association between hereditary blood Factors and diseases.

WHO. Bull. Vol. 49, No. I, 93 - 101.

- Clarke, M. and Keith, J.D. (1972):

Atrioventricular conduction in acute rheumatic fever.

Br. Heart. J. 34 : 472.

- Coburn, A.F. (1931):
The factor of infection in the Rheumatic state.
Williams and Eilkins Co., Baltimore.

- Copeman, W.S.C. (1978):
Text book of the rheumatic diseases (5th Ed.).
Churchill, Livingstone, Edinburgh and London.

- Dacie, J.V. and Lewis, S.M. (1975):
Practical haematology (5th Ed.).
Churchill Livingstone, Edinburgh. London, New
York.

- Dahl, D.; Bessinger, F.B. and Kaplan, E.L. (1978):
Rheumatic fever in Minnesota. Current assessment
of reported cases.
Minn. Med. 61 : 249.

- Dajani, A.S.; Ferrieri, P. and Wannamaker, L.W.
(1972):
Antibody response to group A streptococcal infec-
tions in the hamster.
Infect. Immun., 6 : 913.

- Davies, A.M. (1973):

Progress and pitfalls in rheumatic fever prevention.

Annals of Indian Academy of Medical Sciences,
9 : 85 - 95.

- Deliee, E.M.; Dodge, K.G. and McEwen, C. (1943):

The prognostic significance of age at onset in initial attacks of rheumatic fever.

Am. Heart. J. 26 : 681.

- Discio^ascio, G. and Taranta, A. (1980):

Rheumatic fever in children.

Am. Heart. J. May 99 (5) 635 - 58.

- Doliopoulos, T. (1951):

Abdominal pain in rheumatic fever.

Rheumatism, 7 : 42.

- Dudding, B.A. and Ayoub, E.M. (1968):

Persistence of streptococcal group A antibody in patients with rheumatic valvular disease.

J. Exp. Med., 128 : 1081.

- El Zawahry, K.; El Mazny, A; Riad, Y. and Temtamy, S.A. (1970):
ABO blood groups and rheumatic heart disease.
G.E.P.A. Vol. XVIII, No. 1 & 2, 41 - 50.

- Emond, R.T. (1978):
Rheumatic Fever Price's Text book of the practice
of medicine Bodley Scott (12th Ed.).
Oxford University press.

- Feinstein, A.R. and Spagnuolo. M. (1961):
The duration of activity in acute rheumatic fever.
J.A.M.A. 175 : 1117.

- Feinstein, A.R. and Spagnuolo, M. (1962):
The clinical patterns of acute rheumatic fever:
a reappraisal.
Medicine 41 : 279.

- Feinstein, A.R.; Spagnuolo, M. and Gill, F.A. (1961):
Rebound phenomena in acute rheumatic fever. I.
Incidence and significance.
Yale J. Biol. Med. 33 : 259.

- Gastanaduy, A.S.; Kaplan, E.L.; Huwe, B.B.; McKay, C. and Wannamaker, L.W. (1980):

Failure of penicillin to eradicate group A streptococci during an outbreak of pharyngitis.

Lancet 2 : 498.

- Glover, R.E. (1941):

Spread of infection from the respiratory tract of the ferret. II. Association of influenza A virus and streptococcus group C.

Brit. J. Exp. Path. 22 : 98.

- Goldring, D.; Behrer, M.R.; Brown, G. and Elliott, G. (1958):

Rheumatic pneumonitis. Part II. Report on the clinical and laboratory findings in twenty-three patients.

J. Pediatr. 53 : 547.

- Goldstein, I.; Halpern, B. and Robert L. (1967):

Immunologic relationship between streptococcus A polysaccharide and the structural glycoproteins of heart valve.

Nature 213 : 44.

- Feinstein, A.R.; Wood, H.F.; Spagnuolo, M.; Taranta, A.; Jonas, S.; Kleinberg, E. and Tursky, E. (1964):
Rheumatic fever in children and adolescents.
VII. Cardiac changes and sequelae.
Ann. Intern. Med. 60 (Suppl. 5) : 87.
- Foster, F.P.; McEachern, G.C.; Miller, J.H.; Ball, F.E.; Higley, C.S. and Warren H.A. (1944):
The treatment of acute rheumatic fever with penicillin.
J.A.M.A. 126 : 281.
- Fowler, N.O. (1980):
Cardiac diagnosis and treatment (3rd Ed.).
Harper & Row Publishers, Hagerstown p. 532 - 540.
- Fox, E.N.; Waldman, R.H.; Wittner, M.K.; Mauceri, A.A. and Dorfman, A. (1973):
Protective study with a group A streptococcal M protein vaccine. Infectivity challenge of human volunteers.
J. Clin. Invest. 52 : 1885.

- Gordis, L.; Lilienfeld, A.M. and Rodriguez, R. (1969):
A community-wide study of acute rheumatic fever
in adults: Epidemiologic and prevention factors.
J.A.M.A. 210 : 862.

- Grave, P.E. (1957):
Social and environmental factors in the aetiology
of rheumatic fever.
Med. J. Aust. 44 : 602. Quoted from Markowitz
and Gordis (1972), Rheumatic fever (2nd Ed.) WB Saun-
ders Company Philadelphia, London and Toronto.

- Green, L.N. (1978):
Corticosteroids in the treatments of Sydenham's
chorea.
Arch. Neurol., 35 : 53.

- Grossman, B.J. and Stamler, J. (1963):
Potential preventability of first attacks of
acute rheumatic fever in children.
J.A.M.A. 183 : 985.

- Hafez, M.; Ibrahim, Z.; El-Tahan, H. and Hammad, H.
Histocompatibility antigens (HLA) as genetic mar-
kers in rheumatic fever.
Journal of Disease Markers (In press).

- Hall, P. (1961):

On the prognosis and natural history of acute rheumatic fever and rheumatic heart disease. A study based upon a 25-year material in a Swedish town served by a single hospital.

Acta Med. Scand. 169, (Suppl.) 362.

- Hammam, H.M.; Kholeif, A.A.; El-Sharkawi, M.M. and Seoudi, M.S. (1971):

The prevalence of heart diseases in an Egyptian village in Assiut.

The journal of Egyptian public health association.

Vol. XLVI, No. 6, 370 - 383.

- Haverkorn, M.J., and Goslings, W.R.O. (1969):

Amer J. Hum. Genet. 21 : 360. Quoted from El-

Zawahry, K.S.; El-Mazny, A.; Riad, Y. and

Temtamy, S.A. (1970). ABC Blood groups and rheumatic heart disease. G.E.P.A. Vol. XVIII, No.

1 & 2, 41 - 50.

- Hench, P.S.; Slocumb, C.H.; Barnes, A.R.; Smith, H.L.; Polley, H.F. and Kendall, E.C. (1949):

Effects of adrenal cortical hormone 17-hydroxy-

11-dehydro corticosterone (Compound E) on acute phase of rheumatic fever. Preliminary report. Proc. Mayo. Clin. 24 : 277. Quoted from Markowitz and Gordis (1972), Rheumatic fever 2nd Ed. WB Saunders Company Philadelphia, London and Toronto.

- Hess, E.V.; Fink C.W.; Taranta, A. and Ziff, M (1964):
Heart muscle antibodies in rheumatic fever and other diseases.
J. Clin. Invest. 43 : 886.
- Holm, S.E. (1967):
Precipitinogens in beta-hemolytic streptococci and some related human kidney antigens.
Acta Pathol. Microbiol. Scand. 70 : 79.
- Hubsy, G.; Vande Rijn, I.; Zabriskie J.B. (1976):
Antibodies reacting with cytoplasm of subthalamic and Caudate nuclei neurones in chorea and acute rheumatic fever.
J. Exp. Med. 144 : 1094.
- Ibrahim, M. (1960):
The magnitude of the problem of rheumatic fever

and rheumatic heart disease in Egypt and some diagnostic difficulties.

G.E.P.A., 8 : 2, p. 236 - 243.

- Janeff, J.; Janeff, D., Taranta, A. and Cohen, H. (1971):

A screening test for streptococcal antibodies.
Lab.Med. 2 : 38.

- Johnson, E.E.; Stollerman, G.H. and Grossman, B.J. (1964):

Rheumatic recurrences in patients not receiving continuous prophylaxis.
J.A.M.A. 190 : 407.

- Kamel; El-Hawary, M.F.S. and El-Zawahry (1973):
G.E.P.A. Vol. 2, No. 3, Juli. p. 5.

- Kaplan, E.L. (1978):

Acute rheumatic fever.pediatric clinics of
North America November 25 (4).

- Kaplan, E.L.; Anthony, B.F.; Ayoub, E.M. (1974):

A two year longitudinal study of streptococcal

infections in an isolated community: Antibody dynamics.

In Haverkorn, M.J. (ed): Streptococcal Disease and the community. Amsterdam, Excerpta Medica Press, p. 239.

- Kaplan, E.L.; Anthony, B.F.; Chapman, S.S. (1970):
The influence of the site of infection on the immune response to group A streptococci.
J. Clin. Invest., 49 : 1405.
- Kaplan, E.L.; Bisno, A.; Derrick, W.; Facklam, R.; Gordis, L.; Houser, H.B.; Jackson, W.H.; Millard, D.; Shulman, S.T.; Taranta, A.V. and Wannamaker, L.W. (1977):
Committee on preverion of rheumatic fever and bacterial endocarditis of the American Heart Association.
Circ. 55, 1.
- Kaplan, E.L. and Wannamaker, L.W. (1976):
Suppression of the antistreptolysin O response by cholesterol and by lipid extracts of rabbit skin.
J. Exp. Med., 144 : 754.

- Kaplan, M.H. and Meyerserian, M. (1962):
An immunologic cross-reaction between group A streptococcal cells and human heart tissue.
Lancet 1 : 106.

- Kaplan M.H. and Suchy, M.L. (1964):
Immunologic relation of streptococcal and tissue antigens. II. Cross-reaction of antisera to mammalian heart tissue with a cell wall constituent of certain strains of group A streptococci.
J. Exp. Med. 119 : 643.

- Keith, J.D. (1938):
Overstimulation of the vagus nerve in rheumatic fever.
QJ Med. 7 : 29.

- Kharali, F.; Sobhi, M.; Reaid, Y. and Ibrahim, A. (1956):
Heart disease among Cairo school children, its type and prevalence.
J.E.M.A. 396, 5, 220.

- Klein, G.C.; Jones, W.L. (1971):

Comparison of the streptozyme test with the anti-streptolysin O, antideoxyribonuclease B and antihyaluronidase tests.

Appl. Microbiol. 21 : 257.

- Lancefield, R.C. (1940 - 1941):

Specific relationship of cell composition to biological activity of haemolytic streptococci.
Harvey Lect. 36 : 251.

Quoted from Markowitz and Gordis (1972), Rheumatic fever (2nd Ed.) WB Saunders Company Philadelphia, London and Toronto.

- Leirislao, M. (1977):

Abstract, XIV, International Congress of Rheumatology, San Francisco, CA, June 26 - July 1, p. 129.

- Leirislao, M. and Laitinen, O. (1975):

Rheumatic fever in adult patients.
Ann. Clin. Res. 7 : 244.

- Lessof, M.H. and Bywaters, E.G.L. (1956):

The duration of chorea.
Br. Med. J. 1 : 1520.

- Levander - Lindgren, M. (1952):
Electrocardiographic studies in scarlet fever.
Acta Pediat. (Stockholm) Suppl. 91 : 1.

- Lockman, L.A. (1975):
Movement disorders. In Swaiman, K., and Wright, F.
(eds.): Practice of Pediatric Neurology. St. Louis.
The C.V. Mosby Co.

- Lou, T.Y.; Wenner, H.A. and Kamitsuka, P.S. (1960):
Experimental infections with Coxsackie viruses.
II. myocarditis in cynomolgus monkeys infected
with B₄ virus.
Arch Ges. Forsch. 10 : 451.

- Macefee, A.L., (1965):
ABO blood groups and rheumatic heart disease.
Ann. Rheum. Dis. 24, 329.

- Malakian, A. and Schwab, J.H. (1968):
Immunosuppressant from group A streptococci.
Science 159 : 880.

- Maliner, M.M.; Amsterdam, S.D. and Arreche, C.C.

(1949):

Further studies on oral penicillin in the prophylaxis of recurrent rheumatic fever.

J. Pediat. 35 : 145.

- Markowitz, M. (1970):

Eradication of rheumatic fever: an unfulfilled hope.

Circulation, 41 : 1077.

- Markowitz, M. and Gordis L. (1972):

Rheumatic fever (2nd Ed.) WB Saunders Company
Philadelphia, London and Toronto.

- Massel, B.F.; Mote, J.R. (1937):

Artificial induction of subcutaneous nodules in patients with rheumatic fever.

J. Clin. Invest. 16 : 25.

- Massell, B.V.; Fyler, D.C. and Roy, S.B. (1958):

The clinical picture of rheumatic fever. Diagnosis, immediate prognosis, course and therapeutic implications.

Am. J. Cardiol. 1 : 436.

- Mauer, A.M. (1961):

The early anaemia of acute rheumatic fever. *pediatrics* 27 : 707.

- McDonald, E.C. and Weisman, M.H. (1978):

Articular manifestations of rheumatic fever in adults.

Ann. Intern. Med. 89 : 917.

- McLaren, M.J.; Hawkins, D.M.; Koornhof, H.J.; Bloom, K.R.; Bramwell-Jones, O.M.; Cohen, E.; Gale, G.E.; Kanarek, K.; Lachman, A.S.; Lakier, J.B.; Pocock, W.A. and Barlow, J.B. (1975):

Epidemiology of rheumatic heart disease in black school children of Soweto, Johannesburg.

Br. Med. J. 3 : 474.

- Meyers, O.L. and Chalmers, I.M. (1977):

Jaccoud's arthropathy. Report of seven cases.

S. Afr. Med. J. 51 : 753.

- Mirowski, M.; Rosenstein, B.J. and Markowitz, M. (1964):

A comparison of atrioventricular conduction in

normal children and in patients with rheumatic fever, glomerulonephritis, and acute febrile illness. A quantitative study with determination of the P - R index.

Pediatrics 33 : 334.

- Mohler, D.N.; Wallin, D.G.; Dreyfus, E.G. and Bakst, H.J. (1956):

Studies in home treatment of streptococcal disease: a comparison of the efficacy of oral administration of penicillin and intramuscular injection of benzathine penicillin in the treatment of streptococcal pharyngitis.

N. Engl. J. Med. 254 : 45.

- Murray, R.F.; RObinson, J.C.; Dublin, T.D. (1966):
Haptoglobins and rheumatic fever.

Br. Med. J. 1 : 762.

- Noonan, J.A.; Walters, L.R.; Richardson, S.L. (1971):
Hypohaptoglobinemia: a possible host factor in rheumatic fever.

Circulation 41 : 11 - 105.

- Otaka, Y. (1976):

Immunopathology of rheumatic fever and rheumatoid arthritis 1st Ed. Igaku Shoin Ltd. Tokyo.

- Pader, E. and Elster, S.K. (1959):

Studies of acute rheumatic fever in the adult.

I. Clinical and laboratory manifestations in thirty patients.

Am. J. Med. 26 : 424.

- Padmavati, S. (1978):

Rheumatic fever and rheumatic heart disease in developing countries.

Bull. WHO. Vol. 56 : 543 - 550.

- Parry, E.H.O. (1961):

The erythrocyte sedimentation rate in heart failure.

Acta. Med. Scand. 169 : 79.

- Payne, W.W. and Schlesinger, B. (1935):

Study of sedimentation rate in juvenile rheumatism.

Archives of diseases in childhood, 10, 403.

- Pearce, J.M. (1953):

Effect of hemolytic toxin of streptococcus pyogenes on viral myocarditis in rabbit.

Arch. Path. 56 : 13.

- Perry, C.B. and Robert, J.A.F. (1931):
Study on the variability in the incidence of
rheumatic heart disease within the city of
Bristol.
Brit. Med. J. 2 : 154.

- Pilapil, V.R. and Watson, D.G. (1971):
Rheumatic fever in Mississippi: 104 cases seen
over decade.
J.A.M.A. 215 : 626.

- Potter, E.V.; Svartman, M.; Mohamed, I.; Cox, R.;
Poon-King, T. and Earle, D.P. (1978):
Tropical acute rheumatic fever and associated
streptococcal infections compared with concur-
rent endemic and early epidemic acute glomeru-
lonephritis.
J. Pediat. 92 : 325.

- Quinn, R.W.; Downey, F.M. and Federspiel, C.F. (1967):
The incidence of rheumatic fever in metropolitan
Nash-ville 1963 - 65.
Public Health Rep. 82 : 673.

- Rammelkamp, C.H. (1955 - 1956):
Epidemiology of streptococcal infections. Harvey
Lecture Series 51 : 113.

- Rammelkamp, C.H. Jr. and Stolzer, B.L. (1961): The latent
period before the onset of acute rheumatic fever.
Yale J. Biol. Med. 34 : 386.

- Rantz, L.A.; Randall and Rantz, H.H. (1948):
Amer. J. Med. 5 : 3.

- Reed, T.E. (1962):
Polymorphism and natural selection in blood groups.
Proceedings of the conference on genetic polymor-
phisms and geographic variations in diseases.
Grune and Stratton, New York.

- Roberto, W. (1970):
Anatomically isolated aortic valvular disease.
The case against its being of rheumatic etiology.
Am. J. Med. 49 : 151.

- Roberts, K.B. (1979):
Manual of clinical problems in pediatrics.
Little, Brown and Company, Boston. p. 155.

- Rosenthal, A.; Czoniczera, G. and Massell, B.F.
(1968):
Rheumatic fever under 3 years of age.
Pediatrics 41 : 612.
- Sainani, G.S.; Krompotic, E. and Slodki, S.J. (1968):
Adult heart disease due to the Coxsackie virus
B infection.
Medicine 47 : 133.
- Sanghvi, L.M. and Bohra, B.M. (1936):
The retardation of erythrocyte sedimentation
rate in congestive heart failure.
British heart journal. 24, 180.
- Sanyal, S.K.; Thapan, M.K.; Ahmed, S.H.; Hooja, V.
and Tewari, P. (1974):
The initial attack of acute rheumatic fever during
childhood in North India. A prospective study
of the clinical profile.
Circulation 49 : 7.
- Sanyal, S.K.; Thapan, M.K.; Sharma, D.B. (1976):
Atrioventricular conduction in children with
acute rheumatic fever.
Am. J. Dis. Child. 130 : 473.

- Schooenfeld, A.E.; Rubinstein, A. and Raviv, U.
(1968):

Immunoglobulins in rheumatic fever.

Israel J. Med. Sci. 4 : 815. Quoted from Markowitz and Gordis (1972). Rheumatic fever (2nd Ed.)
WB Saunders Company Philadelphia, London and
Toronto.

- Scott, J.T. (1978):

Cope Man's textbook of the rheumatic disease
(5th Ed.) Churchill, Livingstone Edinburgh,
London and New York.

- Seltzer, A. and Cohn K.E. (1972):

Natural history of mitral stenosis.
Circulation 45 : 878.

- Shanks, R.A. (1978):

Rheumatic fever. in Text book of paediatrics
edited by Forfar, J.O. and Arneil, G.C. 2nd
edition. Churchill Livingstone, Edinburgh,
London and New York, p. 1502.

- Shefferman, M.M.; Goodman, J.S.; Ultan, L.B. and Valdes, J. (1965):
Acute rheumatic fever in Puerto Rico.
Amer. J. Dis. Child. 110 : 239.

- Shiokawa, Y.; Kawakita, S, eds. (1979):
Proceedings of international conference on rheumatic fever and rheumatic heart disease. Kyoto:
Japanese Circulation Society.

- Shulman, S.T.; Ayoub, E.M.; Victorica, B.E., (1974):
Differences in antibody response to streptococcal antigens in patients with rheumatic and non-rheumatic mitral valve disease.
Circulation. 50 : 1244.

- Sinha, B.N.; Mishra, J.M. and Singh, H.N. (1971):
ABO blood groups and rheumatic diseases in the population of North Bihar.
J. Ind. Med. Ass. Vol. 57, No. 12, 452 - 454.

- Sorour, A.H. and El-Kholy, A.M. (1969):
Rheumatic heart disease. First and second survey.
J.E.M.A. Vol 52, Supp. No. 8, 9, p. 2 - 31.

- Spagnuolo, M.; Alvan R. and Feinstein, A.R. (1964):
Congestive heart failure and rheumatic activity
in young patients with rheumatic heart disease.
Pediatrics 33 : 653.

- Spagnuolo, M. and Feinstein, A.R. (1961):
Rebound phenomena in acute rheumatic fever. II.
Treatment and prevention.
Yale J. Biol. Med. 33 : 279.

- Spagnuolo, M.; Pasternak, B. and Taranta, A. (1971):
Risk of rheumatic fever recurrences after strep-
tococcal infection, New England.
J. Med. 285, 641.

- Spagnuolo, M. and Taranta, A. (1968):
Similarity in the clinical manifestations of
rheumatic fever in siblings.
N. Engl. J. Med. 278 : 183.

- Stahlman, M.E. and Denny, F.W. Jr. (1959):

The prophylaxis of streptococcal infection in patients with rheumatic fever: A comparison between sulfadiazine and erythromycin.

Am. J. Dis. Child. 98 : 66.

- Stetson, C.A. (1954):

The relation of antibody response to rheumatic fever. In McCarty, M. (ed): Streptococcal infection. New York. Columbia University Press, pp.

208 - 218.

- Stevenson, A.C. and Cheeseman, E.A. (1953 - 1956):

Heredity and rheumatic fever:

Ann. Hum. Genet. 17 : 177 - 210.

- Stollerman, G.H. (1964):

The epidemiology of primary and secondary rheumatic fever. In Uhr. J. W. (ed): The Streptococcus, Rheumatic Fever and Glomerulonephritis, Baltimore, Williams and Wilkins, pp. 311 - 337.

- Stollerman, G.H. (1969):

Nephritogenic and rheumatogenic group A streptococci.

J. Infect. Dis. 120 : 258.

- Stollerman, G.H. (1975):

The relative rheumatogenicity of strains of group A streptococci. Mod. Concepts Cardiovasc. Dis. 44 : 35.

- Stollerman, G.H.; Lewis, A.J.; Shultz I. and Taranta, A. (1956):

Relationship of immune response to group A streptococci to the course of acute, chronic and recurrent rheumatic fever.
Amer. J. Med. 20 : 163.

- Stollerman, G.H.; Markowitz, M.; Taranta, A.; Wannamaker, L.W. and Wittemore, R. (1965):

Jones Criteria (revised) for guidance in the diagnosis of rheumatic fever.
Circulation 32 : 664.

- Stollerman, G.H. and Rusoff, J.H. (1952):

Prophylaxis against group A streptococcal infections in rheumatic fever patients, Use of new respiratory penicillin preparation.
J.A.M.A. 150 : 1571.

- Stollerman, G.H.; Rusoff, J.H. and Hirschfeld, I.
(1955):

Prophylaxis against group A streptococci in rheumatic fever. The use of single monthly injections of benzathine penicillin G.
New Engl. J. Med. 252 : 787.

- Strasser. T. (1971):

Il controllo della febbre reumatica - Rassegna internazionale.
Clinica terapeutica, 59 : 15.

- Strasser, T. (1978):

Rheumatic fever and rheumatic heart disease in the 1970s.
WHO chron., 32 : 18 - 25.

- Strasser, T.; Dondony, N. and El-Kholy, A. (1981):

Community control of rheumatic fever and rheumatic heart disease.
Bull. WHO Vol. 59, No. 2, 285 - 294.

- Strasser, T. and Rotta, J. (1973):

The control of rheumatic fever and rheumatic heart disease. Out line of WHO activities.
WHO chron. Vol. 27, No. 2 : 49 - 54.

- Sun, S.C.; Colcolough, H.L.; Burch, G.E.; DePasquale, N.P. and Sohal, R.S. (1967):
Immunofluorescent study of B₄Coxsackie virus
valvulitis in mice.
Proc. Soc. Exp. Biol. Med. 125 : 157.

- Sun, S.C.; Sohal, R.S.; Burch, G.E.; Chu, K.C. and
Colcolough, H.L. (1967):
Coxsackie virus B₄. Pancarditis in cynomolgus monkeys
resembling rheumatic heart lesions.
Br. J. Exp. Pathol. 48 : 655.

- Taranta, A. (1964):
Rheumatic fever in children and adolescents. A
long term epidemiologic study of subsequent prophylaxis,
streptococcal infections, and clinical sequelae. IV. Relation of the rheumatic fever
recurrence rate per streptococcal infection to the
titers of streptococcal antibodies.
Ann. Intern. Med. 60 (Suppl. 5): 47.

- Taranta, A. (1977):
Recent advances in diagnosis and in the prevention of
rheumatic fever.
Bol. Assoc. Med. P.R. 69 : 45.

- Taranta, A.; Kleinberg, E.; Feinstein, A.R.; Wood, H.F.; Tursky, E. and Simpson, R. (1964):
Rheumatic fever in children and adolescents. A long term epidemiologic study of subsequent prophylaxis. Streptococcal infections, and clinical sequelae. V. Relation of the rheumatic fever recurrence rate per streptococcal infection to pre-existing clinical features of the patients.
Ann. Intern. Med. 60 (Suppl. 5): 58.

- Taranta, A.; Spagnuolo, M. and Feinstein, A.R.(1962):
"Chronic" rheumatic fever.
Ann. Intern. Med. 56 : 367.

- Taranta, A. and Stollerman, G.H. (1956):
The relationship of Sydenham's chorea to infection with group A streptococci.
Am. J. Med. 20 : 170.

- Taranta, A.; Torosdag, S.; Metrakos, J.; Jegier, W. and Uchida, I. (1961):
Rheumatic fever in monozygotic and dizygotic twins. Proceedings of the Tenth International Congress of Rheumatology. Minerva Medica, Torino, pp. 96 - 98.

- Thompson, A.; Halbert, S.P. and Smith, U. (1970):
The toxicity of streptolysin O for beating
mammalian heart cells in tissue culture.
J. Exp. Med., 131 : 745.

- Tierney, R.C. and Kaplan, S (1965):
Treatment of Sydenham's chorea.
Am. J. Dis. Child. 109 : 408.

- Tompkins, D.G.; Boxerbaum, B. and Liebman, T. (1972):
Long term prognosis of rheumatic fever patients
receiving regular intramuscular benzathine peni-
cillin.
Circulation 45 : 543.

- Wannamaker, L.W. (1973):
The chain that links the heart to the throat.
Circulation. 48 : 9.

- Wannamaker, L.W. (1979):
"Rheumatic fever" in: Nelson, Textbook of pediat-
rics, edited by Vaughan, V.C.; McKay, R.J.;
Behrman, R.E. and Nelson, W.B. 11th edition.
WB Saunders Company Philadelphia, London, Toronto
p. 684.

- Wannamaker, L.W. and Ayoub, E.M. (1960):
Antibody titres in acute rheumatic fever circulation 21 : 598.

- Wannamaker, L.W. and Ferrieri, P. (1975):
Streptococcal Infections Updated. Disease-a-Month, Chicago, Year Book Medical Publishers, Inc.

- Wannamaker, L.W. and Kaplan, E.L. (1977):
Acute rheumatic fever. In Moss, A.J.; Adams, F.H. and Emmanouilides, G.C. (eds.): Heart Disease in Infants, Children and Adolescents. Baltimore, Williams and Wilkins Co. p. 515.

- Ward, C. and Ward, A.M. (1974):
Virus antigen demonstrated in valvular heart disease.
Lancet 1 : 755.

- Watson, R.F. and Rothbard, L. (1956):
Experimental studies in rheumatic fever.
Amer. J. Med. 20 : 163.

- Watson, R.F.; Rothbard, S. and Swift, H.F. (1944):
The use of penicillin in rheumatic fever.
J.A.M.A. 126 : 274.

- Westergren, A. (1926):
Amer. Rev. Tuberc. 14 : 94.

- WHO chronicle (1980):
Community control of heart disease in developing
countries. I. A major public health problem.
WHO chron. Sep. 34 (9), 336 - 354.

- Wilson, M.G. (1962):
Advances in rheumatic fever. New York: Harper &
Row, 31.

- Wood, P. (1936):
Erythrocyte sedimentation rate in diseases of the
heart.
Quarterly journal of medicine, 5, 1.

- Zabriskie, J.B. and Freimer, E.H. (1966):
An immunological relationship between the group
A streptococcus and mammalian muscle .
J. Exp. Med., 124 : 661.

- Zabriskie, J.B.; Hsu, K.C. and Siegal, B.C. (1970):
Heart-reactive antibody associated with rheumatic
fever: Characterization and diagnostic signi-
ficance.
Clin. Exp. Immun. 7 : 147.

- Zagala J.G. and Feinstein, A.R. (1962):
The preceding illness of acute rheumatic fever.
J.A.M.A. 179 : 863.

- Zimmerman, R.A.; Auernheimer, A.H. and Taranta, A.
(1971):
Precipitating antibody to group A streptococcal
polysaccharide in humans.
J. Immunol., 107 : 832.