

REFERENCES

Abdin, Z. H. (1986):

“Rheumatic fever and rheumatic heart disease: pathogenesis and immune-aspects” *The Islamic World Med. J.*; 2 (1) : 25-29.

Abdin, Z. H.; Abul-Fadl, M.A.M. and Miniawy, L. K. (1968):
Rheumatic fever and rheumatic heart disease in Egyptian children. *Ain Shams Med. J.*, 23 : 12.

Abdin, Z. H. and Eissa, A. (1985):

“Rheumatic fever and rheumatic heart disease in Egyptian children below the age of 5 years in the tropics” *Ann. Rheum. Dis.* ; 24: 389.

Abdin, Z. H., Eissa, A., and Abul-Fadl, M.A. (1973):

“The effect of chronic rheumatic heart disease on the growth of the child” *J. Egypt. Med. Ass.*; 53: 3.

Agarwal, S. K.; Srivastava, V. K. and Malik, G. K. (1981):

Streptococcal throat infection in urban school children.
Department of path. & Bact., Soci. & Prevent. Med. and Ped.
King George's Medical College, Lucknow. Nov., vol. 18:
797-800.

Anderson, J. R. (1976):

Rheumatic heart disease, in *Muir's Textbook of Pathology*,
10th Ed. The English language Book Society and Edward
Arnold (Publ.) Ltd., 14, pp. 360-363.

Anderson DC & Springer TA (1987) :

Leukocyte adhesion deficiency :
An inherited defect in the M a C-1 LFA-1 P150, 95
glycoproteins. *Ann Rev. Med*, 38: 175.

Argüelles, E., (1989) :

Tratamento e profilaxia da fase aguda da febre reumática. In: Argüelles E, Fiszman P, Fakoury L. eds. Febre reumática e doenças valvulares do coração. 2nd ed. Rio de Janeiro: Intermédica, 129-48.

Ayoub, E. M., (1992):

"Resurgence of Rheumatic fever in the united States"
Postgraduate Medicine; 92 (3) : 133-142.

Ayoub, E. M., and Kaplan, E., (1991) :

Host-Parasite interaction; of rheumatic fever. J. Rheumatol (Suppl 30) 18: 6-13.

Ayoub, E. M. and Shulman, S.T., (1981):

Use of sulfonamides for rheumatic fever prophylaxis during pregnancy.
Dallas, American Heart Association, (72-019-B).

Bagnasco M, Caretto A, Olive D, Pedini B, Canonica GW, Betterle C., (1991):

Expression of intercellular adhesion molecule-1 (ICAM-1) on thyroid epithelial cells in Hashimoto's thyroiditis but not in Graves disease or papillary thyroid cancer. Clin Exp Immunol 83: 309-13.

Bannister SR., (1987) :

Extrapyramidal Syndromes. In: Brain's Clinical Neurology, 6th ed. London: English language Book Society / University Press; :348.

Bardin P.G, Johnston S.L, Pattemore P.K., (1992):

Viruses as precipitants of asthma symptoms. II. Physiology and mechanism, Clin Exp Allergy; 22: 809-822.

Barnes P.J., (1991) :

Future drug therapy for asthma Clin Exp Allergy 1991; 21 (Suppl 1) : 80 - 85.

Beachey, E.H. and Ofek, I. (1976):

Epithelial cell binding of group (A) streptococci by lipoteichoic acid on fimbriae denuded of M. protein. J. Exp. Med., 143: 759-771.

Begbie, J. (1946):

Cited by Hedley, O.F. The natural history of rheumatic fever and rhaumatic heart disease in Molmo.
Acta. Med. Scand. (Suppl.)1982, 666: 1-172.

Behera - M. (1993):

Subcutaneous ndoules in acute rheumatic fever - an analysis of age old dictums. Indian - Heart, J. Nov., Dec.; 45 (6): 463 -7.

Ben-Dov, I. and Berry, E., (1980):

Acute rheumatic fever in adults over the age of 45 years:
An analysis of 23 patient together with a review of the literature.
Arthritis, Rheum., 10: 100 - 110.

Bessen, D., Jones, K.F., and Fischetti, V.A. (1989) :

Evidence for two distinct classes of streptococcal M protein and their relationship to rheumatic fever.
J. Exp. Med., 169 : 269.

Bevillacqua, M.P. (1993) :

Intercellular-adhesion molecule-1 ELISA for quantitation of ICAM-1.
Ann. Rev. Immunol., 11 : 767.

Bison, A.L.; Pearce, I.A.; Wall, H.P.; Moody, M.D. and Stollerman, G.H., (1970):

Contrasting epidemiology of A.R.F. and acute glomerulonephritis: Nature of antecedent streptococcal infection.
N. Eng. J. Med., 283: 561.

Bisno, A.L. (1985):

The rise and fall of rheumatic fever.
J. A. M. A., 254 (4): 538-541.

Bisno, A. L., (1986):

Non suppurative post-streptococcal sequelae:
Rheumatic fever and glomerulonephritis. In Principles and Practice of Infectious Diseases.
By Mandell, G.L. (ed.). 2nd ed John Wiley and Sons, pp. 1133-1142.

Bisno, A.L. (1991):

“Group A streptococcal infections and acute rheumatic fever” New. Engl. J. Med. ; 325: 783 - 793.

Bisno AL., (1993) :

Rheumatic fever. In: Kelley WN, Harris ED, Ruddy S, Sledge CB, eds. Textbook of rheumatology, 4th ed. Philadelphia, London, Montreal, Sydney, Tokyo: W.B. Saunders Company;1209-21.

Bisno, A.L. and Stollerman, G.H., (1974):

Streptococcal antibodies in the diagnosis of rheumatic fever: Laboratory diagnostic procedures in the rheumatic diseases. By Cohen, A.S. (ed.) Boston, Little Brown and Company, P. 201.

Black, I.F.S. (1971):

Pericardial disease in children, In the pericardium and its disorders. By Cortes, F.M. (ed.) 3rd ed. Charles, C.; Thomas publisher Springfield, Vol. 13, p.242.

Boonpucknoving, S.,; Udoorusangpetch, R. and Rongpanich, B., (1984):

Immunological studies on acute rehumatic fever and rheumatic disease. J. Clin. Lab. Immun., 13 (3) : 133-136.

Bourbeau, p. and Campos, J. M., (1982):

Current Antibiotic susceptibility of Group (A) haemolytic streptococci. J. Inf. Dis., 145: 916.

Bousquet, J., et al., (1995) :

Anti allergic properties of Loratadine : A review advances of therapy Sept./Oct. 12 No. 5 : 283-298.

Brady HR (1993):

Leukocyte adhesion molecules; Potential targets for therapeutic intervention in kidney diseases.Curr Opin Nephrol Hyperten 2:171.

Braunwald, E. (1984):

“Rheumatic fever” In: A Textbook of heart disease-W.B., Saunders’s Co., Philadelphia, London, Toronto :pp. 1641.

Brawnwald, E. (1980):

Pathophysiology of heart failure, Heart disease.
A Textbook of Cardiovascular Medicine, W.B. Saunders Co., Philadelphia, London, Toronto, 1724-1770.

Brian M. Feldman, MD, John B., Zabriskie, MD, Earl D. and Ronald M. Laxer. MD. (1993):

Diagnostic use of B-cell alloantigen D8/17 in rheumatic chorea.J. pediatr; 123: 48-6.

Brink, W.R.; Rammelkamp, C.H. Jr., Denny, F. W. and Wannamaker, L.W. (1951):

Effect of penicillin and aureomycin on the natural course of streptococcal tonsillitis and pharyngitis.
Am. J. Med. 10 : 300.

Bruch, G. E.; Giles, T.D. and Colcolough, H.L. (1970):

Pathogenesis of rheumatic heart disease : Critique and theory.
Am. Heart. J., 80: 556.

Budnik A, Trefzer. U, parlow F, et al., (1992):

Human epidermal Keratinocytes are a source of Soluble cI CAM-1 Molecules. exp Dermatol, 1: 27-30.

Butler IJ. (1992):

Movement Disorders Of Children. Pediatr Clin North Am 39:727-42.

Campell AM, Vignola AM, Chanez P, et al., (1992):

Bronchial epithelial cell activation in asthmatic subjects: Expression of surface markers and mediator release. In: Godard P, Bousquet J, Michel FB (Eds) Advances in Allergology and Clinical Immunology, Parthenon, PP 215-224.

Canonica- GW; Ciprandi - G ; et al., (1994):

Adhesion molecules of allergic inflammation: recent insights into their functional roles. Allergy, 49:135-141.

Carlos. T. M., and J. M. Harlan. (1994):

Blood 84:2068.

Carlow. D. A., N. S. C. van Oers, S. J. Teh, and H. S. Teh. (1992):

Deletion of antigen- specific immature thymocytes by dendritic cells requires LFA- 1/ICAM- 1 interactions. J. Immunol. 148. 1595.

Carter S. (1992):

Movement Disorders. Sydenham chorea. . In: Rowland LP, ed. Merritt's Textbook of Neurology, 9th ed. Philadelphia, London: Lea and Febiger; 645.

Cavallo, M. G. P. Pozzilli, and R. Thorpe. (1994).:

Cytokines and autoimmunity Clin. Exp. Immunol. 96:1.

Chameides L, Markowitz M. (1993):

Rheumatic Fever. In: Conn HF, ed Conn's Current Therapy. USA: W.B. Saunders Company; 123.

Chaudhary, S.; Bilinsky, S. A. and Hennessy, J.L.; et al. (1985):

Penicillin V and Rifampin for the treatment of (A) streptococcal pharyngitis. J. Paediatrics. 106: 481-486.

Cimpolillo A, Mirakian R. Giorgino R; Bottazzo GF. (1990):

Expression of intercellular adhesion molecules (LFA-1 and ICAM-1) in thyrocytes of patients with Graves' disease. J Endocrinol Invest; 1: 177-7.

Ciprandi G, Buscaglia S, Pesce GP, Bagnasco M, Canonica GW. (1993):

Ocular challenge and hyperresponsiveness to histamine in patients with allergic conjunctivitis. J Allergy Clin Immunol in press.

Clarke, M. and Keith, J.D. (1972):

Atrioventricular conduction in acute rheumatic fever. Br. Heart. J., 34: 472-479.

Clasener, H. (1972):

“Pathogenicity of the L-phase of bacteria”. Ann. Rev. Microbiol. 26: 55-84.

Cohen, A.S. (1985):

Laboratory diagnostic procedures in the rheumatic diseases
3rd ed.

Grune and Stratton, Inc. P. 890.

Collis, W.R.F. (1939):

Bacteriology of rheumatic fever.

Lancet, 2: 817.

Committee on Rheumatic Fever (1984):

Committee on rheumatic fever and bacterial endocarditis of the American Heart Association Jones Criteria (revised) for guidance in the diagnosis of rheumatic fever.

Circulation, 69: 203A - 208A.

Cronstein BN, Kimmel SC, Levin RI, Martiniuk P, Weissman G.A. (1992):

mechanism for the antinflammatory effects of corticosteroids: The glucocorticoid receptor regulates leukocyte adhesion to endothelial cells and expression of ELAM-1 and ICAM-1. Proc Natl Acad Sci USA 1992; 89: 45-56.

Cush, J.J., Rothlein, R, Lindsley, H.B., Mainoflea and Lipsky, P.E. (1993):

Increased levels of circulating ICAM-1 in the sera of patients with rheumatoid arthritis.

Arthritis Rheum., 36 : 1098.

Dajani AS (1995): Pharyngitis / tonsillitis:

European and United States experience with cefpodoxime proxetil. Pediatr Infect Dis J. 14: S7-S11.

Dajani AS, Bisno AL, Chung KJ, et al.(1988): Prevention of rheumatic fever:

a statement for health professionals by the committee on Rheumatic Fever, Endocarditis, and Kawasaki Disease of the Council on Cardiovascular Disease in the Young, the American Heart Association. Circulation 78: 1082-6.

Dajani AS, Bisno AL, Chung KJ. et al. (1990):

Prevention of bacterial endocarditis. Recommendations by the American Heart Association. JAMA.; 264: 2919-2922.

Dale, J.B. and Beachey, E.H. (1985):

Epitopes of streptococcal M-proteins shared with cardiac myosin.
J. Exp. Med., 162 : 583-591..

Damle, N. K., K. Klussman, P. S. Linsley, A. Aruffo, and J. A. ledbetter. (1992):

Differential regulatory effects of intercellular adhesion molecule-1 on costimulation by the CD28 counter-receptor B7. J. Immunol. 149: 2541.

Daniel W. W., (1987):

Biostatistics. A foundation for analysis in the health sciences. 4th edition by WayneW Daniel, John Wilysons. New York, Chichester, Brishane, Toronto, Sigapore. P. 531.

Daoud AS, Zaki M, Shakir R, Al-Saleh Q. (1990):

Effectiveness of sodium valproate in the treatment of Sydenham's chorea. Neurology 40: 1140.

Dhanaraj M, Radhakrishnan AR, Sirinivas K, Sayeed ZA. (1985):

Sodium valproate in Sydenham's chorea. Neurology 35:114.

Décourt LV, Santos SRCJ, Snitcowsky R, et al:

Niveis séricos.

Deighton C (1993):

B-haemolytic Streptococci and reactive arthritis in adults.
Ann Rheum Dis 52: 475-82.

Derrick CW, Dillon HC. (1976):

Erythromycin therapy for streptococcal pharyngitis. Am J Dis Child. 130: 175-178.

De Waal Malcfyt, R. S. Verma, M. T. Bejarano, M. Ranes-Goldberg. M. Hill, and H. Spits. (1993):

CD2/LFA-3 or LFA-1/ICAM-1 but not CD28/B7 interactions can augment cytotoxicity by virus-specific CD8+ cytotoxic T lymphocytes. Eur. J. Immunol. 23: 418.

Diamond MS, Staunton DE, de Fougères AR. Stacker SA, Garcia-Aguilar J, Hibbs ML. Springer TA (1990):

ICAM-1 (CD54): A counter-receptor for Mac-1 (CD11b/CD18). J Cell Biol 111: 3129.

Diamond, M.s, Stantmon, D.E, et al., (1991) :

Binding of the integrin Mac-1 (CD 11 b/CD 18) to the third immunoglobulin like domain of ICAM-1 (CD 54) and its regulation by glycosylation. Cell.51 :813.

Dienes, L. (1970):

"Influence of a bacillus on the reversion of Haemophilus influenza L-forms to the bacterial form".

Proc. Soc. Exptl. Biol. Med. 135: 392-394.

Dienes, L. and Weinberger, H.J. (1951):

"The L-form of bacteria".

Bacteriol. Rev. 15: 245-288.

Disciascio, G., and Tranta, A. (1980):

"Rheumatic fever in children" Am. Heart J.; 99: 635-656.

Donaldson JO. (1992):

Neurological Complication of pregnancy. In: Asbury AK, Mckhan GM, McDonald WI, eds. Diseases of the Nervous System, 2nd ed. Philadelphia, London, Toronto, Montreal, Sydney, Tokyo: W.B. Saunders Company; 1549.

Doré M. Korthuis RJ. Granger DN, Entman ML. Smith CW. (1993):

P-selectin mediates spontaneous leukocyte rolling in vivo. Blood 82: 1308.

Dougherty GJ, Murdoch S and Hogg, N. (1988):

The function of ICAM-1 in the generation of an immune response Eur. J. Immunol, 18:35-39.

- Doughty, R., Giesecke, L. and Athreya, B. (1981):**
"Salicylate therapy in Juvenil rheumatoid arthritis" AJDC;
134: 461 - 466.
- Dustin ML, Sanders ME, and shaws (1987):**
J. Exp. Med, 165: 677-692.
- Dustin ML, & springer TA (1988):**
J cell Biol, 107: 321 - 331.
- Dustin ML, Springer TA, (1991):**
Role of lymphocyte adhesion receptors in transient
interactions and locomotion. Annu Rev Immunol 1991; 9: 27-
32.
- Dustin ML, Staunton DE & Springer TA (1988):**
Immunol today, 9: 213-215.
- Dustin, M. L., R. Rothlein, A. K. Bhan, C. A. Dinarello, and T. A. Springer. (1986):**
Induction by IL-1 and interferon- γ : tissue distribution,
biochemistry, and function of a natural adherence molecule
(ICAM-1). J. Immunol. 137:245.
- Dutz, W., Kahout , E., Rossipol, E., and Vessal, V. (1976):**
"Infantile stress, immune-modulation and disease pattern"
Pathol. Annu.; 77: 415.
- EL- Kholy , M., Mouchira, H., Shaker, M., Hoda, L., Gadalla, M.,
Darwish, M., and Kattab, A. K. (1990):**
"Rheumatic fever and Rubella immunity" The Journal of the
Egyptian Public Health Association LXV ; 5,6: 609-615.
- Ellen, R. P. and Gibbons, R. J. (1972):**
M- protein associated adherence of streptococcus pygenes to
epithelial surfaces.
Infect. Immun., 5: 856.
- EL- Mazny, A.; Fatthi, A.; Shoeib, S.; Moustafa, B. and Fouad, I. (1984):**
Tonsillar autoantibodies in sera of rheumatic children.
Gazette of Egypt. Ped. Assoc., 32:56.

Eimmons, D., M. W. Makgoba, and B. Seed. (1988):

ICAM, an adhesion ligand of LFA-1, is homologous to the neural cell adhesion molecule NCAM. *Nature* 331: 624.

Eissa AM, El-Behairy F, Mahmoud S, Abdoulfadl MA, El-Khodary M. (1984):

Some enzymatic Studies on the blood serum and C.S.F. of children suffering from rheumatic chorea. *Med J cairo Univ* 52: 415-21.

Eissa, A.M., El-Ramly, L., Soad M.A., Mahfouz, K.A., Abd-El-Sattar, M., El-Sayed, A., and Hussein, S. (1985):

"An attempt to understand the pathogenesis of anemia in rheumatic fever" *Gaz. Egypt Ped. Ass.*; 33:40.

Fehrenbach, F.J. and Eibel, H., (1977):

Interaction of streptolysin O with natural and artificial membranes.

Zeitschrift für Natur forschung ; 32c: 101.

Fine, J. S., and A. M. Kruisbeek. (1991):

The role of LFA-1/ICAM-1 interaction during murine T lymphocyte development. *J. Immunol.* 147:2852.

Fink CW. (1991):

The role of streptococcus in poststreptococcal reactive arthritis and childhood polyarteritis nodosa.

J Rheumatol (suppl 29) 18: 14-20.

Forfar, J.O. and Arneil, G.C. (1984):

A textbook of pediatrics, 3rd Ed. Churchill Livingstone
Edinburgh, London, Melbourne and New York, Vol. 1; pp.
623-73.

Gibb WRG, Lees AJ.(1989):

Tendency to late recurrence following rheumatic chorea.
Neurology 39:999

Goldsmith DP, Long SS (1982):

Poststreptococcal disease of childhood a changing syndrome (abstr). *Arthritis Rheum (suppl 4)* 25: S18.

- Goldstein, I.; Halpern, B. and Robert, L. (1967):**
Immunological relationship between streptococcus A polysaccharide and the structural glycoproteins of heart valve. Nature, 213, 44.
- Gostman, M. (1985):**
Rheumatic fever and rheumatic heart disease. Medicine, 2: 765.
- Govan, D.T. and Macfarlane, P.S. (1981):**
Pathology illustrated 1st ed. Churchill Livingstone Edinburgh, pp. 269-278.
- Grahn, E., Holm, S.E., and Ross, K. (1987):**
“Penicillin tolerance in beta-streptococci isolated from patients with tonsillitis” Scand. J. Infect. Dis.; 19: 421-426.
- Green LN. (1978):**
Corticosteroids in the Treatment of Sydenham’s chorea. Arch Neurol 35: 53-54.
- Griffits, S.P., and Gersony , W.M. (1990):**
“Acute rheumatic fever in New York City (1969-1988), A comparative study of two decades” J. Ped.; 116: 883-887.
- Grossman, B.J. and Athreya, B. (1962):**
Sources of errors in diagnosis of acute rheumatic fever in children. J. A. M. A., 182: 830 - 833.
- Hafez , M., El-Tahan , H., Ibrahim , Z., and Hamed , H. (1984):**
“H.L.A. as agenestic marker in rheumatic fever” Gaz. Egypt Ped. Ass.; 32-45.
- Harlan JM (1985):**
Leukocyte-endothelial interactions. Blood 65: 513.
- Higmans, W. and Dienes, L. (1955):**
“Further observation on L-form of alpha haemolytic streptococci”. Proc. Soc. Exptl. Biol. Med. 90: 672 - 675.

Holm, S. E., and Falsen (1967):

Precipitinogens in B-haemolytic streptococci and some related human Kidney antigens.
Acta. Pathol. Microbiol. Scand., 70: 79.

Hooton TM. A (1991):

Comparison of azithromycin and penicillin V for the treatment of streptococcal pharyngitis. Am J Med. 91: 23S-30S.

Horley, K. J., C. Carpenito. B. Baker, and F. Takei. (1989):

Molecular cloning of murine intercellular adhesion molecule (ICAM-1) EMBO J. 10:2889

Howie, J.B. and Simpson, L.O. (1974):

Autoimmune disease in NZB mice and their hybrids. In: Dubois E.L., ed. Lupus erythematosus 2nd ed. Los. Angelos, University of Southern, California Press pp. 124.

Hung-Chi, L.; Mei-Hwan, W.; Kue, Hisung, H.; Chi-Jen, L.; Rhong-phone, H. and Jow-Farn, C. (1986):

Rheumatic fever recurrences. Controlled study of 3 weeks versus. 4 weeks benzathine penicillin prevention programs. The Journal of Ped., Feb., 299-304.

Hung- Chi lue, Mei-Hwan W., Jou-Kau W., Fen-Fen W., and YU- Nian WU, (1994):

Long -Term outcome of patients with rheumatic fever receiving benzathine penicillin G prophylaxis every three weeks versus every four weeks. J. Pediatr. 125: 812-6.

Husby, G.H.; Arora, R.; Williams, R.C.; Kwow, B.A. and Haber, E. (1986):

Immunofluorescent studies of florid rheumatic Aschoff lesions. Arthritis Rheum., 29: 207.

Husby, G. H.; Van de Rijn I.; Zabriskie, J.B; Abdin, Z.H. and Williams, R.C.Jr. (1976):

Antibody reacting with cytoplasm of subthalamic and caudate nuclei neurons in chorea and acute rheumatic fever. J. Exp. Med. 144 : 1094-1110.

Hutchins, G.N. and Payne, K.T. (1976):

Possible origin of myocardial Aschoff bodies of rheumatic fever from nerves.
J. Exp. Med., 144 : 270.

Isobe, M., H. Yagita, K. Okumura, and A. Ihara. (1992):

Specific acceptance of cardiac allograft after treatment with antibodies to ICAM-1 and LFA-1. Science 255: 1125.

James Todd (1996) :

Rheumatic fever, Streptococcal infection. in Nelson Textbook of Pediatrics. 15th edition Behrman R.E., Kliegman R.M. and Arvin AM. W.B Saunders, Philadelphia. p. 750-760.

Jankovic J, Orman J. (1988):

Tetrabenazine therapy of dystonia, Chorea, tics, and other dyskinesias. Neurology 38: 391-393.

Jawetz, E; Medlinck, J.L. and Adelberg, E.A. (1980):

Review of Medical Microbiology 14th edition chapter 10: 112-145, Lange Medical publications.
Los Altos. California, U.S.A.

John, A., Bittle, and Joseph, K. P. (1983):

Chronic post - rheumatic arthropathy of Jaccoud.
Am. Heart. J., 105: 515-17.

Kagan, B.M. (1968):

"Antibiotic sensitivities of staphylococcal L-forms" 314 Ed.
Guze L.B. The Williams and Wilkins Company, Blatimore.

Kanazawa I, Murata M, Kimura M. (1993):

Roles of dopamine and its receptors in generation of choreic movements. Adv Neurol 60: 107-12.

Kaplan, E.L. (1978):

"Acute rheumatic fever" pediatr. Clin. North. Am.; 25:817-829.

Kaplan, E.L. (1992):

"Rheumatic fever" Nelson Textbook of pediatrics, Behrman, 14th edition, W.B. Saunders Company, Philadelphia, pp. 640-646.

Kaplan, E.L.; Bisno A.; Derrick W.; et al. (1977):

American Heart Association Committee on rheumatic fever and bacterial endocarditis. Prevention of rehumatic fever. Circulation, 55: A 1-4.

Kaplan, M.H. and Meyeserian, N. (1962):

An immunologic cross - reaction between group A streptococcal cells and human heart. Lancet, 1: 706-710.

Kaplan, M.H. and Svec, K.H. (1964):

Immunologic relation of streptococcal and tissue antigens III: Presence in human sera of streptococcal antibody cross-reactive with heart tissue. Association with streptococcal infection, rehumatic fever and glomerulonephritis. J. Exp. Med., 119: 651-665.

Kassem, A.S.; Badr El-Din, M.K. and Madkour, A.A. (1982):

The pattern of rehumatic fever in Alex. with 10 years follow up of valvular lseions. Gaz. Egypt Ped. Ass., 31: 77.

Kassem, A.S., and Zaher, S.R. (1992):

"An international comparison of the prevalence of streptococcal infections and rheumatic fever in chlidren" Pediatr. Ann.; Dec., 21 (12): 835 - 839.

Kavanaugh, A. F., L.S. Davis, L.A. Nichols, S.H. Norris, R. Rothlein, L.A. Scharschmidt, and P.E. Lipsky. (1994):

Treatment of refractory rheumatoid arthritis with a monoclonal antibody to intercellular adhesion molecule-1. Arthritis Rheum. 37;992.

Kavanaugh, A.E. Lightfoot, P. Lipsky, N. Oppenheimer-Marks. (1991):

The role of CD11/CD18 in adhesion and transendothelial migration of T cells: analysis utilizing CD18 deficient T cell clones. J. Immunol. 146 : 4149.

Keith, J.D. (1978):

Rheumatic fever and rheumatic heart disease in Row, R.D. and Vlad, P. (eds): Herat disease in infancy and childhood 3rd (ed.) Macmillan New York, p. 203.

- Kelley, W.N.; Harris, E.D.; Ruddy, S. and Sledge, C.G. (1985):**
Textbook of rheumatology, 2nd ed. Rheumatic fever, W.B. Saunders, Philadelphia, p. 1280.
- Khanna AK, Buskirk DR, Williams RC Jr, et al. (1989):**
Presence of a non-HLA B cell antigen in rheumatic fever patients and their families as defined by a monoclonal antibody. J Clin Invest 83: 1710-6.
- Khashaba, A., and Shoheib, S. (1988):**
"Acquired heart diseases: Rheumatic fever" Essentials of Pediatrics, 2nd edition, 173-183.
- Kienzle GD, Breger RK, Chun RWM, Zupanc ML, Sackett JF. (1991):**
Sydenham chorea: MR Manifestations in Two Cases. AJNR 12:73-76.
- Kojima T, sasai M and Kobayashi Y. (1993):**
Increased soluble ICAM-1 in tracheal aspirate in infants with bronchopulmonary dysplasia. Lancet, 342:1023-24.
- Kowalzik, L.; Kleinz, A.; Neuber, K.; Weichenthal, M.; Kohler, I.; Ring, J. (1995):**
Elevated serum levels of soluble adhesion molecules ICAM-1 and ELAM-1 in patients with severe Atopic eczema and influence of UVA1 treatment. Dermatology. 190: 14- 18.
- Kuhlman, P., V.T. Moy, B.A. Lollo, and A.A. Brian. (1991):**
The accessory function of murine intercellular adhesion molecule-1 in T lymphocyte activation. inteributions adhesion and coactivation. J. Immunol. 146: 1773.
- Kumar, K.S. Ganguly, N.K., Anand, I.S., and Wahi, P.L. (1992):**
"Adherence of streptococcus pyogenes M type 5 to pharyngeal and buccal cells of patients with rheumatic fever and rheumatic heart disease during a one-year follow up" APMIS; 100:353-359.
- Kuster H and Degitz, K (1993):**
Circulating ICAM-1 in neonatal sepsis. Lancet, 341:506.

Kuttner AG, Mayer FE. (1963):

Carditis during second attacks of rheumatic fever - its incidence in patients without clinical evidence of cardiac involvement in their rheumatic episode. N Engl. J Med. 268: 1259-1261.

Kyan-Aung U, Hallsworth M, Haslard D, De Vos C, Lee TH. (1992):

The effects of cetirizine on the adhesion of human eosinophils and neutrophils to cultured human umbilical vein endothelial cells. J Allergy Clin Immunol 90(2): 270-273.

Lane TA, Lamkin GE, Wancewicz EV (1990):

Protein Kinase C inhibitors block the enhanced expression of intercellular adhesion molecule-1 on endothelial cells activated by interleukin-1 lipopolysaccharide and tumor necrosis factor. Biochem Biophys Res Commun 172: 1273.

Lane, P.J.L., F.M. McConnell, E.A. Clark, and E. Mellins. (1991):

Rapid signaling to B cells by antigen-specific T cells requires CD18/CD54 interaction. J. Immunol. 147:4103.

Laurie, S. Davis; Arthur, F.; Kavanaugh; Lisa A.; Nichols, and Peter, E.; Lipsky. (1995):

Induction of persistent T-cell hyporesponsiveness in vivo by monoclonal antibody to ICAM-1 in patients with Rheumatoid Arthritis.

J. Immunol. 154: 3525 - 3537.

Lawrence MB, Springer TA (1991):

Leukocytes roll on a selectin at physiologic flow rates: Distinction from and prerequisite for adhesion through integrins. Cell 65:859.

Lawrence MB, Springer TA (1993):

Neutrophils roll on E-selectin. J Immunol 151:6338.

Lederberg, J. and St. Clair, J. (1958):

"Protoplasts and L-type growth of E. Coli".
J. Bacteriol. 75: 143-156.

Lennon, D.R. (1993):

"Acute rheumatic fever" Ped. Infect. Dis; 1(44): 387-396.

Levinson, S.S.; Bearfield, J.L.; Ausbrook, D.K.; et al. (1982):

The Chicago rheumatic fever program: A 20 years plus year history.
J. Chronic Dis., 35(3): 199-206.

Ley K, Tedder TF, Kansas GS (1993):

L-Selectin can mediate leukocyte rolling in untreated mesenteric venules in vivo independent of E- or P-selectin.
Blood 82:1632.

Lockman LA.(1975):

Movement disorders. in the practice of pediatric neurology.
St. Louis: C.V. Mosby Company; 218.

Lyampert, I.M.; Vvedenskaya, O.V. and Danilova T.A. (1966):

Study of streptococcus group (A) antigens common with heart tissue elements. Immunology, 11, :313.

Machold, K.P., Kiener, H.P., Graninger, W.B. (1993) :

sICAM-1 in patients with rheumatoid arthritis and systemic lupus erythematosus.
Clin. immunopathol., Jul. 68 (1) : 74-8.

Mackay, C. (1991):

T cell memory: The connection between function, phenotype and migration pathways. Immunol. Today 12:189.

Majeed, H.A.; Shaltout, A. and Yousof, A.M. (1984):

Recurrences of acute rheumatic fever. A retrospective study of 79 episodes.
A.J.D.C., 138: 341-345.

Majeed HA, Yousof AM, Khuffash FA, Yusuf AR, Farwana S, Khan N.(1986):

The natural history of acute rheumatic fever in kuwait: a prospective six year follow-up report. J Chronic Dis. 39: 361-369.

Marcello Bagnasco, Giampaolap. Pesce, Antonio Caretto, et al., (1995):

Follicular thyroi cells of autoimmune thyroiditis may coexpress ICAM-1 (CD54) and its natural Ligand LFA-1 (CD11a/CD18). J. Allergy Clin. Immunol.; 95: 1036-43.

Markowitz, M. (1985):

The decline of rheumatic fever, role of medical intervention.
Paediatrics. 106: 545-550.

Markowitz, M. (1986):

Rheumatic fever in the eighties.
Ped. Clin. North Am., 33: 1141-1150.

Markowitz, M. (1987):

"Rheumatic fever" In: Nelson Textbook of Pediatrics. 13th ed. Behrman, R.E., Vaughn, V.C., (eds), W.B. Saunders Company, Philadelphia pp. 539-543.

Markowitz, M. and Gordis, L. (1972):

Rheumatic fever 2nd ed. W.B. Saunders Co., Philadelphia, London, pp. 137-176.

Markowitz, M. and Kaplan, E. (1989):

"Reappearance of rheumatic fever" Adv. Pediatrics; 36: 39-66.

Markowitz, A.S. and Lange, C.F. Jr. (1964):

Streptococcal related glomerulonephritis: 1. Isolation, immunochemistry and comparative chemistry of soluble fractions from type 12 nephritogenic streptococci and human glomeruli.
J. Immunol., 92:565.

Marlin SD & Springer TA (1988):

Purified ICAM-1 is a ligand for lymphocyte function associated antigen-1 (LFA-1). cell 51: 813.

Massel, B.F., Fyler, D.C., and Roy, S.B. (1958):

"The clinical picture of rheumatic fever: diagnosis, immediate prognosis, course and therapeutic implications" Am. J. Cardiol; 1:436.

Maxted W.R., (1964):

The streptococcus, rheumatic fever and glomerulonephritis.
Williams and Wilkins Co., Baltimore, P. 25.

Mayer, R.J. and Haggerty, R.J., (1962):

Streptococcal infections in families. Factors affecting individual susceptibility
Pediatrics, 29: 539.

Miyazaki A, Mirakian R, Bottazzo GF.,(1992) :

Adhesion molecule expression in Graves' thyroid glands: potential relevance of granule membrane protein (GMP-140) and intercellular adhesion molecule-1 (ICAM-1) in the homing and antigen presentation processes. Clin Exp. Immunol, 89: 52-7.

Montefort S, Roche WR. Howard PH, Djkanovic R, Gratziau C, Carroll M, Smith L, Brittern KM, Haskard D, Lee TH, Holgate ST., (1992):

Intercellular adhesion molecule-1 (ICAM-1) and endothelial leukocyte adhesion molecule-1 (ELAM-1) expression in the bronchial mucose of normal and asthmatic subjects. Eur Respir J; 5: 815-823.

Montgomerie, J.Z., Kalmanson, G.M., Hewitt, W.L. et al. (1965):

"Effectiveness of antibiotics on bacterial and protoplasts phases of pyelonephritis".
Antimicrob. Agents Chem. 5: 427-430.

Montgomery KF. Osborn L, Hession C, Tizard R. Goff D, Vassallo C, Tarr PI. Bomszyk K, Lobb R, Halran JM, Pholman TH. (1991):

Activation of endothelial-leukocyte adhesion molecule 1 (ELAM-1) gene transcription. Proc Natl Acad Sci USA 88: 6523.

Morris, K.; Mohan, C.; Wahi, P.L.; Anand, I.S.; and Ganguly, N.K. (1993):

Increase in Activated T-cells and Reduction in Suppressor / Cytotoxic T-cells in ARF and Active Rheumatic Heart Disease: A longitudinal study. J. Infec. Dis. 167: 979 - 83.

Munro JM, Pober JS and Cotran RS (1989):

Am. J. Pathol, 135: 121-133.

- Myers CL, Desai SN, Schembri-King J, Letts GL, Wallace RW (1992):**
Discriminatory effects of protein kinase inhibitors and calcium ionophore on endothelial ICAM-1 induction. *Am J Physiol* 262: C365.
- Nairn, N; Kutukculer, N; Ozyurek, R; Bakiler, AR; Parlar, A; Arcasoy, M. (1995):**
Lymphocyte subsets and plasma IL-1 alpha, IL-2, and TNF-alpha concentrations in acute rheumatic fever and chronic rheumatic heart disease. *Clin- Immunol - Immunopathol.* Nov.; 77 (2): 172-6.
- Newton, B.A. (1954):**
"Site of action of polymyxin on pseudomonas aeruginosa: Anatgonism by cations"
J. Gen. Microbiol. 10: 491 - 493.
- Newton, B.A. (1956):**
"The properties and mode of action of the polymyxins".
Bacteriol. Rev. 20: 14-25.
- Oppenheimer-Marks, N., L. S. Davis, and P.E. Lipsky, (1990):**
Human T lymphocyte adhesion to endothelial cell and trans-endothelial migration: alteration of receptor use relates to the activation status of both the T cell and the endothelial cell. *J. Immunol.* 145: 785.
- Oppenheimer-Marks, N., and P.E. Lipsky. (1994):**
Transendothelial migration of T cells in chronic inflammation. *The Immunologist* 2: 58.
- Oram, S. (1981):**
"Rheumatic pancarditis on clinical heart disease" 2nd edition, William Heinman, Medical Book Ltd, London, PP. 320.
- Osborn L (1990):**
Leukocyte adhesion to endothelium in inflammation. *Cell* 62:3.
- Padmavati S, Gupta V, Prakash K, et al (1987):**
Penicillin for rheumatic fever prophylaxis: 3-weekly or 4-weekly schedule? *J Assoc Physicians India*, 35: 753-5.

Pricto, J.F. Takei, R. Gendelman, B. Christenson, P. Biberfeld, and M. Patarroyo. (1989):

MALA-2, mouse homologue of human adhesion molecule ICAM-1 (CD54). Eur. J. Immunol. 19: 1551.

Putto, A.; Ruuskanen, O.; Meurman, O.; Ekblad, H.; Korvenranta, H.; Mertsola, J.; Peltola, H.; Sarkkinen, H.; Viljanen, M.K. and Halonen, P. (1986):

C-reactive protein in evaluation of febrile illness.
Arch. Dis. Child., 61: 24-29.

Quinn, R.W.; Downey, F.M. and Frederspiel, C.F. (1967):

The incidence of rheumatic fever in metropolitan Nashville, 1963-69.
Public Health Rep., 80: 673.

Rachel Y. Moon, Mary G. Greene, Gregory T. Rehe, and ILDY M. Katona. (1995):

Poststreptococcal reactive arthritis in children: Apotential predecessor of rheumatic heart disease. J. Rheumatol. 22: 529-32.

Rantz, L.A.; Maroney, M. and Dicaprio, J.M. (1951):

Antistreptolysin O response following haemolytic streptococcal infection in early childhood.
Arch. Intern. Med., 76: 360.

Rapaport, R.T.; Chase, R.M.Jr. and Solowey, A.C. (1966):

Transplantation antigen activity of bacterial cells in different animal species and intracellular localization.
Ann. N.Y. Acad. Sci., 129: 102.

Rhodes, P. and Jackson, H. (1975):

Rheumatic fever in Colorado: A conquered disease.
J.A.M.A. 234: 157-158.

Richard N. Shiffman, MD, MCIS. (1995):

Guideline maintenance and revision. 50 years of the Jones criteria for diagnosis of rheumatic fever.
Arch. Pediatr. Adolesc. Med. 149: 727-732.

- Roth, S.H. (1989):**
 "Rethinking rheumatic disease therapy" J. of Rheumatology;
 16: 11-13.
- Rothlein R, Czajkowski M.L, O'Neill MM, et al (1988):**
 Induction of ICAM-1 on primary and continuous cell lines by
 proinflammatory cytokines. J Immunol, 141: 1665-69.
- Rothlein R, Dustin ML, Marlin SD, et al (1986):**
 A human ICAM-1 distinct from LFA-1. J Immunol, 137:
 1270-74.
- Rothlein R, Mainolfi EA, Czajkowski M, et al (1991):**
 A form of circulating ICAM-1 in human serum. J. Immunol,
 147: 3788-93.
- Ruoslahti E and Pierschbacher MD (1987):**
 Science, 238: 491-97.
- Samsonov, MY; Tiltz, GP; Pisklakov, VP; Reibnegger, G; Nassonov, El;
 Nassonova, VA; Wachter, H; Fuchs, D. (1995):**
 Serum - soluble receptors for tumor necrosis factor - alpha
 and IL-2, and neopterin in ARF. Clin - Immunol - Immunopath.
 Jan; 74 (1): 31 - 4.
- Sanders VM, Snyder JM, Vhr JW, et al (1986):**
 J Immunol, 137: 2395.
- Sandson, J.; Hamerman, D.; Janisy, R. and Rojkind, M. (1968):**
 Immunologic and chemical similarities between the
 streptococcus and human connective tissue.
 Trans. Assoc. Am. Physicians 81: 249.
- Schick, P., F. Trepel, M. Eder, M. Matzner, S. Benedek, H. Theml, W.
 Kaboth, H. Begemann, and T.M. Flicdner, (1975):**
 Autotransfusion of 3H-cytidine-labelled blood lymphocytes in
 patients with Hodgkin's disease and non-Hodgkin patients.
 Acta Haematol. (Basel) 53:206.
- Schwab, J.H. and Cromarit, W.J. (1960):**
 Immunological studies on a polysaccharide complex of group
 A streptococci having a direct toxic effect on connective
 tissue.
 J. Exp. Med., 111:295.

- Secord, E., Emre, U., Shah, B.R., and Tunnessen, W.W. (1993):**
“Erythema Marginatum in acute rheumatic fever” *AJDC*; 146: 637-638.
- Selim, S. (1985):**
“Incidence of rheumatic heart disease among school children in Cairo governate” M.Sc. Thesis, Cairo University: 65-78.
- Seth R, Raymond FD and Makgkoba MW (1991):**
Circulating ICAM-1 isoforms: diagnostic prospects for inflammatory & immune disorders. *Lancet*, 338:83.
- Shannon KM, Fenichel GM (1990):**
Pimozide treatment of Sydenham’s chorea *Neurology* 40: 186.
- Shanson, D.C. (1982):**
Microbiology in clinical practice.
Wright PSG Bristol. London Boston. 4th ed. p. 420.
- Shockman, G.D. and Lampen, J.O. (1962):**
“Inhibition by antibiotics of the growth of bacteria and yeast protoplasts”.
J. Bacteriol. 84: 508-512.
- Shoheib, S. (1987):**
A new classification of the syndrome of acute rheumatic fever.
Gaz. Egypt. Ped. Ass., 35: 73-79.
- Shulman, S.T.; Amren, D.P.; Bisno, A.L.; et al. (1984):**
Prevention of rheumatic fever.
Circulation, 70: 1118-1122.
- Siu, G., S. M. Hedrick, and A.A. Brian. (1989):**
Isolation of the murine intercellular adhesion molecule-1 (ICAM-1) gene. ICAM-1 enhances antigen-specific T cell activation. *J. Immunol.* 143: 3813.
- Smith. CH; Barker. JN; Lee. TH. (1993):**
Adhesion molecules in allergic inflammation. *Am. Rev. Respir. Dis. Dec*; 148(6 pt 2): S75-8.

Smith CW, Marlin SD, Rothlein R, Toman C, Anderson DC (1989):

Cooperative interactions of LFA-1 and Mac-1 with intercellular adhesion molecule-1 in facilitating adherence and transendothelial migration of human neutrophils in vitro. *J. Clin Invest* 83: 2008.

Smith CW, Rothlein R, Hughes B, et al (1988):

Identification of an endothelial determinant for CD18-dependent neutrophil adherence *FASEB J*, 2: A 1237,

Spitzer, T.A. and Harris, B.A. (1977):

Penicillin V therapy for streptococcal pharyngitis; Comparison of dosage schedules. *South Med. J.* 70: 41-42.

Springer TA (1990):

Adhesion receptors of the immune system. *Nature*, 346: 425-434.

Springer, T.A. (1994):

Traffic signals for lymphocyte recirculation and leukocyte emigration: the multistep paradigm. *Cell* 76:301.

Staunton DE, Merluzzi VJ, Rothlein R, Barton R, Marlin SD, Springer TA. (1989):

A cell adhesion molecule, ICAM-1, is the major surface receptor for rhinovirus. *Cell* 56: 849-853.

Stein, G.E. Christensen, S. and Mummaw, N. (1991):

"Comparative study of Clarithromycin and penicillin V in the treatment of streptococcal pharyngitis" *Eur. J. Clin. Microbiol. Infect. Dis.*; 10: 949-953.

Still JG (1995):

Management of pediatric patients with group A beta-hemolytic *Streptococcus* pharyngitis: treatment options. *Pediatr Infect Dis J.* 14: S57-S61.

Stollerman, G.H. (1964) :

The epidemiology of primary and secondary rheumatic fever. in Uhr, J.W., (ed.) : *The streptococcus, rheumatic fever and glomerulonephritis*, Baltimore, Williams and Wilkins, 311.

Stollerman, G.H. (1971):

Rheumatogenic and nephritogenic streptococci.
Circulation. 43: 915.

**Stollerman, G.H. (1975): Quoted to Selinger, D.S. Julie, N., Reed, W.P.
and Williams, R.C. (1978):**

Science, Vol. 201. p. 455-457.

Stollerman, G.H. (1982):

Global changes in group (A) streptococcal disease and
strategies for their prevention.
Adv. Intern. Med., 27: 273.

Stollerman, G.H. (1984):

"Rheumatic and heritable connective tissue diseases of the
cardiovascular system" In: "Heart diseases" A Textbook of
Cardiovascular? Medicine, Braunwald, E., (ed), W.B.
Saunders Co, Philadelphia, PP. 1641-1675.

Stollerman, G.H. (1985):

Rheumatic fever. In: Textbook of Rheumatology 2nd ed.,
W.B. Saunders Co., Philadelphia, pp. 1272-1274.

Stollerman, G.H. (1986):

Acute rheumatic fever and its management. In the heart by J.
Willis Hurst Sixth ed. McGraw Hill Book Co., pp. 1306-
1313.

Stollerman, G.H. (1987):

Rheumatic fever. In: Harrison's Principles of Internal
Medicine by Petersdorf, R.G. 11th ed. McGraw Hill Book
Co., pp. 543-550.

Stollerman, G.H. (1988):

Rheumatic and heritable connective tissue diseases of the
cardiovascular system. In: Heart Disease by Braunwald, E.,
Third ed. W.B. Saunders Co., pp. 1707-1716.

Stollerman, G.H. (1991):

"Rheumatogenic streptococci and autoimmunity" Clin.
Immunol. Immunopathol.; 61: 131-142.

Stollerman, G.H. and Russof, J.H. (1952):

Propylaxis against group (A) streptococcal infection in R.E. patients. J.A.M.A> 150: 1571-1972.

Stollerman, G.H.; Siegal, A.C. and Johnson, E.F. (1965b):

Variable epidemiology of streptococcal disease and the changing pattern of R.F.
Med. Concepts Cardiovas. Dis., 34: 45.

Strasser, T. (1978):

Rheumatic fever and rheumatic heart disease in the 1970's,
WHO, Chron., 32: 18-25.

Swaiman KF (1989):

Disorders of the basal ganglia In: Pediatric Neurology.
Principles and Practice. St. Louis, Baltimore, Toronto: The
C.V.Mosby Company; 828.

Swanson, J.; H'su K. and Gotschlich, E. (1969):

Electron microscopic studies of streptococci.
1: The M. antigen.
J. Exp. Med., 1063.

**Swedo SE, Leonard HL, Schapiro MB, Casey BJ, Mannheim GB,
Lenane MC, Rettew DC, (1993):**

Sydenham's Chorea : physhological Symptoms of St Vitus
Dance. Pediatrics 91: 706-713.

Sydenham, T. (1940):

Cited by Wilson, M.G.

Tadzynski, L.A. and Ryan, M.E. (1986):

Diagnosis of rheumatic fever.
Post-grad. Med., 79: 295-300.

Tanz, R.R.; Shulman, S.T.; Banthel M.J.; et al. (1985):

Penicillin plus rifampin eradicates pharyngeal carriage of
group (A) streptococci.
J. Paed. 106: 876 - 880.

Toig M, Monsterrat L, Gallart A. Carbamazepine (1988):

An alternative drug for the treatment of nonhereditary chorea.
Pediatrics 82: 492.

Tolosa E, Roura C, Catalfamo M, et al (1992):

Expression of intercellular adhesion Molecule-1 in thyroid follicular cells in autoimmune, nonautoimmune and neoplastic diseases of the thyroid gland : discordance with HLA. J Autoimmunity 5: 107-18.

Tomai, M.; Kotb, M., Majumdar, G. and Beachey, E.H. (1990) :

Superantigenicity of streptococcal M protein J. Exp. Med., 172 : 359.

Trinkaus, JP. (1984):

Cells into organs: the Forces that shape the embryo (Prentice - Hall, Englewood Cliffs).

Ueo, T., S. Tanaka, Y. Tominaga, H Ogawa, and T. Sakurami, (1979):

The effect of thoracic duct drainage on lymphocyte dynamics and clinical symptoms in patients with rheumatoid arthritis. Arthritis Rhum. 22: 1405.

Valtonen, JM; Koskimies, S; Miettinen, A; Valtonen, VV. (1993):

Various rheumatic syndroms in adult patients associated with high ASOT and their differential diagnosis with rheumatic fever. Ann-Rheum - Dis. Jul; 52 (7): 527 - 30.

Van Asselt, G.J. and Mouton,. R.P. (1993):

"Detection of penicillin tolerance in streptococcus pyogenes"
J. Med. Microbiol.; 38 (3) : 197-202.

Van Boxel, J. A., and S. A. Paget. (1975):

Predominantly T cell infiltration in rheumatoid synovial membranes. N. Engl. J. Med. 293: 517.

Van de Rijn, I. (1980):

Streptococcal disease and immune response.
Academic Press. Inc. New York, P.161.

WHO, Chronicle (1980):

Community Control of rheumatic heart disease in developing countries. 34:380-385.

WHO Study Group (1992):

"WHO programm for the prevention of rheumatic fever / rheumatic heart disease in 16 developing countries: report from phase 1 (1980-90) Bulletin of World Health Organization; 70 (2): 213-218.

Williams, R.C. Jr. (1983):

Rheumatic fever and the streptococcus. Another Look at Molecular Mimicry.
Am. J. Med. 75: 727-730.

Williams, R.C.Jr.; Raizada, V.; Parkash, K.; Van de Bijn, I.; Zabriskie, J.B.; Stobo, J.D. and Sharma, K. B. (1982):

Changes in T-lymphocytes subsets during acute rheumatic fever.
J. Clin. Immunol., 2: 166-172.

Wood, H.F.; Feinstein, A.R.; Taranta, A.; Epstein, J.A. and Simpson, R. (1964):

Rheumatic fever in children and adolescents. A long term epidemiologic study of subsequent prophylaxis, streptococcal infections and clinical sequelae.
Ann. Intern. Med. 60 (suppl.5): 31-47.

Wuthrich RP (1992):

Intercellular adhesion molecules and vascular cell adhesion molecule-1 and the Kidney. J Am Soc Nephrol 3: 1201.

Yutaro Shioto MD, James G. Willson, MD, Masaomi Marukawa MD, Tetsuya Ono, MD, and Masaro Kaji, MD, (1996):

Soluble intercellular adhesion Molecules-1 (ICAM-1) antigen in sera of bronchial asthmatics. Chest, 109-1 January 94-99.

Ybarrondo, B., A. M. O'Rourke, A. A. Brain, and M. F. Mescher. (1994):

Contribution of lymphocyte function-associated-1/ Intercellular adhesion molecule-1 binding to the adhesion/ signaling cascade of cytotoxic T lymphocyte activation. J. Exp. Med. 179.: 359.