

REFERENCES

- Adamson GM and Billings RE (1993)** : Cytokine toxicity and induction of NO synthase activity in cultured mouse hepatocytes. *Toxicol. Appl. Pharmacol.*, 119: 100 - 107.
- Albina JE and Henery WL (1991)** : Suppression of lymphocyte proliferation through the nitric oxide synthesizing pathway. *J. Surg. Res.*, 50: 403 - 409.
- Andrus T, Bauer J and Gerok W (1991)** : Effects of cytokines on the liver. *Hepatology*, 13: 364 - 375.
- Andy Petros, David Bennett and Patrick Vallance (1991)** : Effect of nitric oxide synthase inhibitors on hypotension in patient with septic shock. *Lancet*, 338: 1557 - 1558.
- Änggård E (1994)** : Nitric oxide: Mediator, murderer, and medicine. *Lancet*, 343: 1199 - 1206.
- Anthony PP, Ishak KG and Nayak NC et al. (1977)** : The morphology of cirrhosis: Definition, nomenclature and classification. *Bull. WHO*, 55: 521 - 531.
- Arenson DM and Bissell DM (1987)** : Glycosaminglycan, proteoglycan and hepatic fibrosis. *Gastroenterology*, 92: 536.

Arthur MJP (1988) : Reactive oxygen intermediates and liver injury. J. Hepatol., 6: 125 - 131.

Babbs C, Hunt LP and Laboubi NY et al. (1988) : Type III procollagen peptide; a marker of disease activity and prognosis in primary biliary cirrhosis. Lancet i: 1021 - 1024.

Bankey PE, Taylor S, See D and McIntyre K (1995) : Kupffer cell derived IL-6 increases hepatocyte LBP mRNA level following endotoxin challenge. Hepatology (abstract); 22: 364A.

Barnes PJ (1993) : Nitric oxide and airways. Eur. Resp. J., 6: 163 - 65.

Battista S, Bar F and Mengozzi G et al. (1997) : Hyperdynamic circulation in patients with cirrhosis direct measurement of nitric oxide levels in hepatic and portal veins. J. Hepatol., 26 (1): 75 - 80.

Beckman JS, Beckman TW, Chen J, Marshall PA and Freeman BA (1990) : Apparent hydroxyl radical production by peroxynitrite: Implications for endothelial injury from nitric oxide and superoxide. Proc. Natl. Acad. Sci., USA, 87: 1620 - 1624.

- Cahill PA, Foster C, Redmond EM, Gingalewski C, Wu Y and Sitzmann JV (1995) : Enhanced nitric oxide synthase activity in portal hypertensive rabbits. Hepatology, 22, 2: 598 - 606.***
- Cahill PA, Redmond EM, Hodges R, Zhang S and Sitzmann JV (1995) : Lack of inducible NOS expression within the hyperaemic vasculature of portal hypertensive rats (Abstract). Hepatology, 22: 258A.***
- Calés P, Desmorat H, Vinel JP, Caucanas JP, Ravaud A, Gerin P, Brouet P and Pascal JP (1990) : Incidence of large oesophageal varices in patients with cirrhosis: Application to prophylaxis of first bleeding. Gut., 31: 1298 - 1302.***
- Calver A, Collier J and Vallance P (1992) : Inhibition and stimulation of nitric oxide synthesis in the human forearm arterial bed of patients with insulin-dependent diabetes. J. Clin. Invest., 90: 2548 - 54.***
- Calver H, Collier J and Vallance P (1993) : Nitric oxide and cardiovascular control. Exp. Physiol., 78: 303 - 26.***
- Campillo B, Bories PN, Benvenuti C and Dupeyron C (1996) : Serum and urinary nitrate level in liver cirrhosis:***

- Endotoxaemia, renal function and hyperdynamic circulation. *J. Hepatol.*, 25 (5): 707 - 714.
- Carbone JV, Brandborg LL, Silverman S (1982):*** Current med. diagnosis and treatment. Middle East Ed., Lang Med. Publ. Los Altos, California, pp. 384.
- Caridis DT, Reinhold RB, Woodruff PWH and Fine J (1972) :***
Endotoxaemia in man. *Lancet*, 1: 1381 - 86.
- Carr JM (1989) :*** Disseminated intravascular coagulation in cirrhosis. *Hepatology*, 10 (1): 103 - 110.
- Chen C, Mitchell KD and Naver LG (1992):*** Role of endothelium derived nitric oxide in renal haemodynamic response to amino acid infusion. *Am. J. Physiol.*; 263 : R510 - R516.
- Clark RF (1987) :*** Potential roles of fibronectin in cutaneous wound repair. *Arch. Dermatol.*, 3: 57 - 85.
- Conn HO and Atterbury CE (1993) :*** Cirrhosis. In: Diseases of the Liver, 7th edn., Ed.: Schiff L, Schiff ER and JB Lippincott Company, Philadelphia, 875 - 934.
- Corbett JA, Mikhael A, Shimizu J, Frederick K, Misko TP, McDaniel ML, Kanagawa O and Unanue ER (1993) :***
Nitric oxide production in islets from non-obese diabetic mice: Aminoguanidine-sensitive and

-resistant stages in the immunological diabetic process. Proc. Natl. Acad. Sci., USA, 90: 8992 - 95.

Cottone M and Sciorriono E et al. (1983) : Portal hypertension. Br. Med. J., 287: 533.

Curran RD, Billiar TR and Stuehr DJ et al. (1989) : Hepatocytes produce nitrogen oxides from L-arginine in response to inflammatory products of Kupffer cells. J. Exp. Med., 170: 1769 - 1774.

Curran RD, Ferrari FK and Kispert PH et al. (1991) : Nitric oxide and nitric oxide-generating compounds inhibit hepatocyte protein synthesis. FASEB J., 5: 2085 - 2092.

D'Amico G, Morabito A and Pagliaro L (1986) : Survival and prognostic indicators in compensated and decompensated cirrhosis. Dig. Dis. Sci., 31: 468.

Danner RL, Suffredini AF, Natanson C and Parrillo JE (1989) : Microbial toxins: Role in the pathogenesis of septic shock and multiple organ failure. In: Cerra FB, Bihari DE, eds. New Horizons: Multiple organ failure. Fullerton, California: Society of Critical Care Medicine, 151 - 91.

David A, Rodeberg and Mark S Chaet et al. (1995) : Nitric oxide: An overview. The American J. of Surg., Vol. 170, 292 - 303.

Dawson TM, Bredt DS, Fotuhi M, Hwang PM and Snyder SH (1991) : Nitric oxide synthase and neuronal NADPH diaphorase are identical in brain and peripheral tissues. Proc. Natl. Acad. Sci., USA, 88: 7797 - 7801.

Desai KM, Sessa WC and Vane JR (1991) : Involvement of nitric oxide in the reflex relaxation of the stomach to accommodate food or fluid. Nature, 351: 477 - 79.

Drexler H, Zeiher AM, Meinzer K and Just H (1991) : Correction of endothelial dysfunction in coronary microcirculation of hypercholesterolaemic patients by L-arginine. Lancet, 338: 1546 - 50.

Fauerholdt L, Schlichting P and Christensen E et al. (1983) : Conversion of micronodular cirrhosis into macronodular cirrhosis. Hepatology, 3: 928 - 931.

Fausto N and Mead JE (1989) : Regulation of liver growth: Protooncogenes and transforming growth factors. Lab. Invest., 60: 4 - 13.

Flavahan NA (1992) : Atherosclerosis or lipoprotein-induced endothelial dysfunction: Potential mechanisms

underlying reduction in EDRF/Nitric oxide activity.
Circulation, 85: 1927 - 38.

Frederick JA, Hasselgren PO, Davis S, Higashiguchi T, Jacob TD and Fischer JE (1993) : Nitric oxide may upregulate in vivo hepatic protein synthesis during endotoxaemia. Arch. Surg., 128: 152 - 157.

Friedman SL, Millward GH and Arther MJP (1992) : Liver fibrosis and cirrhosis in Wrigth's liver and biliary disease, 3rd edn., 822 - 881.

Frostell CG, Blomquist H, Hedenstierna G, Lundberg J and Zapol WM (1993) : Inhaled nitric oxide selectively reverses human hypoxic pulmonary vasoconstriction without causing systemic vasodilation. Anaesthes-iology, 78: 427 - 35.

Frostell CG, Fratacci MD, Wain JC and Zapol WM (1991) : Inhaled nitric oxide: A selective pulmonary vasodilator reversing hypoxic pulmonary vasoconstriction. Circulation, 83: 2038 - 47.

Furchgott RF and Zawadzki JV (1980) : The obligatory role of endothelial cells in the relaxation of arterial smooth muscle by acetylcholine. Nature, 288: 373 - 76.

- Furchgott RF and Vanhoutte PM (1989)** : Endothelium derived relaxing and contractor factors. FASEB J., 3: 2007 - 18.
- Garcia-Estam J, Atucha NM, Mario Sabio J, Vargas F, Quesada T and Romero JC (1994)** : Increased endothelium dependent renal vasodilation in cirrhotic rats. Am. J. Physiol., 267: R549 - R553.
- Garthwaite J (1991)** : Glutamate, nitric oxide and cell-cell signalling in the nervous system. Trends Neurosci., 14: 60 - 67.
- Gauldie J, Richards C and Harnish D et al. (1987)** : Interferon β_2 /B-cell stimulatory factor type 2 shares identity with monocyte-derived hepatocytes-stimulating factor and regulates the major acute phase protein response in liver cells. Immunology, 81: 7251 - 7255.
- Geoffrey LG (1987)** : Dynamic state of collagen: Pathways of collagen degradation in vivo and their possible role in regulation of collagen mass. Am. J. Physiol., 252: c1 - 9.
- Gitlin N, Lewis DC and Hinkley L (1986)** : The diagnosis and prevalence of subclinical hepatic encephalopathy in apparently healthy, ambulant non-shunted patients with cirrhosis. J. Hepatol., 3: 75.

- Gohda E, Hayashi Y and Kawaida A et al. (1990) :** Hepatotrophic factor in blood of mice treated with carbon tetrachloride. *Life Sci.*, 46: 1801 - 1808.
- Goss JA, Mangino MJ and Flye MW (1992) :** Prostaglandin E2 production during hepatic regeneration downregulates Kupffer cell IL-6 production. *Ann. Surg.*, 215: 253 - 260.
- Green LC, Wagner S, Glogowski J, Skipper PL, Wishonk JS and Tannenbaum SR (1982) :** Analysis of nitrite, nitrate and (15N) nitrate in biological fluids. *Anal. Biochem.*, 126: 131 - 138.
- Gressner AM, Tittor W and Negwer A et al. (1986) :** Serum concentration of laminin and propeptide of type III collagen in relation to the portal venous pressure of fibrotic liver disease. *Clin. Chim. Acta*, 161: 249 - 258.
- Gross G and Perrier CV (1975) :** Intrahepatic porto-systemic shunting in cirrhotic patients. *New England Journal of Medicine*, 293: 1046 - 1047.
- Groszmann RJ and Alterbury CE (1982) :** Pathophysiology of portal hypertension: A basis for classification. *Semin. Liver Dis.*, 2: 177.

- Guarner C, Soriano G, Thomas A, Bulbena O, Novella MT, Balanzo J and Viladrill F, Mouelle M and Moncada S (1993) :** Increased serum nitrite and nitrate levels in patients with cirrhosis: Relationship to endotoxaemia. *Hepatology*, 18: 1139 - 1143.
- Haas JA, Khraibi AA, Pesrella MA and Knox FG (1993):** Role of renal interstitial hydrostatic pressure in natriuresis of systemic nitric oxide inhibition. *Am. J. Physiol.*; 264 : F411 - F414.
- Hahn G, Wick G and Pencev D et al. (1980) :** Distribution of basement membrane proteins in normal and fibrotic human liver: Collagen type IV, laminin and fibronectin. *Gut.*, 21: 63 - 71.
- Hardy SC and Kleinman RE (1994) :** Cirrhosis and chronic liver failure. In: *Liver Disease in Children*, 1st edition, Ed.: Suchy FJ, 214 - 249.
- Hartung T and Wendel A (1991) :** Endotoxin inducible cytotoxicity in liver cell cultures. I. *Biochem. Pharmacol.*, 42: 1129 - 35.
- Hascall VC (1981) :** Proteoglycans; structure and function. In Ginsburg V, editor: *Biology of carbohydrates*. New York, John Wiley & Sons, pp. 1 - 49.

Hecker M, Sessa WC, Harris HJ, Änggård EE and Vane JR (1990) :

The metabolism of L-arginine and its significance for the biosynthesis of endothelium derived relaxin factors: Cultured endothelial cells recycle L-citrulline to L-arginine. *Proc. Natl. Acad. Sci.*, 87: 8612 - 16.

Henderson AH (1991) : Endothelium in control. *Br. Heart J.*, 65: 116 - 25.

Henry Y, Lepoivre M, Drapier JC, Ducrocq C, Boucher JL, Guissani A (1993) : EPR characterization of molecular targets for NO in mammalian cells and organelles. *FASEB J.*, 1: 1124 - 34.

Hersch SL, Kunelis T and Francis RB Jr (1987) : The pathogenesis of accelerated fibrinolysis in liver cirrhosis: A critical role for tissue plasminogen activator inhibitor. *Blood*, 69: 1315 - 1319.

Hibbs JB, Taintor RR, Vavrin Z and Rachlin EM (1989) : Nitric oxide: a cyostatic activated macrophage effector molecule. *Biochem. Biophys. Res. Comm.*, 157: 87 - 94.

Higenbottam T (1993) : Inhaled nitric oxide: A magic bullet? *Quart. J. Med.*, 86: 555 - 58.

Hirata K, Kaneko A, Ogawa K, Hayasaka H and Onoe E (1980) :

Effect of endotoxin on rat liver. Lab. Invest., 43: 165
- 171.

Hom GJ, Grant SR, Wolfe G, Bach TJ, Mac Intyre DE and

Hutchinson NI (1995) : Lipopolysaccharide-induced
hypotension and vascular hyporeactivity in the rat:
Tissue analysis of nitric oxide synthase mRNA and
protein expression in the presence and absence of
dexamethazone, NMMA or indomethacin. J.
Pharmacol. Exp. Ther., 272: 452 - 459.

Hori N, Okanoue T, Mori T and Kashima K et al. (1996) :

Endogenous nitric oxide production is augmented as
the severity advances in patients with liver cirrhosis.
Clin. Exp. Pharmacol. Physiol., 23 (1): 30 - 35.

Ignarro LJ, Lipton H, Edwards JC, Baricos WH and Hyman AL et

al. (1981) : Mechanism of vascular smooth muscle
relaxation by organic nitrates, nitrites, nitroprusside
and nitric oxide: evidence for the involvement of
S-nitrosothiols as active intermediates. J. Pharmacol.
Exp. Ther., 218: 33 - 42.

Ignarro LJ (1989) : Endothelium-derived nitric oxide: Actions

and properties. FASEB J., 3: 31 - 36.

- Ikebuchi K, Wong G and Clark S (1987) : Interleukin-6 enhancement of interleukin-3 dependent proliferation of multipotential hemopoietic progenitors. Proc. Natl. Acad. Sci., USA, 84: 9035 - 9041.***
- Infante-Rivard C, Esnaola S and Villencuve JP et al. (1987) : Clinical and statistical validity of conventional prognostic factors in predicting short-term survival among cirrhotics. Hepatology, 7: 660.***
- Ivengar R, Stuehr DJ and Marletta MA (1987) : Macrophage synthesis of nitrite, nitrate and N-nitroso-amines: Precursors and role of the respiratory burst. Proc. Natl. Acad. Sci., USA, 84: 6369 - 73.***
- Jacob AL, Goldberg PK, Bloom M, Degeneshein GA and Kozinn PJ (1977) : Endotoxin and bacteria in portal blood. Gastroenterology, 72: 1268 - 70.***
- Jeffery Weinreb, Sherlock S, Gail P and Ruben P (1982) : Portal vein measurement by real time sonography. A.J.R., 139: 497 - 499.***
- Johnson PJ and Williams R (1987) : Cirrhosis and the aetiology of hepatocellular carcinoma. Hepatology, 5: 140.***
- Johnstone MT, Creager SJ, Scales KM, Cusco JA, Byron K, Lee BA and Creager MA (1993) : Impaired endothelium-***

dependent vasodilation in patients with insulin dependent diabetes mellitus. *Circulation*, 88: 2510 - 16.

Jorens PG, Vermeira PA and Herman AG (1993) : L-arginine dependent nitric oxide synthase: A new metabolic pathway in the lung and airways. *Eur. Resp. J.*, 6: 258 - 66.

Kanner J, Harel S and Cranit R (1991) : Nitric oxide as an antioxidant. *Arch. Biochem. Biophys.*, 289: 130 - 135.

Kew MC, Houghton M and Choo Q (1990) : Hepatitis C virus antibodies in Southern African blacks with hepatocellular carcinoma. *Lancet*, 335: 873.

Kieren G, Boichis H and Swas TS et al. (1983) : Pulmonary arterio-venous fistulae in hepatic cirrhosis. *Arch. Dis. Child*, 58: 302 - 304.

Kravetz D, Bosch J, Arderiu M, Pilar Pizcueta M and Rodés J (1989) : Hemodynamic effects of blood volume restitution following a haemorrhage in rats with portal hypertension due to cirrhosis of the liver: Influence of the extent of portal-systemic shunting. *Hepatology*, 9 (6): 808 - 814.

- Kubes P, Suzuter M and Granger DN (1991) :** Nitric oxide: An endogenous modulator of leukocyte adhesion. *Proct. Natl. Acad. Sci., USA*, 88: 4651 - 55.
- Kwon NS, Stuehr D and Nathan CF (1991) :** Inhibition of tumour cell ribonucleotide reductase by macrophage derived nitric oxide. *J. Exp. Med.*, 174: 761 - 767.
- Laffi G, Foschi M, Masini E, Simoni A, Mugnai L, Lavilla G, Barletta G, Mannioni PF and Gentilini P (1995) :** Increased production of nitric oxide by neutrophils and monocytes from cirrhotic patients with ascites and hyperdynamic circulation. *Hepatology*, 22 1666 - 1672.
- Langrehr JM, Hoffman RA and Billar TR et al. (1991a) :** Nitric oxide synthesis in the in vivo allograft response: A possible regulatory mechanism. *Surgery*, 110: 335 - 341.
- Langrehr JM, Muller AR and Markus PM et al. (1991b) :** FK 506 inhibits nitric oxide production by cells infiltrating sponge matrix allografts. *Transplant. Proc.*, 23: 3260 - 3261.
- Laskin DL, Valle MR, Heck DE, Hwang S, Ohnishi ST, Durham SK, Goller NL and Laskin JD (1995) :** Hepatic nitric

- Maddery WC, Alter HJ et al. (1990):** Non-A non-B hepatitis and serologic tests leading to identification of distinct forms. *Science*; 245 : 362 - 365.
- Mahmoud AAF (1988) :** Schistosomiasis (Bilharziasis). In: *Cecil Textbook of Medicine*, 18th edn. Eds.: Wyngaarden JB and Smith LH and WB Saunders, Philadelphia, London, Toronto, Montreal, Sydney, Tokyo, 400: 1895.
- Marchesini G (1981) :** Muscle protein breakdown in liver cirrhosis and the role of altered carbohydrate metabolism. *Hepatology*, 1: 294.
- Marletta MA, Yoon PS, Iyengar R, Leat CD and Wishnok JS (1988):** Macrophage oxidation of L-arginine to nitrite and nitrate: Nitric oxide is an intermediate. *Biochemistry*, 21: 8706 - 11.
- Marti U, Burwen SJ and Jones AL (1989) :** Biological effects of epidermal growth factor with emphasis on the gastrointestinal tract and liver and update. *Hepatology*, 9: 126 - 138.
- Martin GR and Kleinman HK (1985) :** The extracellular matrix component in development and in disease. *Semin. Liver Dis.*, 5: 147 - 156.

- McCabe WR, Kreger BE and Johns M (1972)** : Type-specific and cross-reactive antibodies in Gram-negative bacteraemia. *N. Engl. J. Med.*, 287: 261 - 7.
- Mead JE and Fausto N (1989)** : Transforming growth factor α may be a physiological regulator of liver regeneration by means of an autocrine mechanism. *Proc. Natl. Acad. Sci., USA*, 86: 1558 - 1562.
- Michielsen PP, Ramon AM, Van Assche RJ, Pelckmans PA and Van Maercke WM (1993)** : Endotoxaemia in portal hypertension (Abstract). *Hepatology*, 18: 284A.
- Midgley S, Grant IS, Haynes WG and Webb DJ (1991)** : Nitric oxide in liver failure. *Lancet*, 338: 1590. Letter.
- Minuk GY and MacCormack KL (1988)** : Is the hypotension of cirrhosis a GABA-mediated process? *Hepatology*, 8: 73.
- Misko TP, Moore WM, Kasten TP, Nickols GA, Corbett JA, Tilton RG, McDaniel ML, Williamson JR and Currie MG (1993)** : Selective inhibition of the inducible nitric oxide synthase by aminoguanidine. *Eur. J. Pharmacol.*, 233: 119 - 25.
- Mitchell HH, Shenle HA and Grindley HS (1916)** : The origin of nitrate in the urine. *J. Biol. Chem.*, 24: 461 - 90.
Quoted from: Ängaard E (1994): Nitric oxide :

mediators, murderer and medicine. *Lancet*; 373 : 1199 - 1206.

Mollace V, Colasanti M, Rodino P, Massaud R, Lauro GM and Nistico G (1993) : Cytokine induced nitric oxide generation by cultured astrocytoma cells involved a Ca^{++} -calmodulin-independent-NO synthase. *Biochem. Biophys. Res. Commun.*, 191: 327 - 334.

Moncada S, Palmer RMJ and Ferrige AG (1987) : Nitric oxide release accounts for the biological activity of endothelium-derived relaxing factor. *Nature*, 327: 524 - 26.

Moncada S, Palmer RMJ, Rees DD and Ashton DS (1988) : L-arginine is the physiological precursor for the formation of nitrite oxide in endothelium dependent relaxation. *Biochem. Biophys. Res. Comm.*, 153: 1251 - 56.

Moncada S, Palmer RJ and Higs EA (1989): Biosynthesis of nitric oxide from L-arginine. A pathway for the regulation of cell function and communication. *Biochem. Pharmacol*; 38 : 1709-1706.

Moncada S, Palmer RMJ and Higgs EA (1991) : Nitric oxide: Physiology, pathophysiology and pharmacology. *Pharmacol. Rev.*, 43: 109 - 142.

- Mowat AP (1994)** : Cirrhosis and its complications. In: Liver disorders in childhood. 3rd edn., 256 - 276.
- Mulligan MS, Hovel JM, Marletta MA and Ward PA (1991)** : Tissue injury caused by deposition of immune complexes is L-arginine dependent. Proc. Natl. Acad. Sci., 88: 6338 - 6342.
- Murawaki Y, Kusakabe Y and Hirayama C (1991)** : Serum lysyl oxidase activity in chronic liver disease in comparison with serum levels of prolyl hydroxylase and laminin. Hepatology, 14: 1167 - 1173.
- Nagy P, Schaff Z and Lapis K (1991)** : Immunohistochemical detection of transforming growth factor-B1 in fibrotic liver disease. Hepatology, 14: 269 - 273.
- Nakayama H, Tsubouchi G and Gobda E et al. (1985)** : Stimulation of DNA synthesis in adult rat hepatocytes in primary culture by sera from patients with fulminant hepatic failure. Biomed. Res., 6: 231 - 237.
- Nathan C (1992)** : Nitric oxide as a secretory product of mammalian cells. FASEB J., 6: 3051 - 64.
- Nava E, Palmer RMJ, and Moncada S (1991)**: Inhibition of nitric oxide. Lancet; 338 : 1555 - 1557.

- Niederberger M, Gines P, Tasai P, Martin PY, Morris K, Weigert A and McMurtry I (1995)** : Increased aortic cyclic guanosine monophosphate concentration in experimental cirrhosis in rats evidence for a role of nitric oxide in the pathogenesis of arterial vasodilation in cirrhosis. *Hepatology*, 21: 1625 - 31.
- Ohnishi K, Mishira A and Takashi M (1983)** : Effects of intra- and extrahepatic portal systemic shunts on insulin metabolism. *Dig. Dis. Sci.*, 28: 201.
- Ohtake Y and Clemens MG (1991)** : Interrelation between hepatic ureagenesis and gluconeogenesis in early sepsis. *Am. J. Physiol.*, 260: E453 - E458.
- Olefsky JM (1982)** : Insulin resistance in human gastroenterology, 83: 1313.
- Pagiliaro L (1992)** : Prevention of first bleeding in cirrhosis, a meta-analysis of non-surgical randomized clinical trials. *Annals of Internal Medicine*, 117: 59 - 70.
- Panukollu RC and Gopalswamy N (1990)** : The hepatorenal syndrome. *Med. Clin. North Am.*, 74: 933 - 943.
- Parrillo JE and Parker MM et al. (1990)** : Septic shock in human. *Annals of Int. Medicine*, 113: 227 - 242.

- Pastor C, Teisseire B, Vicout E and Payen D (1994) :** Effects of L-arginine and L-nitro-arginine treatment on blood pressure and cardiac output in rabbit endotoxin shock model. *Crit. Care Med.*, 22: 465 - 464.
- Pastor CM, Losser MR and Payen D (1995) :** Nitric oxide donor prevents hepatic and systemic perfusion decrease induced by endotoxin in anaesthetized rabbits. *Hepatology*, 22: 1547 - 1553.
- Pepke-Zabe J, Higenbottam TW, Dinh-Zuan AT, Stone D and Wallwork J (1991) :** Inhaled nitric oxide causes selective pulmonary vasodilation in patients with pulmonary hypertension. *Lancet*, 338: 1173 - 74.
- Persson MG, Zetterström O, Agrenius V, Ihre E and Gustafsson LE (1994) :** Single-breath measurements of nitric oxide: Increased concentration in asthmatics, and reduction in smokers. *Lancet*, 343: 146 - 47.
- Pizcueta P, Pique JM, Bosch J, Wittle BJR and Moncada S (1991) :** Effects of endogenous nitric oxide inhibition on the haemodynamic changes of portal hypertensive rats (Abstract). *Gastroenterology*, 100: 785A.
- Pizcueta P, Pique JM and Fernandez M et al. (1992) :** Modulation of the hyperdynamic circulation of cirrhotic rats by

nitric oxide inhibition. *Gastroenterology*, 103: 1909 - 1915.

Plebani M and Burlina A (1991) : Biochemical markers of hepatic fibrosis. *Clin. Biochem.*, 24: 219 - 239.

Popper H and Berk PD (1984) : Lessons from the study of cirrhosis and other fibrotic diseases of the liver. In Berk PD, Gastro-Malaspiña, Wasserman, editors: *Myelofibrosis and the biology of connective tissue*. New York, Alan R, Liss, pp. 405 - 424.

Poynard T, Zouabichvilli O and Hilpert G (1984) : Prognostic value of total serum bilirubin-gamma-glutamyl transpeptidase ratio in cirrhotic patients. *Hepatology*, 4: 324.

Presta M, Statuto M and Rusnati M et al. (1989) : Characterization of a Mr 5,000 basic fibroblast growth factor form in adult, regenerating, and fetal rat liver. *Biochem. Biophys. Res. Commun.*, 164: 1182 - 1189.

Prytz H, Hols T, Christensen J, Korher B and Leih H (1987) : Portal venous and systemic endotoxaemia in patients with liver disease and systemic endotoxaemia in patients with cirrhosis. *Scan. Gastroenterol.*, 11: 857 - 863.

- Pugh RNH, Murray-Lyon IM, Dawson JL, Pietroni and Williams R (1973)** : Transection of the oesophagus for bleeding oesophageal varices. *Br. J. Surg.*, 60: 646 - 649.
- Radi R, Beckman JS, Bush KM and Freeman BA (1991)** : Peroxynitrite-induced membrane lipid peroxidation: The cytotoxic potential of superoxide and nitric oxide. *Arch. Biochem. Biophys.*, 288: 481 - 487.
- Rand MJ (1992)** : NANC transmission: Nitric oxide as a mediator of non-adrenergic neuro-effector transmission. *Clin. Exp. Pharmacol. Physiol.*, 19: 147 - 69.
- Rector WG and Redeker AG (1984)** : Direct transhepatic assessment of hepatic vein pressure and direction of flow using a thin needle in patients with cirrhosis and Budd-Chiari syndrome. *Gastroenterology*, 86: 1395.
- Rector WG and Reynolds TB (1985)** : Risk for haemorrhage from oesophageal varices and acute gastric erosions. *Clin. Gastroenterol.*, 14: 139.
- Redl H et al. (1992)** : Special blood collection and storage tubes for blood endotoxin and cytokine measurements. *Clinical Chemis.*, 38: 764.
- Roberts AB, Sporn MB and Assoian RK et al. (1986)** : Transforming growth factor type beta: Rapid induction of fibrosis and angiogenesis in vivo and

- stimulation of collagen formation in vitro. Proc. Natl. Acad. Sci., 83: 4167 - 4171.
- Rockey D (1997)** : The cellular pathogenesis of portal hypertension: Stellate cell contractility, endothelin, and nitric oxide. Hepatology, 25 : 2 - 5.
- Roderick N, MacSween RM and Beattie AD (1983)** : The liver. In: Gastroenterology, an integrated course, 3rd edn., Churchill Livingstone.
- Rossiant R, Falke KS, Lopez F, Slama K, Pison U and Zapol WM (1993)** : Inhaled nitric oxide for the adult respiratory distress syndrome. N. Engl. J. Med., 328: 399 - 405.
- Sanders KM and Ward SM (1992)** : Nitric oxide as a mediator of non-adrenergic non-cholinergic neurotransmission. Am. J. Physiol., 262: G379 - G392.
- Scheuer PJ (1988)** : Liver Biopsy Interpretation, 4th edn., Baillière Tindall, London.
- Schmidt HHW, Warner TD, Ishii K, Sheng H and Murad F (1992)** : Insulin secretion from pancreatic B cells caused by L-arginine-derived nitrogen oxides. Science, 255: 721 - 23.
- Schneider M, Voss B and Hogemann B et al. (1989)** : Evaluation of serum laminin p1, procollagen -III peptides, and n-acetyl-B-glucosaminidase for monitoring the

activity of liver fibrosis. *Hepatogastroenterology*, 36: 506 - 510.

Sessa WC, Pritchard K, Seyedi N, Wang J and Hintze TH (1994) :

Chronic exercise in dogs increases coronary vascular nitric oxide production and endothelial cell nitrite oxide synthase gene expression. *Circ. Res.*, 74: 349 - 53.

Sherlock S (1993) : Hepatic cirrhosis. In: *Diseases of the liver and biliary system*, 9th edn., Blackwell Scientific Publications, Oxford, London. 357: 369.

Sheu JC, Huang GT, Shih LN, Wang JT, Lee SS, Sung JL, Wang TH and Chen DS (1990) : Role of HBV and HCV in HBsAg negative hepatocellular carcinoma evaluation by polymerase chain reaction and anti-HCV assay. *Hepatology*, 12 (4): 884.

Shimizu I, Ichihara A and Nakanura T (1991) : Hepatocyte growth factor in ascites from patients with cirrhosis. *J. Biochem.*, 109: 14 - 18.

Sikuler E, Kravetz D and Groszmann RJ (1985) : Evolution of portal hypertension and the mechanisms involved in its maintenance in a rat model. *Am. J. Physiol.*, 248: G618 - G625.

- Silverman A, Roy CC editors (1983) :** Chronic active hepatitis. In: Pediatric Clinical Gastroenterology, ed. 3, St. Louis, CV Mosby, p. 685.
- Sirinek KR et al. (1991) :** Glucose intolerance and hyperinsulinemia of cirrhosis are not results of spontaneous or surgical portosystemic shunting. Am.. J. Surg., 161: 149.
- Skov-Olsen P, Boesby S and Kirekegaard P et al. (1988) :** Influence of epidermal growth factor on liver regeneration after partial hepatectomy in rats. Hepatology, 8: 992 - 996.
- Snyder SH (1992) :** Nitric oxide: first in a new class of neurotransmitters? Science, 54: 171 - 78.
- Spitzer JA (1994) :** Cytokine stimulation of nitric oxide formation and differential regulation in hepatocytes and non-parenchymal cells of endotoxaemia rats. Hepatology, 19: 217 - 228.
- Sprague R, Thiernemann C and Vane JR (1992) :** Endogenous endothelium-derived relaxing factor opposes hypoxic pulmonary vasoconstriction and supports blood flow to hypoxic alveoli in anesthetized rabbits. Proc. Natl. Acad. Sci., USA, 89: 8711 - 15.

- Stadler J, Billiar TR and Curran RD et al. (1991)** : Effect of exogenous and endogenous nitric oxide on mitochondrial respiration of rat hepatocytes. *Am. J. Physiol.*, 260: C910 - C916.
- Stamler JS, Jaraki O, Osbourne JA, Simon DI, Keany J, Vita J, Singeh D, Valeri DC and Loscalzo J (1992a)** : Nitric oxide circulates in mammalian plasma primarily as an S-nitroso adduct of serum albumin. *Proc. Natl. Acad. Sci., USA*, 89: 7674 - 77.
- Stamler JS, Simon DI, Osbourne JA, Mullins ME, Jaraki O, Michle T, Singal DJ and Loscalzo J (1992b)** : S-nitrosylation of proteins with nitric oxide: Synthesis and characterization of biologically active compounds. *Proc. Natl. Acad. Sci.*, 89: 444 - 48.
- Stark ME and Szurszëwski JH (1992)** : Role of nitric oxide in gastrointestinal and hepatic function and disease. *Gastroenterology*, 103: 1928 - 1949.
- Such J, Guarner C, Enriquez J, Rodriguez JL, Seres I and Vilardell F (1988)** : Low C3 in cirrhotic ascites predisposes to spontaneous bacterial peritonitis. *Hepatology*, 6: 80 - 84.

- Suffredini AF, Fromm RE and Parker MM et al. (1989) :** The cardiovascular response of normal humans to the administration of endotoxin. *N. Engl. J. Med.*, 321: 280 - 7.
- Tajiri K, Miyakawa H, Izumi N, Marumo F and Sato C (1995):** Systemic hypotension and diuresis by L-arginine in cirrhotic patients with ascites: Role of nitric oxide. *Hepatology*; 22 : 1430 - 35.
- Tannenbaum SR, Green LC, Ruiz de Luzuriaga K, Wagner DA, Rand W, Istfan N and Young VR (1981) :** Nitrate biosynthesis in man. *Proc. Natl. Acad. Sci., USA*, 78: 7764 - 68.
- Tarter RE, Hegedus AM and Van Thiel DH (1984) :** Non-alcoholic cirrhosis associated with neuropsychological dysfunction in the absence of overt evidence of hepatic encephalopathy. *Gastroenterology*, 86: 1421.
- Taylor R et al. (1985) :** Insulin action in cirrhosis. *Hepatology*, 5: 64.
- Tendon BN, Rona S and Acharyas SR (1987) :** Bedside ultrasound, a low cost definitive diagnostic procedure in obstructive jaundice. *J. Clin. Gastroenterology*, 9: 353.

- Thiemermann C, Szabo C, Mitchell JA and Vane JR (1993) :**
Vascular hyporeactivity to vasoconstrictor agents and haemodynamic decompensation in hemorrhagic shock is mediated by nitric oxide. *Proc. Natl. Acad. Sci., USA*, 90: 267 - 71.
- Thomas HC (1987) :** Immunologic aspects of liver disease. In: *Diseases of the Liver*, 6th edn., Ed.: Schiff L, JB Lippincott Company, Philadelphia, 6: 163.
- Tiribelli C, Melato M, Crocé LS, Giarelli L, Okuda K and Ohnishi K (1989) :** Prevalence of hepatocellular carcinoma and relation to cirrhosis: Comparison of two different cities of the World-Trieste, Italy and Chiba, Japan. *Hepatology*, 10 (6): 998 - 1002.
- Tolins JP and Ranfij L (1991):** Effects of amino acid infusion on renal haemodynamics. *Hypertension*, 17 : 1045 - 51.
- Tox U, Burkhard T, Goeser T, Arnold JC, Stremmel W and Theilmann L (1995) :** Distribution of nitric oxide synthase in liver tissue after liver transplantation (Abstract). *Hepatology*, 22: 361A.
- Tribble DL, Aw Ty and Jones DP (1987) :** The pathophysiological significance of lipid peroxidation in oxidative cell injury. *Hepatology*, 7: 377 - 387.

Trotman BW (1983) : Pigment gallstone disease. *Semin. Liver Dis.*, 3: 112.

Tsubouchi H, Hirono S and Gohda E et al. (1989) : Clinical significance of human hepatocyte growth factor in blood from patients with fulminant hepatic failure. *Hepatology*, 9: 875 - 881.

Tsubouchi H, Hirono S and Gohda E et al. (1991) : Human hepatocyte growth factor in blood of patients with fulminant hepatic failure. I. Clinical Aspects. *Dig. Dis. Sci.*, 36: 780 - 784.

Vallance P, Collier J and Moncada S (1989) : Effects of endothelium-derived nitric oxide on peripheral arteriolar tone in man. *Lancet* ii: 987 - 1000.

Vallance P and Moncada S (1991) : Hyperdynamic circulation in cirrhosis: A role for nitric oxide. *Lancet*, 337: 776 - 778.

Vallance P, Leone A, Calver A, Collier J and Moncada S (1992) : Accumulation of an endogenous inhibition of nitric oxide synthesis in chronic renal failure. *Lancet*, 339: 572 - 75.

Van Thiel DH (1985) : Liver disease and the hypothalamic pituitary gonadal axis. *Semin. Liver Dis.*, 5: 35.

- Vanderwinden JM, Mailleux P, Schiffmann SN, Vandershaeghen JJ and De Lact MH (1992) :** Nitric oxide synthase activity in infantile hypertrophic pyloric stenosis. *N. Engl. J. Med.*
- Vane JR, Änggård EE and Botting RM (1990) :** Regulatory functions of the vascular endothelium. *N. Engl. J. Med.*, 323: 27 - 36.
- Varin F and Huet PM (1985) :** Hepatic microcirculation in the perfused cirrhotic rat liver. *J. Clin. Invest.*, 76: 1904 - 1912.
- Verma A, Hirsch DJ, Glatt CE, Ronnett GV and Snyder SH (1993) :** Carbon monoxide: A putative neural messenger. *Science*, 259: 381 - 84.
- Walker RI (1978) :** The contribution of intestinal endotoxin to mortality in hosts with compromised resistance. *A Review Exp. Hemat.*, 6: 172 - 84.
- West MA, Keller GA, Cerra FB and Simmons RL (1985) :** Killed *Escherichia coli* stimulates macrophage-mediated alterations in hepatocellular function during in vitro coculture: A mechanism of altered liver function in sepsis. *Infect. Immun.*, 49: 563 - 570.
- West MA, Billiar TR and Mazuski JE et al. (1988) :** Endotoxin modulation of hepatocyte secretory and cellular

protein synthesis is mediated by Kupffer cells. Arch. Surg., 123: 1400 - 1405.

Wilkinson SP, Moodie H, Stamatakis JD, Kakkar VV and Williams R (1976) : Endotoxaemia and renal failure in cirrhosis and obstructive jaundice. Br. Med. J., 36: 774 - 778.

Wollenberg GK, Semple E and Quinn BA et al. (1987) : Inhibition of proliferation of normal preneoplastic and neoplastic rat hepatocytes by transforming growth factor-beta. Cancer Res., 46: 6595 - 6599.

Wright CL, Rees DD and Moncada S (1992) : Protective and pathophysiological roles of nitric oxide in endotoxin shock. Cardiovasc. Res., 26: 48 - 57.

Ziegler EJ, McCutchan JA and Fierer J et al. (1982) : Treatment of Gram-negative bacteremia and shock with human antiserum to a mutant Escherichia coli. N. Engl. J. Med., 307: 1225 - 30.

Ziegler EJ (1988) : Protective antibody to endotoxin core: The emperor's new clothes? J. Infect. Dis., 158: 286 - 90.

Zorumski CF and Igumi Y (1993) : Nitric oxide and hippocampal synaptic plasticity. Biochem. Pharmacol., 46: 777 - 85.

Errata

Page	Line	Error	Correct
2	10	hypertension	hypotension
2	14	Laskine	Laskin
4	1	ever	even
16	4	transforming factors	transforming growth factors
60	20	figure 3	figure III
97	5	were	will be
112	9		HDV-Ab were negative in all groups.