

References

1)Abrams J(1985):

Haemodynamic effects of NTG and long-acting nitrates.

Am Heart J,110:216

2)ACC/AHA(1996):

American College of Cardiology/American Heart Association task force on practical guidelines for perioperative cardiovascular evaluation for non-cardiac surgery.

Anesth Analg 82:854

3)Ashton (1994):

perioperative myocardial infarction with non-cardiac surgery.

Am J Med Sc; Jul, 308 1:91

4)Barash PG, Cullen BF, Stoelting RK (1997):

Clinical Anaesthesia, 3rd ed,p. 689. Philadelphia, Lippincott Raven

5)Bastard OG, Caster JG, Moneyers JR and Bross BA(1994):

Circulatory effects of isoflurane in patients with IHD; A comparison with halothane.

Anesth Analg; 63:635

6)Bell SD and Seltzer JL(1991):

Postoperative pain management.

In Kaplan JA (ed): *Vascular anaesthesia*, PP 565-586. New York, Churchill

Livingstone

7)Benumof JL(1995):

Anaesthesia for thoracic surgery, 2nd ed, PP 739-740 Philadelphia, WB Saunders

8)Blebuycke JF(1994):

New inhaled anaesthetic.

Anaesthesiology, 80:913 – 914

9)Boccard G(1998):

Postoperative treatment of myocardial ischaemia by thoracic extradural local anaesthetic.

British J of Anaesth, 80:848-849

10)Bovill JG, Sebel PS, Stanley TH(1984):

Opioid analgesics in anaesthesia.

Anaesthesiology, 61: 731-755

11)Braunwald E (ed)(1997):

Heart disease, a text book of cardiovascular medicine, 5th ed, pp 1163-1174
Philadelphia, WB Saunders

12)Cahalan MK, Litt L, Botvinick EH, Schiller NB(1987):

Advances in noninvasive cardiovascular imaging; implications for the Anaesthesiologist.

Anaesthesiology, 66:356 – 372

13)Castelli WP(1984):

Epidemiology of coronary heart disease: the Framingham study.

AM J Med, 76:4-12

14)Charlson ME, MacKenzie CR,Gold JP,et al.(1990):

Preoperative characteristics predicting intraoperative hypotension and hypertension among hypertensives and diabetics undergoing noncardiac surgery.

Ann Surg, 212:66-81

15)Christoferson R, Frank S, Norris E et al(1991):

Low postoperative haematocrit is associated with cardiac ischaemia in high-risk patients.

Anaesthesiology, 75:A99

16)Coy KM, Imperi GA, Lambert CR, and Papine CJ(1987):

Silent myocardial ischaemia during daily activities in asymptomatic men with positive exercise test response.

Am J Cardiol,59:45

17)Cucchiara RF, Nugent M, Seward JB, Messick JM(1984):

Air embolism in upright neurosurgical patients: Detection and localization by 2-D TEE.

Anaesthesiology, 60:353 – 355

18)Cullen PM, Turtle M, Pres-Roberts C, Way WL, Dye J(1987):

Effect of propofol anesthesia on baroreflex activity in humans.

Anesth Analg , 66:1115-1120

19)Cunningham's *Manual of Practical Anatomy*(1990):

Romanes GJ(ed), 16th edition, Vol. 2, Oxphord University Press

20)Davis RF(1989):

Acute postoperative hypertension. *ASA Refresher courses*.

Anaesthesiology ,17:59-70

21)DeHert SG,DeJongh RF, Vanden AO, et al(1989):

The detection of intraoperative myocardial ischaemia. Preliminary experience with the right sided precordial lead.

Anaesthesia ,44:881-884

22)Delange S, Stanley TH and Boscoe MJ (1992):

Comparison of desflurane and isoflurane in patients undergoing cardiac surgery

Anaesthesiology 75:776

23)Detsky AS, Abrams HB, Forbath N, Scott JG, Hilliard JR(1986):

Cardiac assessment for patients undergoing noncardiac surgery: a multifactorial clinical index.

*Arch Intern Med.*1986; 146:2131-21343

24)Dixon S, Limbird LE, and Weger GS(1983):

Recognition of postoperative acute myocardial infarction: Application of isoenzyme techniques.

Circulation, 47:137

25)Dorman BH, ZuckerJR, Verrier ED, Gartman DM and Slachman FN(1993):

Clonidine improves perioperative myocardial ischaemia.

J Cardiothorac Vasc Anaesth, 7:383

26)Edwards ND, and Reilly CS(1994):

Detection of perioperative myocardial ischaemia.

Br J of Anaesth, 72:104

27)England MR, Gordon G, Salem M and Chernow B(1992):

Magnesium administration and dysrhythmias after cardiac surgery

JAMA, 268:2395

28)Enos WF, Holmes RH, Beyer JI(1990):

Cardiac diseases among united states soldiers.

JAMA, 238:1092

29)Factor SM and Kirk ES(1986):

Pathophysiology of myocardial ischaemia

The Heart. Hurt JW(ed), 6th ed., McGraw-Hill, New York, pp 865-878

30)Frank SM, Beattie C, Christopherson R et al(1993):

Unintentional hypothermia is associated with postoperative myocardial ischaemia: The Perioperative Ischaemia Randomized Anaesthesia Trial Study Group.

Anaesthesiology 78:468-476

31)Fusciardi J, Godet G, Bernard JM, Bertrand M, Kieffer E, Viars P(1986):

Roles of fentanyl and nitroglycerine in prevention of MI associated with laryngoscopy and tracheal intubation in patients undergoing operations of short duration.

Anesth Analg, 65:617-624

32)Gabel JC and Tonnesen AS(1990):

Postoperative care of the patient with heart disease.

Anaesthesia and the patient with heart disease. Edited by Brown BR, FA Davis Company; Philadelphia

33)Ganz W, Tamura K, Marcus HS et al(1990):

Measurement of coronary blood flow by continuous thermodilution in man.

Circulation, 108:181

34)GISSI-3(1994):

effects of lisinopril and transdermal trinitrate singly and together on 6-week mortality and ventricular function after acute myocardial infarction. Gruppo Italiano Per lo Studio della Sopravvivenza nell infarto Miocardico.

Lancet. 343:1115-1122

35)Goldberger AL(1994):

Clinical electrocardiography. 5th ed, Mosby Year Book Inc.

36)Goldman L, Caldera DL, Nussbaum SR,et al.(1977):

Multifactorial index of cardiac risk in noncardiac surgical procedures.

N Engl J Med, 297:845

37)Goldman L.(1988):

Cardiac risks and complications of noncardiac surgery.

Ann Intern Med,98:504-513

38)Gossage(1994):

Acute myocardial infarction:Reperfusion strategies.

Chest, 106:1851

39)Gottlieb SO(1991):

Perioperative myocardial ischaemia and infarction: Detection of myocardial ischaemia using continuous ECG

Int Anesth Clin, 30:19

40)Griffin RM, Kaplan JA.(1987):

Myocardial ischaemia during noncardiac surgery. A comparison of different lead systems using computerized ST segment analysis.

Anaesthesia, 42:155-159

41)Grossman W and Bain DS (eds)(1991):

Cardiac catheterization angiography and intervention 4th ed, Lea and Febiger , Philadelphia.

42)Guyton A, Halls J(1996):

Textbook of Medical Physiology; 9th ed. Philadelphia, WB Saunders

43) Haagensen R and Steen PA(1988):

Perioperative myocardial infarction.

British J Anaesth 61:24

44)Hedma AG(1994):

Silent myocardial ischaemia:Pathophysiology and perioperative management

Adv Pharmacol 31:75

45)Henling CE, Slogoff S , Kodali SV and Arlund C(1984):

Heart block after coronary artery bypass: Effect of chronic administration of calcium channel blockers and β -blockers.

Anesth Analg,63:515

46)Hug CC(1990):

Does opioid anaesthesia exist?

Anaesthesiology,73:1

47)Hug CC et al.(1993):

Haemodynamic effects of propofol.

Anesth Analg 79, suppl 4:S21

48)Hug CC and Shanewise JS(1994):

Anaesthesia for adult cardiac surgery.

Anesthesia 4th ed, edited by Miller RJ, Churchill Livingstone

49)Hutter AM(1989):

Ischaemic heart disease

Cardiovascular Medicine. Rubenstein E, Federman DD(eds):Scientific American Inc,Vol I, Chap IX, P1

50)Isaacson IJ, London JD, Berry AJ, Smith RB III et al.(1990):

The value of pulmonary artery and central venous monitoring in patients undergoing abdominal aortic reconstructive surgery.

J Vasc Surg,12:754-760

51)James L et al.(1996):

Use of intraoperative pulmonary artery catheter.

Committee on Perioperative Cardiovascular Evaluation for noncardiac surgery

52)JNCV(1993):

The 5th report of the Joint National Committee on Detection, Evaluation, and Treatment of High Blood Pressure.

Arch Intern Med,153:154-183

53)Kaplan JA, King SB(1993):

The Precordial ECG lead V5 in patients who have coronary artery disease.

Anaesthesiology, 79:570-574

54)Last RJ(1995):

Regional and applied anatomy,9th ed,Churchill Livingstone,Edinberg P263

55)London MJ, Hollenberg M, Wong MG, Levenson L, Mangano DT, and the SPI research group(1988):

Intraoperative myocardial ischaemia:Localisation by continuous 12-Lead ECG

Anaesthesiology ,69:232-241

56)Lunn JM, Stanley TH et al.(1989):

High dose fentanyl anaesthesia for coronary artery surgery.

Anesth Analg,58:390

57)Mangano DT(1990):

Perioperative cardiac morbidity.

Anaesthesiology, 72:153

58)Mangano DT, Browner WS, Hollenberg M, London MJ, Tubau JF, Tateo IM(1990):

Association of perioperative myocardial ischaemia with cardiac morbidity and mortality in men undergoing noncardiac surgery: The Study of Perioperative Ischaemic (SPI) Research Group.

N Engl J Med, 323:1781-1788

59)Mantle JA, Rogers WJ, Smith LR et al.(1991):

Clinical effects of glucose-insulin-potassium on left ventricular function and acute myocardial infarction.

Am. Heart J; 102:313

60)Marcus MI, Doty DB, Hiratzka LE et al.(1982):

Decreased coronary reserve. A mechanism for angina pectoris in patients with aortic stenosis and normal coronary arteries.

N Eng J Med ,307:1362

61)McCammon RL(1988):

Coronary artery disease

Anesthesia and coexisting disease 2nd ed., edited by Stoelting RK, Churchill Livingstone NY

62)Merin RG(1986):

Is anaesthesia beneficial for the ischaemic heart ?

Anaesthesiology, 64:137

63)Michelson LG et al.(1994):

Pharmacokinetics of remifentanil in cardiac surgery patients.

Abstracts, 16th annual meeting, Society of Cardiovascular anaesthetists, Montreal, Quebec April 23-27

64) Miller RD(ed)(1994):

Anaesthesia, 4th ed, New York, Churchill Livingstone

65) Mirakhur(1989):

Anticholinergic drugs.

Br J of Anaesth;51:671

66) Mitchell and Parkash(1989):

Nitrous oxide doesn't induce myocardial ischaemia in patients with IHD and poor ventricular function.

Anaesthesiology

71:526

67) Moffitt and Harris(1993):

Perioperative myocardial infarction

Complications in Anaesthesiology. edited by Orkin FK, JB Lippincott Co.; Philadelphia

68) Moffitt and Sythna(1986):

The coronary circulation and myocardial oxygenation in CAD: effects of anaesthesia.

Anesth Analg ;65:395

69) Morgan , Mikhall(eds.)(1996)

Clinical Anaesthesiology , 2nd ed. Appellton-Lange

70) Morris CK, Ueshima K, Kawaguchi T, Hideg A, Froelicher VF.(1991):

The prognostic value of exercise capacity: a review of the literature.

Am Heart J. 122:1423-1431

71)Mulr and Linstromberg(1994):

Anaesthesia for patients with CAD undergoing noncardiac surgery.

Anaesthesia and coronary artery surgery.edited by Tarhan S.,Year Book Medical Publishers,Chicago.

72)Murthy VS, Patel KD and Elangovan RG(1986):

Cardiovascular and neuromuscular effects of esmolol during induction of anaesthesia.

J Clin Pharmac;26:351

73)Nelson AH, Fleisher LA, Rosenbaum SH(1993):

Relationship between postoperative anaemia and cardiac morbidity in high risk vascular patients in the ICU.

Crit Care Med 21:860

74)O'Kelly B, Browner WS, Massie B, Tubau J, Ngo L, Mangano DT(1992):

Ventricular arrhythmias in patients undergoing noncardiac surgery: The Study of Perioperative Ischaemic Research Group.

JAMA 1992;268:217-221.

75)Olivetti G, Melissari M, Capasso JM, Anversa P(1991):

Cardiomyopathy of the aging human heart: myocyte loss and reactive cellular hypertrophy.

Circ Res, 68:1560-1568

76)O'Young J, Mastrocostopoulos G, Helgenberg A et al.(1987):

Myocardial circulatory and metabolic effects of isoflurane and sufentanil during coronary artery surgery.

Anaesthesiology,66:653

Detection and significance of intraoperative and postoperative myocardial ischaemia in peripheral vascular surgery.

JAMA, 268:222-227

85)Rao TL, Jacobs KH, El-Etr AA.(1983):

Reinfarction following anaesthesia in patients with myocardial infarction.

Anaesthesiology. 59:499-505

86)Reeder GS, Seward JB and Tajik AJ(1992):

The role of 2-D echocardiography in CAD.

Mayo Clinic Proc,57:247

87)Reiz S, Balfors E and Sorensen MB(1983):

Isoflurane, a powerful coronary vasodilator in patients with CAD.

Anaesthesiology,59:91

88)Reves JS, Kissin I and Lell WE(1982):

Calcium channel blockers:Uses and implications for the anaesthesiologists.

Anaesthesiology,57:504

89)Reyes VP, Raju BS, et al.(1994):

Percutaneous balloon valvuloplasty compared with open surgical commissurotomy for mitral stenosis.

N Engl J Med. 331:961-967

90)Roberts FL, Dixon J, Lewis GT, et al.(1988):

Induction and maintenance of propofol anaesthesia:a manual infusion scheme

Anaesthesia,43:14-17

91)Roberts SL and Tinker HJ(1988):

Cardiovascular disease: Risk and outcome in anesthesia. Edited by Brown

DL;Philadelphia,JB and Lippincott,p33

92)Rutherford JD, Braunwnwald E, Esohen PF(1988):

Chronic ischaemic heart disease

Heart disease, Braunwald E(ed),3rd ed,Saunders WB;Philadelphia pp1314-1367

93)Saada M(1992):

Effect of thoracic epidural anaesthesia combined with general anaesthesia on segmental wall motion assessed by TEE.

Anesth Analg,75:329-335

94)Saada M, Cahalan MK, Lee E, Ionescu P, Schiller NB(1989):

Real- time evaluation of echocardiograms.

Anaesthesiology,71:A344

95)Sanz G, Castaner A, Betriu A, Magrino J, Roig E and Coll S(1982):

Determination of prognosis in survivors of myocardial infarction.

N Engl J Med,306:1065

96)Schluter M, Langenstein BA, Polster J, Kremer P et al.(1982):

Transesophageal coss-sectional echocardiography with a phased array transducer system technique and initial results.

British Heart Journal,48:67-72

97)Shah KP et al.(1990):

Angina and other risk factors in patients with cardiac disease undergoing noncardiac surgery.

Anesth Analg,70:240

98)Shah PM, Kyo S, Matsumura M, Omoto R(1991):

Utility of biplane TEE in left ventricular wall motion analysis.

Attenuation of blood pressure response to laryngoscopy and tracheal intubation with sodium nitroprusside.

Anesth Analg,58:116

107)Sybert PE, Hickey RF and Hoar PE(1983):

Effects of volatile anesthetics on the regulation on coronary blood flow.

Anaesthesiology,59:24

108)Tackley RM, Lewis GTR, Prys-Roberts C, Boaden RW, Harvey JT(1987):

Open loop control of propofol infusions.

British Journal of Anaesthesia,59:935P

109)Tadikonda LK and Kurt HJ(1983):

Reinfarction following anaesthesia in patients with myocardial infarction.

Anaesthesiology,59:499

110)Tassonyi E, Neidhart P and Pittet JF et al(1988):

Cardiovascular effects of pipecuronium and pancuronium in patients undergoing CABG.

Anaesthesiology,69:793

111)Thomson IR, Bowering JB and Hudson RJ et al.(1991):

A comparison of desflurane and isoflurane in patients undergoing cardiac surgery.

Anaesthesiology,75:776

112)Thomson IR and Putnins CL(1985):

Adverse effects of pancuronium during high-dose fentanyl anesthesia for CABG.

Anaesthesiology,62:708