

REFERENCES

- Adams, J.H.; Geunarelli, and Granam, (1982) :*
Recent advances in Neuropathology,
New York, Churchill Livingstone PP. 165-190.
- Adams, J.H.; Graham, et al. (1989) :*
Diffuse axonal injury due to non missile head injury in humans.
Ann. Neurol., 12 : 557-563.
- Adams, J.H.; Scotte, C.; Parker, L.S. and Graham, (1980) :*
The contusion index : A quantitative approach to cerebral contusions in head inj.,
Neuropathol. Appl. Neurobiol 6 : 319-324.
- Ahnefeld, F.W.; Kilian, J. and Dell, U. (1987) :*
"Blood gases at the scene of the accident and on admission to hospital following cranio-cerebral trauma."
Anaesthetist 36 : 570.
- Aldrich, E.F. and Eisenberg, H.M. (1993) :*
Acute subdural hematoma.
In Brain surgery : Complication Avoidance and Management (ed.) Apuzzo, M.L.J. Churchill Livingstone Inc., 34 : 1283-1298.
- Aldrich, E.F.; Eisenberg, H.M. and Saydjari, C. et al. (1992) :*
Diffuse brain, swelling in severely head injured children
J. Neurosurg, 76 : 450.
- Allen, I.; Kirk, J.; Maynard, R.; Copper, G.; Scott, R. and Crockard, A. (1983) :*
"An ultrastructural study of experimental high velocity penetrating head injury". Acta Nueropathologica, 59 : 277.
- Allen, S.J.; Cruz, J.; Abouleish, B.A. and Miner, M.E. (1987) :*
"Immediate detection of critical transient hypoxic episodes in acute head injuries".
Anesthe Analg 66 : S2.

- Andrews, B.T.; Chiles, B.W.; Walter, B.A. and Olsen, W.L. (1988) :**
The effect of intracerebral hematoma location on the risk of brain-stem compression and on clinical outcome.
J. Neurosurg., 69 : 518-522.
- Aoki, N.; Mizutani, H. and Masuzawa, H. (1985) :**
Unilateral subdural-peritoneal shunting for bilateral chronic subdural hematomas in infancy : Report of three cases. J. Neurosurg., 63 : 134-137.
- Aoki, N. (1988) :**
Rapid resolution of acute epidural hematoma : Report of two cases. J. Neurosurg., 68 : 149-151.
- Aoki, N. (1990) :**
Chronic subdural hematoma in infancy : Clinical analysis of 30 cases in the CT. J. Neurosurg. 73 : 201-205.
- Aronyk, K.E. (1994) :**
Post traumatic haematoma in : Pediatric Neurosurgery (Ed.) by cheek. W.R. Marlin, A.E., McLone, D.G., Reigel, D.H. and Walker, M.L.
Vol. 1 3rd ed. liberry of confren, Philadelphia PP. 279-296.
- Aucoin, P.J., Kotilainen, H.R. and Gontz, N.M. et al. (1986) :**
Intracrainal pressure monitors. Epidemiologic study of risk factors and infections.
Am. J. Med., 80 : 369-376.
- Bakay, L. and Glasauer, F.E. (1980) :**
Head injury,
Little, Brown and Company Boston. PP. 377-385.
- Berger, M.S.; Pitts, L.H.; Lovely, M. and Edwards, M.S.B. (1985) :**
Outcome from severe head injury in children and adolescents.
J. Neurosurg. 62: 194-199.
- Boxt, W.G. and Moody, P. (1987) :**
"The differential survival of trauma patients." J. Trauma, 27: 602-606.

Bazan, N.G. and Rodriguez, de Turco, E. (1980) :

“Membrane lipids in the pathogenesis of brain edema : Phospholipids and arachonic acid, the earliest membrane components changed at the onset of ischemia”. In : J. Cervos-Navarro, R. Feszt, (eds) Brain Edema (Advances in Neurology, 28), Raven Press, New York.

Becker, P., Sieger, S. and Rother, U. (1987) :

“Complement activation following severe head injury”.
Anaesthetist 36 : 301.

Becker, D.P.; Gade, G.F.; Young, H.F. and Feurman, T.E. (1990) :

“Diagnosis and treatment of head injury in adults”. In
Yomans (ed) : Neurological Surgery. 3rd ed., Vol. 3,
Philadelphia, Saunders W.B. Co., PP. 2017-2148.

Becerik, D.P.; Gade, G.F., and Miller, J.D. (1990) :

Prognosis after head injury. In Youmans, J.R.,
Neurological surgery, 3rd. ed., W.B. Saunders
Company, 169 : 2194-2229.

Berney, J.; Favier, J. and Rilliet, B. (1995) :

Head injuries in children. Childs-Nerv- Syst. 11(5) :
556-64.

Berney, J.; Froidevaux, AC. and Favier, J. (1994) :

Pediatric head trauma. Childs- Nerv- Syst. 10(8):517-23.

Blout, D.; Raphaely, R. and Goldberg, (1985) :

Outcome following trauma in children. Child's Brain 5 :
174-194.

Bouma, G.T.; Muzelaar, J.P. and Bando, K. (1992) :

“Blood pressure and intracranial pressure-volume
dynamics in severe head injury; relationship with
cerebral blood flow”. J. Neurosurg., 77: 15-19.

Brown, F.D.; Mullan, S. and Duda, E.F. (1978) :

Delayed traumatic intracerebral hematoma : Report of
three cases. J. Neurosurg., 48 : 1019-1022.

Bruce, D.A. (1990) :

Head injuries in the pediatric population, *Curr- Probl-Pediatr.* 20(2) : 61-107.

Bruce, D.A. (1986) :

"Management of severe head injury". In : Cotterill, J. Turndorf, H. (eds) *Anesthesia and Neurosurgery*, 2nd edition, Mosby, St. Louis, P. 150.

Bruce, D.A. Schut, L. and Sutton, L.N. (1985) :

Pediatric head injury. In *Neurosurgery*, (eds.) Wilkins, R.H., and Rengachary, S.S. McGraw- Hill Book Company, 255 : 2010-2015.

Bullock, R.; Smith, R.M. and VanDellen, J.R. (1985) :

Nonoperative management of extradural hematoma. *Neurosurgery*, 16 : 602-606.

Carey, M.E.; Sarna, G.G. and Farrell, J.B. (1985) :

"The effect of an experimental missile wound to the brain on electrolytes, regional cerebral blood flow and blood brain barrier permeability". Louisiana State University Annual Final Report submitted to U.S. Army Medical Research and Development Command, Fort Detrick, Maryland, P. 66.

Cerehiari, E.L.; Hoel, T.M.; Safar, P. and Sclabassi, R.J. (1987) :

"Protective effects of combined superoxide dismutase and desferoxamine on recovery of cerebral flow and function after cardiac arrest in dogs". *Stroke*, 18 : 869-878.

Chiu, M.C. and Poots, D.G. (1990) :

Radiology of skull. In Youmans, J.R., *Neurological surgery*, 3rd. ed., W.B. Saunders Company, 4 : 57-99.

Choi, S.C.; Barnes, T.Y.; Bullock, R. et al. (1994) :

Temporal profile of outcomes in severe head injury. *J. Neurosurg.* 81 (2) : 169-73.

- Choi, S.C.; Narayan, R.K. and Anderson, R.L. (1988) :**
 "Enhanced specificity of prognosis in severe head injury". J. Neurosurg., 69 : 381-385.
- Choi, S.C.; Muizelacr, J.P. and Thomas, Ph.D. (1991) :**
 "Prediction tree for severely head-injured patients". J. Neurosurg., 75 : 251-255.
- Clifton, G.L.; Zielger, M. and Grossman, R. (1981) :**
 "Circulating catecholamines and sympathetic activity after head injury". Neurosurgery, 8 : 10.
- Cohen, W.A.; Pinto, R.S. and Kricheff, I.I. (1982) :**
 "The value of dynamic, scanning". Radio. Clin. North Am., 20 : 23-35.
- Cooper, P.R. (1985) :**
 Traumatic intracranial hematomas. In Neurosurgery (eds.) Wilkins, R.H. and Rengachary, S.S. McGraw-Hill Book Company, 205: 1657-1669.
- Corey Raffel and N. Scott Litofsky, (1994) :**
 Skullfractures in : Pediatric Neurosurgery (ed.) by cheek, W.R., Marlin, A.E., McLone, D.G., Reigel, D.H. and Walker, M.L. Vol. I 3rd ed. Liberry of confren, Philadelphia PP. 257-265.
- Crockard, H.A. (1981) :**
 Head injuries. In trauma care, Academic Press, London. Grune & Stratton, New York, San Francisco Chap. PP. 191-222.
- Crompton, M.R. (1971) :**
 Hypothalamic lesions following closed head injury. Brain, 94 : 165-172.
- Cruz, J. and Miner, M.E. (1986) :**
 "Modulating cerebral oxygen delivery and extraction in acute traumatic coma". In : Miner M.E., Wanger, K.A. (eds) Neurotrauma Treatment, Rehabilitation and Relayed Issues, Butterworth, Boston, P. 55.

Curnes, J.T.; Vincent, L.M. and Kowakshy, R.J. et al. (1985) :
CSF rhinorrhea, Radiology 154: 795.

Dahl, Grove, D.L.; Chande, V.T. and Barnoski, A. (1995) :
Closed head injuries in children. *Pediatr- Emerg- Care.*
11(2) : 86-8.

*D'Alessandro, R.; Tinuper, P.; Ferrara, R.; Certelli, P.; Pazzoglia, P.;
Subattini, L.' Frank, G. and Lugaresi, E. (1982) :*
"CT scan prediction of late post-traumatic epilepsy". *J.*
Neurol. Neurosurg. Psychiat., 45 : 1153-1155.

Deck, M.D.F. and Weingartern, K. (1990) :
Computed tomography and magnetic resonance imaging
of the central nervous system.
In Youmans, J.R. *Neurological Surgery*, 3rd. ed., W.B.
Saunders Company, 5 : 100-154.

Dearden, N.M., Gibson, J.S. and McDowall, D.G. (1986) :
"Effects of high-dose dexamethasone on outcome from
severe head injury". *J. Neurosurg.,* 64 : 81-88.

Derek, A. and Bruce, (1996) :
Pediatric Head Injury. In *Neurosurgery* (eds.) Wilkins,
R.H. and Rengachary, SS McGraw-Hill. Book
Company, 266 : 2709-2715.

Duhaime, A.C.; Alario, A.J. and Lewander, W.J. et al. (1992) :
Head injury in very young children younger than 2 years
of age : Mechanisms and injury types. *Pediatrics* 90 :
179.

*Duhaime, A.C.; Gennarelli, T.A.; Thibaut, L.E. and Bruce, D.A.
(1987):*
The shaken baby syndrome : A clinical, pathological,
and biomechanical study. *J. Neurosurg.,* 66 : 409-415.

Duncan, CC. (1993) :
Skull fractures in infancy and childhood. *Pediatr- Rev.*
Suppl. : 1-10.

Duncan, C.C.; Ment, L.R.; Smith, B. and Ehrenkranz, R.A. (1981) :
A scale for the assessment of neonatal neurologic status.
Child's Brain, 8 : 299-306.

Eisenberg, H.M.; Gary, H.E.Jr. and Aldrich, E.F. (1990) :
"Initial CT scan findings in 753 patients with severe head injury. A report for the NIH Traumatic Coma Data Bank". J. Neurosurg., 73 : 688-698.

Eisenberg, H.M.; Cayard, C.; Papanicolaou, A.C. and Weiner, R.L. (1982) :
"The effects of three potentially preventable complications on outcome after severe closed head injury." In Vth International Symposium on Intracranial Pressure. Berlin, Springer-Verlag, PP. 549-553.

Ellis, E.; Wright, K. and Wei, E. (1981) :
"Cyclooxygenase products of arachidonic acid metabolism in cat cerebral cortex after experimental concussive brain injury". J. Neurochem., 87 : 892.

Elsner, H.; Rigamonti, D.; Cardino, G. and Schlegel, R. (1990) :
Delayed traumatic intracerebral hematomas : "Spat-Apoplexie" : Report of two cases. J. Neurosurg., 72 : 813-815.

Enzmann, D.R.; Britt, R.H. and Placone, R. (1983) :
"Staging of human brain abscess by computed tomography". Radiology, 146 : 703-708.

Epstein, F.M.; Ward, J.D. and Becker, D.P. (1987) :
"Medical complications of head injury." In cooper, P.R., (ed.). Head injury, 2nd Ed. Baltimor, Williams & Wilkins, PP. 390-421.

Erculei, M. and Haller, Walker, J.A. (1983) :
Pediatric trauma the No. 1 Killer of children. Jama., 249-47.

Faden, A. (1986) :
"Neuropeptides and CNS Injury". Arch. Neurol., 43(5) : 501.

Faden, A.; demediuk, P.; Panter, S. and Vink, R. (1989) :

"The role of excitatory amino acids and NMDA receptors in traumatic brain injury." *Science* 244 : 798.

Faden, A.; Vink, R. and McIntosh, T.K. (1989) :

"Thyrotropin-releasing hormone and central nervous system trauma." *Ann NY Acad Sci.* 553 : 380.

Feldman, Z.; Kanter, M.J.; Robertson, C.S. and contant, C.F. (1992) :

Effect of head elevation on intracranial pressure, cerebral perfusion pressure, and cerebral blood flow in head-injured patients.

J. Neurosurg., 76 : 207-211.

Fishman, R. and Chan, P.H. (1980) :

Metabolic basis of brain edema. In : *Advances in Neurol.* 28 In : Cervos-Navarro, J. Ferszt R. (eds) *Brain Edema*, Raven Press, New York.

Folkess, M.A.; Eisenberg, H.M.; Jane, J.A. et al. (1991) :

The traumatic coma data bank : Design methods and base line characteristics. *J. Neurosurgery* 75 (Suppl) : 58.

French, B.N. and Dublin, A.B. (1977):

The value of computerized tomography in the management of 1000 consecutive head injuries. *Surg. Neurol.*, 7 : 171-183.

Frost, E.M.A.; Arancibia, C.U. and Shulman, K. (1979) :

Pulmonary shunt as a prognostic indicator in head injury. *J. Neurosurg.*, 50 : 768-772.

Fruin, A.H.; Juhl, G.L. and Taylor, C. (1984) :

Interhemispheric subdural hematoma. Case report. *J. Neurosurg.*, 60 : 1300-1302.

Gade, G.F. and Becker, D.P. (1988) :

Surgical management of acute head injuries. In *Operative Neurosurgical Techniques : Indications, Methods, and Results* (eds.) Schmidek, H.H., and Sweet, W.H. : W.B. Saunders Company, 3 : 19-31.

Gade, G.F.; Becker, D.P.; Miller, J.D. and Dwa, P.S. (1990) :

Pathology and pathophysiology of head injury. In Yomans (ed) : Neurological Surgery. 3rd ed., Vol. 3, Philadelphia, Saunders W.B. Co., PP. 1965-2016.

Galbraiths, Teasdale, G. (1981) :

Predicting the need for operation in the patient with an occult traumatic intracranial haematoma. J. Neurosurg., (55) : 75-81.

Gandy, S.E.; Snow, R.B. and Zimmerman, R.E. (1984) :

Cranial nuclear magnetic resonance imaging in head trauma. Ann. Neurol., 16 : 254-257.

Gennarelli, T.A. (1990) :

Mechanisms of cerebral concussion, contusion, and other effects of head injury. In Yomans (ed) : Neurological Surgery. 3rd ed., vol 3, Philadelphia, Saunders W.B. Co., PP. 1953-1964.

Gennarelli, T.A. (1986) :

Mechanisms and pathophysiology of cerebral concussion. J. Head Trauma Rehab., 1 : 23-29.

Gennarelli, T.A.; Spielman, G. and Langfitt, T.W. (1982) :

The influence of the type of intracranial lesion on outcome from severe head injury : A multicenter study. J. Neurosurg., 56 : 26-32.

Gennarelli, T.A. (1982) :

Cerebral concussion and diffuse brain injuries. In : Cooper PR (ed) Head Injury. Williams and Wilkins, Baltimore, PP. 83.

Gennarelli, T.A. and Thibault, L.E. (1985) :

Biological models of head injury. In : Becker DP, Povlishock JT. (eds) Central Nervous System Trauma Status Report. NINCDS, NIH, Bethesda, Md, P. 391.

Gennorelli, T.A. (1987) :

Cerebral concussion and diffuse brain injuries. In cooper, P.R., ed. : Head Injury, 2nd Ed. Blatimore, Williams and Wilkins, PP. 108-124.

Gomori, J.M.; Grossman, R.I.; Goldberg, H.I.; Zimmerman, R.A. and Bilalak, L.T. (1985) :
Intracranial hematomas: Imaging by high-field MR.
Radiology, 157 : 87-93.

Greene, KA.; Marcino, FF.; Johnson, BA. et al. (1995) :
Impact of traumatic subarachnoid hemorrhage on
outcome in non penetrating head injury. J. Neurosurg 83
(3) : 445-52.

Greenshoot, J.H. and Reichenbach, D.d. (1969) :
Cardiac injury and subarachnoid hemorrhage. A clinical
pathological and physiological correlation. J. Neurosurg.,
30 : 521.

Greenwald, B.M.; Ghajar, J. and Notterman, D.A. (1995) :
Critical care of children with acute brain injury. Adv.
Pediatr. 42 : 47-89.

Gurdjian, E.S. (1975) :
Impact of head injury. Mechanistic, Clinical, and
Preventive Correlations. Springfield, Ill thomas.

Gutierrez, F.A. and Raimondi, A.J. (1975) :
Acute subdural hematoma in infancy and childhood.
Child's Brain, 1 : 269-290.

Hadden, W.Jr. (1983) :
Energy damage and the ten countmeasure strategies. J.
Trauma 13: 321-331.

Hall, E.D.; Yonkers, P.A.; McCall, J.M. and Braughler, J.M. (1988) :
Effects of the 21-aminosteroid U74006F on experimental
head injury in mice. J. Neurosurg., 68 : 456.

Han, J.S.; Kaufmann, B. and Alfidi, R.J. (1984) :
Head trauma evaluated by magnetic resonance and
computed tomography : A comparison. Radiology, 150 :
71-77.

- Hendrick, E.B.; Harwood, Nash, D.C. and Hudson, A.R. (1984) :**
Statistical survey of consecutive cases clin. Neurosurg.
11 : 46-65.
- Hernansanz, J.; Munoz, F.; Radriguez, D. and Soler, C. (1984) :**
Subdural hematomas of the posterior fossa in normal-weight newborns : Report of two cases. J. Neurosurg.,
61 : 972-974.
- Howard, M.A. (1975) :**
"The syndrome of fat embolism". South Med. J.
Neurosurg. 1577.
- Howard, M.A.; III, Gross, A.S.; Dacey, R.G.Jr. (1989) :**
Acute subdural hematomas : an age-dependent clinical entity. J. Neurosurg. 71 : 858-863.
- Hughenholz, H.; Izukawa, D.; Shear, P. et al. (1987) :**
Vomiting in children following head injury. childs Nerv.
Syst. 3 : 266.
- Ishige, N.; Pitts, L.H.; Hashimoto, T.; Nishimura, M.C. and Bartkowski, H.M. (1987) :**
Effect of hypoxia on traumatic brain injury in rats : Part
1 : Changes in neurological function,
electroencephalograms, and hisopathology.
Neurosurgery, 20 : 848.
- Jagger, J.; Jane, J.A. and Rimel, R. (1983) :**
"The Glasgow Coma Scale : to sum or not to sum?"
Lancet 2 : 97.
- Jamieson, K.G. and Yelland, J.D.N. (1968) :**
Extradural hematoma : Report of 167 cases. J.
Neurosurg., 29 : 13-23.
- Jamieson, J.G. and Yelland, J.D.N. (1972) :**
Traumatic intracerebral hematoma. Report of 63
Surgically treated cases. J. Neurosurg., 37 : 528-532.
- Jennett, B.; Teasdale, G. and Galbriath, S. (1987) :**
Severe head injuries in children, J. Neurol, Neurosurg.
Psychiat, 40 : 291-298.

Jordan, B. (1987) :

Neurologic aspects of boxing. Arch. Neurol., 44 : 453.

Kadish, H.A. and Schunk, J.E. (1995) :

Pediatric basilar skull fracture. Anne - Emergy- Med.
26(1) : 37-41.

Kalbag, R.M. and Woolf, A.L. (1976) :

Predicting outcome in individual patients after severe head injury. Lancet 1 : 1031-1034.

Kalimo, H.; Rehnckrona, S. and Soderfeldt, B. (1981) :

Brain lactic acidosis and ischemia. Mechanism of cell damage and principles of protection. J. Cer. Blood Flow Metab., 1: 313.

Kaufman, H.H. and Mattson, J.C. (1985) :

"Coagulopathy in head injury." In : Becker DP, Povlishock JT, (eds) Central Nervous System Trauma Status Report. NINCDS, NIH, Bethesda, Maryland, P. 6: 17.

Kjellberg, R.N. and Prieto, A. Jr. (1981) :

Bifrontal decompressive craniotomy for massive cerebral oedema. J. Neurosurg. 34 : 488-493.

Klatzo, I. (1987) :

"Blood brain barrier and ischemic brain edema". Proceedings of the Annual Meeting of the German Society for Heart and Circulation Research. Z Kardio 76 : Suppl. 4 : 67-69.

Knuchey, N.W.; Gelbard, S. and Epstein, M.L. (1989) :

The management of asymptomatic epidural hematomas : A prospective study. J. Neurosurg., 70 : 392-396.

Kontos, H.A. and Wei, E.P. (1986) :

Superoxide production in experimental brain injury. J. Neurosurg., 64 (5) : 803.

Kumar, R.; West, C.G.; Quirke, C. et al. (1991) :

Do children with severe head injury benefit from intensive care. Childs- Nerv- Syst. 7(6) : 299-304.

Langfitt, T.W.; Obrist, W.D. and Alvai, A. (1986) :

“Computerized tomography, magnetic resonance imaging, and positron emission tomography in the study of brain trauma. Preliminary observations.” J. Neurosurg., 64 : 760-767.

Lee, J.P.; Lui, T.N. and Chang, C.N. (1991) :

“Acute post traumatic intraventricular hemorrhage analysis of 25 patients with emphasis on final outcome”. Acta, Neurol. Scand., 84 (2) : 85-90.

Levil, Guilburd, J.N.; Leberger, A. et al. (1990) :

Diffuse axonal injury : Analysis of 100 patients with radiological signs. Neurosurgery, 27 : 429.

Levin, H.S.; Benton, A. and Grossman, (1982) :

Neurological sequences of closed head injury, New York. Oxford Press.

Lewis, R.J.; Yee, L.; Inkelis, S.H. and Gilmore, D. (1993) :

Clinical predictors of post-traumatic seizures in children with head trauma. Ann. Emerg. Med., 22(7) : 1114-8.

Lindenberg, R. (1971) :

Trauma of meninges and brain in Minkler, J. ed. : Pathology of the Nervous system, Vol. I. New York, McGraw- Hill Book Co. PP. 1705-1765.

Lobato, R.D.; Rivas, J.J. and Gomez, P.A. (1991) :

Head-injured patients who talk and deteriorate into coma. Analysis of 211 cases studied with computerized tomography. J. Neurosurg., 75 :256-261.

Lobato, R.D.; Sarubia, R. and Rivas, J.J. (1986) :

Normal computerized tomography scans in severe head injury : Prognostic and clinical management implications. J. Neurosurg., 65 : 784-789.

Mackersie, R.C.; Christensen, J.M. and Pitts, L.H. (1983) :

Pulmonary extravascular fluid accumulation following intracranial injury. J. Trauma, 23 (1) : 968-75.

Markwalder, T.M. (1981) :

Chronic subdural hematomas : A reivew. J. Neurosurg.,
54 : 637- 645.

Marshall, L.F. and Bowers, S.A. (1985) :

Outcome prediction in severe head injury. In
Wilkins,R.H. and Regachary, S.S., (eds) : Neurosurgery,
1st ed., Vol., New York, McGraw Hill Book Co., PP.
1605-1608.

Marshall, L.F.; Gautille, T. and Kaluber, M.R. (1991) :

The outcome of severe closed head injury. J.
Neurosurg., 75 (Suppl) S28-S36.

Masshall, L.F.; Goutille, T.; Kianner, M.R. et al. (1991) :

The outcome of severe closed head injury.
J. Neurosurg., (75) : 528-536.

**Maxwell, E.; Irvine, A.; Adams, J.; Graham, D. and Gennarelli, T.
(1988) :**

Response of cerebral microvasculature to brain injury. J.
Pathol. 155 : 327.

**McClain, C.J.; Cohen,D.; Ott, L.; Dinarello, C.A. and Young, B.
(1987):**

Ventricular fluid interleukin-1 activity in patients with
head injury. J. Lab. Clin. Med., 110 : 48.

McCormick, W.F. (1983) :

Trauma. In Schocket, S.S.; Jr., ed. : Clinical
Neurosciences Vol.3. New York, Chunchill-Livingstone,
PP. 244-283.

McKissock,W.; Taylor, J.C.; Bloom, W.H. and Till, K. (1960) :

Extradural hematoma. Observation on 125 cases.
Lancet, 2 : 167-172.

McLaurin, R.L. (1985) :

Subdural hematomas and effusions in children. In
Neurosurgery (eds) Wilkins, R.H. and rengachary, S.S.
McGraw-Hill Book Company, 282 : 2211-2214.

- McLurine, R.L. and Helmer, F. (1985) :**
The syndrome of temporal lobe contusion. J. Neurosurg. 23 : 296-304.
- McLurin, R.L. and McLaurin, K.S. (1986) :**
Calcified subdural haematomas in childhood J. Neurosurg. 24 : 645-655.
- McLaurin, R.L. and Towbin, R. (1990) :**
Diagnosis and treatment of head injury in infants and children. In Youmans, J.R. Neurological surgery, 3rd. ed., W.B. Saunders Company, 68 : 2149-2193.
- McLeod, A.A.; Neil-Dwyer, G. and Meyer, C.H. (1982) :**
"Cardiac sequelae of acute head injury." Br. Heart J., 47 : 221.
- McGuirt, W.F.Jr. and Stool, S.E. (1995):**
Cerebrospinal fluid fistula : the identification and management in pediatric temporal bone fractures. Laryngoscope. 105 (4pt 1) : 359-64.
- Mendelow, A.D.; Rowan, J. and Murray, L. (1983) :**
A clinical comparison of subdural screw pressure measurements with ventricular pressure. J. Neurosurg., 58 : 36-50.
- Messina, A.V. and Chernik, N.I. (1985):**
Computed tomography the resolving intracranial haemorrhage in children radiology 118 : 609-613.
- Messinger, A.; Radkowski, M.A.; Greenwald, M.J. et al. (1989) :**
Orbital roof fractures in the pediatric population. Plast Reconstr. Surg. 84 : 213.
- Miller, J.D. (1988) :**
Surgical management of acute and chronic subdural hematoma. In Operative Neurosurgical Techniques : Indications, Methods, and Results (eds.) Schmidek, H.H., and Sweet, W.H. : W.B. Saunders Company, 4 : 33-35.

Miller, J.D.; Butterworth, J.F. and Gudeman, S.R. (1981) :

Further experience in the management of severe head injury. J. Neurosurg., 54: 289-299.

Miner, M.E. and Allen, S.J. (1984) :

"Cardiovascular effects of severe head injury." In : Frost E. (ed) Clinical Anesthesia in Neurosurgery, Butterworth, Boston, P. 372.

Mlay, S.M. and Sayi, E.N. (1993) :

The management of depressed skull fractures in children. Am. Fam. Physician. 70 (5) : 291-3.

Muizelaar, J.P.; Marmarou, A. and DeSalles, A.A.F. (1989) :

Cerebral blood flow and metabolism in severely head-injured children. Part 1: Relationship with GCS score, outcome, ICP and PVI. J. Neurosurg., 71 :63-71.

Muizelaar, J.P.; Ward, J.D. and Marmarou, A. et al. (1989) :

Cerebral blood flow and metabolism in severely head injured children. Part 2: Auto-regulation. J. Neurosurg. 71 : 72.

Munro, W.J. (1982) :

Initial diagnosis and assessment of postconcussional syndrome. Scand. J. Rehabil. Med. 4 : 27-30.

Murshid, W.R. (1994):

Role of skull radiography in the initial evaluation of minor head injury. Acta-Neurochir- Wien, 129(102) : 11- 4.

Narayan, R.K. (1995) :

Closed head injury in :Principles of Neurosurgery. (ed.) by Rengachary, S.S. and Wilkins, R.H. 1st. ed. M. wolfe. London, Boston, Chicago. PP. 266-284.

Neave, V. and Weiss, M.H. (1985) :

Neurological evaluation of a patient with head trauma :Coma Scales, In Neurosurgery (eds.) Wilkins, R.H., and Rengachary, S.S. McGraw-Hill Book Company, 191 :1570-11577.

Nilsson, B.; Ponten, U. and Voigt, G. (1977) :

Experimental head injury in rate pathophysiology and Morphology J. Neursurg, 47 : 244-251.

Oku, Y.; Takimoto, N.; Yamamoto, K. and Onishi, T. (1984):

Trial of a new operative method for recurrent chronic subdural hematoma. J. Neurosurg., 61 : 269-272.

Ommaya, A.K. and Gennarelli, (1982) :

Cerebral concussion and traumatic unconsciousness corelation of experimental and clinical blunt head injuries. Brain, 97 : 633-654.

Pang, D.; Horton, J.A.; Herron, J.M. and Wilberger, J.E. (1983) :

Neurosurgical management of extradural hematomas in children : J.Neurosurg. 59 : 958-971.

Papp, A.J.; Shah, D.M. and Berman, R.A. (1982) :

Delayed pulmonary dysfunction in head injured patients. J. Neurosurg., 57(6) : 784.

Paul Steinbok, Olof Fiodmark, Diana Martens, and Eru, T. Germann, (1987) :

Management of simple depressed skull fractures in children. J. Neurosurg. 66 : 506-510.

Peyster, R.G. and Hoover, F.D. (1982) :

CT in head trauma. J. trauma, 22 (1) : 25-38.

Pick, J.; Chesnut, R.M. and Marshall, L.F. (1992) :

Extracranial complications of severe head injury. J. Neurosurg, 77 : 901-907.

Pitts, L.H. (1988) :

"Intensive care of neurologic diseases". Current Opinion in Neurology and Neurosurgery 1(1) : 14.

Pollheers, A. and Ruddy, R.M. (1995) :

An update on pediatric trauma. Emerg, Med, Clin. North, Am. 13(2) : 267-89.

- Pozzati, E.; Frank, F.; Frank, G. and Gaist, G. (1980) :**
Subacute and chronic extradural hematomas : A study of 30 cases. J. Trauma, 20 : 795-799.
- Raimondi, A.J. and Hirschaver, J. (1984) :**
Head injury in the infant and toddler : Coma scoring and outcome scale. Child's Brain, 11 : 12-35.
- Sampson, J.H.; rossitch, E.Jr. and Oakes, W.J. (1992) :**
Initial management of pediatric head trauma. Am. Fam. Physician. 45 (6) : 2621-8.
- Sayers, M.P. (1985) :**
Pathology of the brain damage in infants and children Excerpta Medica, 477-9.
- Schanne, F.A.X., Kane, A.B. and Young, E.E. (1979) :**
"Calcium dependance on toxic cell death : A final common pathway". Science, 206 : 700.
- Seeling, J.M.; Becker, D.P.; Miller, J.D. and Ward, J.D. (1981) :**
Traumatic acute subdural hematoma. Major mortality reduction in comatose patients treated within four hours. N. Engl. J. Med., 304 : 1511-1518.
- Schulte, A.; Esch, J.; Murday, H. and Pfeifer, G. (1980) :**
"Haemodynamic changes in pateints with severe head injury." Acta. Neurochir., 54 : 243.
- Servadei, F.; Vergoni, G. and Staffa, G. et al. (1995) :**
Extradural haematomas. Acta. Neurochir, Wien, 133 (1-2) : 50-5.
- Sharma, M. and Sharma, A.K. (1994) :**
Mode, presentation, CT Findings and outcome of pediatric head injury. Cirt. Care. Nurs. Clin. North. Am. 31 (6) : 733-9.
- Shohmai, E.; Shapira, Y.; Sidi, A. and Cotev, S. (1987) :**
Head injury induces increased prostaglandin synthesis in rat brain. J. Cereb. Blood Flow. Metab., 7 : 58.