




References

REFERENCES

- Aceti, A.; Celestino, D.; Pennica, A., et al. (1990): Antibodies to *H. pylori* in HIV infection [Letter]. *Lancet*, 336: 571-21.
- Aceti, A.; Celestino, D.; Caffero, M., et al. (1991): Basophil bound and serum immunoglobulin E directed against *H. pylori* in patients with chronic gastritis. *Gastroenterol.*, 101: 131-7.
- Adams H.P. Jr.: Non-hemorrhagic cerebral infarction in young adults. *Arch. Neurol.*, 1986; 43: 793-796.
- Andreia, M.R.O.; Dulciene, M.M.Q.; Gifone, A.R., et al. (1994): Seroprevalence of *Helicobacter pylori* infection in children of low socioeconomic level in Belo Horizonte, Brazil. *Am. J. Gastroenterol.*, 89: 2201-4.
- Atherton, J.C. and Spiller, R.C. (1994): The urea breath test for *H. pylori*. *Gut*, 35: 723-725.
- Azuma, T.; Konishi, J.; Tanaka, Y., et al. (1994): Contribution of HLA-DQA gene to host's response against *Helicobacter pylori*. *Lancet*, 343: 542.
- Baggiolini, M.; Walz, Z. and Kunkel, S.L. (1989): Neutrophil activating peptide/ interleukin 8, a novel cytokine that activates neutrophils. *J. Clin. Invest.*, 1020: 1045-9.

References

- Banatvala, N.; Megraud, F.; Jennings, R., et al. (1993): The cohort effect of *H. pylori*. *J. Infect. Dis.*, 168: 219-21.
- Barnett, H.J.M.; Molei, J.P.; Stein, B.M. and Yatsu, F.M. (1992): *Stroke pathophysiology, Diagnosis and management*. New York, Churchill Livingstone, 1992: 3-27.
- Barone FC, Arvin B, White RF et al.: Tumor necrosis factor α : a mediator of focal ischemic brain injury. *Stroke* 1997; 28: 1233-1244.
- Berkowicz, J. and Lee, A. (1987): Person to person transmission of *Campylobacter pylori*. *Lancet*, 2: 680-1.
- Bizzozzero, G. (1893): ueber die schlauchformiggen drusen des magendarmkanals und die bezieungen ihres epithels zu dem oberflachenepithel des chleimhaut. *Arch. F. Mikr. Anast.*, 42: 82. Cited in Hook, (1991a).
- Blaser, M.J. (1989): *Campylobacter pylori in gastritis and peptic ulcer disease*. Igaku-shoin medical publishers, Inc., New York, Tokyo.
- Blaser, M.J. (1992): *Helicobacter pylori. Its role in disease*. *Clinical infectious disease*, 15: 386-393.
- Blaser, M.J. (1992a): Hypotheses on the pathogenesis and natural history of *H. pylori* induced inflammation. *Gastroenterol.*; 102: 720-727.

References

- Blecker, U.; Hauser, B.; Lanciers, S., et al. (1993a): The prevalence of *Helicobacter pylori* - positive serology in asymptomatic children. *J. Pediatr. Gastroenterol. Nutr.*, 16: 252-256.
- Blecker, U.; Lanciers, S.; Hauser, B., et al. (1993b): Diagnosis of *Helicobacter pylori* infection in adults and childrens by using the Malakit *Helicobacter pylori*, a commercially available enzyme linked immunosorbent assay. *J. Clin. Microbiol.*, 31: 1770.
- Blecker, U.; Lanciers, S.; Hausr, B., et al. (1995): The contribution of specific IgM antibodies to the diagnosis of *H. pylori* infection in childrens. *Eur. J. Gastroenterol. Hepatol.*; 7(10): 979-983.
- Boettcher, A. (1874): Zur genese des perforrenden magengeschwurs. *Dorpater medicinische zeitschrift*, 5:148. Cited in Hook (1991a).
- Boren, T.; Falk, P.; Roth, K.R., et al. (1993): Attachment of *Helicobacter pylori* to human gastric epithelium mediated by blood group antigens. *Science*, 262: 1892.
- Bornstein NM, Bova IY, PhD, and A.D. Korczyn: Infections as triggering factors for ischemic stroke. *Neurology*, 1997; 49 (Suppl. 4): S45-S46.

References

- Brey RL, Hart RG; Sherman DG, et al.: Anti-phospholipid antibodies and cerebral ischemia in young people. *Neurology*, 1990; 40: 1190-6.
- Bujanover, Y.; Reif, S. and Yahv, J. (1996): *Helicobacter pylori* and peptic disease in the pediatric patient. *Pediatr. Clin. North. Am.*, 43: 213-234.
- Caplan L.: Intracerebral hemorrhage revisited. *Neurology*, 1988; 38: 624-627.
- Caplan, L.R.: *Stroke: A clinical approach*, 2nd ed., Butterworth-Heinemann, 1993.
- Catrenich, C.E. and Chestnut, M.H. (1992): Character and origin of vacuoles induced in mammalian cells by the cytotoxin of *H. pylori*. *J. Med. Microbiol.*; 37: 389-95.
- Chey, W.D.; Spybrook, M.; Carpenter, S., et al. (1996): Prolonged effect of omeprazole on 14C- urea breath test. *Am. J. Gastroenterol.*, 91(1): 89-92.
- Clayton, C.L.; Kleanthous, P.J.; Coates, D.D., et al. (1992): Sensitive detection of *Helicobacter pylori* by polymerase chain reaction. *J. Clin. Microbiol.*, 30: 192.
- Clouse LH and Comp PC: The regulation of hemostasis: the protein C system. *N. Engl. J. Med.*, 314: 1298, 1986.
-

References

- Colto A, Carter A, Ireland H and Bayston TA (1995): Factor V leiden gene mutation and thrombin generation in relation to development of acute stroke. *Arteriscler. Thromb. Vasc. Biol.*; 15: 783-5.
- Correa, A.; Fox, J.; Fontham, E., et al. (1990): *H. pylori* and gastric carcinoma. Serum antibody prevalence in population with contrasting cancer risks. *Cancer*, 66: 2569-74.
- Cover, T.L. and Blaser, M.G. (1992): Purification and characterization of the vacuolating toxin from *Helicobacter pylori*. *J. Biol. Chem.*, 87: 1554.
- Crabtree, J.E.; Peichl, P., and Wyatt, J.I. et al. (1993): Gastric interleukin 8 and IgA-IL-8 autoantibodies in *H. pylori* infection. *Scand. J. immunol.*; 37: 65-70.
- Crabtree, J.E.; Taylor, J.D., Wyatt, J.I., et al. (1991): Mucosal IgA recognition of *H. pylori* 120 kda protein, peptic ulceration and gastric pathology. *Lancet*, 2: 332-335.
- Cross JN, Castro PO, Jennett WB (1968): Cerebral strokes associated with pregnancy and the puerperium. *Br. Med. J. Clin. Res.*, 3: 214-218.
- Cuttler, A.F. and Prased, V.M. (1996): Long-term follow-up of *H. pylori* serology after successful eradication. *Am. J. Gastroenterol.*, 91(1): 85-88.

- Czinn, S.Z.; Carr, H.S. and Speck, W.T. (1991): Diagnosis of gastritis caused by *Helicobacter pylori* in children by means of ELISA. *Rev. Infect. Dis.* 15 (Suppl 8): 700-703.
- Dacie JC and Lewis SM (eds) (1995): The investigation of haemostasis in practical haematology, Eighth edition, p. 297, Churchill Livingstone, Edinburgh.
- Dahlback, B.; Carlsson, M. and Svenssn, P.J. (1993): Familial thrombophilia due to a previously unrecognized mechanism characterized by poor anticoagulant response to activated protein C. Prediction of a cofactor to activated protein C. *Proc. Natl. Acad. Sci. USA* 90: 1004-1008.
- Danesh J, Collins R, Peto R: Chronic infections and coronary heart disease: is there a link? *Lancet* 1997, 350:430-436.
- Daw, M.A.; Deegan, P.; Leen, E., et al. (1991): The effect of omeprazol on *Helicobacter pylori* and associated gastritis. *Aliment. Pharmacol. Ther.*, 5: 435.
- De Luis DA, Lahera M, Canton R, Bioxeda D; San-Roman AL, Aller R, De-La Calle H: Association of *Helicobacter pylori* infection with cardiovascular and cerebrovascular disease in diabetic patients. *Diabetes - Care*, 1998 Jul, 21(7): 1129-32.

- Debongnie, J.C.; Mairesse, J.; Donnay, M., et al. (1994): Touch cytology. A quick simple sensitive screening test in the diagnosis of infections of gastrointestinal mucosa. Arch. Pathol. Lab. Med.; 118: 1115-1118.
- DeGraba TJ: Expression of inflammatory mediators and adhesion molecules in human atherosclerotic plaque. Neurology 1997; 49 (Suppl. 4): S15-S19.
- Denizot, Y.; Sobhani, I.; Rambaud, J.C., et al. (1990): Platelet-activating factor synthesis by *H. pylori*. Gut, 31: 1242-5.
- Dhalback Bjorn (1994): Resistance to activated protein C and venous thromboembolism. J. Clin. Invest. 94, 923-927.
- Dichek D and Quertermous T: Thromboregulation of mRNA levels of tissue plasminogen activator and plasminogen activator inhibitor-1 in cultured human umbilical vein endothelial cells. Blood, 74: 222, 1989.
- Diener HC, Cunha, Forbes C, Sivenius J, Smets P, Lowenthal A., European Stroke prevention study: 2- dipiridamole and acetylsalicylic acid in the secondary prevention of stroke. J. Neurol. Sci., 1996; 143: 1-13.
- Doengen, J.L. (1938): Spirochetes in gastric glands of macacus rhesus and humans without definite history of related disease. Proc. Soc. Exp. Med. Biol., 38: 536-538. Cited in Hook (1991a).
-

References

- Drumm, B.; Perez-Perez, G.I.; Blaser, M.J., et al. (1990): Intrafamilial clustering of *H. pylori* infection. *N. Engl. J. Med.*, 322: 359.
- Dyken, M.L.; Wolf, P.A.; Barnett, H.J.M.; Bergan, J.J.; Hass, W.K.; Kannel, W.B.; Kuller, L.; Kurtzke, J.F. and Sundt, T.M. (1984): Risk factors in stroke (A statement for physicians by the subcommittee on risk factors and stroke of stroke council). *Stroke*: 15(6), 1105.
- Eaton, K.A.; Morgan, D.R. and Drakowka, S. (1989): *Campylobacter pylori* virulence factors in gnotabiotic piglets. *Infect. Immunol.*; 57: 1119.
- Edwards CRW, Bouchier JD, Haslett C, Chilvers ER (1996): Davidson's principles and practice of medicine. Churchill Livingstone Publ. Seventeenth edition, 245-267.
- El-Neihoum AM, Falke P, Axelsson L, Lundberg E, Lindgarde, Ohlsson K: Leukocyte activation detected by increased plasma levels of inflammatory mediators in patients with ischemic cerebrovascular diseases. *Stroke* 1996, 27: 1734-1738.
- El-Shafie, A.M.; Hanan, K. Kassem; Dosoky E.; Abo-Amo and Fawzy Megahed (1996): Gastritis associated with *H. pylori* infection as a risk factor in CHD. *Benha Medical Journal*, Vol. 13, No. 3, Sept. 1996.

References

- Enroth, H. and Engstrand, L. (1995): Immunomagnetic separation and PCR for detection of *H. pylori* in water and stool. *J. Clin. Microbiol.*, 37.
- Epstein SE, Speir E, Zhou YF, Guetta E, Leon M, Finkel T: The role of infection restenosis and atherosclerosis: focus on cytomegalovirus. *Lancet* 1996, 348(Suppl I): 13-17.
- Eurogast Study Group (1993): An international association between *H. pylori* infection and gastric cancer. *Lancet*; 341: 359-62.
- Evans, D.G., Evans, D.J.; Moulds, J.J., et al. (1988): N-acetylneuraminyl lactose bindings fibrillar hemagglutinin of *Campylobacter pylori*: A putative colonization factor antigen. *Infect. Immun.*, 56: 2896.
- Evans, D.J.; Evans, D.G.; Kirkpatrick, S.S., et al. (1991): Characterization of the *Helicobacter pylori* urease and purification of its subunits. *Microb. Pathol.*, 10: 15.
- Fallone, C.A.; Elizov, M.; Cleland, P., et al. (1996): Detection of *H. pylori* infection by saliva IgG testing. *Am. J. Gastroenterol.*, 91(6): 1145-1149.
- Fauchere, J.L.; and Blaser, M.J. (1990): Adherence of *Helicobacter pylori* cells and their surface components to Hela membranes. *Microb. Pathog.*, 9: 427.

References

- Fiedorek, S.C.; Evans, D.G., Evans, D.J., et al. (1990): *H. pylori* infection epidemiology in children: importance of socioeconomic status, age, gender and race. *Gastroenterology*, 98: A44.
- Fiedorek, S.C.; Malaty, H.M.; Evans, D.G., et al. (1991): Factors influencing the epidemiology of *Helicobacter pylori* infection in children. *Pediatrics*, 88: 578-82.
- Fine-Edelstein JS, Wolf PA, O'Leary DH, et al.: Precursors of extracranial carotid atherosclerosis, in *The Framingham Study*. *Neurology*, 1994; 44: 1046-1050.
- Folsom AR, Nieto FJ, Sorlie, P.; Chamless L, graham DY: *Helicobacter pylori* seropositivity and coronary heart disease incidence. *Circulation*. 1998 Sep. 1; 98(9): 845-50.
- Francis, R.B. Jr. (1986): A simplified PTT- based protein C activity assay using the thrombin- thrombomodulin complex. *Thromb. Res.*, 37: 337-44.
- Freedberg, A.S., and Barron, L.E. (1940): The presence of spirochetes in human gastric mucosa. *Am. J. Dig. Dis.*, 10: 443-445. Cited in Hook (1991a).
- Fukao H, Ueshima S, Tanaka N, et al.: Suppression of plasminogen activator inhibitor 1 release by fibrin from human umbilical vein endothelial cells. *Thromb. Res.* (Suppl.) 10: 11, 1990.

- Furberg CD, Adamas HP, Applegate WB, et al.: For the asymptomatic carotid artery progression study (ACPAS) Research group. Effect of lovastatin on early carotid atherosclerosis and cardiovascular events. *Circulation*, 1994; 90: 1679-1687.
- Furie, B. and Furie, B.C. (1992): Molecular and cellular biology of blood coagulation. *New England Journal of Medicine*, 326, 800-806.
- Gastrointestinal Physiology Working Group (1990): H. pylori and gastritis in Peruvian patients: relationship to socioeconomic level, age and sex. *Am. J. Gastroenterol.*, 85: 819-23.
- Gill EA, McIntyre TM, Prescott SM, Zimmerman GA: Mechanisms of vascular injury in the pathogenesis of infectious disease. *Curr. Opin. Infect. Dis.*; 1992; 5: 381-88.
- Glupczynski, Y.; Burette, A.; Deperez, C. et al. (1992): Histological severity of gastritis in H. pylori infected people lacking a systemic antibody response. *Int. J. Med. Sci.*, 161(Suppl 10): 28.
- Goldstein S (1990): Toward a new understanding of the mechanism and prevention of CAD. *Circulation*; 82: 284-8.

References

- Goodwin, C.S., McCulloch, R.K.; Armstrong, J.A., et al. (1985b): Unusual cellular fatty acids and distinctive ultrastructure in a new spiral bacterium (*Campylobacter pyloridis*) from the human gastric mucosa. *J. Med. Microbiol.*, 19: 257-267.
- Goodwin, C.S.; and McNulty, C.A.M. (1992): Bacteriological and pharmaceutical basis for the treatment of *Helicobacter pylori* infection. In: Rathbone, B., Vealtley V., eds. *Helicobacter pylori and gastrointestinal disease*, 2nd ed., London, Blackwell Scientific publications, 224-31.
- Goodwin, C.S.; Armstrong, J.A.; Chilvers, T., et al. (1989): Transfer of *Campylobacter pylori* and *Campylobacter mustelae* to *Helicobacter* gen nov. as *Helicobacter pylori* comb. nov. and *Helicobacter mustelae* comb nov. respectively. *Int. J. Syst. Bacteriol.*, 39: 397-405. Cited in Hook, (1991a).
- Goodwin, C.S.; Blicow, E.D.; Warren, J.R., et al. (1985a): Evaluation of cultural techniques for isolating *Campylobacter pyloridis* from endoscopic biopsies of gastric mucosa. *J. Clin. Pathol.*, 38: 1127-1131.
- Graham, D.Y. (1992): Pathogenic mechanisms leading to *H. pylori* induced inflammation. *Eur. J. Gastroenterol. Hepatol.* (suppl 2): 59: 16.

References

- Graham, D.Y., Malaty, H.M.; Evans, D.G, et al. (1991a): Epidemiology of *Helicobacter pylori* in an asymptomatic population in the United States: Effect of age, race and socioeconomic status. *Gastroenterology*, 100: 1495-1501.
- Graham, D.Y.; Adam, E.; Reddy, G.T., et al. (1991b): Seroepidemiology of *Helicobacter pylori* infection in India. Comparison of developing and developed countries. *Dig. Dis. Sci.*, 36: 1084-8.
- Graham, D.Y.; Klein, P.D.; Evans, D.G., et al. (1992): *Helicobacter pylori*: epidemiology, relationship to gastric cancer and the role of infants in transmission. *Eur. J. Gastroenterol. Hematol.* 4(suppl 1): 51-6.
- Graham, D.Y.; Malay, H.M.; Klein, P.D., et al. (1990): *Helicobacter pylori* infection clusters in families. *Rev. Esp. Enferm. Dig.*, 78(suppl 1): 26-7.
- Grau A., Bugge F., Becher H., Werle H., Hacke W.: The association of leukocyte count, fibrinogen and C-reactive protein with vascular risk factors and ischemic vascular diseases. *Thromb. Res.*, 1996; 82: 245-255.
- Grau AJ, Bugge F, Heindl S., et al.: Recent infection as a risk factor for cerebrovascular ischemia. *Stroke*, 1995; 26: 373-379.

References

- Grau AJ: Infection, inflammation and cerebrovascular ischemia. *Neurology*, 1997; 49(Suppl 4): S47-S51.
- Gray, S.F.; Wyatt, J.I. and Rathone, B.J. (1986): Simplified techniques for identifying *Campylobacter pyloridis*. *J. Clin. Pathol.*, 39: 1279.
- Griffin, J.H.; Evatt, B.; Widerman, C. and Fernandez, J.A. (1993): Anticoagulant protein C pathway defective in majority of thrombophilic patients. *Blood* 82: 1989-1993.
- Grisaru D, Fait, G and Edlor A (1996): Activated protein C and pregnancy complications. *Am j. Obstet. Gyn.*; 801-802.
- Grosset DG, Ebrahim S, Bone I, et al.: Stroke in pregnancy and the puerperium, what magnitude of risk. *J. Neurol. Neurosurg. Psychiatry.*, 1995; 58: 129-31.
- Haheim LL, Holme I, Leren P. (1993): Risk factors of stroke incidence and mortality. A 12 year follow up of Oslo study. *Stroke*, Vol. 24, No. 10: 1484-1489.
- Halbmayer, W.B.; Haushofer, A.; Schon, R. and Fisher, M. (1994): The prevalence of poor anticoagulant response to activated protein C (APC resistance) among patients suffering from stroke or venous thrombosis and among healthy subjects. *Blood Coag. Fibrinol.*, 5: 51-57.

References

- Hamlet, A.K.; Erlandson, K.I.; Olbe, L., et al. (1995): A simple rapid and highly reliable capsule-based ^{14}C urea breath test for diagnosis of *H. pylori* infection. *Scand. J. Gastroenterol.*; 30(11): 1058-1063.
- Hammar, M.; Tyszkiewicz, T.; Wadstrom, T. and O'Toole, M. (1992): Rapid detection of *H. pylori* in gastric biopsy material by PCR. *J. Clin. Microbiol.*, 30: 5458.
- Han, S.W.; Flamm, R.; Hachmen, C.Y., et al. (1994): Transport and storage of gastric biopsies and cultures containing *Helicobacter pylori*. *Gastroenterology*, 106: A89.
- Harker LA, Slichter SL, Scott CR, Ross R: Homocystinemia: Vascular injury and arterial thrombosis. *N. Engl. J. Med.*; 1974; 291:537-43.
- Hasan AAK, Chang WS, Budzynski AZ: Binding of fibrin fragments to one-chain and two-chain tissue-type plasminogen activator. *Blood* 79: 2313, 1992.
- Hazell, S.L.; Evans, D.J.R. and Graham, D.Y. (1991): *Helicobacter pylori* catalase. *J. Gen. Microbiol.*, 137: 97.
- Hazell, S.L.; Lee, A.; Brady, I. et al. (1986): *Campylobacter pylori* and gastritis: association with intracellular spaces and adaptation to an environment of mucus as important factors in colonization of the gastric epithelium. *J. infect. Dis.*; 153: 658-63.

- Hills LP and Tiffany TT (1980): Studies on fibrinogen measurement in the CAP survey program. *Clin. Chem.*, 26: 1459(1980).
- Hoffmana JJ ML and Neuleendi JK PN (1978): *Thrombo. Haemostas. (Stuttgart)* 39, 640.
- Holcombe, C.; Omotara, B.A.; Eldridge, J., et al. (1992): *H. pylori*, the most common bacterial infection in Africa: A random serological study. *Am. J. gastroenterol.*, 87: 28-30.
- Holcombe, C.; Tsimiri, S.; Eldridge, J., et al. (1993): Prevalence of antibody to *Helicobacter pylori* in children in Northern Nigeria. *Trans. R. Soc. Trop. Med. Hyg.*, 87: 19-22.
- Hook, J. (1991a): Review article of *Helicobacter pylori*. Published by Orion Diagnostics, 1-16.
- Hook, J. (1991b): Effect of alcohol consumption on the risk of *Helicobacter pylori* infection [Abstract]. *Digestion*, 50(2): 92-98.
- Howard, G.; Evans, G.W.; Crouse JR, et al.: A prospective re-evaluation of TIA as a risk factor for death and fatal or non-fatal cardiovascular events. *Stroke* 1993, 25: 342-345.
- Hussan, M.O.; Gotrand, F.; Turck, D., et al. (1993): Detection of *H. pylori* in saliva using monoclonal antibody. *J. Med. Microbiol. Virol. Parasitol.*; 279: 466.
-

References

- Hussan, M.O.; Gottrand, F.; Vachee, A., et al. (1995): importance in the diagnosis of gastritis of detection by PCR of the *cag* A gene in *H. pylori* strains isolated from children. *J. Clin. Microbiol.*, 33(12): 3300-3303.
- Irey NS, Manion WC, Teylor HB (1970): Vascular lesions in women taking oral contraceptives. *Arch. Pathol.*, 89: 1-8.
- Jan, C.M.; Wu, D.C.; Su, Y.C. et al. (1995): Evaluation of the severity of *H. pylori* infection with urease test: its correlation with histopathology and bacterial density. *Jao-H Siung* 11(12): 650-653.
- Johnston, B.J.; Reed, P.I. and Ali, M.H. (1986): *Campylobacter*-like organisms in duodenal and antral endoscopic biopsies: relationships to inflammation. *Gut*, 27: 1132-37.
- Jones, D.M. and Curry, A. (1990): The genesis of coccoid forms of *H. pylori*. In: Malferthein, P., Ditschuneit, H editors *H. pylori*, gastric and peptic ulcer. Berlin, Springer, 2: 30-7.
- Jones, D.M.; Eldridge, K., Fox, A.J., et al. (1986): Antibody to the gastric *Campylobacter*-like organism ("*Campylobacter pyloridis*") : Clinical correlations and distribution in the normal population. *J. Med. Microbiol.*, 22: 57-62.
- Jorgensen H, Nakayama H, Raaschoa HO, Olsen TS: Stroke in patients with diabetes. *Stroke* (1994) Oct. 25: 10; 1977-84.

References

- Kaku DA and Lowenstein DH: Emergence of recreational drug abuse as a major risk factor for stroke in young adults. *Ann. Intern. Med.*, 1990, 113: 821-827.
- Kalevi, P. (1988): Primary prevention of stroke. *Acta. Neuro. Scand.*, 77.
- Kawamata, O.; Yoshida, H.; Hirota, K., et al. (1996): Nested polymerase chain reaction for the detection of *H. pylori* infection with novel primers designed by sequence analysis of urease A gene in clinically isolated bacterial strains. *Biochem. Biophys. Res. Commun.*, 219(1): 266-272.
- Kelly, S.M.; Pitcher, M.C.L.; Farmery, S.M., et al. (1994): Isolation of *Helicobacter pylori* from feces of patients with dyspepsia in the United Kingdom. *Gastroenterology*, 107: 1671-4.
- Kennedy, C.R.; Warner, G.; Kai, M., et al. (1995): Protein C deficiency and stroke in early life. *Dev. Med. Child. Neurol.*, 37: 723-30.
- Kiely, D.K.; Wolf, P.A.; Cupples, L.A.; Beiser, A.S.; Myers, R.H.: Familial aggregation of stroke: The Framingham Study. *Stroke*, 1993; 23: 1366-1371.
- Klein, P.D.; Gastrointestinal Physiology Working group; Graham, D.Y., et al. (1991): Water source as risk factor for *H. pylori* infection in Peruvian children. *Lancet*, 337: 1503-6.
-

- Kosenum, T.U. and Megraud, F. (1995): Diagnosis of *H. pylori*. *Curr. Opin. Gastroenterol.*, 11(Suppl. 1): 5-10.
- Kosenum, T.U.; Seppala, K.; Sarna, S. and Sipponen, P. (1992): Diagnostic value of decreasing IgG, IgA and IgM antibody titers after eradication of *H. pylori*. *Lancet*, 339: 893-895.
- Koster, T.; Ronsendaal, F.R.; de Ronde, H.; Briet, E.; Vandenroucke J.P. and Bertina, R.M. (1993): Venous thrombosis due to poor anticoagulant response to activated protein C. *leiden thrombophilia study*. *Lancet* 342: 1503-1506.
- Krajden, S.; Fuksa, M. and anderson, J. (1989): Examination of human stomach biopsies, saliva and dental plaques for *Campylobacter pylori*. *J. Clin. Microbiol.*; 27: 1397-1398.
- Krienitz, Von, W. (1906): ueber das auftreten von spirochäten verschiedener form in mageninhalte bei carcinoma ventriculi. *Dtsch. Med. Wochenschr.*, 22: 872. Cited in Hook, (1991a).
- Lage, A.P.; Godfroid, E.; Fauconnier, A., et al. (1995): Diagnosis of *H. pylori* infection by PCR comparison with other invasive techniques and detection of *cag A* gene in gastric biopsy specimens. *J. Clin. Microbiol.*; 33(10): 2752-2756.
- Lammele B and Griffin JH: Formation of the fibrin clot: The balance of procoagulant and inhibitory factors. *Clin. Haematol.*, 14: 281, 1985.
-

References

- Latif, A.H.; Shami, S.K.; Choun, R., et al. (1991): H. pylori: a Jordanian study. Post-grad. Med. J., 87: 994-998.
- Lawson JH, Butenas S, Ribarik N, Mann KG: Complex-dependent inhibition of factor VIIa by antithrombin III and heparin. J. Biol. Chem. 268: 767, 1993.
- Leinonen M: Pathogenetic mechanisms and epidemiology of Chlamydia pneumoniae. Eur. Heart j., 1993; 14 (Suppl. K): 57-61.
- Lengenberg, M.L.; Tytgat, G.N.J.; Schipper, M.E.I., et al. (1984): Campylobacter like organism in the stomach of patients and healthy individuals. Lancet 1: 1248.
- Levine SR and Welch KMA: Anti-phospholipid antibodies. Ann. Neurol., 1989; 26: 386-389.
- Lindblad, B.; Sevensson, P.J. and Dahlback, B. (1994): Arterial and venous thromboembolism with fatal outcome in a young man with inherited resistance to activated protein C. Lancet, 347: 917.
- Lindell, G.; Hesselin, M.; Schalen, C., et al. (1991): H. pylori smoking and gastroduodenitis [Abstract], Digestion, 49(4): 192-7.

References

- Longstreth WT; Nelson LM; Loepsell TD and Van Velle G (1994): Subarachnoid hemorrhage and hormonal factors in women. A population - based case - control study. *Annals of Internal Medicine*, Vol. 121, No. 3: 168-173.
- Lotterer, E.; Ramaker, J.; Ludlke, K.E., et al. (1991): The simplified ¹³C urea breath test: one point analysis for detection of *H. pylori* infection. *Gastroenterol.*, 29(11): 590-594.
- Madan, E.; Ekemo, J.; Wesblom, U., et al. (1988): evaluation of staining methods for identifying *Campylobacter pylori*. *Am. J. Clin. Pathol.*, 90: 450-53.
- Mai, U.I.; Perez-Perez, G.I.; Allen, J.B., et al. (1992): Surface proteins from *H. pylori* exhibit chemostatic activity for human leukocytes and are preset in gastric mucosa. *J. Exp. Med.*, 175: 517-25.
- Mai, U.I.; Perez-Perez, G.I.; Wahl, L.M. et al. (1991): Soluble surface proteins from *H. pylori* activate monocytes/macrophages by lipopolysaccharide independent mechanism. *J. Clin. Invest.*; 87: 900-50.
- Majmudar, P.; Shah, S.M.; Dhunjiboy, K.R. and Desai, H.G. (1990): Isolation of *H. pylori* from dental plaques in healthy volunteers. *Indian J. Gastroenterol.*, 9: 271-272.

References

- Malaty, H.M.; Evans, D.J.; Abramovitch, K., et al. (1992): H. pylori in dental workers: a seroepidemiology study. *Am. J. Gastroenterol.*; 87: 1728-31.
- Malaty, H.M.; Graham, D.Y.; Klein, P.D., et al. (1991): Transmission of *Helicobacter pylori* infection. *Scand. J. gastroenterol.*, 26: 927. *Eur. J. Clin. Microbiol. Infect. Dis.*; 12: 131-3.
- Maostone, N.P.; Lynch, D.A.F.; Lewis, A.F., et al. (1993): Identification of *Helicobacter pylori* DNA in the mouth and stomach of patients with gastritis using PCR. *J. Clin. Pathol.*; 46: 540.
- Marcum JA, McKenney JB, Rosenberg RD: Acceleration of thrombin- antithrombin complex formation in rat hindquarters via heparin like molecules bound to the endothelium. *J. Clin. Invest.*, 74: 341, 1984.
- Marcus AJ, Safier LB, Hajjar KA, et al.: Inhibition of platelet function by an aspirin insensitive endothelial cell ADPase. Thromboregulation by endothelial cells. *J. Clin. Invest.*, 88: 169, 1991.
- Markus HS, Mendall MA: *Helicobacter pylori* infection: a risk factor for ischaemic cerebrovascular disease and carotid atheroma. *J. Neurol. Neurosurg. Psychiatr.* 1998, Jan, 64; 1: 104-7.
-

References

- Markus, H. and Hambley H.: Haematological abnormalities in ischemic stroke. *J. Neurol. Neurosurg. Psychiatr.* (1998); 64: 150-159.
- Marshall, B.J. (1983): Unidentified curved bacilli in active chronic gastritis. *Lancet*, I: 1273-5.
- Marshall, B.J. (1994): *Helicobacter pylori*. *Am. J. Gastroenterol.*, 89: S116-S128.
- Marshall, B.J. (1995): *Helicobacter pylori*, the etiologic agent for peptic ulcer. *JAMA*, 274: 13.
- Marshall, B.J. and Warren J.R. (1984): Unidentified curved bacilli in the stomach of patients with gastritis and peptic ulceration. *Lancet*, i: 1311-1315.
- Marshall, B.J.; Barrett, L.J.; Gurrant, R.L., et al. (1987c): protection of *Campylobacter pyloridis* (CP) but *Campylobacter jejuni* (CJ) against acid susceptibility by urea [Abstract] 221, The IVth international workshop on *Campylobacter* infections, Goteborg, Sweden.
- Marshall, B.J.; Royce, H.; Annear, D.R., et al. (1984): Original isolation of *Campylobacter pyloridis* from human gastric mucosa. *Microbios letter*, 25: 83-88.
- Marshall, B.J.; Warren, J.R.; Francis, G.J., et al. (1987b): Rapid urease test in the management of *Campylobacter pyloridis* - associated gastritis. *Am. J. Gastroenterol.*; 82:200-210.
-

- Martin R. and Bogousslavsky, J. (1993): Mechanisms of late stroke after myocardial infarct: The Lausanne stroke registry. *J. of Neurology, Neurosurgery and Psychiatry*, 56: 760-764.
- Mattila KJ, Nieminen MS, Valtonen VV: Association between dental health and acute myocardial infarction. *BMJ* 1995; 311: 711-714.
- McAnulty, J.H.; Metcalfe, J.; Vel and K (1982): Cardiovascular disease, Burrow GN, Ferris TF: Medical complications during pregnancy, Philadelphia, WV Saunders Co., pp145-168 (quoted from Weibers D.O. (1985): Ischemic cerebrovascular complications of pregnancy. *Arch. Neurol.*, 42: 1106-1113.
- McNulty, C.A.M.; Dent, J.C. and Uff, J.S. (1989): Detection of *Campylobacter pylori* by the biopsy. Urease test: an assessment in 1445 patients. *Gut*, 30: 1058.
- Megraud, F. (1989): Microbiological characteristics of *Campylobacter pylori*. *Eur. J. Gastroenterol. Hepatol.*, 1: 5-12.
- Megraud, F. (1993): Epidemiology of *Helicobacter pylori* infection. *Gastroenterol. Clin. North. Am.*, 22: 73-9.

References

- Megraud, F.; Brassens-Rabbe, M.B.; Denios, F., et al. (1989): Seroepidemiology of *Campylobacter pylori* infection in various populations. *J. Clin. Microbiol.*; 27: 1870-3.
- Meguigon, T.W.; Talley, N.J. and Kaphart, G.M. (1989): Eosinophil infiltration and degranulation in *H. pylori* associated gastritis. *Dig. Dis. Sci.*, 36: 435-40.
- Mendall, M.A.; Goggin, P.M.; Molineux, N., et al. (1992): Childhood living conditions and *Helicobacter pylori*. Seropositivity in adult life. *Lancet*, 339: 896-7.
- Mendall, M.A.; Gogdn, P.M.; Molineaux, N.; Levy, J.; Toosy, T., and Strachen, D. (1994): Relation of *Helicobacter pylori* infection and coronary heart disease. *Br. Heart. J.*; 71 (5): 437-9.
- Mendall MA, Patel P, Ballam L, Strachan D, Northfield TC (1996): C-reactive protein and its relation to cardiovascular risk factors: a population based cross sectional study. *BMJ*; 312: 1061-65 (27 April).
- Mitchell, H.M.; Bohane, T.D.; Tobias, V., et al. (1993): *Helicobacter pylori* infection in children: potential clues to pathogenesis. *J. Pediatric. Gastroenterol. Nutr.*, 161: 120.
- Moayyeidi, P., A.M., Carter, A.; Catto, D.; Braunhaltz. A.T.R.; Axon, P. Grunt (1997): *Helicobacter pylori* and the risk of stroke. *Gut*; 41 (Suppl 3): 129.

References

- Moayyeidi, P.; Tompkins, D.S. and Axon, A.T. (1994): Salivary antibodies to *H. pylori*: screening dyspeptic patients before endoscopy. *Lancet*, 344: 1016-1017.
- Mohamed A.E.; Al-Karawi, A.; Al-Jumah, A. et al. (1994): *H. pylori*: incidence and comparison of three diagnostic methods in 196 Saudi patients with dyspepsia. *Hepatogastroenterol.* 41: 48-50.
- Moossy, J. (1981): Cerebral atherosclerosis, intracranial and extracranial lesions: In: Minkler, J., ed., *Pathology of the nervous system*, Vol. 2, New York, McGraw Hill.
- Morgando A.; Sansverino P.; Peretto C, Molino F, Gai V.: *H. pylori* seropositivity in MI. *lancet* 1995; 345: 1380.
- Morita H., Jurihara H., Tsubaki S., Sugiyama T. et al. (1998): Methylenetetrahydrofolate reductase gene polymorphism and ischemic stroke in Japanese. *Arteriosclerosis, thrombosis and vascular biology.* 18(9): 1465-9, 1998 Sep.
- Morris, A.; Ali, M.R.; Brown, P., et al. (1989): *Campylobacter pylori* infection in biopsy specimens of gastric antrum: laboratory diagnosis and estimation of sampling error. *J. Clin. Pathol.*, 42: 727.
- Morris, A.J. and Nicholson, G. (1987): Ingestion of *Campylobacter pylori* causes gastritis and raised fasting pH. *Am. J. Gastroenterol.*, 82: 192-9.

References

- Murray L.J.; Bamford KB, O'Reilly DPJ, McCrum EE, Evans AE. H. pylori infection: relation with cardiovascular risk factors, IHD and social class. *Br. Heart J.*, 1995; 74: 497-501.
- Nachman RL, Silverstein R: Hypercoagulable states. *Ann. Intern. Med.*, 119: 819, 1993.
- Nagy, L.; Jenkins, J.M.; Morales, R.E., et al. (1993): Protein and non-protein sulfhydryls and disulfides in the early phase of gastric mucosal injury caused by ammonia, ethanol, HCl, NaOH, an NaCl in rat *Gastroenterol.*; 104: A154.
- Namavar, F.; Roosendal, R.; Kuipers, E.J., et al. (1995): Presence of H. pylori in the oral cavity, oesophagus, stomach and faeces of patients with gastritis. *Eur. J. Clin. Microbiol. Inf. Dis.*, 14(3): 234-237.
- Newill, A.; Habudedah, N.; Bishop, N. and Schorah, C.L. (1990): Plasma levels of vitamin C components in normal and diabetic subjects. *Ann. Clin. Biochem.*, 21: 488-490.
- Nguyen, A.M.; Fngstrand, L.; Genta, R.M., et al. (1993): Detection of H. pylori in dental plaque by reverse transcription. *P.C.R.J. Clin. Microbiol.*; 31: 783-9.
- Niemela S, Karttunen T, Korhonen T, et al. Could H. pylori infection increase the risk of CHD by modifying serum lipid concentrations? *Heart* 1996, 75: 573-75.

References

- Nishiuma S., Kario K., Yakushijin K., Maeda M. et al.: Genetic variation in the promoter region of the beta-fibrinogen gene is associated with ischemic stroke in a Japanese population. *blood coagulation and Fibrinolysis*. 9(4): 373-9, 1998 June.
- Ogston, D. and Bennet, B. (1991): Blood coagulation mechanism. In recent advances in blood coagulation. Ed. L. Poller, Vol. 6, P. 1, Churchill Livingstone, Edinburgh.
- Ormand, J.O.E. and Talley, N.J. (1990): H. pylori controversies and an approach to management. *Mayo. Clin. Path.*, 65: 414-416.
- Paorta, M.; La Selva, M.; Beltramo, E.; Passera, Molinatti, G.M. (1994): Hemostasis and thrombosis in relation to endothelial dysfunction in diabetes mellitus. *Medicographia*, Vol. 16, Supplement 1; 28-31.
- Parente, V.; Imbesi G, Maconi, E Rossi (1996): Is HP infection associated with a tendency towards a procogulant state in healthy individual. *Am. J. Gastroenterol.* (91)6: 1150-1152.
- Passbender K, Kossol S, Kammer TH et al.: Pro-inflammatory cytokiens in serum of patients with acute cerebral ischemia: kinetics of secretion and relation to the extent of brain damage and outcome of disease. *J. Neurol. Sci.*, 1994, 122: 135-139.

- Patel P, Mendall MA, Carrington D, Strachan DP, Leatham E, Molineaux N, et al.: Association of *Helicobacter pylori* and *Chlamydia pneumoniae* infections with coronary heart disease and cardiovascular risk factor. *Br. Med. J.* 1995, 311:711-4.
- Patel, P.; Carrington D, Strachan DP, Leatham E, Groggin P, Northfield, TC et al.; Fibrinogen: a link between chronic infection and coronary heart disease. *Lancet* 1994; 343: 1634-5.
- Patel, P.; Mendall, M.A.; Khulusi, S., et al. (1994c): Salivary antibodies to *H. pylori*: screening dyspeptic patients before endoscopy. *Lancet*, 344: 511-512.
- Pathak, C.M.; Bhasin, D.K.; Panigrahi, D. and Goel, R.C. (1994): Evaluation of ^{14}C urinary excretion and its comparison with $^{14}\text{CO}_2$ in breath after ^{14}C urea administration in *H. pylori* infection. *Am. J. Gastroenterol.*, 89: 734-738.
- Patthy, L. (1990): Evolution of blood coagulation and fibrinolysis. *Blood coagulation and fibrinolysis* 2, 153-166.
- Peek, R.M.J.; Miller, G.G.; Tham, K.T., et al. (1995): detection of *H. pylori* gene expression in human gastric mucosa. *J. Clin. Microbiol.*, 32: 28-32.

- Perez-Garcia, J.I.; Pajares-Garcia, J.M. and Jimenez-Alonso, I. (1996): C13 urea breath test in the diagnosis of *H. pylori* infection in the gastric mucosa. Validation of the method. *Rev. Esp. Enferm. Dig.*; 88(3): 202-208.
- Perez-Perez, G.I. and Blaser, M.J. (1987): Conservation and diversity of *Campylobacter pyloridis* major antigens. *Infect. Immun.*, 55: 1256.
- Perez-Perez, G.I.; Taylor, D.N.; Bodhidatta, I., et al. (1990): Seroprevalence of *Helicobacter pylori* infection in Thailand. *J. Infect. Dis.*, 161: 1237-41.
- Peura, D.A.; Pambianco, D.J.; Dye, K.R., et al. (1996): Microdose 14C urea breath test offers diagnosis of *H. pylori* in 19 minutes. *Am. J. Gastroenterol.*, 91(2): 233-238.
- Ploier, R.; Rezanka, E.; Emhofer, J., et al. (1995): Predictive value of latex agglutination on *H. pylori* in children with abdominal pain. *Klin. Pediatr.*, 207(1): 8-11.
- Poller L. (ed.) (1991): Recent advances in blood coagulation, 5, Churchill Livingstone, Edinburgh.
- Powers, W.J.: Acute hypertension after stroke: The Scientific basis for treatment decisions. *Neurology*, 1993; 43: 461-467.

- Prieto, G.; Ploanco, I.; Larrauri, I., et al. (1992): *Helicobacter pylori* infection in children: clinical, endoscopic and histological correlation. *J. Pediatric Gastroenterol. Nutr.*, 14: 420-5.
- Pyorala V; Teale JD, DeBacker, G.; Graham I. and Wood D (1994): Prevention of CHD in clinical practice. *Eur. H. J.*, 15: 1300-1331.
- Qizilbash N., Duffy SW, Warlos C, Mann J: Lipids are risk factors for ischemic stroke overview and review. *Cerebrovasc. Dis.*, 1992; 2: 127-136.
- Quick AJ (1966): Hemorrhagic diseases and thrombosis. Philadelphia, Lea and Febiger, p.233.
- Raju, G.S.; Smith, M.J.; Morton, D. and Bradhan, K.D. (1994): Mini dose ¹⁴C urea breath test for the detection of *H. pylori*. *Am. J. Gastroenterol.*; 89:1027-1031.
- Ramirez - Rames, A.; Gilman, R.; Spira, W., et al. (1992): Ecology of *H. pylori* in Peru infection rates in coastal, high altitude, and jungle communities. *Gut*; 33: 604-5.
- Rathbone B, Martin D, Stephens J, Thompson JR, Samani NJ: *Helicobacter pylori* seropositivity in subjects with acute myocardial infarction. *Heart* 1996, 76; 308-311 (31 May).

- Rathbone, B.J.; Wyatt, J.; Worsley, B.W., et al. (1986): systemic and local antibody responses to gastric *Campylobacter pylori* in non-ulcer dyspepsia. *Gut*, 27: 642-7.
- Ridker PM, Cushman M, Stampfer MJ, Tracy RP, Hennekens CH: Inflammation, aspirin and the risk of cardiovascular disease in apparently healthy men. *N. Engl. J. Med.*, 1997 336: 973-79.
- Robert, M.F and Weinstein, W.M. (1993): *H. pylori* associated gastric pathology. *Gastroenterol. Clin. N. Am.*, 22: 59-72.
- Robins, M. and Baum, H.M. (1981): The national survey of stroke incidence. *Stroke*, 12 (Suppl. 1): 1.
- Rogge, J.D., Wagner, D.R., Carrigo, R.J. et al. (1995): Evaluation of a new urease reagent strip for detection of *H. pylori* in gastric biopsy specimens. *Am. J. Gastroenterol.*, 90(11): 1965-1968.
- Rolak, L.A.; Gilmer, W.; Strittmatter, W.J.: Low yield in the diagnostic evaluation of transient ischemic attacks. *Neurology*, 1990; 40: 747-748.
- Romomski, B.; Bartuziz, A.; Zbikowska, Gotz, M., et al. (1988): Allergy to cockroach antigens in patients with peptic ulcer and chronic gastritis. *Allergol. Immunopathol.*; 16: 219-24.

References

- Roosendal, R.; Kuipers, E.J.; Van Den Brule, A.J.C., et al. (1994): Importance of fiberoptic endoscope cleaning procedure for detection of *H. pylori* in gastric specimens by PCR. *J. Clin. Microbiol.*, 32: 1123-1126.
- Rosen S (1994): Multicenter evaluation of a kit for activated protein C resistance on various coagulation instruments using plasmas from healthy individuals. *Thromb. Haemost.*, 72, 255-260 (1994).
- Rosendaale FR, Siscovick DS, Swartz SM, Bevelly S (1997): Factor V Leiden (resistance to activated protein C) increases the risk of myocardial infarction. *Blood*, 15: 89(8): 2817-21.
- Ross R.: The pathogenesis of atherosclerosis an update. *N. Engl. J. Med.*, 1986; 314: 488-500.
- Russell, R.: The pathogenesis of atherosclerosis. A prospective for the 1990s. *nature*, 1993, 362: 801-809.
- Russell, R.G.; Wasserman, S.S.; O'Donnoghue, J.M., et al. (1993): Serologic response to *Helicobacter pylori* children and teenagers in Northern Chile. *Am. J. Med. Hyg.*, 49: 189-91.
- Sacco, P. (1995): Vascular diseases, pathogenesis, classification and epidemiology of cerebrovascular disease. *Merritt, Textbook of Neurology*, Vol. 1: 227-236.

References

- Sacco, R.L.: Ischemic stroke. In: Gorelick P.B.; Alter, M.A eds. Handbook of neuroepidemiology. New York, Marcel Dekker, 1994: 77-119.
- Sacco, R.L.: Risk factors, outcomes, and stroke subtypes for ischemic stroke. Neurology (1997); 49 (Suppl. 4): S39-S44.
- Salomon I.I. (1896): Uber das spirillum des saugetiernagens und sein verhalten zu den belegzellen zentralbl bakteriell parasitenkd infektionskrankh, Abt, 1, 19: 433-443. Cited in Hook (1991a).
- Scandinavian Simvastatin Survival Study group. Randomized trial of cholesterol lowering in 4,444 patients with coronary heart disease: The Scandinavian Simvastatin Survival study (4S). Lancet 1994; 344: 1383-1389.
- Schaber, E.F.; Umlauft, G.; Stoffle, F., et al. (1989): Indirect immunofluorescence test and enzyme linked immunoadsorbent assay for detection of Campylobacter pylori. J. Clin. Microbiol., 27: 327.
- Schleef RR, Bevilacqua MP, Sawdey M, Gimbrone MA, Loskutoff DJ: Cytokine activation of vascular endothelium. J. Biol. Chem., 1988: 263: 5797-5803.
- Sevenson PJ and Dahlback B (1994): Resistance to activated protein C as a basis for venous thrombosis. W. Eng. J. Med., 300: 517-522.

- Shamas, B.; Kraijden, S.; Fuksa, M., et al. (1989): Evidence for the occurrence of the same strain of *Campylobacter pylori* in the stomach and dental plaque. *J. Clin. Microbiol.*; 27: 2849-50.
- Shinton R, Beevers G.: Meta-analysis of relation between cigarette smoking and stroke. *BMJ* 1989, 298: 787-794.
- Simioni, P.; de Rone, H.; Prandoni, P., et al. (1995): Ischemic stroke in young patients with activated protein C resistance. *Stroke*, 26: 885-90.
- Sitas F, Forman D, Yarnell JWG (1991): *Helicobacter* infection relation to age and social class in population of Welshmen. *Gut* 1991, 32: 25-8.
- Sixma, J.J. (1987): Role of platelets, plasma proteins and vessel wall in haemostasis. In haemostasis and thrombosis. Eds. A.L. Bloom and D.P. Thomas, P. 283, Churchill Livingstone, Edinburgh.
- Slomiany, B.L.; Bilski, J.; Sarosiek, J., et al. (1987): *Campylobacter pylori* degrades mucin and undermines gastric mucosal integrity. *Biophys. Res. Commun.*, 144: 307-14.

References

- Sobala, G.M.; Crabtree, L.E.; Dixon, M.F.; Schorah, C.J.; Taylor, J.D.; Rathbone, B.J.; Heatley, R.V. and Axon, A.T.R. (1991): Acute *Helicobacter* infection: clinical features, local and systemic immune response, gastric mucosal histology and gastric juice ascorbic acid concentration. *Gut*, 32: 1415-1418.
- Stamler JS, Osborne JA, Jaraki M, Rabbini LE, Mullins M, Singel D, et al.: Adverse vascular effects of homocysteine are modulated by endothelium- derived relaxing factor and related oxides of nitrogen. *J. Clin. Invest.* 1993, 91: 308-18.
- Stampfer MJ: A prospective study of moderate alcohol consumption and the risk of coronary disease and stroke in women. *N. Engl. J. Med.*, 1988; 319: 267-273.
- Sullivan, P.B.; Thomas, J.E.; Wight, D.G.D., et al. (1990): *Helicobacter pylori* in Gambian childrens with chronic diarrhea and malnutrition. *Arch. Dis. Child*, 65: 189-91.
- Sung JY, Sandersen JE: Hyperhomocysteinaemia, *Helicobacter pylori* and coronary heart disease. *Heart* 1996; 76: 305-307.
- Syrjanen J, Peltola J, Valtonen V, Iivanainen M, Kaste M., Huttunen JK: Dental infections in association with cerebral infarction in young and middle aged men. *J. Intern. Med.*, 1989; 225: 179-184.

- Tabernero, M.D.; Thomas, J.F.; Alberca, I.; Orfao, A. and Borrasca, A.L. (1991): Incidence and clinical characteristics of hereditary disorders associated with venous thrombosis. *Am. J. Hematol.*, 36: 249-254.
- Tatlisumak, T. and Fisher, M. (1996): Hematologic disorders associated with ischemic stroke. *J. Neurol. Sci.*, 140: 1-11.
- Thillainayagam, A.V.; Arvind, A.S.; Cook, R.S., et al. (1991): Diagnostic efficiency of an ultrarapid endoscopy room test for *H. pylori*. 32: 46-98.
- Thomas, J.E.; Gibson, G.R.; Darboe, M.K., et al. (1992): Isolation of *Helicobacter pylori* from human feces. *Lancet*, 340: 1194-5.
- Thomas, J.E.; Whatmore, A.M.; Barer, M.R., et al. (1990): Serodiagnosis of *helicobacter* infection in children. *J. Clin. Microbiol.*; 28: 2641-2646.
- Thomson, J.K.M. (ed.) (1991): Blood coagulation and haemostasis. A practical guide, 4th ed., Churchill Livingstone, Edinburgh.
- Thoreson, A.C.; Borre, M.B.; anderson, L.P., et al. (1995): Dv, of PCR-based technique for detection of *H. pylori*. *FEMS. Immunol. Med. Microbiol.*, 10(3-4): 325-333.

- Timperley, W.R.; Ward, J.D.; Preston, F.E.; Duckworth, T.; O'Malley, B.C. (1976): Clinical and histological studies in diabetic retinopathy. Reassessment of vascular factors in relation to intravascular coagulation. *Diabetologia*; 12: 237-243.
- Tytgat, G.N.T. and Rauws, E.A. (1993): H. pylori infection and duodenal ulcer disease. *Gastroenterol. Clin. N. Am.*, 22: 127-53.
- Vallance P, Collier J, Bhagat K: Infection, inflammation and infarction: does acute endothelial dysfunction provide a link? *Lancet* 1997; 349: 1391-92.
- Valtonen V, Kuikka A, Syrjanen: Thrombo-embolic complications in bacteraemic infections. *Eur. Heart. J.*, 1993; 14(Suppl K): 20-23.
- Van der Bom JG, Bots M, Slogboom PE, Meier P. (1996): Reduced response to activated protein C is associated with increased risk for cerebrovascular disease. *Ann. Intern. Med.*, 125: 265-269.
- Van Der Poll T, Buller HR, Ten Gate H et al.: Activation of coagulation after administration of tumor necrosis factor to normal subjects. *N. Engl. J. Med.* 1990; 322: 1622-1627.

References

- Vandamme, P.; Falsen, E; Rossau, R., et al. (1991): Revision of *Campylobacter*, *Helicobacter* and *Wolinella* Taxonomy: Emedation of generic descriptions and proposal of *Arecobacter* gen. Nov. Int. J. Syst. Bacterial., 41: 88-103.
- Vander Voort, L.H.M.; Vanden Bos, A.P. and Kanstee, H. (1990): in vitro bactericidal effects of CBS on *H. pylori*. Rev. ESP. Enferm. Dig., 78: 103-107.
- Virchow R: Phlogose Und thrombose in gesammelte abhandlungen zur wissen schaftlichen medicin edited by R Virchow. Pp 458-636. Von Medinger Sohn, Frankfurt, 1856. quoted from Williams Hematology 5th edition: Ernest Beutler, Marshall A. Lichtman, Barrys. Coller and Thomas J. Kipps, p. 1525.
- Walker, I.D. and Davidson, I.F. (1985): Fibrinolysis. In blood coagulation and haemostasis. A practical guide, Ed. J.M. Thomson, P. 208, Churchill Livingstone, Edinburgh.
- Wallace, J.I. (1991): Possible mechanisms and mediators of gastritis associated with *H. pylori* infection. Scand. J. gastroenterol. 26 (Suppl. 187): 65-70.
- Ware, J.A. and Heistad, D.D. (1993): Platelet endothelium interactions. New England Journal of Medicine, 328, 628.
- Weisberg L.A.: Non-traumatic parenchymal brain hemorrhages. Medicine, 1990, 69: 277-295.

- Weiss, J.; Mecca, J.; DaSilva, E. and Gassener, D. (1994): Comparison of PCR and other diagnostic techniques for detection of *H. pylori* infection in dyspeptic patients. *J. Clin. Microbiol.*, 32: 1663-1668.
- Wesselschmidt R, Likert K, Girard T, et al.: Tissue factor pathway inhibitor: the carboxy-terminus is required for optimal inhibition of factor xa. *Blood* 79: 2004, 1992.
- Westblom, T.U.; Phadnis, S.; Yang, P. and Czinn, S.J. (1993a): Diagnosis of *H. pylori* infection by means of PCR assay for gastric juice aspirates. *J. Clin. Infect. Dis.*, 16: 367-371.
- Whincup PH, Mendall MA, Perry IJ, Strachan DP, Walker M: Prospective relations between *Helicobacter pylori* infection, coronary heart disease and stroke in middle-aged men. *Heart* 1996; 75: 568-72.
- Whisnant JP; Homer D, Ingall TJ, Baker JL Jr, O'Fallon WM, Wievers DO. Duration of cigarette smoking is the strongest predictor of severe extracranial carotid artery atherosclerosis. *Stroke* 1990; 21: 707-714.
- Wiebers DO (1985): Ischemic cerebrovascular complications of pregnancy. *Arch. Neurol.*, 42: 1106-1113.

References

- Wilhelmsen, L.; Svardsudd, K., Korsan - Bengtson, K, Larsson B, Welin L, Tibblin G (1984): Fibrinogen as a risk factor for stroke and myocardial infarction. *N. Engl. J. Med.*, 311: 501-5.
- Wilhoite, S.L.; Ferguson, D.A.; Soike, D.R., et al. (1993): Increased prevalence of *H. pylori* antibodies among nurses. *Arch. Intern. Med.*, 153: 708-12.
- Wisdom, RA: Enzyme immunoassay. *Clin. Chem.* 22: 1243 (1976).
- Wolf, P.A.; Abbott, R.D.; Kannel, W.B.: Atrial fibrillation as an independent risk factor for stroke. The Framingham Study, *Stroke*, 1991; 22: 983-988.
- Wolf, P.A.; Cobb, J.L.; D'Agostine, R.B.: Epidemiology of stroke. In: Barnett H.J.M.; Mohr J.P.; Stein, B.M.; Yatsu, F.M., eds. *Stroke: Pathophysiology, diagnosis and management*. 2nd ed., New York, Churchill Livingstone, 1992: 3-27.
- Wolf, P.A.; Kannel, W.B.; Verter, J. (1983): Current status of risk factors for stroke. *Neurology Clin.*, 1: 317.
- Woodhouse PR, Khaw KT, Plummer M, Foley A, Meade TW: Seasonal variations of plasma fibrinogen and factor VII activity in the elderly: Winter infections and death from cardiovascular disease. *Lancet* 1994, 343: 435-39.
-

- Wu LL, Wu K, Junt SC, James BC, Vincent GM, Williams RR et al.: Plasma homocysteine as a risk factor for early familial coronary artery disease. *Clin. Chem.* 1994; 40: 552-61.
- Wyle, F.A. (1991): *Helicobacter pylori*: current prospectives [Abstract]. *J. Clin. Gastroenterol.*, 13 Suppl. 1: 114-124.
- Wyle, F.A.; Change, K.J. and Tarnowski, A. (1993): *H. pylori* pathogenetic mechanisms. In: Domschke, W.; Konturek, S.J., eds. *The stomach: physiology, pathophysiology and treatment*. Berlin, Heidelberg, New York, London, Paris, Tokyo, Hong, Barcelona, Budapest, Springer-verlag, 165: 198-211.
- Xu Q, Wick G.: The role of heat shock proteins in protection and pathophysiology of the arterial wall. *Mol. Med. Today*, 1996; 2: 372-79.
- Yardley, J.H. and Paull, H. (1989): *Campylobacter pylori*: a newly recognized infectious agent in the gastrointestinal tract. *Am. J. Surg. Pathol.*, 12(suppl): 89.
- Yarnell JW, Baker IA, Sweetman PM et al.: Fibrinogen, viscosity and white blood cell count are major risk factors for ischemic heart disease. The Caerphilly and Speedwell Collaborative Heart disease studies. *Circulation*, 83: 836, 1991.

References

- Zaremba, M.; Rosiewicz, M.; Pydzinska, J., et al. (1995):
Diagnostic value of the latex test (pyloriset) for the
detection of H. pylori antibodies in adult patients with
upper digestive tract diseases. Med. Dosw. Microbiol.;
47(1): 11-16.