

REFERENCES

- Al-Momen, A. (1991):**
IgA antiphospholipid and adrenal insufficiency: Is there a link?. Thrombosis Research. Vol. 64. No. 5: 571 - 578
- Angeles – Cano, E.; Sultan, Y. and Clauvel, J. (1979):**
Predisposing factors to thrombosis in S.L.E. : Possible relation to endothelial cell damage. J. of Lab. And Clin. Med. 94: 313 – 323.
- Bahar, A.M.; Kwak, T.Y. and Beer, A.E., (1993):**
Antibodies to phospholipids and nuclear antigens in non-pregnant women with unexplained spontaneous recurrent abortion. J. Reprod. Immunol. 24: 213 – 222.
- Beard, R. and Sharp, f. (1988):**
Early pregnancy loss. Mechanisms and treatment. London. Royal College of Obstetrician and Gynecologists.
- Beer, A.E. and Kawk, J.Y. (1990):**

What is the evidence for immunologic pregnancy loss? : Lymphocyte immunization the supportive view. In : Chaouat, G and Mowbray, J. eds. Molecular and cellular biology of Maternal - fetal relationship. London: Institut National de la Sante et de la Recherche Mdicale. 285 – 292.

Bermes, E.; Erviti, V. and Forman, D. (1982):

Statistics, normal values and quality control. Fundamental of Clinical Chemistry. 2nd ed.

Branch, D.; Rote, N.; Dostal, D. and scott, J. (1987):

Association of lupus anticoagulant with antibody against phosphatidylserine. Clin. Immunol. Immunopathol. 42: 63 – 75.

Branch, D.W.; Dudley, D. J. and Mitchell, M. D. (1990):

Immunoglobulin G fractions from patients with antiphospholipid antibodies cause fetal death in BALB/C mice: A model for autoimmune fetal loss. Am. J. Obestet. & Gyn. 163: 210 – 216.

Branch, D.; Silver, R.; Blackwell, J.; Reading, J. and Scott, J. (1992):

Outcome of treated pregnancies in women with antiphospholipid syndrome : An update of the Utah experience. *Obstet. & Gyn.* 80: 614 – 620.

Brewer, H. (1990):

Effectiveness of diet and drugs in the treatment of patients with elevated lipoprotein (a) levels. *Scand. J. Clin. Lab. Invest. (ed): lipoprotein (a).* Sann Diego Academic Press Inc. 211 – 220.

Canoso, R.T.; Zon, L.T. and Groopman, J.E. (1987) :

ACLA associated with HTLV-III infection . *Br. J. Haematol.* 65 : 495 – 498 .

Carreras, L.O. and Vermynen, J.G. (1982) :

Lupus anticoagulant and thrombosis : possible role on inhibition of prostacyclin formation. *Thrombosis and Haemostasis* . 48 : 38 – 43 .

Carreras, L.O.; Machin, S.J. and Deman, S. (1987) :

Arterial thrombosis, intrauterine death and LAC (Lupus anticoagulant) : Detection of immunoglobulin interfering with prostacyclin production. *Lancet* . 1 : 244 .

Carruthers, A. and Melchior, D.L. (1988) :

How bilayer lipids affect membrane protein activity.
Ann. Review Phys. 50 : 273 –290 .

**Christian, O.B.; Mathiesen, O.; Grunnet, N.; Jersild, C.
and Lauritsen, J.G. (1990) :**

Is there a common background for pre-eclampsia and
recurrent spontaneous abortions ? . Lancet 335 : 361
– 362 .

Cowchock, S.; Smith, J.B. and Gocial, B. (1986) :

Antibodies to phospholipids and nuclear antigens in
patients with repeated abortions. Am. J. Obstet. Gyn.
155:1002 .

Cowchock, S.; Smith, J.B. and Gocial, B. (1988) :

Antibodies to phospholipids and nuclear antigens in
patients with repeated abortions . Am. J. Obstet. Gyn.
155 : 1002 .

Cullingford, T. and Pollard, J. (1994):

Growth factors as mediators of sex steroid hormone
action in the uterus during its preparation for
implantation. In: Kahn, S. and Stanel, G. eds.

Protooncogene and growth factors in steroid hormone induced growth and differentiation. Boca Raton. CRC Press. 13 – 30.

Cummings, S.; Hatley, W.; Simpson, E. and Ohashi, M. (1982):

The binding of high and low density lipoprotein to human placental fractions. J. Clin. Endocrinol. Metab. 54: 903 – 908.

Dacie, J. and Lewis, M. (1990):

Clinical haematological methods. 5th edition. 100 – 110.

Damsky, C.; Sutherland, A. and Fisher, S. (1993):

Extracellular matrix 5: Adhesive interactions in early mammalian embryogenesis, implantation and placentation. FASEB. J. 7: 1320 – 1329.

Derue, G.; Englert, H. and Harris, E. (1985):

Fetal loss in system lupus erythmatosus: Association with anticardiolipin. J. Obstet. & Gyn. 5: 207.

DeWolf, F.; Carreras, L.O. and Moerman, P. (1982) :

Decidual vasculopathy and extensive placental

infarction in a patient with thrombo-embolic accidents, recurrent fetal loss and a LAC . Am. J. Obstet. & Gyn. 142 : 829 .

Ecker, J.; Laufer, M. and Hill, J. (1993):

Measurement of embryotoxic factors is predictive of pregnancy outcome in women with a history of recurrent abortion. J. Obstet. And Gyn. 81: 84 – 87.

Eisenberg, S.; Bilheimer, D. and Levy, R. (1972):

Lipoprotein metabolism. Biochem. Biophys. Acta. 280: 94.

Eisenberg, S.; Windmueller, H. and Levig, R. (1973):

Apolipoprotein A structure and function. J. lipid Res. 14: 446.

Ellias, S.A. and Palmer, M.S. (1990) :

Human trophoblast and the choriocarcinoma . J. Immunol. 144 : 731 – 735 .

Expert Panel (1993):

Summary of the second Report of the national cholesterol Education Program (NCEP). Expert Panel on detection, evaluation and treatment of high blood

cholesterol in (adult treatment Panel II) JAMA. 269: 3025.

Forde, O.; Knutsen, S. and Arnesen, F. (1985):

Coffee consumption and serum lipid concentration in men with hypercholesterolaemia: A randomised intervention study. Br. Med. J. 5: 290 – 293.

Fort, J.G.; Cowchock, F.S.; Abruzzo, J.L. and Smith, J.B.(1987) :

Anticardiolipin antibodies in patient with rheumatic disease. Arthritis Rheum. , 30 : 752 – 760 .

Fowler, E. and Allen, R. (1982):

Sudies on the production of Wasserman reagent. J. of Immunol. 88: 591.

Francis, R.B.; Mcgehee, W. and Feinstein, D.I. (1988) :

Endothelial dependent fibrinolysis in subjects with LAC and thrombosis . Thromb. Haemostas. 59 (3) : 412 – 414 .

Friedenwald, W.; Levy, R. and Fredcickson, D. (1972):

Estimation of the concentration of low density lipoprotein cholesterol in plasma without use of preparative ultracentrifuge. Clin. Chem. 18: 499.

Fritz, M.A. (1988) :

Inadequate luteal function and recurrent abortion .
Semi Reprod. Endocrinol. 6 : 129 – 143 .

Fruchart, J. (1982):

Rev. Fr. Des. Laboratories. 103: 7 – 17.

Fry, M. and Green, D.E. (1980) :

Detection of ACLA by radioimmunoassay. Biochem.
Biophys. 93 : 1238 – 1246 .

**Gharavi, A.E.; Harris, E.N.; Asherson, R.A. and
Hughes, G.R. (1987) :**

Anticardiolipin antibodies , isotype distribution and
phospholipid specificity. Ann. Rheum. Dis. 46 : 1 – 6

Goldstein, J. and Brown, M. (1974):

Binding and degradation of low density lipoproteins
by cultured human fibroblasts. J. Biol. Chem. 249:
5153 – 5162.

Hamstern, A. and Norberg, E. (1989) :

Antibodies to phospholipids in thrombotic disease . J.
Int. Med. 225 : 363 .

Harris, E.N. (1990) :

A reassessment of the antiphospholipid syndrome. J.
Rheumatol. 17 : 733 .

Harris, E.N. (1992) :

Serological detection of antiphospholipid antibodies.
Stroke. Vol. 23. No. 2: 1 - 6

Harris, E.N. (1994) :

Anticardiolipin Wet Workshop Report: Fifth
International Symposium on Antiphospholipid
Antibodies. Am. J. Clin. Path. 101: 616 -624.

Harris, E.N.; Gharavi, A.E. and Boey, M.L. (1983) :

ACLA : Detection by radioimmunoassay and
association with thrombosis in SLE . Lancet. 2 : 1211
- 1213 .

Harris, E.N.; Gharavi, A.E. and Hughes, G.R. (1985) :

Antiphospholipid antibodies. Clin. Rheum. Dis. 11 :
591 – 609 .

**Harris, E.N.; Asherson, R.A.; Gharavi, A.E. and
Hughes, G.R. (1986) :**

Thrombosis, recurrent fetal loss and
thrombocytopenia . Arch. Int. Med. Vol. 147, Nov.

**Harris, E.; Asherson, R. Raguley, E.; Ridley, M. and
Hughes, G. (1987):**

A standard anticardiolipin antibody test: Usefulness in
identification of the antiphospholipid syndrome.
(Abstract). Thromb. And Haemost. 58: 392.

Harris, E.; Ghan, J. and Asherson, R. (1989):
Thrombosis, recurrent abortion and thrombocytopenia
: Predictive values of ACLA test. Arch. Int. Med. 146:
2153.

Hasselaar, P.; Triplett, D.A. and La Rue, A. (1990) :
Heat treatment of serum and plasma induces false
positive results in the phospholipid antibody ELISA .
J. Rheumatol. 17 : 186 .

Hughes, G. (1987):

Systemic lupus erythematosus : Connective tissue diseases (ed. By G. Hughes). 3 – 71. Blackwell scientific publications. Oxford.

Hughes, G.; Harris, E. and Gharavi, A. (1989):

The anticardiolipin syndrome. J. Rheum. 13: 486.

Hull, R.G.; Harris, E.N. and Gharavi, A.E. (1984) :

Anticardiolipin antibodies occurrence in Behcet's syndrome . Ann. Rheum. Dis. 43 : 746 – 748 .

Illingworth, D. R. and Connor, W. E. (1985):

Hyperlipidemia and coronary heart disease. Coronary heart disease , prevention, complications and treatment. Edited by: Connor, W. E. and Bristow, J. D. Published by Lippincott, J. B. 21 – 37.

Inoue, G. and Nojima, S. (1969):

Immunochemical studies phospholipids. IV. The reactives of antisera against natural cardiolipin and synthetic cardiolipin analogues containing antigens. Chemistry and Physics of Lipids. 3: 70.

Joan, S. and Katherine, F. (1993):

Implantation factors of recurrent abortion. *Clini. Obstet. & Gyn.* 37 (3) : 635 – 636.

Johnson, P.M.; China, K.V. and Risk, J.M. (1986) :

Immunological question marks in recurrent spontaneous abortion. Amsterdam : Elsevier, 239 – 245

Kandiah, D. and Krilis, S. (1996):

Laboratory detection of antiphospholipid antibodies. *Lupus.* 5 (2): 160 – 162.

Kataoka, T. and Noiima, S. (1970):

Immunochemical studies of phospholipids. VI. Haptenic activity of phosphatidylinositol and the role of lecithin as an auxillary lipid. *J. of Immunol.* 105: 502.

Katsurgawa, H.; Rote, N. and Inoue, T. (1995):

Monoclonal antiphosphatidylserine antibody reactivity against human first trimester placental trophoblasts. *Am. J. Obstet. & Gyn.* 177: 1592 – 1597.

Keane, A.; Woods, P.; Dowding, V.; Roden, D. and Barry, C. (1987) :

Anticardiolipin antibodies in rheumatoid arthritis . Br.
J. Rheumatol. 26 : 346 .

Kesamiemi, Y. A.; Witztum, J. L. and Steinbrecher, U. P. (1983):

Receptor mediated catabolism of LDL in man. J. Clin.
Invest. 71: 950 – 959.

Komatireddy, G. R. Wang, G. S.; Sharp, G. C. and Hoffman, R. W. (1997):

Antiphospholipid antibodies among anti-U1 – 70 Kda
autoantibody positive patients with mixed connective tissue
disease. J. Rheumatol. 24 (2): 319 – 322.

Kostner, G. (1990):

Is there a physiological role of lipoprotein (a) : 25
years of progress. Edited by: Scanu, A. Academic
Press. Inc. New York.

Kovats, S. and Man, E.K. (1990) :

A class I antigen, HLA-G expressed in human
trophoblasts . Science . 284 : 220 – 223 .

Kutteh, W. and Pasquarette, M. (1995):

Recurrent pregnancy loss. In: Rock, J. ed. Advances in
obstetric and gynecology. St. Louis: Mosby Year Book.
2: 147 – 177.

Kwak, T.Y.; Gilman-Sachs, A.; Beaman, K.D. and Beer, A.E, (1992):

Reproductive outcome in women with recurrent
spontaneous abortions of alloimmune and
autoimmune causes: Preconception versus

postconception treatment. Am. J. Obstetric & Gyn.
166: 1787 – 1798.

Levy, R. (1981):

Cholesterol, lipoproteins, apoproteins and heart
disease. Present status and future prospects. Clin.
Chem. 27 (5): 653 – 662.

Levy, R. I. And Rifkind, B. M. (1980):

The structure, function and metabolism of HDL: A
status report. Circ. 62 (Suppl. VI). 4

Liou, H. H.; Wang, C. R.; Chen, C. J.; Chen, R. C.;

Chuang, C. Y.; Chiang, I. P. and Tsai, M. C. (1987):

Elevated levels of anticardiolipin antibodies and
epilepsy in lupus patients. Lupus. 5 (4): 307 – 312.

**Lockshin, M.; Qamar, T.; Druzin, M. and Goeis, S.
(1987) :**

Antibody to cardiolipin, LAC and fetal death . J.
Rheumatol. 14 : 259 – 261 .

**Lockwood, C.J.; Romero, R.;Feinberg, R.F.; Clyne,
L.P.; Coster, B. and Hobbins, J.C., (1989):**

The prevalence and biologic significance of lupus
anticoagulant and anticardiolipin antibodies in a

general obstetric population. Am. J. Obstet. & Gyn.
161: 369 – 373.

Loizou, S.; Mc Crea, J.D.; Rudge, A.C. and Reynolds, R. (1985) :

Measurement of ACLA by an enzyme – linked immunosorbant assay (ELISA) , Standardization and Quantitation of result . Clin. Exp. Immunol. 62 : 738 – 745

Love, P.E. and Santro, S.A. (1990):

Antiphospholipid, ACLA and the lupus anticoagulant antibodies in systemic lupus erythmatosus (SLE) and in non – SLE disorders: Prevelance and clinical significance. Ann. Internal Med. 112: 682 –698.

Lott, J. (1975):

Clinical Chemistry. 21: 1754.

Lubbe, W.F.; Butter, W.S.and Palmer, S.J. (1984) :

Lupus anticoagulant in pregnancy. Br. J. Obstet. & Gyn. 91: 357-363.

Lubbe, W.F.; Graham, G. and Liggins, M. (1985):

Lupus anticoagulant and pregnancy. Am. J. Obstet. & Gyn. 15 : 322-327.

Lubbe, W.F. and Liggins, G.G. (1988) :

Role of LAC in recurrent pregnancy loss . Semin.
Reprod. Endocrinol. 6 : 181 – 196 .

**Mack Woth Yang, C.G.; Harris, E.N. and Steere, A.C.
(1988) :**

Anticardiolipin antibodies in lyme disease . Arthritis
Rheum. 31 : 105 – 106 .

**Mack Woth Yang, C.G.; Loizous, S. and Walpart, M.J.
(1989) :**

Primary antiphospholipid syndrome, features of
patient with raised ACLA and no other disorder. Ann.
Rheum. Dis. 48 : 362 – 367 .

Maier, D.B. ;Parke, A. and Graham, G. (1989):
Subclinical autoimmunity in recurrent aborters. Fertil.
Steril. 51: 280-285.

Malia, R.G.; Greaves, M. and Rowlands, L.N. (1988) :

Anticardiolipin antibodies in systemic sclerosis,
immunological and clinical association . Clin. Exp.
Immunol. 73 : 456 .

Mancada, S. and Vane, J.R. (1979):

Pharmacology and endogenous roles of prostaglandin
endoperoxides, thromboxane A₂ and prostacyclin.
Pharmacol. Rev. 30: 293.

Mosala, C.; Sorice, M. and Diprima, M.A. (1989) :

ACLA and pneumocystis carinii pneumonia . Ann.
Int. Med. 110 : 749 .

Mc-Neil, H.B.;Simpson, R.J. and Krillis, S.A. (1991):

Antiphospholipid antibodies are directed against a complex antigen that includes a lipid binding inhibitor of coagulation: B₂ glycoprotein I. Proc. Natt. Acad. Sci. USA 87: 4120-4124.

Mc-Donald, I.A. (1987) :

Cervical incompetence as a cause of spontaneous abortion . In : Bennett, Blackwell scientific.168 –192.

McIntyre, J.A. (1988) :

In search of trophoblast lymphocyte cross reactive antigens (TLX). Am. J. Reprod. Immunol. 17 : 100 – 110 .

Meyer, G.; Cynal, L.; Bourgeois, P.; Khan, M.F. and Rychkewaert, A. (1987) :

Profile and cross reactivities of antiphospholipid antibodies in SLE and syphilis. Clin. Rheumatol. 6 : 369 .

Mills, J.L.M. and Simpson, J.L.L. (1988) :

Incidence of spontaneous abortion among normal women and insulin- dependent diabetic women . N. Engl. J. Med. 319 : 1617 – 1623.

Miodovnik, M. and Skillman, C. (1985) :

Elevated maternal glyco-hemoglobin in early pregnancy and spontaneous abortion among insulin dependent diabetic women. Am. J. Obstet. & Gyn. 153 : 439 – 442 .

Mueh, M. (1980) :

Thrombosis in patients with lupus anticoagulants . Ann. Int. Med. 92 : 156 – 159 .

Olson, S.B. and Magnis, R.E. (1988) :

Cytogenic aspects of recurrent pregnancy loss . Semi. Reprod. Endocrinol. 6 : 191 – 202 .

Pangborn, M.D. (1941) :

A new sterologically active phospholipid from beef heart. Proceedings of the society for Experimental biology and Medicine. 48: 484.

Pangborn, M.C. (1947) :

Lipid chemistry . J. Biol. Chem. 168 : 335 – 353 .

Parazzini, Barbara Acida and David Faden (1991):

Antiphospholipid antibodies and recurrent abortion.
Obstet. & Gyn. 77: 854.

**Parke, A.; Moies, D.; Hokim, C.; Bondolph, J. and
Andereoli, J. (1986) :**

Subclinical autoimmune disease and recurrent
spontaneous abortion . J. Rheumatol. 13 (6) : 1178 –
1180 .

Parke, W. and Donald, M.(1991):

The prevalence of Antiphospholipid antibodies in
women with recurrent spontaneous abortion, women
with successful pregnancies and women who have
never been pregnant. Arthritis and Rheumatism. 34;
10: 1231-1235.

Parums, D.; Brown, D. and Mitchinson, M. (1990):

Serum antibodies to oxidized LDL and ceroid in
chronic periaortitis. Arch. Pathol. Lab. Med. 114: 383
– 387.

**Pattison, N.S.; Mchoy, E.J.; Liggins, G.C. and Lubbe,
W.F. (1987) :**

Anticardiolipin antibodies ; their presence as a marker for lupus anticoagulant in pregnancy . N.Z. Med. J. Feb. 11 : 100 & 817 : 61 – 64 .

Patton, P.E. and Novy, M.J. (1988) :

Reproductive potential of the anomalous uterus.
Semin, Reprod. Endocrinol. 6 : 217 –234.

Petri, M.; Golbus, M; Anderson, R. and Corash, L. (1987) :

ANA , LAC and ACLA in women with idiopathic habitual abortion. Arthritis Rheum. J. 30 (6) : 601 – 606 .

Pitcher-Wilmott, R.W.; Hindacha, P. and Wood, C.B. (1980):

The placental transfer of IgG subclass in Human pregnancy. Clin. Exp. Immunol. 41: 303.

Prentice, R.L. and Gatenby, R.A. (1984) :

LAC in pregnancy. Lancet ii, 464 .

Puurunen, M.; Manttari, M.; Manninen, V.; Tenkanen, L.; Alfthan, G. and Ehnholm, C. (1994):

Antibody against oxidised low density lipoprotein predicting myocardial infarction. Arch. Int. Med. 154: 2605 – 2609.

Qamar, T. (1990):

Characteristics of high titer IgG antiphospholipid antibody in Systemic Lupus Erythematosus patients with and without fetal death. Arthritis and Rheumatism. Vol. 33. No. 4: 501 – 504.

Ravelli, A.; Caporali, R. and Bianchi, E. (1990):

ACL syndrome in childhood: A report of two cases. Clin. Exp. Rheumatol. 8: 95 – 98.

Rice, F.A. (1958) :

Chemistry of phospholipid . Science . 127 : 339 .

Rote, N.S, Dostal-Johson, D. and Branch, D.W. (1992):

APLA and recurrent pregnancy loss: Correlation between the activated partial thromboplastein time and antibodies against phosphatidylserine and cardiolipin. Am. J. Obstet. & Gyn. 163: 575 – 584.

Ruiz Arguelles, G.J.; Ruiz Arguelles, A.; Delcze, M. and Alarcon Segovia, D (1989) :

Acquired protein C deficiency in a patient with primary antiphospholipid syndrome . Relationship to reactivity of ACLA with thrombomodulin . J. Rheumatol. 16 : 381 – 383 .

Salonen, J.; Yla-Herttuala, S.; Yamamoto, R. Bulter, S.; Korpela, H. and Salonen, R. (1992):

Autoantibodies against oxidised LDL and progression of carotid atherosclerosis. Lancet. 339: 883 887.

Sagle, M. and Bishop, K. (1988) :

Recurrent early miscarriage and polycystic ovaries. Br. Med. J. 297 : 1027 – 1028 .

Sargent, I.L. and Arenas, L.N. (1987) :

Maternal CMI to paternal HLA may occur but is not a regular event in normal human pregnancy. J. Reprod. Immunol. 10 : 111 – 120 .

Sargent, I.L. and Wilkins, T. (1988) :

Maternal immune responses to the fetus in early pregnancy and recurrent miscarriage. Lancet ii , 1099

– 1104 .

Scanu, A. and Candiana, L. (1991):

Lipoprotein (a): Structure, biology and clinical relevance. *Adv. Inter. Med.* 36: 249 – 270.

Scott, J.; Rote, N. and Branch, D. (1987):

Immunologic aspects of recurrent abortion and fetal death. *Obstet. & Gyn.* 70: 645 – 656.

Sharpio, L.S. (1990) :

Large vessel arterial thrombosis in systemic sclerosis associated with antiphospholipid antibodies. *J. Rheumatol.* 17 : 685 .

Shore, V. and Shre, B. (1972):

Quantitation , composition and metabolism. Edited by: Nelson, G. and Wiley, J. New York. 789 – 824.

Simpson, J.L. and Bonbard, A. (1987) :

Chromosomal abnormalities in spontaneous abortion . Oxford . Blackwell Scientific . 51 – 76 .

Stein, E. and Myers, L. (1995):

Lipids, lipoproteins and apoproteins. Ch. 23: 1002 – 1030. Tietez Book of Clin. Chemistry. 2nd edition by Carl, A. B. and Edward, R. A.W.B. Saunders Company.

Stern, J. and Coulam, C. (1993):

Current status of immunologic recurrent pregnancy loss. Curr. Opin. Obstet. & Gyn. 5: 252 – 259.

Stirrat, G.M. (1990) :

Recurrent miscarriage II. Clinical association, causes and management . Lancet. 336 : 728 – 733 .

Stray-Pederson, B.; Stray-Pederson, S. and Joan, L. (1984) :

Etiologic factors and subsequent reproductive performance in 195 couples with prior history of habitual abortion . Am . J. Obstet. & Gyn. 148 : 140 – 146 .

Stray-Pederson, B.; Stray-Pederson, S. and Harris, N. (1988) :

Recurrent abortion : The role of psychotherapy. Royal college of Obstet. and Gyn. 433 –440 .

Stubbs, C.D. (1988) :

Structure and dynamics of membrane lipids . Ann.
Rev. Phy. 50 : 273 – 290 .

Tsakiris, M.; Dimdriose, A. and Pantelis, H. (1990) :

LAC , APLA and thrombophilia in relation to protein
C, protein S and thrombomodulin. J. Rheumatol. 17
(6) : 785 – 789 .

Triplett, M.D.; John, T. and Brand, T. (1988) :

The relation between lupus anticoagulant and
antibodies to phospholipid . JAMA 4 : 259 – 264 ,
550 – 554 .

Tsong, T.Y. (1988) :

Voltage modulation of membrane permeability and
energy utilization in cells . Ann. Rev. Phy. 50 : 273 –
290 .

Tulppala, M.; Viinikka, L. and Ylikorkala, O. (1993):

Thromboxane dominance and prostacyclin deficiency
in habitual abortion. Lancet. 337: 879 – 881.

Tulppala, M.; Ailus, K.; Palosuo, T. and Ylikorkala, O. (1995):

Antibodies to oxidized low density lipoprotein and to cardiolipin in non pregnant and pregnant women with habitual abortion. *Fertility and sterility*, 64 : 947 – 950 .

Unander, A.M.; Norberg, R.; Halin, J. and Aiforsol, F. (1987) :

Anticardiolipin antibodies and complement in ninety nine women with habitual abortio . *Am. J. Obst. Gyn.* 156 : 114 – 119 .

Vogt, E., Ms.; Ah-Kau, N., Ph D, and Rote, S.N., Ph D. (1996):

A model for the antiphospholipid antibody syndrome: Monoclonal antiphosphatidyl-serine antibody induces intrauterine growth restriction in mice. *Am. J. Obstet. & Gyn.* 174: 700 – 707.

Varola, O.; Palosuo, T. and Kleemola, M. (1986) :

Anticardiolipin antibodies in acute infections . *Clin. Immunopath.* 41 : 8 – 15 .

Varley, H. (1988):

Statistics. In: Practical and clinical Biochemistry. 6th ed. 232 – 272. Edited by: Alan Hgowenlock. USA.

Warburton, D. and Strobino, B. (1987) :

Recurrent spontaneous abortion. Oxford : Blackwell scientific . 193 – 213 .

Whittaker, P.; Taylor, A. and Lind, T. (1983):

Unsuspected pregnancy loss in healthy women. Lancet. 1: 1126.

Witztum, J. and Steinberg, D. (1991):

Role of oxidized low density lipoprotein in atherogenesis. J. Clin. Invest. 88: 1785 – 1792.

Yamada, MD; Polgar, K. PhD, and Hill, J. MD. (1994):

Cell-mediated immunity to trophoblast antigens in women with recurrent spontaneous abortion. Am. J. Obstet. & Gyn. Vol.170. No. 5. Part 1. 1339 – 1344.

Ylikorkala, O. and Viinikka, L. (1992):

The role of prostaglandins in obstetric disorders. Baillieres Clin. Endocrinol. Metab. 6: 809-827.

Zilversmit, D. (1979):

Atherogenesis: a postprandial phenomenon.
Circulation. 60: 473.