

- \* **Adu D, Howie A.J., Scott D.G.I., Bacon P.A., Mcgonigle R.J.S and Michael J. 1987 :**  
Polyarteritis and the kidney.  
Quart.J.Med. New series, 62 : 221 - 37
- \* **Adu D., Pall A., Lugmani R.A., Richards N., Howie A.J., Emery P., Michael J. and Bacon P.A. 1993 :**  
Controlled trial of treatment of vasculitis.  
Clin. Exp. Immunol. 93 ( Suppl 1 ) : 38.
- \* **Allen , I. Arieff, 1982 :**  
Diabetes mellitus.  
Kidney Int. 7 : 342.
- \* **Alpern R.J., Southwestern International Medicine Conference ;1995:**  
Vasculitis - It's time to reclassify.  
Am.J. Med., April, Vol. 309 (4) : 235 - 248.
- \* **Andrassy K., Kuster S., Waldherr R., and Ritz E., 1991 :**  
Rapid progressive G.N., analysis of prevalence and clinical course. Nephron, 59 : 206-12.
- \* **Apple G.B., Williams and Meetzer J.I., 1986 :**  
Renal vein thrombosis, Nephrotic syndrome and SLE. Ann. Intern Med J, 85 : 310.
- \* **Ardiles G., Valderrama G., Maya P and Mezzano S.A ; 1997 :**  
Incidence and studies on antigen specificities of ANCA in poststreptococcal G.N.  
Clinical Nephrology ; 97 (1) : 1 - 5.
- \* **Arend W.P., Michael B.A. and Bloch D.A., 1990 :**  
The American College of Rheumatology 1990 : Criteria for the classification of Takayasu's arteritis, Arthritis Rheum 33:1129.
- \* **Arze R.S., Rashid H. and Morley R.et al , 1983 :**  
Shunt nephritis , report of two cases and review of the literature.  
Clin. Nephrol., 19 : 48.

- \* ***Bach J.F., Jacob L., Feutren G and Tron. F, 1986 :***  
The questionable role of anti - DNA antibodies in the pathogenesis of SLE.  
Ann. N.Y. Acad Sci. ; 475 : 231.
  
- \* ***Baldwin D.S., Lowenstein J., and Rothfield ; 1970 :***  
The clinical course of proliferative and membranous forms of lupus nephritis  
Ann. Intern. Medicine. ; 73 : 929
  
- \* ***Balow J.E., Austin H.A., Tsokos C.G., Antonvych T.T., Steinberg A.D. and klippel J.H., 1987.***  
Lupus nephritis.  
Ann Intern. Med. 106 : 79 - 94.
  
- \* ***Balton W.K., Sturgill B.c. ; 1989 :***  
Methylprednisolon therapy for acute crescentic rapid progressive GN.  
Am. J. Nephrol. ; 9 : 368 - 375.
  
- \* ***Banks P.M., Cohen M.D., Ginsburg W.W. and Hunder G.G.; 1983 :***  
Immunohistologic and cytochemical studies of temporal arteritis.  
Arthritis Rheum.; 26 : 120.
  
- \* ***Bariety J., Druct P.H., and Lagrue G et al ; 1970 :***  
Extramembranous GN, light , electrone , IF microscopic study.  
Pathol. Biol - ; 18 : 5.
  
- \* ***Bergestein, Micheal. J.M. and Michael A.F. : 1987.***  
The nephrotic syndrome : In Nilson Textbook of pediatric. ( 2 nd ed. ) By  
Bergestein , Michael JM, and Michael. A.F.W.B. Saunders company.  
Philadelphia, London, Toronto, Montreal, Sydney, Tokyo. Vol.13 : P 1129 -  
1133.

- \* ***Bloom A. and Irland J. ; 1986 :***  
The kidney and lower urinary tract. In a colour atlas of diabetes.  
(2 nded). By Carruthers, G.B. Wolfe Medical atlases , London ; 10 : 100-103.
- \* ***Bonfa E and Elkon ; 1986 :***  
Clinical and serological associations of antiribosomal P protein antibody.  
Arthritis Rheum. ; 29 : 981.
- \* ***Borg E., Horst G., and Lumbing P ; 1990 :***  
C - reactive protein levels during disease exacerbation and infection in SLE.  
J. Rheumatol. ; 17 : 1642.
- \* ***Bosch X. , Mirapeix E, Font J., Cervera R., Ingelmo M., Kharmashta M.A.,  
Revert L., Hughes G.R.V. and Urbano - Marquez A. ; 1992 :***  
Anti - MPO antibodies in patients with necrotizing glomerular and alveolar  
capillaries. Am. J. kid. Dis. ; 20 : 231-9.
- \* ***Bosch X., Mirapeix E., Font J., Borellas X., Rodriguez R., Lopez -  
Soto A., Inglemo M. and Revert L. 1991 :***  
Prognostic implication of ANCA with MPO specificity in anti - GBM disease.  
Clin. Nephrol ; 36 : 107-13.
- \* ***Boulton - Jones S. J. and Davison ; 1986 :***  
A persisting infection as a cause of renal disease in patients submitted to renal  
biopsy.  
Areport of the GN registry of the U.K. MRC. Q. J. Med, 58 : 123.
- \* ***Bradley J.D., Brandt K.D. and Katz B.P. 1989 :***  
Infectious complications of cyclophosphamide treatment for vasculitis.  
Arthritis, Rheum ; 32 : 45-53.

- \* **Braham E., and Scoville C. ; 1988 :**  
Biochemical markers of disease activity.  
Clin. Rheumatol. ; 2 : 125.
- \* **Brayan I., 1985 :**  
Diabetes and renal disease.  
Kidney Int. ; 8 : 616 - 618.
- \* **Broekroelofs J., Mulder A.H.L., Niles J.F., Westerveld B.D., Cohen Tervaert J.W. and Kallenberg C.G.M ; ; 1993 :**  
ANCA in sera from patients with inflammatory bowel disease · Relation to disease pattern and disease activity.  
Dig. Dis. Sci ( in press )
- \* **Brouet J.C et al ; 1974 :**  
Biologic and clinical significance of cryoglobulins A report of 86 cases  
Am. J. Med. ; 57 : 775 - 788.
- \* **Brouwer E., Stegeman C.A., Huitema M.G., Limburg P.C. and Kallenberg C.G.M. ; 1994 :**  
Tcell reactivity to PR3 and MPO in patients with W.G. ( Submitted for publication ).
- \* **Bruce I.N. and Bell A.L ; 1997 :**  
A comparison of two nomenclature systems for primary systemic vasculitis.  
British Journal of Rheumatology ; 36 : 453 - 458.
- \* **Bruggemeyer C.D. and Ramierz G. ; 1987 :**  
Membranous nephropathy ; A concern of malignancy Am. J. kidney Dis ; 9 : 23
- \* **Bulkely B.H. and Roberts ; 1975 :**  
The heart in SLE and the changes induced in it by corticosteroid therapy.  
Am. J. Med.. 58 : 243

- \* ***Calabrese P., Edward E.A. and Schilling R.F ; 1959 :***  
Fluorescent antiglobulin studies in lukepenia and related disorders. J. clin. Invest.  
; 38 : 2091 - 2100.
  
- \* ***Caldas M.L., Charles L.A. and Falk R.J. ; 1991 :***  
Immunoelectronmicroscopic documentation of the translocation of patients  
reactive with ANCA to neutrophil cell surfaces during neutrophil activation in the  
Third international ANCA Workshop on ANCA.  
Am. J. Kid. Dis . ; 18 : 204.
  
- \* ***Cambridge G, Rampton D.S., Stevens T.R.J , McCarthy D.A., kamm  
M. and Leaker B. ; 1992 :***  
ANCA in inflammatory bowel disease : Prevalence and diagnostic role.  
Gut ; 33 : 668 - 674.
  
- \* ***Cameron J.S. and Glassock . R.J ; 1988 :***  
The nephrotic syndrome  
Marcel Dekker, New Yourk.
  
- \* ***Cameron J.S ; 1973 :***  
Aclincian's view of the classification of GN. In : Kincaid - Smith P., Mathiew  
,T.H. , and Becker El. ( eds ). G.N., morphology, natural history and treatment .  
Jhon Wiley and Sons' NewYourk , P. 63.
  
- \* ***Campbell M.J. and Machin D; 1993 :***  
Medical statistics. A common sense approach, 2 nd Ed. John Wiley and Sons.  
New-York ; Chichester; Brisbane ; Toronto and Singapore.
  
- \* ***Casseli R.J., Hunder G.G. and whisnant J.P . ; 1988 :***  
Neurological disease in biopsy proven giant cell ( temporal ) arteritis.  
Neurology ; 38 : 352.
  
- \* ***Charles L.A ., Falk R.J and Jennette J.C. ; 1989 :***  
Reactivity of ANCA with HL - 60 cells.  
Clin. Immunopathol. ; 53 : 243.

- \* ***Charles L.A. , Falk R.J. and Terrel R ; 1991 :***  
Antibodies against granule proteins activate neutrophils in vitro.  
J.Leuk. Biol. ; 50 : 539.
- \* ***Charpentier B and Levy M ; 1982 :***  
Extramembranous GN.  
Nephrol. ; 3 : 185.
- \* ***Churg I, Duffy J.L, and Bernstein J ; 1979 :***  
Identification of dense deposit disease.  
Arch pathol. Lab. Med. ; 103 : 67-72.
- \* ***Cid M.C, Ercilillia G, Vilaseca J., Sanmarti, Villata J., Inglemo M.,  
and Urbano - Marquez A. ; 1988 :***  
Polymyalgia rheumatica : A syndrome associated with HLA - DR4 antigen  
Arthritis Rhum ; 31 : 678.
- \* ***Cipriano P.R., Silverman J.F and perthloth M.G ; 1977 :***  
Coronary arterial narrowing in the Takayasu's arteritis.  
Am . J. Cardiol. ; 39 : 744.
- \* ***Cohen Tervaert J.W., Goldschemding R. and Elema J.D ; 1990a :***  
Association of autoantibodies to MPO with different forms of vasculitis.  
Arthritis Rheum. ; 33 : 1264.
- \* ***Cohen Tervaert J.W ., Goldschmeding R., Elema J.D , Van Der Giessen M.,  
Huitema M.G., Van Der Hem G.K., The T.H , Von Dem Borne AEGKR and  
Kallenberg CGM ; 1990 b :***  
Autoantibodies against myeloid lysosomal enzymes in crescentic GN. Kidney  
Int. ; 37 : 799 - 806.

- \* ***Cohen Tervaert J.W., Goldschmeding R., Von Dem Borne AEGKER. and Kallenberg C.G.M ; 1991 :***  
Anti - MPO antibodies in the Churg - Strauss syndrome.  
Thorax ; 46 : 70 - 71.
- \* ***Cohen Tervaert J.W., Huitema M.G., Hene RJ., Sluiter W.J., The TH, Van Der Hem J.K. and Kallenberg C.G.M. ; 1990c :***  
Prevention of relapse in W.G by treatment based on ANCA titre.  
Lancet ; 336 : 709 - 711.
- \* ***Cohen R.D., Conn D.L. and ilstrup D.M.; 1980 :***  
Clinical features, prognosis and response to treatment in polyarteritis.  
Mayo. Clin. Proc. 55 : 146.
- \* ***Cohen Tervae J.W., Limburg P.C., Elema J.D., Huitema M.G, Horst G, The T.H. and Kallenberg C.G.M. ; 1991 :***  
Detection of autoantibodies a gainst myeloid lysosomal enzymes : A useful adjunct to classification of patients with biopsy - proven necrotizing arteritis.  
Am. J. Med. ; 91 : 59-66.
- \* ***Cohen PL, Shores E.W., Rapaport R, ét al ; 1985 :***  
Anti - Sm antibodies in MRL B mice : Analysis of precursor frequency.  
Cellular Immunology 96 : 449.
- \* ***Cohen Tervaert J.W., Mulder A.H.L., Stegman C.A., Sli J.D., Huitema M.G., The T.H. and Kallenberg C.G.M ; 1993 :***  
The occurrence of autoantibodies to human leukocyte elastase in W.G. and other inflammatory disorders.  
Ann. Rh. Dis. ; 52 : 115 - 120.

- \* **Cohen Tervaert, Van Der Woud F.J., Fauci A.S, Ambrus J.L, Velosa , Keane W.F, Meijer S, Van Der Giessen M, The T.H., Van Der Hem G.K and Kallenberg C.G.M ; 1989 :**  
Association between active W.G and ANCA.  
Arch Intern Med. ; 149 : 2461 - 2465.
- \* **Conn D.L. et al ; 1976 :**  
Immunologic mechanisms in systemic vasculitis.  
Mayo Clin. Proc. ; 51 : 511 - 518.
- \* **Conn D.L, Hunder G.G. and O' Duffy J.D. ; 1993 :**  
Vasculitis and related disorders. In : Kelley , W.N, Harris, E.D. and Ruddy, S. Textbook of Rheumatology, 4th. ed., W.B. Saunders Company , Philadelphia, London, Toronto, Montreal, Sydney, Tokyo ; 2 : 1077-1102.
- \* **Coremans I.E.M., Hagen E.C., Daha M.R., Van Der Woude , Van Der Voort E.A.M. and Breed Veld F.C. ; 1993 :**  
Antilactoferrin antibodies in patients with Felty's syndrome. Clin. EXP Immunol. ; 93 ( su, 1 ) S33.
- \* **Coremans I.E.M., Hagen E.C., Daha M.R., Van Der woude, Van Der voort E.A.M, Kleijburg - Van Der Keur C, and Breedveld F.C. ; 1992 :**  
Antilactoferrin antibodies in patients with rheumatic arthritis are associated with vasculitis.  
Arthritis Rheum. ; 35 : 1472 - 1475.
- \* **Coremans I.E.M., Hagen E.C. et al ; 1993 :**  
Antilactoferrin antibodies in patients with Felty's syndrome.  
Clin. EXP. Immunol. 93 ( Suppl. ) : S 33.
- \* **Costa O and Monier J.C. ; 1986 :**  
Antihistone antibodies detected by ELISA and immunoblotting in SLE and arthritis.  
J. Rheumatol. ; 13 : 722.

- \* **Couser W.G. ; 1988 :**  
Rapidly progressive GN : Classification , Pathogenic mechanisms and the rapy. Am. J. kidney Dis. ; 11 : 449 - 464.
- \* **Cristea - A., Badea - T., Bodizs - G. and Olinic N. ; 1995 :**  
ANCAs markers in diagnosis and monitoring of systemic vasculitides. Rom. J. Intern. Med. ; Jan - Jun ; 33 ( 1 - 2 ) : 37-46.
- \* **Csernok E., Schmitt WH, Bainton D and Gross W.L ; 1991 :**  
Translocation of Pr 3 on the cell surfac of neutrophils : Association with disease activity in W.G ( abstract ) . Arthritis Rheum. ; 34 : S 79.
- \* **Dabbs D.; Striker, L.M.M.; Mignon F. and Striker G; 1986 :**  
Glomerular lesions in lymphoma and lukemia.  
Am. J.Med ; 80 : 63.
- \* **D' Amico G ; 1987 :**  
The commonest GN in the world " I g A nephropathy "  
Q.J. Med . ; 245 : 707.
- \* **Dacie J.V. and lewis S.M. ; 1991 :**  
Basic hematological techniQues. In : Practical hematology, 7th ed.  
Churchill Livingstone P. 37,
- \* **Dagenais P., Dalpe G, Fernandes M.F., Boire G, Keystone E.C., Gross W.L., Wey and M.C. and Menard H.A ; 1993 :**  
ANCAs in patients with Takayasu's arteritis.  
Clin. EXP. Immunol 93 ( Suppl 1 ) : S 34.
- \* **Daniel W.W.; 1987 :**  
Biostatics ; A Foundation for analysis in the health sciences, 4 th Ed. John Wiley and Sons. New-York; Chichester ; Brisbane ; Toronto and Singapore.
- \* **Davies D.J., Moran J.E. and Niall J.F. ; 1982 :**  
Segmental necrotizing GN with ANCA : Possible arbovirus aetiology ?  
Br. Med. J . ; 285 : 606.

- \* **Deremee R.A ; 1988 :**  
The treatment of W.G with trimethoprim / sulphamethoxzol : Illusion or vision ? Arthritis Rheum. ; 31 : 1068 - 1072.
- \* **D.P.S.S Lal, D.J.O. Donoghue and M. Haeney ; 1996 :**  
Effect of diagnostic delay on disease severity and outcome in G.N. caused by ANCA. J. Clin. Pathol. ; 49 : 942 - 945.
- \* **Dubois E.L , and Wallace D.J. , 1987 :**  
Defination , classification , epidemiology, clinical and laboratory manifestation of SLE. In : Wallace and Dubois EL. ( eds ). SLE 3rd edition, Philadelphia and Febigeir ; P. 15
- \* **Duerr R.H., Targan, SR., Landers C.J., Laruss N.F, Lindsay K.L, Weislander R.H. and Shanhan F. ; 1991 :**  
Neutrophil cytoplasmic antibodies. A link between primary sclerosing cholangitis and ulcerative colitis.  
Gastroenterology ; 100 : 1385 - 1391.
- \* **Duerr RH., Targan SR., Landers CJ, Sutherland L.R et al ; 1991 :**  
ANCA in ulcerative colitis. Comparison with other colitides /diarrheal illness.  
Gastroenterology ; 100 : 1590 - 1596.
- \* **Efthiniou J., Spickett G., Lane D and Thompson A ; 1991 :**  
ANCA , Cytic fibrosis and infection.  
Lancet ; 337 : 1037 - 1038.
- \* **Egner W and Chapell H.M. ; 1990 :**  
Titration of antibodies against neutrophil cytoplasmic antigens is useful in monitoring disease activity in systemic vasculitides.  
Clin. EXP. Immunol. ; 82 : 244 - 249.

- \* **Ellis D, Kapr S, Antonovychtt ; Salcedo J.R. and Yunis E.J. ; 1978 :**  
Focal glomerulosclerosis in children : Correlation of histology with prognosis. J. Pediatric ; 93 : 76.
- \* **Ewert B.H; Jennette J.C. and Falk R.J. ; 1991 :**  
The pathogenic role of ANCA. Am. J.Kid. Dis. XVIII (2) : 188 - 195.
- \* **Fairly K.F. and Birch D.F ; 1982 :**  
Hematuria : A simple method for identifying glomerular bleeding.  
Kidney Int. ; 210 : 105.
- \* **Falk R.J., Becker M. and Terrel R ; 1991 :**  
Antigen specificity of P - ANCA and C - ANCA. Am.J.K Dis. ; 2 : 179.
- \* **Falk R.J, Hogan S., Carey T.S and Jennette J.C. ; 1990 :**  
Clinical course of ANCA associated GN and systemic vasculitis.  
Ann Intern. Med. ; 113 : 656 - 663.
- \* **Falk R.J. and Jennette J.C ; 1988 :**  
ANCA with specificity for MPO in patients with systemic vasculitis and idiopathic necrotizing and crescentic GN .N Engl. J. Medicine ; 318 : 1651-1657.
- \* **Falk J.R., Hogans S, Jennette J.C. et al ; 1990 :**  
Clinical course of ANCA associated G.N. and systemic vasculitis.  
Ann. Intern. Med. 113 : 656 - 663.
- \* **Falk R.J. and Jennette J.C. ; 1989 :**  
IF and ELESa determination of ANCA with discription of subclass with anti - MPO activity. APMIS ; 97 ( S 6 ) : 45.

- \* **Falk R.J, Terrel R.S, Charles L. A and Jennette J.C. ; 1990 :**  
ANCA induce neutrophils to degranulate and produce oxygen radicals in vitro. Proc Natl Acad Sci USA ; 87 : 4115.
- \* **Farley T.A, Gillespie S. and Rasoul pour M; 1989 :**  
Epidemiology of a cluster of Henoch - Schonlein Purpura.  
Am. J. Dis. Child, 143 : 798.
- \* **Ferrario , F., Kourilisky O., and Morel - Maroger L ; 1983 :**  
Acute endocapillary GN in adults : A histologic and clinical comparison between patients with and without initial acute renal failure.  
Clin. Nephrol . ; 19 : 17.
- \* **Flesch B.K, Lanpe Mand Rautmanm A ; 1991 :**  
Antielastase, cathepsin G and lactoferrin antibodies in sera with c-ANCA.  
Am . J. Kid Disease ; 2 : 201.
- \* **Fries J.F. ; 1989 :**  
Assesment of the patients with rheumatic disease. In : Kelley WN , Harris E.D., Ruddy S and Sledge C.B. ( eds ).  
Textbook of Rheumatology, Third edition , Philadilphia , WB Saunders Company P 417.
- \* **Gallichio M.C. , Savige J.A ; 1991 :**  
Detection of anti - MPO and anti-elastase antibodies in vasculitis and infections. Clin. EXP. Immunol. ; 84 : 232 - 237.
- \* **Gartner H.V. ; 1980 :**  
Membranous GN, Prototype of an immune complex GN : In Bungler W, Eder M, Lennert K et al ( eds ). Stuttgart, NewYork, Grustar, Fisher, Velarg Pl

- \* *Gaskin G., Savage C.O.S., Rayan J.J., Jones S., Lockwood C.M., Rees A.J. and Pusey C.D. ; 1991 :*  
ANCA and disease activity during long term follow - up of 70 patients with systemic vasculitis.  
Nephrol. Dial. Transplant ; 6 : 689 - 694.
- \* *Geffriaud - Ricouard C, Noel L.H, Chauveau D., Houhou S., Grunfeld J.P and Lesavre P. ; 1993 :*  
Clinical spectrum associated with ANCA of defined antigen specificities in 98 related patients. Clin. Nephrol. ; 39 : 125 - 36.
- \* *Gephardt G.N. ; Ahmed M. and Tubbs R.R. ; 1983 :*  
Pulmonary vasculitis ( W.G. ) Immunohistochemical study of T and B cell markers Am . J. Med. ; 74 : 700 - 704 .
- \* *Gilbert R.D., Shah V., Reeder J. and Dillon M.J., 1993 :*  
Cathepsin G, specific IgM ANCA and antiendothelial cell antibodies in acute Kawasaki disease.  
Clin. EXP. Immunol. ; 93 ( Suppl 1 ) : S 30.
- \* *Glassock R.J., Cohen A.H., Adler S.G and Ward H.J. ; 1986b :*  
Secondary glomerular diseases. In : Brenner, B.M. and Rector F.C ; Jr (eds). The kidney. Third edition W.B. Saunders, Philadelphia , P : 1014.
- \* *Glassock R.J ; 1989 :*  
Hematuria and pigmenturia. In Massey S., and Glassock R. ( eds ) :  
Textbook of nephrology, 2nd ed. Williams and Wilkins, Baltimore : 610.
- \* *Glassock R.J., Adler S.G., Ward H.G. and cohen A.H ; 1986a :*  
Primary glomerular diseases. In Brenner, B.M., and Rector, F.C. Jr (eds) :  
The kidney, 3 rd ed. W.B. Saunders. Philadelphia P. 929.

- \* *Gleece M.H., Evans C.C. and Bucknall R.C. ; 1988 :*  
Case report, steroid resistant pleural effusion in SLE treated with tetracyclin.  
Plurodesis Ann. Rheum. Dis. ; 47 : 1031.
  
- \* *Goldman M; 1968 :*  
Fluorescent antibody methods. Academic press.
  
- \* *Goldschmeding R, Van Der School C.E. and Ten Bokkel Huining D; 1989 :*  
W.G autoantibodies identify a novel disprpylefluorophosphate - binding  
protein in the lysosomes of normal human neutrophils.  
J. Clin. Invest. ; 84 : 1577.
  
- \* *Grunfeld J.P., Noel L.H., Hafex S. and Droz D. ; 1985 :*  
Renal prognosis in woman with hereditary nephritis.  
Clin. Nephrol. ; 23 : 267.
  
- \* *Gueirard P., Delpech A., Gilbert D., Godin M, Le Loet X and Tron F. ; 1991:*  
Anti - MPO antibodies : Immunological characteristic and clinical  
associations . J. Autoimmune. ; 4 : 517-527.
  
- \* *Guillevin L, Visser H, Noel L.H., Pourrat J., Vernier I Gayraud M., Oksman F.  
and Lesavre P. ; 1993 :*  
ANCA in systemic polyarteritis nodosa with and without hepatitis B Virus  
infection and Churg - Strauss syndrome.  
J. Rheumatol. ; 20 : 1345 - 1349
  
- \* *Habib R., Kleinknecht C., and Grubler M.C.; et al ; 1973 :*  
Idiopathic membranoproliferative G.N. in children.  
Clin. Nephrol. ; 1 : 194.
  
- \* *Halbawchs - Mecarelli L.H., Nasbaum L.H., Noel L.H., F Maux D., Erlinger ,  
Grunfeld J.P and Lesaver P. ; 1992 :*  
ANCA directed against cathepsin G in ulcerative colitis , Crhon's disease  
and primary sclerosing cholangitis  
Clin. Exp. Immunol. ; 90 : 79 - 84

- \* *Hall S., Barr W. and Lie J.T. ; 1985 :*  
Takayasu' arteritis: A study of 32 North American patients. *Medicine* ;64 : 89
- \* *Harry J. Ward, H.J. and R.J. Adler ; 1986 :*  
Primary glomerular diseases. In : Brenner, B.M., and Rector, F.C. Jr.  
( eds ) . The kidney, 3rd ed. W.B. Saunders, Philadelphia, P. 929.
- \* *Henry R.J. ; 1974 :*  
Clinical chemistry principles and Technics. 2<sup>nd</sup> ed. Harper and Row P. 525
- \* *Hind C.R.K. et al ; 1984 :*  
Objective monitoring of disease activity in polyarteritis nodosa by  
measurement of serum C - reactive protein concentrations. *Br. Med. J.* ;  
288 : 1027 - 1030 .
- \* *Hoffman G.S., Leavitt R.Y., Fleisher, Minor J.R. and Fauci A.S., 1990 :*  
Treatment of W.G. with intermittent high - dose intravenous  
cyclophosphamide. *Am. J. Med.* ; 89 : 403-410.
- \* *Hoffman G.S., Kerr G.S., Leavitt R.Y., Hallahan C.W., Le - Bovics RS, Travis  
W.D. Rottem M and Fauci A.S ; 1992 :*  
W.G : Analysis of 185 patients. *Ann Intern Med.* ; 116 : 488-98.
- \* *Honcy C.J., Liberthson R.R., Fallen J.T, Gross S. and Miller L.M ; 1982 :*  
Ischemic heart diseases in SLE in young patients. report of six cases.  
*Am. Journal. Cardiol.* ; 49 : 476.
- \* *Horn R.G., Fauci A.S. and Rosenthal A.S.; 1974 :*  
Renal biopsy pathology in Wegener's granulomatosis. *Am. J.Pathol.* Vol.  
74 : 423-439.
- \* *Hughes GRV. ; 1982 :*  
The Treatment of SLE : The case for conservative management  
*Clinics in Rheumatic Diseases* ; 8 : 299.

\* **Hunder G.G. ; 1993 :**

Giant cell arteritis and polymyalgia rheumatica : In Kelly WN., Harris E.M.  
Ruddy S. and Sledge C.B. Textbook of Rheumatology 4 th.ed.  
W.B Saunders Company Philadelphia, London, Toronto , Montreal Sydney.  
Tokyo (3) : 924 - 930.

\* **Hunder G.G., Bloch D.A., and Michel B.A ; 1990 :**

The American College of Rheumatology 1990. Criteria for the  
classification of giant cell arteritis. Arthritis Rheum. 33 : 1122.

\* **Hunder G.G and Lie J.I. ; 1983 :**

The vasculitides Clin. Cardiovasc. Dis. ; 13 : 261.

\* **Huschild S., Schmitt W., Csernok E., Flesh B., Rautmann A., and Gross W ;  
1993 :**

ANCA in systemic vasculitides , collagen vascular diseases, rheumatic  
disorders and inflammatory bowel diseases. In : Gross W (eds). ANCA  
associated vasculitides. Plenum press, London.

\* **Irland J.T., Vibriti G.C. and Watkins P.G. ; 1982 :**

The kidney and renal tract. In complication of diabetes ( 2 nd ed ) . H  
Keen J., Jarrett. London , Edward Arnold, 214.

\* **Iro H., Yoshikawa N., and Aozai F; 1984 :**

Focal segmental glomerulosclerosis : Correlation between the segmental  
location of the glomerular lesion and prognosis.  
Clin. Nephrol. ; 22 : 9.

\* **Ishikawa K. ; 1978 :**

Natural history and classification of occlusive thromboaropathy ( Takayasu'  
disease ). Circulation ; 57 : 27

- \* *Jane - D.R., Gaskin - G., Pusey C.D. and Lockwood C.M ; 1995 :*  
ANCA and Predicting relapse in systemic vasculitis .  
Q.J.M. ; Feb ; 88 (2) : 127 - 33.
- \* *Jarret, J. ; 1985 :*  
The natural history and prognosis of diabetes mellitus.  
Med. International ; 13 : 530 - 37.
- \* *Jayne D.R.W., Marshall P.D., Jones S.J. and Lockwood C.M ; 1990 :*  
Autoantibodies to GBM and neutrophil cytoplasm in rapidly progressive  
GN. Kidney Int. ; 37 : 965 - 970.
- \* *Jennette J.C. ; 1991 :*  
ANCA associated disease : A pathologist's perspectives.  
Am. J. Kid. Dis. ; 18 : 164 - 70.
- \* *Jennette J.C., Ewert B.H. and Falk R.J. ; 1993 :*  
Do ANCA cause W.G. and other forms of vasculitis.  
Rheum. Dis Clin. North . Am. ; 19 : 1
- \* *Jennette J.C. and Falk R.J. ; 1990 :*  
ANCA and associated disease : A review. Am. J. kidney Dis. ;  
15 : 517 - 529.
- \* *Jennette J. ; 1994 :*  
Pathogenic potential of ANCA.  
Lab. Invest. ; 70 : 135 - 137.
- \* *Jennette J.C , Falk R.J. and Andrassy K. et al ; 1994 :*  
Nomenclature of systemic vasculitides. Proposal of an international  
Consensus Conference. Arthritis Rheum. ; 37 : 187-92.
- \* *Jennette J.C., Hoidal J.H. and Falk R.J ; 1990 :*  
Specificity of ANCA for PR 3. Blood ; 75 : 2263.

- \* *Jennette J.C, Wilkman A.S., and Falk R.J. ; 1994 :*  
ANCA associated GN. and vasculitis.  
Am. J. of pathol. ; 135 (5) : 921 - 930.
- \* *Jennette J.C, Wilkman A.S., Falk R.J.; (1989) :*  
ANCA associated GN. and vasculitis.  
Am. J. Pathol. 135 : 921.
- \* *Jergensen B.B Madsen M.H. and Wiik A. ; 1991 :*  
Specificities of antibodies exhibiting nuclear antibodies.  
Am. J. Kid. Dis. ; 2 : 200.
- \* *Jhone , W. Hare ; 1986 :*  
Signs and symptoms in endocrine and metabolic disorder.  
Medicine ( Battimore ) ; 78 : 527.
- \* *Kallenberg C.G.M. and Cohen Tervaert J.W. ; 1993 :*  
New tool in diagnosis and follow up of necrotizing crescentic GN.  
In : International year book of nephrology ; 1992 , edited by Andreucci  
V.E., Fine L.G., 1992 P. 313 - 336.
- \* *Kallenberg C.G.M , Mulder A.H.L., and Cohen Tervaert J.W ; 1992 :*  
ANCA : A still growing class of autoantibodies in inflammatory disorders.  
Am. J. Med. ; 93 : 675 - 682.
- \* *Kallenberg C.G.M, Brouner E, Weening J.J; 1994 :*  
ANCA, current diagnostic and pathophysiologic potential Kidney Int..  
46 : 1 - 15
- \* *Kaneko K., Susuki Y, Yamashiro Y and Yabuta S. ; 1993 :*  
Is P - ANCA in ulcerative colitis directed against glucuronidase Lancet ;  
341 - 345.

- \* **Kao R.C., Wehner N.G. and Skubitz K.M. ; 1988 :**  
PR3 : A distinct human polymorphonuclear leucocyte proteinase that produces emphysema in hamsters.  
J. Clin. Invest. ; 82 : 1963.
- \* **Kawaguchi K. and Koike M. ; 1986 :**  
Glomerular lesions associated with liver cirrhosis : An immunohistochemical and clinicopathologic analysis.  
Hum. Pathol. ; 17 : 1137.
- \* **Kella A.A., Learmonth I.D. and Klemp ; 1986 :**  
Early treatment of a vascular necrosis in SLE.  
Ann Rheum. Dis. ; 45 : 649.
- \* **Keller E., Beigel A., et al ; 1993 :**  
Trimethoprim Sulphamethoxazole in the long treatment of W.G.  
Clin. Exp. Immunol 93 ( Suppl 1 ) : 38.
- \* **Kerr G.R., Fleisher T.H., Hallahan C.W., Leavitt R.Y., Fauci A.S., and Hoffman G.S. ; 1993 :**  
Limited prognostic value of changes in ANCA titer in patients with W.G.  
Arthritis Rheum. ; 36 : 365 - 371.
- \* **Kim, M.K. and Michael A.F ; 1980 :**  
Idiopathic membranoproliferative GN.  
Am. Rev. Med. ; 31 : 273 - 288.
- \* **Klassen R.J.L., Goldschmeding R., Dolman K. M., Vlekke A.B.J., Weigel H.M., Eeftink Schattenkerk J.K.M., Mulder J.W., Westedt M.L and Von Dem Borne AEGKR ; 1992 :**  
ANCA in patients with symptomatic H.I.V infection.  
Clin. Exp. Immunol. ; 87 : 24-30.

- \* **Konstantinov K., Russanova V, and Russeva V ; 1986 :**  
Antibodies to histones and disease activity in SLE : A comparative study with an ELISA and immunoblotting.  
Arch. Dermatol. Res. ; 278 : 410.
- \* **Kudoh Y;Kuroda S; Shimamoto K. and Imura O; 1997 :**  
Propylthiouracil induce rapid progressive G.N. associated with ANCA. Clin. Nephrol. Vol. 48, (1) : 41 - 43.
- \* **Kramer W., Thormann J., Mueller K. and Frenzel H ; 1985 :**  
Progressive cardiac involvement by Fabry's disease despite successful renal allotransplantation. Int. J. Cardiol. ; 7 : 72.
- \* **Kumar P ; 1994 :**  
Renal disease. In : Kumar P and Michael C. Textbook of clinical medicine  
3 rd. ed. Bath Press Colourbooks Ltd. Glasgow P. 435-498.
- \* **Kurata N and Tan E.M. ; 1976 :**  
Identification of antibodies to nuclear acidic antigen by counter immunoelectrophoresis - Arthritis Rheum. ; 19 : 574.
- \* **Lai K , Lai F. and Chan K., et al ; 1987 :**  
The clinicopathologic features of hepatitis B Virus - associated G.N.  
Q.J. Med. ; 63 : 323.
- \* **Lai K. Leung J. Rifkin I. and lockwood C. ; 1994 :**  
Effect of ANCA on intracellular calcium concentration of human neutrophils. Lab. Invest. ; 70 : 125 - 162.
- \* **Lanham J.G., Elkon K.B. and Pusey C.D. ; 1984 :**  
Systemic vasculitis with asthma and eosinophilia - A clinical approach to the Churg - Strauss syndrome. Medicine ; 63 : 65.

- \* **Layfer L.F. et al ; 1978 :**  
Temporal arteriography : Analysis of 21 cases and a review of the literature.  
Arth., Rheum. ; 21 : 780.
- \* **Lee P., Urowitz M.B., Bookman A.M., Koehler B.E., Smythe H.A. and Ogryzle ; 1977 :**  
SLE : A review of 110 cases with reference to nephritis , nervous system,  
Quart. J. Med. ; 181 : 1
- \* **lee S.S., lawton J.W.M., Chan C.E., LI C.S., Kwan T.H, Chau K.F. ; 1992 :**  
Antilactoferrin antibody in SLE.  
Br. J. Rheumatol . ; 31 : 669 - 673.
- \* **Leib E.S. et al ; 1981 :**  
Correlation of disease activity in systemic necrotizing vasculitis with immune  
complexes. J. Rheumatology ; 8 : 258 - 265.
- \* **Lesavre P. ; 1991 :**  
ANCA antigen specificities. Am. J. Kid. Disease ; 18 : 159.
- \* **Lesavre P., Noel L.H., Chauveau D., Geffriaud C., Grunfeld J.P. ; 1991 :**  
Antigens specificities and clinical distribution of ANCA in kidney diseases.  
Klin. Wochenshr . ; 69 : 552 - 7.
- \* **Levy M., Broyer M. and Arsan A ; 1976 :**  
Anaphylactoid purpura nephritis in childhood : Natural history and  
immunopathology. Adv. Nephrol. ; 6 : 183.
- \* **Levy M., Gubler M.C. and habib R. ; 1981 :**  
Pathology and immunopathology of shunt nephritis in children . Report of  
10 cases. Proc . 8 th Int cong. nephrol. basel S. Karger ; P. 290.

- \* *Lien J.W.K., Mathew T.H. and Meadows R. ; 1979 :*  
Acute poststreptococcal GN in adult : A long - term study.  
Br. J. Med. ; 48 : 99
- \* *Lightfoot R.W., Michel B.A. and Bloch D.A. ; 1990 :*  
The American College of Rheumatology ( 1990 ) : Criteria of the  
classification of polyarteritis nodosa.  
Arthritis Rheum. ; 33 : 1088.
- \* *Linars L.F., Reio J.J. G., Carreira L.M. and Ibero I. ; 1986 :*  
C - reactive protein ( CRP ) levels in SLE.  
Clin. Rheumatol. ; 5 : 66.
- \* *Ludemann J., Utecht B. and Gross W.L. ; 1990 :*  
ANCA in W.G. recognise an elastinolytic enzyme.  
J. EXP. Med. ; 171 : 357.
- \* *Mackay I.G., Doig A. and Thomson D. ; 1985 :*  
Membranaus nephropathy in a patient with Nail - Patella syndrome  
nephropathy Scot. Med. J. ; 30 : 47.
- \* *Mackworth - Young C.G., Chan J.K.H ; Bunn C.C. et al ; 1986 :*  
Complement fixation by anti- ds DNA antibodies in SLE :  
Measurment by radioimmunoassay and relationship with disease activity  
Ann. Rueum. Dis. ; 45 : 314.
- \* *Maddison P.J., Provost T.T, and Reichlin M ; 1981 :*  
Serological findings in patients with ANA negative SLE.  
Medicine ; 60 : 87.

- \* **Masi A.T., Hunder G.G. and Lie J.T ; 1990 :**  
The American college of Rheumatology 1990 : Criteria for the classification of Churg - Strauss syndrome ( allergic granulomatosis and angiitis )  
Arthritis Rheum. ; 33 : 1049.
- \* **Mathieson P.W., Cobbold S.P., Hale G., Clark M.R. Oliveira D.B.G., Lockwood C.M. and Waldmann H. ; 1990 :**  
Monoclonal antibody therapy in systemic vasculitis.  
N.Eng. Med. ; 323 : 250 - 254.
- \* **Mathieson P.W. ( editor ) ; 1993 :**  
Proceedings of the 5 th international ANCA workshop.  
Clin. EXP. Immunol. 93 ( Suppl 1 ) : S1 - S47 .
- \* **McCarthy . G ; 1986 :**  
Autoantibodies and their relation to rheumatic diseases.  
Med. Clin. North. Am. ; 70 : 237.
- \* **McHugh N.H., James I.E. and Plant G ; 1990 :**  
Anticardiolipin and antineutrophil antibodies in giant cell arteritis.  
J. Rheumatol., 17 : 916 - 922.
- \* **Melvin T., Sibley R. and Michael A.F. ; 1984 :**  
Nephrotic syndrome . In Tune B.M. et al ( eds ) . Contemporary issue in nephrology. New York, Churchill Livingstone, Volume , 12 : 191.
- \* **Miller A., Green M. and Robinson D. ; 1983 :**  
Simple role for circulating normal E.S.R.  
Br. Med. J. ; 286 : 266.
- \* **Mills J.A ; Michael B.A. and Bloch D.A ; 1990 :**  
The American College of Rheumatology 1990 : Criteria for the classification of Henoch - Shoneliën purpura.  
Arthritis Rheum. Dis. ; 33 : 1114

- \* **Mond C.B, peterson M.G Roth Field NF ; 1989 :**  
Correlation of anti - Ro antibody with photosensitivity rash in SLE patients.  
Arthritis Rheum ; 32 : 202.
- \* **Morgan C.J. and Harris E.D.; 1978 :**  
Non- giant cell temporal arteritis : Three cases and review of the literature.  
Arthritis Rheum. ; 21 : 362.
- \* **Mulder A.H.L , Brokroelofs J., Horst G., Limburg P.C . N.E. G. F. and Kallenberg C.G.M ; 1994 :**  
ANCA in inflammatory bowel disease Characterization of clinical correlates. Clin. EXP. Immunol. ; 95 : 490 - 497
- \* **Mulder A.H.L., Horst G., Van Leeuwen, Limburg P.C. and Kallenberg C.G.M ; 1993 :**  
ANCA in rheumatoid arthritis : Catheterization and clinical correlations  
Arthritis Rheum. ; 36 : 1054 - 1060
- \* **Mulder A.H.L, Horst G., Haagsma E.B. , Limburg P.C., Kleibeuker J.H. and Kallenberg CGM ; 1993 :**  
Prevalence and characterization of ANCA autoimmune liver disease  
Hepatology ; 17 : 411 - 417.
- \* **Murphy WM, Jukkola A.F. and Roy S.; 1979 :**  
Nephrotic syndrome with mesangial cell proliferation in children. A distinct entity ? Am. J. Clin. Pathol. 72 : 42 - 47
- \* **Nassberger L, Jonson H., Sjöholm A.G., Sturfelt G. and Heubner A ; 1989 :**  
Circulating anti-elastase in SLE ( abstract )  
Lancet ; 1 : 509.

\* ***Nasu T. ; 1975 :***

Takayasu's arteritis trunc arteritis in Japan : A statistical observation of 76 autopsy cases. Pathol. Microbiol. ( Basal ) ; 43 : 140.

\* ***Newell . G.C. ; 1987 :***

Cirrhotic G.N. :Incidence , morphology , clinical features and pathogenesis  
Am. kidney Dis. ; 9 : 183.

\* ***Niles J.L, Mccluskey R.T., Ahmed M.F. and Arnaout M.A ; 1989 :***

W.G autoantigen is a novel neutrophil serine proteinase.  
Blood ; 74 : 1988.

\* ***Niles J.L, Pan G., Collins A.B., Shannon T., Skates S., Fienberg R., Arnaout M.A. and Mccluskey R.T ; 1991 :***

Antigen specific radioimmuno assay for ANCA in the diagnosis of rapid  
progressive GN J. Am. Soc. Nephrol. ; 2 : 27 - 36.

\* ***Nolle B, Specks U ; luedmann J., Rohrbach M.S., Dere R.A., and Gross W : L ; 1989 :***

ANCA : Their immunodiagnostic value in W.G.  
Ann. Intern. Med. ; 111 : 28 - 40.

\* ***Orth R.W. , Weisman M.H. and Cohen A.H ; 1983 :***

Lupus cystitis : Primary bladder manifestation of SLE.  
Ann. Intern. Med. J. ; 98 : 323.

\* ***Ostberg G ; 1973 :***

An arteritis with special reference to polymyalgia arteritica Acta Pathol.  
Microbiol. Scand (A) Suppl. 237 : 1

- \* *Pariser K.M. and Wolff S.M. ; 1992 :*  
The clinical spectrum of vasculitis. In Loscalzo J., Creager M.A., and Dzau V.J. . Vascular medicine, A textbook of vascular biology and disease, Little, Brown and company.  
Boston , Toronto , London, First edition : 1011 - 1048.
- \* *Patton C.J. and Crouch S.R. ; 1977 :*  
Analytic chemistry ; 49 : 464 - 469.
- \* *Pesce M.A. and Strand C.S. ; 1973 :*  
A new micromethod for determination of protein in C.S.F. and urine Clin. Chemistry ; 19 : 1265 - 1297.
- \* *Peter J.B., Wormsley S.B. and Wiik . ; 1991 :*  
Antinuclear antibodies and granulocyte specific antibodies complicate the evolution of ANCA.  
Am. J. kid. ; 2 : 200.
- \* *Peter H.H., Metzger D. Rump A, Rother E; 1993 :*  
ANCA in diseases other than systemic vasculitis Clin. Exp. Immunol. 93 (Suppl 1 ) : S12 - S14.
- \* *Pinching A.J., Rees A.J., Pussel B.A., Lockwood C.M., Mitchison R.S. and Peters D.K. ; 1980 :*  
Relapses in W.G : The role of infection  
Br. Med. J. ; 281 : 836 - 838.
- \* *Pollak V.E. and Kants K.S. ; 1987 :*  
SLE and the kidney. In : Lahita R.G. ed : SLE. New York, John Wiley and Sons : 540.

\* ***Popp J.W. et al 1981 :***

Cutaneous vasculitis associated with acute and chronic hepatitis Arch.  
Intern. Med. ; 141 : 623.

\* ***Pozzi C, Radice A., and Rotas G. ; 1991 :***

Clinical specificities of antilactoferrin antibodies in renal disease.  
Am. J. Kid. Dis. ; 2 : 202.

\* ***Pudifin D.J., Dursma J., Gathiram V., Jakson T.F.G.H. ; 1993 :***

Serum from patients with invasive amoebiasis has ANCA activity Clin.  
Exp. Immunol. ; 93 ; ( Suppl 1 ) : S 33.

\* ***Putto A., Ruskanen O., Ekblod H., korvenrata K. and Haloonen H. ; 1986 :***

C - Reactive protein in evalution of febrile illness.  
Arch. Dis. Child. ; 61 : 24.

\* ***Rainford D.J., Wooddrow, D.F., Sloper J.C. , et al ; 1978 :***

Postminingococcal acute G.N. Clin. Nephrol. ; 9 : 249.

\* ***Rappaport J. ; Kuperman O., Gopas Y. et al ; 1989 :***

Nephrotic syndrome associated with transitional cell carcinoma of the  
bladder. Nephron. ; 52 : 36.

\* ***Rasmussen N. and Wiik A. ; 1985 :***

Autoimmunity in W.G. In : Veldman J.E., McCabe F, Huizing E.C. (eds).  
Immunology, autoimmunity and transplntition in otorhinolaryngeology.  
Amsterdam, The Netherland , Kugler , P. 231.

\* ***Reichlin M; 1982 :***

Clinical and immunological significance of antibodies to Ro and La in SLE.  
Arthritis Rheum., 25 : 767.

\* **Reichlin M ; 1989 :**

ANA. In : Kelley WN, Harris E.D., Ruddy S and Sledge C.B. : Textbook of Rheumatology. 3<sup>rd</sup> ed. W.B. Saunders Company : P. 205.

\* **Reinhold - Keller E., Beigel A., Heller M., and Gross W.L. ; 1993 :**

Trimethoprim / Sulphamethoxazole in long term treatment of W.G :  
Clin. EXP. Immunol. 93 ( Suppl 1 ) : 38.

\* **Reuter and Luhrmann R; 1986 :**

Immunization of mice with purified U<sub>1</sub> Small nuclear ribonucleoprotein (RNP) Induces a pattern of antibody specificities characteristic of the anti Sm and anti - RNP autoimmune response of patients with lupus erythematosus, as measured by monoclonal antibodies.  
Proc. Natl Acad Sci ; 83 : 8689.

\* **Roberts D.E., Peebles C, Crud J.G., Tan E.M. and Rubin R.L. 1991 :**

Autoantibodies to native MPO in patients with pulmonary hemorrhage and acute renal failure. J. Clin. Immunol. ; 11 : 389.

\* **Rodriguez - Hurbe B. ; 1984 :**

Epidemic poststreptococcal GN.  
Kidney Int. ; 25 : 129.

\* **Rothfield N.F. ; 1989 :**

SLE ; Clinical aspect and treatment . In : Textbook of Rheumatology, Ninth edition. Philadelphia , Lee and Febiger ; P : 131.

\* **Rovzar M.A., Logan J., Ogden D., and Graham A. ; 1986 :**

Immunosuppressive therapy and plasmapheresis in rapidly Progressive GN with bacterial endocarditis.  
Am. J. Kidney Dis. ; 7 : 428.

\* ***Rubenestein, D., 1991 :***

Renal disease. In : Wayne D, and Rubenstein D Textbook of clinical medicine. 4 th ed. Blackwell Scientific Publications.  
London, Edinburgh, Boston , Melbourne, Paris, Berlin, Vienna , P. 229.

\* ***Rump J.A., Scholmerich J., Gross V., Roth M., Helfesrieder R., Rautmann A., Ludmann J and Gross W.L., 1991 :***

A new type of P- ANCA in active ulcerative colitis but not in Crhon's disease.

Immunobiology ; 181 : 406 - 413.

\* ***Saulsbury T., Kirkpatrick P.R. , Bolton W.K. ; 1991 :***

IgA ANCA in Henoch - Schonlein Purpura. Am.J. Nephrol. ; 11 : 295-300.

\* ***Savage C.S. et al ; 1985 :***

Microscopic polyarteritis nodosa : Presentation , pathology and prognosis.  
J.Med. ; 56 : 467 - 483.

\* ***Savige J.A ., Chang - L., Wilson - D. and Buchanan - R.R. ; 1996 :***

Antibodies and target antigens in neutrophil cytoplasmic antibody associated vasculitis. Rheumatol. Int. ; 16 (3) : 109 - 114.

\* ***Saxena R., Bygren P., Rasmussen N. ; Wieslander J. ; 1991 :***

Circulating antibodies in patients with extracapillary GN.  
Nephrol. Dial. Transplant. ; 6 : 389 - 97.

\* ***Saxon A., Sharahan F., Landers C., Ganz T., Targan S ; 1990 :***

A distinct subset of ANCA is associated with inflammatory bowel disease.  
J. Allergy Clin. Immunol. ; 86 : 202 - 210.

- \* *Schanbel A., Csernok E., Isenberg D.A. ; 1995 :*  
ANCA in SLE. Arthritis Rheum. ; 38 - 633.
  
- \* *Schena F.P. ; 1990 :*  
A retrospective analysis of natural history of primary IgA nephropathy worldwide. Am. J. Med. ; 89 : 209.
  
- \* *Schur P.H. ; 1989 :*  
Clinical Features of SLE. In : Kelley W.N, Harris E.D., Ruddy S. and Sledge C.B. ( eds ) . Textbook of Rheumatology 3 rd edition. Philadelphia . W.B. Saunders Company P.1101.
  
- \* *Schur P.H., Connelly A. and Jones T.C. ; 1975 :*  
Phylogeny of complement Component in non human Primates.  
J. Immunol. ; 114 - 270.
  
- \* *Scott D.G and Rowell ; 1974 :*  
Immunopathological study of kidney in SLE and systemic sclerosis using antisera to IgG, C3 , fibrin and human renal glomeruli  
Ann. Rheumat. Dis. ; 33 : 473.
  
- \* *Sergent J.S. ; et al ; 1976.*  
Vasculitis with hepatitis B antigenaemia : Long term observation in 9 patients. Medicine ; 55 : 1 - 18.
  
- \* *Shafii R.I. and Moloski T.F. ; 1988 :*  
Activation of the neutrophil. Prog Allergy ; 42 : 1
  
- \* *Sharma S., Kamalakar T, and Rajani M ; 1990 :*  
The incidence and pattern of pulmonary involvement in Takayasu arteritis  
Clin. Radiol 42 : 177.

- \* ***Sharon G. Adler , Arthur H. Cohen ; 1986 :***  
Primary glomerular diseases. In : Brenner , B.M., and Rector, F.C. Jr (eds).  
The kidney , 3 rd ed. W.B. Saunders, Philadelphia P. 929.
  
- \* ***Shimizu E., Nakabayashi I, Kubota T., Suzuki Y, Shimizu J., Ishida A.,  
Yoshida M. and Yoshizawa N. ; 1995 :***  
A cose report of mixed P - and C- ANCA positive patients with pauci-  
immune crescentic glomerulonephritis . Clin- Nephrol. 44 (4) : 266-270. .
  
- \* ***Sinico / R.A., Pozzi C., Radice A., Tincani A., L.I . Vecchi M.R.S. Comotti ,  
Ferrario F., D' Amico ; 1993 :***  
Clinical significance of ANCA with specificity for lactoferrin in renal  
diseases. Am. J. Kidney Dis. ; 22 : 253 - 260.
  
- \* ***Sonthaimer R.D., Maddison P.H., Reichlin M. et al ; 1982 :***  
Serologic and HLA association in subacute cutaneous lupus erythematosus, a  
clinical subset of lupus erythematosus.  
Ann , Intern. Med. 97 ; 664.
  
- \* ***Specks U. and Deremee R.A.; 1990 :***  
Granulomatous vasculitis : Wegener's granulomatosis and Churg - Strauss  
syndrome. Rheum. Dis. Clin. North Am. 16 (2) : 377.
  
- \* ***Stegeman C.A., Cohen Tervaert J.W., Manson W.L., Kallenberg C.G.M ; 1994 :***  
Chronic nasal carriage of staphylococcus aureus in W.G. : Identification of a  
subgroup more prone to relapses.  
Ann. Intern. Med . ; 120 : 12 - 17.
  
- \* ***Strife C.F., M.C. Adams A and West C.D. ; 1982 :***  
Membranous proliferative G.N. characterized by focal segmental  
proliferative lesions.  
Clin. Nephrol. ; 18 : 9 - 16.

- \* **Stillwall T.J., Benson R.C. and Deremee R.A. et al ; 1988 :**  
Cyclophosphamide - induced bladder toxicity in W.G. Arthritis Rheum.; 31 :  
456-470.
  
- \* **Suzuki Y., Kaneko K and Saionji K; 1995 :**  
A.novel method for detection of ANCA using flow cytometry.  
Nippon - Jinzo - Gakkai - Shi ; 37 (5) : 71 - 6.
  
- \* **Ten Berge R.J.M., Wilmink J.M., Meyer C.H.R.L.M., Surachino J., Ten Veen  
K.H., Balk T.G., Schellekens P.T. ; 1985 :**  
Clinical and immunological follow up in patients with severe renal disease  
in W.G. Am . J. Nephrol. ; 5 : 21 - 29
  
- \* **Ter Borg E.J., Groen H., Horst G, et al ; 1990 :**  
Clinical associations of antiribonucleoprotein antibodies in patients with SLE  
Semin Arthritis Rheum. ; 20 : 164.
  
- \* **Thomson R.A and Lee S.S. ; 1989 :**  
ANCA. Lancet ; 1 : 670.
  
- \* **Travers R.L., et al ; 1979 :**  
Polyarteritis nodosa : A clinical and angiographic analysis of 17 cases  
Semin. Arthr. Rehum. ; 8 : 184.
  
- \* **Ulmer M., Rautmann A., Gross W.L ; 1992 :**  
Immunodiagnostic aspects of autoantibodies against MPO.  
Clin . Nephrol. ; 37 : 161- 8.
  
- \* **Van Der Wall Bake A.W.L., Lobatto S., Jonges L., Daha M.R., Van E.s. L.A. ;  
1987 :**  
IgA antibodies directed against cytoplasmic antigens of polymorphonuclear  
leucocytes in patients with Henoch - Schonlein purpura  
Adv. Exp. Med. Biol. ; 216 : 159 - 1598.

- \* ***Van der Woude F.J., Rasmussen N. and Lobatto S. ; 1985 :***  
Autoantibodies against neutrophils and monocytes :Tool for diagnosis and marker of disease activity in. W.G. Lancet ; 1 : 452 - 9.
  
- \* ***Van Der Woude F.J., Van Es L.A. and Daha M.R ; 1990 :***  
The role of the C- ANCA antigen in the pathogenesis of W.G. A hypothesis based on both humoral and cellular mechanisms.  
Neth. J. Med. ; 36 : 169 - 171.
  
- \* ***Velosa J.A., Homburger H.A. and Holley K.E. ; 1993 :***  
Prospective study of ANCA tests in the diagnosis of idiopathic necrotizing crescentic GN and renal vasculitis. Mayo Clin. Proc. ; 68 : 561 - 5.
  
- \* ***Wasicek C.A. and Reichlin M ; 1982 :***  
Clinical and serological differences between SLE patients with antibodies to Ro versus patients with antibodies to Ro and La.  
J. Clin. Invest.; 69 : 835.
  
- \* ***Watkins P.G., 1985 :***  
Diagnosis and treatment of diabetic nephropathy.  
Med. Int. (1) : 554 - 55.
  
- \* ***Weber M.F.A., Andrassy K ; Pulling O ; Koderisch J., Netzer K. ; 1992 :***  
ANCA and anti G.B.M. antibodies in Goodpastur's syndrome and in W.G  
J. Am. Soc. Nephrol. ; 2 : 1227-34.
  
- \* ***White N.J., Winearls C.G. Ledingham J.G.G. ; 1980 :***  
Severe relapse with disappearance of antinuclear antibodies.  
Br. Med. J. ; 2 : 194.
  
- \* ***Wieslander J., Barr J.F., Butkowski R.J., Edwards S.J., Bygren P., Heinegard D., Hudson B.G. ; 1984 :***  
Goodpasture's antigen of the glomerular basement membrane : Localisation of non collagenous regions of type IV collagen.  
Proc. Natl Acad Sci U.S.A ; 81 : 3838 - 3840.

- \* **Wiik A., 1980 :**  
Granulocyte specific antinuclear antibodies.  
Allergy ; 35 : 263.
- \* **Wiik A. ; 1989 :**  
Delineation for a standard procedure for Indirect Immunofluorescence detection of ANCA.  
A.P.M.I.S. ; 97 . ( Supl 6 ) : S 12
- \* **Winkelmann R.K.; 1980 :**  
The spectrum of cutaneous vasculitis.  
Clin. Rheum. Dis. 6 : 413.
- \* **Wilson M.R. ; 1987 :**  
Antinuclear antibodies and anticytoplasmic antibodies in lupus erythematosus.  
In : Wallace D.J. and Dubois E.L. Dubois lupus erythematosus. 3 rd ed. Lee and Febiger. Philadelphia P. 227.
- \* **Wilson C.B. ; 1993 :**  
Anti - GBM G.N. In : Rosen F., Ed. Pathology of Granular Disease. New York, Churchill livingstone : P 171 - 194.
- \* **Winn D.M., Wolf J.F., Harmon D., and Sharp G. ; 1979 :**  
Characterization of a distinct nuclear acidic protein antigen and clinical finding in SLE patients with nuclear acidic .  
J. Clin. Invest. ; 64 : 820.
- \* **Wong R.L. and Korn J.H. ; 1986 :**  
Temporal arteritis without an elevated ESR .  
Amer. J. Med. ; 85 : 959 - 964.
- \* **Yamaski K., Niho Y and Yanese T ; 1983 :**  
Granulopiosis in SLE.  
Arthritis Rheum. ; 26 : 516.
- \* **Yang Y.K., Meluin T., Sibley R. et al. ; 1984 :**  
No evidence for specific role of IgM in mesangial proliferation of idiopathic nephrotic syndrome. Kidney Int. ; 23 : 199
- \* **Zeek P.M. ; 1952 :**  
Periarteritis nodosa : A critical review.  
Am. J. Clin. Pathol. ; 22 : 777 - 790.