

REFERENCES

Abaza, M. H. (1973) :

Portal hypertension : in principles and practice of common endemic diseases 2nd edition, EL-Shimy Library Cairo, P . 21 .

Abdel-Wahab MF, Esmat G, Milad M, Abdel-Razek S and Strickland GT., (1989) :

Characteristic sonographic pattern of schistosomal hepatic fibrosis. Am J Trop Med Hyg., 40 : 72 - 76 .

Arakawa T, Satoh H and Fukuda T., (1987) :

Endogenous prostaglandin E2 in gastric mucosa of patients with alcoholic cirrhosis and portal hypertension . Gastroenterol., 93 : 135 .

Berk JE ., (1985) :

Applied anatomy and anomalies of the stomach : In Bokus gastroenterology . W.B. Saunders Company . 4 th . ed . vol.2: P. 860-862 .

Bloch F, Petite JP, Comilleri JP, Degoulet P, Gueroult N (1976):

Les gastrites chroniques fundiques : correlations histoendoscopiques . Arch Fr Mal App Dig 65 : 155 . 24 .

Borody T., (1991) :

Non ulcer dyspepsia subgroups benefit from H.pylori eradication. HP World wide; June, P . 1-4 .

References

Boyer T., (1990) :

Portal hypertension and bleeding oesophageal varices . In Hepatology , A text book of liver disease . Zakim D and Boyer TD. 2nd ed 23 W.B Saunders Company , Philadilphia , London , Toronto , Montreal , Sydney and Tokyo . P 572 - 614 .

Boyer T, Hasles M and Klatskin G, (1974) :

Idiopathic portal hypertension due to occlusion of intrahepatic portal veins by organised thrombi. Medicine , 53: 77-80.

Brown RC, Hardy GJ, Temperley JM, Miloszewski KJA, Gowland G, and Losowsky MS., (1981) :

Gastritis and cirrhosis-no association . J Clin Path ; 34 : 744-8 .

Brucharth F , Sorensen T , and Anderson B ., (1980) :

Findings in percutaneous transhepatic portography and variceal bleeding in cirrhosis . Surg . Gynec . Obstet ; 150 : 887 - 890.

Buck GE, Gourley WK, Lee WK, Subramanyan K , latimer JM, and Di Nuzzo AR., (1986) :

Relation of campylobacter pyloridis to gastritis and peptic ulcer. J Infect Dis; 153 : 664-9 .

Cotton PB and Williams CB., (1990) :

Diagnostic upper endoscopy : In Practical gastrointestinal endoscopy. Blackwell scientific publications . P 43 - 45 .

Coutinho A (1968) :

Haemodynamic sutdies of portal hypertension in schistosomiasis. Am. J. Med., 44 : 547 - 550.

References

D'Amico G, Mantalbana L, Traino M, Pisa R, Menozzi M, Spence C and Pagliaro L (1990) :

Natural history of congestive gastropathy in cirrhosis.
Gastroenterology, 99: 1558 - 1564 .

Di Magno EP., (1985) :

Influence of hepatic reserve and cause of oesophageal varices on survival and rebleeding before and after the introduction of sclerotherapy . A retrospective analysis. Mayo Clin. Proc. 60:149.

Dooley CP, Cohen H and Fitzgibbons PL., (1989) :

Prevalence of helicobacter pylori infection and histologic gastritis in asymptomatic persons. N Engl J Med ., 321:1562-6.

Edmonson H , Peters R , Reynolds T., (1963) :

Sclerosing hyaline necrosis of the liver in the chronic alcoholic .
Ann Intern Med ; 59:646 .

EL-Assiouty E, Samia A Youssef, Saddik Y, Khattab N and Ibrahim A. , (1990) :

Detection of gastric epithelium in the duodenum in patients with duodenal ulcer . J . Trop. Med . Vol .1, No 2, : 111-116 .

El- Rooby A., (1985) :

Management of hepatic schistosomiasis .
Semin Liver Dis ., 5 : 263 - 279 .

EL-Zayadi A, EL-Wakil MR, Salma EL-Okby and Osaima Selim (1990) :

The use of rapid urease test in diagnosis of campylobacter pylori among non-ulcer dyspepsia patients in Egypt .
J. Trop . Med., 1.2 : 55-59.

References

Evans DJ, Evans DG, Graham DY, and Klein PD., (1989) :

A sensitive and specific serologic test for detection of campylobacter pylori infection . Gastroenterology ; 96:1004 - 8 .

Foster PN, Wyatt JI, bullimore DW, and Losowsky MS .,(1989)

Gastric mucosa in patients with portal hypertension : prevelance of capillary dilatation and campylobacter pylori . J Clin Path ., 42: 919-21 .

Fung WP , Papadmitriou M , Matz LR .,(1979) :

Endoscopic, histological and ultrastructural correlations in chronic gastritis . Am J Gastroenterol ; 71 : 269 - 79 .

Gear MWL, Truelove SC, Whitehead R., (1971) :

Gastric ulcer and gastritis . Gut 12 : 639 - 645.

Goldman IS and Brandborg LI., (1990) :

Parasitic disease of the liver . In Hepatology Atextbook of liver disease . Zakim D and Boyer TD 2nd ed 39 W.B. Saunders company, Philadelphia, London, Toronto, Montreal , Sydney and Tokyo . P 1061-1085 .

Goldner FH and Boyce W, (1976) :

Relashionship to bile in the stomach to gastritis .

Gastrointest Endosc, 22: 197-9 .

Goodwin CS, Blincow E, Peterson G, Sanderson C, Cheeng W, Marshall B, Warren JR, and Mc Culloch R., (1987):

Enzyme linked immunosorbent assay for campylobacter pyloridis : correlation with presence of C. pyloridis in the gastric mucosa . J Infect Dis ., 155 : 488-93 .

References

Greenlaw E, Sheahan DG, Deluca V, Millder D, Myerson D, and Myerson P., (1980) :

Gastroduodenitis - a broader concept of peptic ulcer disease.
Digestive Diseases and Sciences ; 25 : 660-672.

Heinkel K and Von Gaisberg U., (1978) :

Die chronische Gastritis aus der Sicht des Klinikers . Arb Soz .
Praventivmed., 9 : 184-190 .

Johansen A and Sikjar B., (1977) :

The diagnostic significance of intestinal metaplasia in endoscopic
gastric biopsies . Acta Pathol Microbiol Scand (sect.A) ; 85 :
240- 4 .

Jones DM, Lessells AM, Eldridge J., (1984) :

Campylobacter like organisms on the gastric mucosa : culture,
histological , and serological studies . J Clin Pathol; 37: 1002-6.

**Jones DM, Eldridge J, Fox AJ, Sethi P, and Whorwell PJ.,
(1985):**

The effect of various anti-ulcer regimens and antibiotics on the
presence of campylobacter pyloridis and its antibody. J Med
Microbiol ., 22: 57-62.

Kabil SM (1992) :

New concept in virus hepatitis and HBV vaccines .
J.Trop . Med . vol. 1. No . 5 : 1-3.

References

Kabil SM, Moustafa MA , and Moustafa RM (1984) :

Studies on peptic ulceration and portal hypertension in patients with schistosomiasis. Abstracts . XII International Congress for Tropical Medicine and Malaria, Calgary, Canda ; September 16 - 22., 72 .

Kabil SM, Ablel-Ghafar Y, Madwar MA, Khalil A, Atta M and Younes Y (1991) :

Atypical virus B hepatitis in Egypt .
J. Trop . Med . vol. 1, No . 4 : 1-6 .

Kabil SM, Hasib NM, EL-Dorry A, Atta MM, and Nassar AK (1991) :

Peptic ulcer in chronic liver disease patients : A novel approach .
J. Trop . Med . vol .1 , No . 4 : 75-80 .

Kabil SM, Atta MM, Asal AH, Nassar AK, Abdel-Baset MZ, Nawar M and Abdou S., (1992) :

Gastroesophageal endoscopic features in patients with chronic liver disease . Journal of Tropical Medicine (JTM) ; vol.5 :P . 45-51 .

Kang JY, Wee A, Math MV, Guan R, Tay HH, Yap I , and Sutherland IH. (1990) :

Helicobacter pylori and gastritis in patients with peptic ulcer and non-ulcer dyspepsia . Gut., 34 : 850-853 .

References

Kreuning J, Bosman FT, Kuiper G, V de Val AM , and Lindeman J., (1978) :

Gastric and duodenal mucosa in healthy individuals .

J Clin Path; 31: 69-77.

Lambert J ., (1991) :

Eradication of H.pylori . HP World - Wide ;(June) P. 2 - 3 .

Langenberg ML, Tytgat GNJ, Schipper MEI, Rietra PJGM, and Zanen HC., (1984) :

Campylobacter- like organisms in the stomach of patients and healthy individuals . Lancet ., i : 1348.

Langenberg ML, Rauws EAJ, Schipper MEI, (1985) :

The pathogenic role of gastric campylobacter - like organisms (GCLO's) in GCLO- associated gastritis , studied by attempts to eliminate these organisms . ((abst. 98)) . Public Health laboratory Service; 162-3.

Marshall BJ ,(1988) :

Gastric mucosal biopsy : An essential investigation in patients with dyspepsia . The American Journal of Gastroenterology ., Vol. 83, No .5: 479-481 .

Marshall BJ and Goodwin CS(1987):

Revised nomenclature of campylobacter pyloridis .

Int J Syst Bacteriol ; 37 : 68

References

Marshall BJ, Mc Gechie DB, Francis GJ, Utley PJ., (1984) :

Pyloric campylobacter serology.

Lancet ; II : 281 .

Marshall BJ, Mc Gechie DB, Rogers PA, Glancy RJ.,(1985):

Pyloric campylobacter infection and gastroduodenal disease .

Med Aust., 142 : 439 - 44 .

Marshall BJ and Goodwin CS, Warren JR, Mjurray R, Blincow E,

Blackbourn S, Phillips M, Waters T and Sanderson C; (1987) :

Long term healing of gastritis and low duodenal ulcer relapse after eradication of campylobacter pyloridis : a prospective double - blind study . Gastroenterology ,92 : 1518 .

Marshall BJ, Barrett LJ, Prakash C, Mc Callum RW and Guerrant RL ., (1990) :

Urea protects helicobacter pylori from bactericidal effect of acid. Gastroenterology; 99 : 697-702 .

Mc Cormick PA, Sankey EA, Cardin F, Dhillon AP, Mc Intyre N and Burroughs AK., (1991) :

Congestive gastropathy and helicobacter pylori : and endoscopic and morphometric study .Gut, 32: 351-354 .

Mc Cormack TT, Sims J, Eyre-Brook I, Kennedy H, Goepel J, Johnson AG, and Triger DR., (1985) :

Gastric lesions in portal hypertension: inflammatory gastritis or congestive gastropathy ? Gut ; 26. 1226-1232 .

References

Mc Nulty CAM, Gearty JC, Crump B., (1985) :

Campylobacter pyloridis and associated gastritis investigator blind, placebo controlled trial of bismuth salicylate and erythromycin ethylsuccinate, Br Med J; 293 : 645-9.

Meyer B, Werth B, Beglinger C, Dill S, Drewe J, Vischer WA, Eggers RH, Barer FE, and Stalder GA., (1991) :

Helicobacter pylori infection in healthy people : a dynamic process Gut ., 32: 347-350 .

Misra SP, Dwiredi M, Misra V, Agarwat SK, Gupta R, Gupta SC, and Mital VP .,(1990) :

Endoscopic and histologic appearance of the gastric mucosa in patients with portal hypertension . Gastrointest . endoscopy, 26/6 : 575-579 .

Mitchell MC , Boitnott JK , Fautman S., (1982) :

Budd-Chiari syndrome : aetiology, diagnosis and management . Medicine; 61 :199 .

Morris A, Nicholson G., (1987) :

Ingestion of campylobacter pyloridis cause gastritis and raised fasting gastric PH. Am J Gastroenterol; 82 : 192-9

Myren J ,and Serck-Hansen A ., (1974) :

The gastroscopic diagnosis of gastritis with particular reference mucosal reddening and mucus covering . Scand J Gastroenterol, 9:457- 62 .

O' Connor HJ, Axon ATR, Dixon MF., (1984) :

Campylobacter - like organisms unusual in type A (pernicious anaemia)gastritis . Lancet ; ii : 1091.

Paes - Alves C, Alves A, and Abreu W (1977) :

Hepatic artery hypertrophy and sinusoidal hypertension in advanced schistosomiasis . Gastroenterology, 72: 126-129

Palmer ED ., (1951) :

The morphological consequences of acute exogenous (staphylococcic) gastroenteritis on the gastric mucosa . Gastroenterology, 19 : 462-75 .

Papazian A, Briallon A, Dupas JL, Sevenet F and Capron JP (1986) :

Portal hypertensive gastric mucosa an endoscopic study. Gut., 27: 1199 - 1203 .

Pomier - Layrargues G, Kusielewicz D, Willems B. , (1985):

Presinusoidal portal hypertension in non - alcoholic cirrhosis . Hepatology 5 : 415 .

Raia S , Mies S and Macedo AL., (1985) :

Portal hypertension in schistosomiasis.
Clin Gastroenterol., 14:57.

References

- Ramsey E, Carey KV, Peterson G, Jackson JJ, Murphy FK, Read NW, Taylor KB, Trier JS and Fordtran FS., (1979) :**
Epidemic gastritis with hypochlorhydria . Gastroenterology ; 76 : 1149-57.
- Rathbone BJ, Wyatt JL, Worsley BW, Shires SE, Trejdosiewicz LK, Heatley RV, Losowsky MS ., (1986):**
Systemic and local antibody responses to gastric campylobacter pyloridis in non ulcer dyspepsia . Gut ; 27: 642-7.
- Rauws EAJ, Langenberg W, Houthoff HJ, Zanen HC, and Tytgat GNJ ., (1988) :**
Campylobacter pyloridis-associated chronic active antral gastritis. Gastroenterology, 94 : 33-40 .
- Read AE , Wiesner RH, La Brecque DR. Tift JG, Mullen KD, Sheer RI, Petrelli M, Riciani ES, Cullough AJ., (1986):**
Hepatic veno-occlusive disease associated with renal transplantation and azathioprine therapy . Ann Intern Med; 104:651.
- Rector WG , Xu Y, Goldstein L., (1985) :**
Membranous obstruction of the inferior vena cava in the United States . Medicine, 64:134.
- Reynolds TB, Redekop AG and Geller HM., (1957) :**
Wedge hepatic vein pressure . Am .J. Med; 22 : 341 .

References

Roca M., (1975):

Gastritis , duodenitis and peptic activity of the human gastric and duodenal mucosa . D.M. Thesis , University of Oxford . In Berk JE., (1985) gastritis in Bokus Gastroenterology , 4th ed . W.B. Saunders company P. 955.

Rotterdam H and Sommers SC ., (1981) :

Biopsy diagnosis of the digestive tract . New York : Raven Press.
P 42-46.

Ruprecht A , Kinney T ., (1956) :

Esophageal varices caused by metastatic carcinoma to the liver
Am .J. Dig. Dis. 1:145 .

Samma Sk , Bhargava GW , Gopinath N , (1970) :

Noncirrhotic portal fibrosis . Am .J. Med. 51:160 .

Sarin Sk, Misra SP, Singal A, Thorat V and Broor SL, (1988) :

Evaluation of the incidence and significance of the mosaic pattern in patients with cirrhosis, non-cirrhotic portal fibrosis and extrahepatic obstruction . The American Journal of Gastroenterology, vol . 83, No . 11. P 1235-39 .

Selim OE, Abaza HMM, EL-Zayadi A, Rafik MM and Sedky HA (1991) :

Prevalence of antibodies to hepatitis C virus (HCV) in Egyptian haemodialysis patients . J. Trop . Med. vol. 1, No . 4 ; 7 - 13 .

References

Sherlock S ., (1989) :

Portal venous system and portal hypertension . In disease of the liver and biliary system . 8th ed . Blackwell scientific publication, Oxford ,London , Edinburgh, Boston, Melbourne, P . 151 - 207 .

Sherlock S and Dooley J (1993) :

Chronic hepatitis. In disease of the liver and biliary system 9 th ed. Oxford , Blackwell scientific publication .P. 293-320 .

Sherlock S, Feldman CA, Moran B ., (1966) :

Partial nodular transformation of the liver with portal hypertension . AmJ Med; 40;195 .

Siurala M., (1981) :

Gastritis , its fate and sequelae . Ann Clin Res .13 : 111 - 3 .

Sobala GM, Dixon MF and Axon ART. (1990) :

Symptomatology of H.pylori - associated dyspepsia . Eur J Gastroenterol Hepatol ; 216 : 445-449.

Souidan MZA , EL-Manyalawi M, Kabil SM, and Youssef SM (1981) :

The aetiology of chronic liver disease . The international meeting Egyptian Society of Surgery. Cairo . P

Strickland RG, and Mackay IR., (1973):

A reappraisal of the nature and significance of chronic atrophic gastritis . Am J Dig Dis, 18 : 426-40.

References

Sullivan A, Rheinlander H and Weintraub L ., (1970) :

Esophageal varices in agnogenic myeloid metaplasia:
disappearance after splenectomy. Gastroenterology; 66 : 429 .

Sutton JP , Yarborough D , Richards D., (1970) :

Isolated splenic vein thrombosis Arch Surg ; 100:623 .

Taor RE, Fox B , Wore J, and Johnson AG ., (1975) :

Gastritis - gastroscopic and microscopic . Endoscopy; 7 : 209-15.

**Thillainayagam AV, Arvind AS, Cook RS, Harrison IG,
Tabaqchali ST and Farthing MJG. (1991) :**

Diagnostic efficiency of an ultrarapid endoscopy room test for
helicobacter pylori . Gut; 32 : 467-469 .

Thiruvengadam R and Gostout CJ .,(1989) :

Congestive gastroenteropathy- an extension of non variceal upper
gastrointestinal bleeding in portal hypertension. Gastrointestinal
Endoscopy; vol . 35, No. 6, P. 504-507 .

Thomsen LL, Gavin JB, and Jones CT asman .,(1990) :

Relation of helicobacter pylori to the human gastric mucosa in
chronic gastritis of the antrum . Gut., 31 : 1230-1236 .

Varis K., (1982) :

Epidemiology of gastritis.

Scandinavian Journal of Gastroenterology., 17: 44-51 .

References

Vigneri S, Termini R, Scialabba A, Psciotta G and Fontana N (1991) :

The stomach in liver cirrhosis.

Gastroenterol., 101 No. 2 : P. 472-478 .

Villako K and Siurala M ., (1981) :

The behaviour of gastritis and related conditions in different population samples . Ann Clin Res; 13 : 114 - 8 .'

Von Wulffen H, Heesemann J, Butzow GH, Loning T, and Laufs R., (1986):

Detection of campylobacter pyloridis in patients with antrum gastritis and peptic ulcers by culture, complement fixation test and immunoblot . J Clin Microbiol., 24 : 71-20.

Westaby S , Wilkinson S and Williams R., (1978) :

Spleen size and portal hypertension in cirrhosis.

Digestion; 17:63.

Whitehead R ., (1973) :

Mucosal biopsy of the gastro intestinal tract. Philadelphia : Wb Saunders P. 32-45 .

Whitehead R , Truelove SC, and Gear MWL., (1972) :

The histological diagnosis of chronic gastritis in fiberoptic gastroscope biopsy specimens. J Clin Pathol., 25: 1-11.

References

William P and Warwick R., (1980) :

The hepatic portal system . In Gray's anatomy 36 th ed by Williams P, and Warwick R . Churchill livingstone , Edinburgh , London , Melbourne , and New York, P . 763 - 765 .

Wyatt JI , Rathbone BJ , Sobola GM , Shallcross T, Heatley RV, Axon ATR and Dixon MF., (1990) :

Gastric epithelium in the duodenum, its association with helicobacter pylori and inflammation .

J . Clinical Pathol;43 / 12 : 981 - 986 .

Yamamoto S, Yokoyama Y, Takeshige K ., (1968) :

Budd - Chiari syndrome with obstruction of the inferior vena cava . Gastroenterology; 54:1070 .