

References

- 1- **Abajjan JC, and Mellişh PWP , (1984):** Spinal anaesthesia for surgery in high risk infants. *Anaesth. Analg.* 63: PP 62-359.
- 2- **Anand KJS (1986):** Hormonal and metabolic functions of neonates and infants undergoing surgery. *Curr. Opin. Cardiol.* 1:681.
- 3- **Anand KJS and Aynsley-Green, A (1988):** Measuring the severity of surgical stress in newborn infants. *J. Pediatr. Surg.* 23:297.
- 4- **Anand KJS, Brown MJ, and Causon RC, (1985):** Can the human neonate amount an endocrin and metabolic response to surgery? *J. Pediatr. Surg.* 20:41.
- 5- **Anand KJS, Brown MJ, Bloom SR and Aynsley Green A, (1985):** Studies on the hormonal regulation of fuel metabolism in the human newborn infant undergoing anaesthesia and surgery. *Horn Res*, 22:115.
- 6- **Anand KJS and Phild, Hickey, P.R. (1987):** Pain and its effects on the human neonate and fetus. *New Eng. J. Med.* 317: 1321-1329.

- 7- **Anders TF and Chalemian RJ (1974):** the effects of circumcision on sleepwake states in human neonates. *Psychosom Med.*, 36: 174).
- 8- **Attia J, Ecoffer C and Sandouk P, (1986):** Epidural morphine in children. Pharmacokinetics and CO₂ sensitivity. *Anesthesiology* 65:590-594.
- 9- **Batnitzky S, Keucher TR and Mealey J, (1977):** Iatrogenic intra-spinal epidermoid tumors JAMA, 237:P148.
- 10- **Baxter AD, (1994):** Respiratory depression with patient controlled analgesia. *Canadian Journal of Anaesthesia* 91:87-90.
- 11- **Bean JD, Hunt R and Custer MD, (1993):** Effects of ketorolac on post-operative analgesia and bleeding time in children. *Anesthesiology*, 79: A 1190.
- 12- **Berde CB (1994):** Acute post-operative pain management in children. 45th Annual Refresher course. Lectures and clinical update program, 244:1-7.
- 13- **Berde CB, (1989):** Pediatric postoperative pain management *pediatric clinics of North America*, 36:921-940.

- 14- **Berde CB, Beyer JE and Bournaki MC, (1991a):** Comparison of morphine and methadon for prevention of postoperative pain in 3-7 years old children. Journal of Pediatrics, 119: 136-141.
- 15- **Berde CB, Lehn BM and Yee JD, (1991b):** Patient controlled analgesia in children and adolescents. A randomized, prospective comparison with interamuscular administration of morphine for post-operative analgesia Journal of Pediatrics 118:460-466.
- 16- **Berde CB (1996):** Regional anesthesia in children, what have we learned? Anesth. Analg. 83:897.
- 17- **Blaise G, and Roy WL, (1986):** Post-operative pain relief after hypospadias repair in pediatric patients: regional analgesia versus systemic analgesics, Anesthesiology, 65:84-86.
- 18- **Blaise G, and Roy WL (1984):** Spinal anaesthesia in children. Anaesth. Analg. 83 (1): P 138.
- 19- **Bonica, J.J. (1979):** The management of pain, 2nd ed., PP 1-2120, Philadelphia: Lea and Febiger.
- 20- **Brain Ready (1997):** text book of anaesthesia. Ronald Miller. 4th edition. Acute postoperative pain P. 2135-2146.

- 21- **Broadman LM, Hannallah RS and Belman AB, , (1987):** post circumcision analgesia a prospective evaluation of subcutaneous ring block of the penis. *Anesthesiology* 67:399-402.
- 22- **Campheli KJ and Dusci L (1987):** Plasma bupivacaine concentration after axillary block in children. *Anesthesia intensive care* 14: PP 343-346.
- 23- **Casey WF, Rice LJ and Hannallah RS, (1990):** A comparison between bupivacaine instillation versus ilio-inguinal/iliohypogastric nerve block for postoperative analgesia following inguinal herniorrhaphy in children. *Anaesthesiology*, 72:637-639.
- 24- **Caudle CL, Greid EB and Baily AG, (1993):** Epidural fentanyl infusion with patient-controlled epidural analgesia for postoperative analgesia in children. *Journal of Pediatric Surgery* 28:554-559.
- 25- **Chapman, CR, and Bonica, JJ. (1983):** Acute pain. Current concepts (up John, Kalamazoo).

- 26- **Charles B and Berde MD (1998):** Acute postoperative pain Management in children 44th Annual Refresher Course Lectures and clinical up date Program. ASA, inc. PP: 252 1-6.
- 27- **Chay PCW, Duffy BJ and Walker JS, (1992):** Pharmacokinetic-pharmacodynamic relationships of morphine in neonates. Clinical pharmacology and therapeutics 51:334-342.
- 28- **Cohen D, (1993):** Management of post-operative pain in children. In schechter NL, Bede CB and Yaster M : (eds) Pain in infants, children and Adolescents PP 357-383 Baltimor: Williams and Wilkins.
- 29- **Constance SH, (1997):** The management of Acute Pain in the child. Textbook the Management of pain edited by Michael A, Ashburn and Linda J. Rice. Churchill Livingston PP 651-666.
- 30- **Cousins MJ and Bromage PR (1988):** Epidural neural Blockade in clinical Anesthesia and Management of pain PP253-360, Philadelphia: JB Lippincott Co.

- 31- **Dahi JB, Moiniche S and Kehlet H, (1994):** Wound infiltration with local anaesthetics for postoperative pain relief. *Acta Anaesthesiologica scandinavica* 38:7-14.
- 32- **Dalens B (1990):** Pediatric regional anaesthesia CRC Press, Boca Raton, Florida P 159.
- 33- **Eccoffy C, Desparmet J and Maury M, (1985):** Bupivacaine in children: pharmacokinetics following caudal anaesthesia. *Anesthesiology* 63:447-448.
- 34- **Farrington EA, McGuinness GA and Johnson GF, (1993):** Continuous intravenous morphine infusion in postoperative newborn infants. *American Journal of Perinatology* 10:84-87.
- 35- **Ferguson S and Ball AJ (1996):** Sedation and sedative drugs in pediatrics. *Br. Hosp. Med.* 55: 611-615,.
- 36- **Fisher QA, McComiskey CM and Hill JL, (1993):** postoperative voiding interval and duration of analgesia following peripheral or caudal nerve blocks in children. *Anesthesia and Analgesia* 76: 173-177.
- 37- **Franck, LS (1986):** A new method to quantitatively describe pain behavior in infants. *Nurs. Res.* 35:28.

- 38- **Giannini EH, Brewer EJ and Miller ML, (1990):** ibuprofen suspension in the treatment of juvenile Rheumatoid arthritis. Pediatric Rheumatology collaborative study Group. J. Pediatr. 117:645.
- 39- **Graves DA, Foster TS and Batenhorst RL, (1983):** Patient controlled analgesia. Annals of internal Medicine, 99:360-366
- 40- **Gregory, A. (1989):** Newborn pain experience. In pediatric anaesthesia churchill Livingston, New York, Epinburg, London, P. 684.
- 41- **Grunau R.V.E. and Graig, K.D. (1987):** pain expression in neonates: facial action and cry, pain, 28:395.
- 42- **Gunnar MR.; Fisch RO. and Korsvik, S. , (1981):** The effects of circumcision on serum cortisol and behavior: Psychoneuro-endoceinology, 6:269.
- 43- **Gunter JB and Eng C (1992):** Thoracic epidural anaesthesia via the caudal approach in children Anesthesiology 76:935-938.

- 44- **Gunter JB, Dunn CM and Bennie JB, (1991):** optimum concentration of pubivacaine for combined caudal-general anaesthesia in children. *Anesthesiology* 75:57-61.
- 45- **Hagmeyerko, Mauro S and Mouro VF, (1993):** Meperidin-related seizures associated with patient-controlled analgesia pumps. *Ann. Pharm.* 27:29.
- 46- **Hannallah RS, and Others (1987):** Comparison of caudal and ilioinguinal/iliohypogastric nerve blocks for control of post-orchiopey pain in pediatric ambulatory surgery: *Anesthesiology*, 66: 832-834.
- 47- **Hartley R, Green M and Quinn MW, (1994):** Development of morphine glucuronidation in premature neonates *Biology of the neonate*, 66:1-9.
- 48- **Hendersonk, Sethna NF and Berde CB (1993):** Continuous caudal anesthesia for inguinal hernia repair in former preterm infants *J. Clin. Anesth.* 5:129.
- 49- **Hertzka RE, Gauntlet IS, Fisher DM and Spellman MJ (1989):** Fentanyl-induced ventilatory depression effects of age. *Anesthesiology*, 70: 2134-218.

- 50- **Hilgard, JB and Le Baron S (1984):** Hypnotherapy of pain in children with cancer. William Kaufman.
- 51- **Hinkle AJ (1987):** Percutaneous inguinal block for the out patient management of post-hermiorrhaphy pain in children. *Anaesthesiology*, 67:411-413.
- 52- **Hjotso NC, Lund C and Magensent , (1986):** Epidural morphine improves pain relief and maintains sensory analgesia during continuos epidural bupivacaine after abdominal surgery *Anesthesia and Analgesia* 65:1033-1036.
- 53- **Houck CS, Wilder RT and McDermott, (1996):** Safety of intravenous ketorolac in children and cost savings with a unit dosing system of pedaitr. 129:292.
- 54- **Howard CR, Howard FM and Weitman ML (1994):** acetaminophen analgesia in neonatal circumcision: the effect of pain. *Pediatrics*, 93:641-646.
- 55- **Jaff JH and Martin, WR (1990):** Opioid analgesics and antagonists in pharmacological Basis of therapeuties. Gilman, A.G.; Rall, TW , (eds) pergamon press New York, P 485.

- 56- **Jensen BH, (1981):** Caudal block for postoperative pain relief in children after genital operations. A comparison between bupivacaine and morphine Acta. Anaesthesiologica scand. 25:373-375.
- 57- **Johnson, CC and Strada, ME, (1985):** Acute pain response in infants: a multidimensional description. Pain, 24: 373.
- 58- **Kaada B, Hoel E, Leseth K, Birger N, Setekliev J and Stovner J, (1974):** Tidsskrift for den Norske Laege forening 97:417-492
- 59- **Kaplan J, Marx J, (1993):** Effectiveness and safety of iv nalmeferene for ED patient with suspected narcotic over dosage: A Pilot. Am. Emerg. Med. 22: 187-190.
- 60- **Koren G, Butt W and Chinyanga H, , (1985):** Post-operative morphine infusion in newborn infants: assessment of disposition characteristics and safety. Journal of Pediatrics 107:463-467.
- 61- **Kran EJ, (1988):** Delayed respiratory Depression in a child after caudal epidural morphine, Anesthesia and Analgesia 67:79-82.

- 62- **Lejus C, Roussiere G and Test S , (1994):** Post-operative extradural analgesia in children. Comparison of morphine with fentanyl. *British Journal of Anesthesia* 72:156-159.
 - 63- **Light A., and Perl, ER, (1979):** Differential termination of large-diameter and small-diameter primary afferent fibres in the spinal gray matter s indicated by labeling with horse radisph peroxidase. *Neurosci Lett.* 6: 59-63.
 - 64- **Light A., and Perl, ER, (1983):** Peripheral sensory system. In: *peripheral Neuropathy Vol. II Edition 2*, edited by PJ Dyck, PK Thomas, EH Lambert and R. Bunge, W.B. Sauders Co., Philadelphia PP: 210-230.
 - 65- **Litman RS, Bertowitz RG and Ward DS (1995):** Levels of consciousness and ventilatory parameters in young children during sedation with oral midazolam and increasing concentration of nitrous oxide (Abstract) *Anesthesiology*; 83: A 1182.
 - 66- **Lynn AM and Slattery JT, (1987):** Morphine pharmacokinetic in early infancy. *Anaesthesiology* 66:136-139.
-

- 67- **Lynn AM., Nespeca, Opheim KE and Slattery JT (1993):**
Respiratory effects of intravenous morphine infusion in neonates, infants and children after cardiac surgery
Anaesthesia and Analgesia, 77:695-701.
 - 68- **Margaret E, and Dodson (1989):** Postoperative pain relief in :
General Anaesthesia, edited by Nunn. JS. Uling JE.
Burnell E, Brown JR 5th ed Vol. II PP 1123-1140.
 - 69- **Maunuksela EL, Olkkola K, and Korpela R., (1988):** Does prophylactic intravenous infusion of indomethacin improve the management of postoperative pain in children? *Can. J. Anaesthesia*, 35:123-127.
 - 70- **Maunuksela EL, Ryhanen P and Janhunen L (1992):**
Efficacy of rectal ibuprofen in controlling post-operative pain in children *Can. J. Anaesth.* 39:226.
 - 71- **Maxwell LG, Yaster M and Wetzel RC, (1986):** Penile nerve block reduces the physiologic stress of newborn circumcision. *Anesthesiology*, 63: A 432.
 - 72- **Mazait JX, Denson DD and Samii K, (1988):**
Pharmacokinetics of bupivacaine following caudal anaesthesia in infants. *Anesthesiology* 68:387-391.
-

- 73- **McGraw MD, (1983):** the neuromuscular maturation of human infant. Columbia university, New York.
 - 74- **McNeely JM, Pontus SP and trentadue NC (1992):**
Comparison of patient controlled analgesia with and without basal morphine infusion for postoperative pain control in children. *Anesthesiology* 77:A814.
 - 75- **Merskey, H., Albe-Fessard, DG. and Bonica J.J. (1979):** Pain terms: a list with difinitions and notes on usage. *Pain* 6: 249-252.
 - 76- **Mickelsson, K., Jarvenpaa Al, Rinne A. (1983):** Sound spectrographic analysis of pain cry in preterm infants. *Early Hum Dev.*, 8:141.
 - 77- **Milne EMG, Elliott, MJ, Pearson, D.T., , (1986):** The effects on intermediary metabolism of Open-heart surgery with deep hypothermia and circulatory arrest in infants of less than 10 kilograms body weight, *Perfusion*, 1: 29.
 - 78- **Morisy L and Platt D. (1986):** Hazards of high-dose meperidin. *Journal of American Medical Association* 255:467-468.
-

- 79- **Morrison NA and Repka, MX (1994):** Ketorolac versus acetaminophen or ibuprofen in controlling post-operative pain in patients with strabismus. *Ophthalmology*, 101:915-918.
- 80- **Olness K and MacDonald (1981):** Self-hypnosis and biofeed back in management of juvenil migrin. *J. Dev. Behar, Pediatr.* 2: PP 168-170.
- 81- **Parker RK., Holtman B and White PF, (1992):** Effects of nightttime opioid infusion with PCA therapy on patient comfort and analgesic requirements after abdominal hysterectomy. *Anaesthesiology*67: 362-367.
- 82- **Payen D, Ecoffey C, Carli P and Duboussat AM, (1987):** Bulsd Doppler ascending aortic, carotid, brachial and femoral artery blood flows during caudal anaesthesia in infants. *Amesthesiology* 67:681-685.
- 83- **Pietropoali JA, Keller MS and Smail DF, (1993):** Regional anaesthesia in pediatric surgery: 174 children. *Journal of Pediatric surgery* 28:560-564.

- 84- **Polaner DM and Berde CB, (1993):** Post-operative pain management. In: Cote CJ, Ryan JF, Todres ID and Goudsouzian NG (eds) A practice of Anaesthesia for infants and children and edn PP451-467 Philadelphia WB, Saunders Company.
- 85- **P. Prithvi Raj, MD (1996):** Pain Medicine, A comprehensive Review. Edited by Sandra Clark Brown. Mosby. Year book, inc. st. Louis, Mo 63146 P. 98-315.
- 86- **Pullerits J and Holzman RS, (1993):** Pediatric neuraxial blockad. Journal of clinical Anesthesia 5:342-354.
- 87- **Richard N Good and Dawn Webster (1997):** Sedation, Analgesia and Anesthetic issues in the Pediatric patient Pediatric Podiatry Volume 14, Number 1, PP 131-148.
- 88- **Robinson S and Gregory GA (1981):** Fentanyl-air-oxygen anaesthesia for ligation of patent ductus arteriosus in preterm infants. Anaesth. Analg. 60: 331-334.
- 89- **Rodgers BM, Webb CJ, Stergios D and Newman BM, (1988):** Patient-controlled analgesia in pediatric surgery, Journal of Pediatric Surgery, 23:259-262.

- 90- **Sara CA and Lowry, CJ, (1984):** A complication of circumcision and dorsal nerve block of the penis
Anaesthesia and intensive care 13:79-85.
- 91- **Schindler M, Swann M and Crawford M, (1991):** A comparison of post-operative analgesia provided by wound infiltration or caudal analgesia. Anaesthesia and intensive care 19:46-49.
- 92- **Scott DB (1993):** Epidural blockade. In Rogers McIntire JH, Cavino BG and Longnecker DE (eds) principles and practice of anaesthesiology PP1289-1310 St. Louis: Mosby – year Book. Inc.
- 93- **Singleton MA, Rosen JI and Fisher DM (1987):** Plasma concentration of fentanyl in infants, children and adults
Anaesthesia, 39:152-155.
- 94- **Srinivasan G, Jain R, Pildes RS, Kannan CR, (1986):** Glucose homeostasis during anaesthesia and surgery in infants. J. Pediatr. Surg., 21:718.
- 95- **Stinson J and Bean JD (1994):** A comparison of prophylactic oral ketorolac and acetaminophen for post BMT pain in children. Anaesthesiology, 81:A1360.

- 96- **Stuart JJ, and Pis EJ (1981):** Cholin magnesium trisalicylate does not impair platlet aggregation. *Pharmatheraputica* 2:547.
- 97- **Sweeney, S, (1977):** Pain associated with surgery injacox, Pain: a source book for nurses and other health professionals. (Little Brown, Boston).
- 98- **Tobias JD and Rasmussen, GE (1994):** Pain management and sedation in the pediatric intensive care *Ped. Clin. N America* 41:1269-1292
- 99- **Tucker GT and Mother LE, (1979):** Clinical pharmacokinetics of local anaesthetic. *Clinical pharmacokinetics* 4:241-278.
- 100- **Tverskoy M, Cozacov C and Ayache M, (1990):** Postoperative pain after inguinal herniorrhaphy with different types of anaesthesia. *Anaesthesia and Analgesia*, 72:120-124.
- 101- **Valley RD and Barley AG, (1991):** Caudal morphine for post operative analgesia in infants and children: a report of 188 cases. *Anesthesia and Analgesia* 72: 120-124.
- 102- **Valman, HB and Pearson, J.F. (1980):** what the fetus feels. *Br. Med. J.* 280: 233-234.

- 103- **Vator M and Wandless J, (1985):** Caudal or dorsal nerve block? A comparison of two local anaesthetic technique for post-operative analgesia following daycase circumcision. *Acta Anaesthesiologica Scandinavica*, 29:175-179.
 - 104- **Vonguises P and Ponigayanon DT (1979):** A parascalen technique of Brachial plexus block. *Anesth. Analgesia*, 58: P267.
 - 105- **Wasz-Hockert, O., Michelsson, K. and Lind, J (1985):** Twenty-five years of Scandinavian cry research. In Lester BM, Boukydis CF2 (eds): *Infant crying: theoretical and research perspectives* Plenum press, New York, P. 83.
 - 106- **Watcha MF, Jones MB and Laguereuela RG, , (1992):** Comparison of ketorolac and morphine as adjuvants during pediatric surgery. *Anesthesiology*, 76:386-372.
 - 107- **Weldon BC, Conner M and White F, (1993):** Pediatric PCA: the role of concurrent opioid infusions and nurse-controlled analgesia. *Clinical Journal of Pain* 9:26-33.
 - 108- **Williamson, PS and Williamson, ML. (1983):** Physiologic stress reduction by a local anaesthetic during newborn circumcision. *Pediatrics*, 71:36-40.
-

- 109- **Willis, W.D.(1985):** The pain system, the neural Basis of nociceptive transmission in the mammalian nervous system. S. Karger, Basel.
- 110- **Winnie AP (1970):** Interscalene brachial plexus block. *Anesth. Analg.* 49: PP455-461.
- 111- **Wolf AR, Valley RD and Fear DW , (1988):** Bupivacaine for caudal analgesia in infants and children. The optimal effective concentration *Anesthesiology* 69:102-106.
- 112- **Wood CE, Goresky GV. and Klossen KA, , (1994):** Complication of continuous epidural infusion for post operative analgesia in children. *Canadian Journal of Anaesthesia* 41: 613-620.
- 113- **Wood GJ, Lloyd JW and Bullingham, (1974):** Postoperative analgesia for day case herniorrhaphy patient. *Anaesthesia*; 36:603-610.
- 114- **Yee JP, Koshiver JE, Allon C and Brown CR (1986):** comparison of intermuscular ketorolac tromethamine and morphine sulfate for analgesia of pain after major surgery. *Pharmacol. Therapy*, 6:253-261.
- 115- **Yeoman PM, Cooke R and Hain Wr, (1983):** Penile block for circumcision ? *Anaesthesia* 38:862-866.

- 116- Yester M. and Desphonpand K.J, (1988):** Management of pediatric pain with opioid analgesics J. Pediatr. 113:421-429.
- 117- Zeltserlk, Jay SM and Fisger DM, (1989):** The management of pain associated with pediatric procedures Pediatr. Clin. North Am. 36: 941-964.
- 118- Zeltzer L, Dash J and Holland JP., (1979):** Hypnotically induced pain control in sickle cell anaemia, Pediatrics 64: PP 532-536.