
REFERENCES

- Abbot, N.; White, A.R. and Ernst, E. (1996) :*
Complementary medicine.
Nature, 381 : 361.
- Abdel-Maguid, T.E. and Bowsher, D. (1984) :*
Interneurons and proprioneurons in the adult human spinal grey matter and general somatic afferent cranial nerve nuclei.
Journal of Anatomy 139 : 9-20.
- Alexander, P.; Hamilton-Fairly, G. and Smithers, D.W. (1974) :*
Repeated acupuncture and serum hepatitis.
British Medical Journal, 3 : 466.
- Alexis, L.; Lubin, J. and Bichachi, A. (1988) :*
Acupuncture non-A, non-B hepatitis.
Southern Medical Journal, 81 : 101.
- Allison, G. and Kravitz, E. (1975) :*
Auricular chondritis secondary to acupuncture.
New England Journal of Medicine, 293 : 780.
- Baing, Z.; Villanueva, L. and Le Bars, D. (1991) :*
Acupuncture-evoked responses of subnucleus reticularis dorsalis neurons in the rat medulla.
Neuroscience. 44 : 693-703.
- Baldry, P.E. (1993) :*
Acupuncture, trigger points and musculoskeletal pain, 2nd edn.
Churchill Livingstone, Edinburgh.
- Beitz, A. (1982) :*
The sites of origin of brainstem neurotensin and serotonin projections to the rodent nucleus raphemagnus.
Journal of Neuroscience 2 : 829-834.
- Bennett, G.J.; Ruda, M.A.; Gobel, S. and Dubner, R. (1982) :*
Enkephalin-immunoreactive stalked cells and lamina IIb islet cells in cat substantia gelationa.
Brain Research 240 : 162-166.

- Bernard, J.F.; Villanueva, L.; Carroue, J. and Le Bars, D. (1990) :**
Efferent projections from the subnucleus reticularis dorsalis (SRD) : A Phascolus oulgaris leucoagglutinin study in the rat.
Neuroscience Letters, 116 : 257-262.
- Bing, Z.; Cesselin, F.; Bourgoin, S. Clot, A.M.; Hamon, M. and Le Bars, D. (1991) :**
Acupuncture-like stimulation induces a heterosegmental release of met-enkephalin-like material in the rat spinal cord.
Pain 47 : 71-77.
- Bloom, F.E.; Battenberg, E.; Rossier, J.; Ling, N. and Guillemin, R. (1978) :**
Neurons containing β -endorphin in rat brain exist separately from those containing enkephalin : Immunocytochemical studies.
Proceedings of the National Academy of Science USA, 75 : 1591-1595.
- Bostrom, H.; Rossner, S. (1990) :**
Quality of alternative medicine complications and avoidable deaths.
Quality Assurance in Health Care 2 (2) : 111-117.
- Bowsher, D. (1957) :**
Termination of the central pain pathway in man : the conscious appreciation of pain.
Pain 80 : 606-622.
- Bowsher, D. (1988) :**
Introduction to the anatomy and physiology of the nervous system, 5th edn.
Blackwell, Oxford.
- Bowsher, D. (1992) :**
The physiology of stimulation-produced analgesia.
Pain Clinic (Tokyo) 12 : 485-492.
- Bowsher, D.; Mallart, A.; Petit, D. and Albe-Fessard, D. (1968) :**
A bulbar relay to centre median.
Journal of Neurophysiology 31-288-300.

Boxall, E.H. (1978) :

Acupuncture hepatitis in the West Midlands, 1977.
Journal of Medical Virology, 2 : 377-379.

Brattberg, G. (1986) :

Acupuncture treatments : a traffic hazard?
American Journal of Acupuncture, 14 (3) : 265-267.

Buchla, R.M. (1972) :

An unusual cause of petechiae.
American Journal of Disease in Childhood, 123 : 613.

Buck, C.C. (1986) :

Propagated needle sensation.
Journal of Chinese Medicine, 22 : 15-16.

Burstein, R.; Cliffer, K.D. and Giesler, G.J. (1987) :

Direct somatosensory projection from the spinal cord to the
hypothalamus and telencephalon.
Journal of Neuroscience, 7 : 4159-4164.

**Carlton, S.M.; Honda, C.N.; Willcockson, W.S.; Lacrampe, M.; Zhang,
D.; Denoroy, L.; Chung, J.M. and Willis, W.D. (1991) :**

Descending adrenergic input to the primate spinal cord and its
possible role in modulation of spinothalamic cells.
Brain Research, 543 : 77-90.

Carron, H.; Epstein, B.S. and Grand, B. (1974) :

Complications of acupuncture.
Journal of the American Medical Association, 228 (12) : 1552-
1554.

Castelain, M.; Castelain, P.Y. and Ricciardi, R. (1987) :

Contact dermatitis to acupuncture needles.
Contact Dermatitis, 16 : 44.

Castro, K.G.; Lifson, A.R. and White, C.R. et al. (1988) :

Investigations of AIDS patients with no previously identified
risk factors.
Journal of the American Medical Association, 259 (9) : 1338-
1342.

Chan, S.H.H. (1984) :

What is being stimulated in acupuncture : evaluation of the existence of a specific substrate.
Neuroscience and Biobehavioral Reviews 8 : 25-33.

Chapman, C.R.; Clopitts, Y.M.; Benedetti, C. and Kitaeff, Gehrig, J.D. (1980) :

Evoked potential assessment of acupuncture analgesia : attempted reversal with naloxone.
Pain, 9 : 183-197.

Chen, E.; Hwang, S.; Lee, Jang, H. and Chung (1990) :

Clinical study of syncope during acupuncture treatment.
Acupuncture and Electro-therapeutics research, 15 : 107-119.

Chen, Y.C.; Jen, Y.L.; The, H.C.; Yao, H.P. and Shu, C.C. (1975) :

Studies on spinal ascending pathway for effect of acupuncture analgesia in rabbits.
Scientia Sinica, 18 : 651-658.

Cheng, R.S.S.; Pomeranz, B.H. (1980) :

Electroacupuncture analgesia in mediated by stereospecific opiate receptors and is reversed by antagonists of type I receptors.
Life Sciences, 26 : 631-638.

Cheng, T.O. (1983) :

Acupuncture needles as a cause of bacterial endocarditis.
British Medical Journal, 287 (6393) : 689.

Cheng, T.O. (1991) :

Pericardial effusion from self inserted needle in the heart.
European Heart Journal. 12 (8) : 958.

Chiang, C.Y.; Chang, c.T.; Chu, H.L. and Yang, L.F. (1973) :

Peripheral afferent pathway for acupuncture analgesia.
Scientia Sinica, 16 : 210-217.

Chiu, E.S. and Austin, J.H.M. (1995) :

Acupuncture needle fragments.
New England Journal of Medicine, 332 : 304.

Chun, S.I. and Sho, S.W. (1991) :

Silica granuloma : scanning electron microscopy and energy dispersive x-ray microanalysis.
Journal of Dermatology, 18 (2) : 92-90.

Chung, C. (1980) :

Common errors and complications in acupuncture treatment.
Acupuncture Research Quarterly, 4 : 51-58.

Communicable Disease Report (1992) :

Hepatitis B associated with an acupuncture clinic. 2 (48) (27 November).

Conn, H. (1988) :

Acupuncture in epidemic HBV hepatitis : in China too?
Hepatology 8 (5) : 1176-1177.

Craig, A.D. (1992) :

Spinal and trigeminal lamina 1 input to the locus coeruleus anterogradely labeled with phaseolus vulgaris leucoagglutinin (PHA-L) in the cat and the monkey.
Brain Research, 584 : 325-328.

DHSS (Department of Health and Social Security) (1980) :

AIDs don't die of ignorance [leaflet] HMSO, London.

Doutsu, Y.; Tao, Y. and Sasavama, K. et al. (1986) :

A case of staphylococcus aureus septicemia after acupuncture therapy.
Kansenshogaku Zasshi 60 (S) : 91-916.

Drake, T.E. (1974) :

Complication of acupuncture.
Journal of the American Medical Association 229 (10) : 1285-1286.

Du, H.J. and Chao, Y.F. (1979) :

Effect of destruction of stimulation of locus ceruleus on inhibition of viscerosomatic reflex activities.
Acta. Physiol. Sin.; 31 : 153-162.

Dung, H.C. (1987) :

An immediate atopic erythroid reaction induced by acupuncture needles on the posterior thoracic wall.
Alternative Medicine 2 (3-4) : 209-214.

Ernst, M.; Lee, M.H.M. (1985) :

Sympathetic vasomotor changes induced by manual and electrical acupuncture of the Hoku point visualized by thermography.
Pain 21:25-33.

Evans, M. (1989) :

Litigation and ethical issues affecting acupuncture.
Acupuncture in Medicine 6 (1) : 24-27.

Felix Mann (1977) :

Acupuncture, Persistent pain, Vol. 1, 101.

Fine, P.G.; Milano, R. and Hare, B.D. (1988) :

The effects of trigger point injections are naloxone reversible.
Pain, 32 : 15-20.

Fisher, A.A. (1986) :

Allergic dermatitis from acupuncture needles.
Cutis, 38 : 226.

Fujiwara, H.; Tanohata, K. and Nagase, M. (1994) :

Pseudoaneurysm caused by acupuncture a rare complication.
American Journal of Roentgenology, 162 : 731.

Fulder, S. (1988) :

The handbook of complementary medicine.
Oxford University Press, New York, Ch. 2, p. 28.

Gerard, P.S.; Wilck, E. and Schiano, T. (1993) :

Imaging implications in the evaluation of permanent needle acupuncture.
Clinical imaging 17 (1) : 36-40.

Giesler, G.; Menetrey, D.; Guilbaud, G. and Besson, J.M. (1976) :

Lumbar cord neurons at the origin of the spinothalamic tract in the rat.
Brain Research, 18 : 320-324.

Gilbert, J.G. (1987) :

Auricular complications of acupuncture.
New Zealand Medical Journal 100 (819) : 141-142.

Glazer, E.J. and Basbaum, A. (1984) :

Axons which take up [³H] serotonin are presynaptic to
enkephalin immunoreactive neurons in cat dorsal horn.
Brain Research, 289 : 389-391.

**Gobel, S.; Falls, W.M.; Bennett, G.J.; Abdelmoumene, M. Hayashi, H.
and Humphrey, E. (1980) :**

An E.M. analysis of the synaptic connections of horseradish
peroxidase filled stalked cells spinal cord.
Journal of Comparative Neurology, 194 : 781-807.

Goldstein, A. (1979) :

Endorphins and pain a critical review. In "Mechanisms of pain
and analgesic compounds" (R.F. Beers, Ed).
Raven Press, New York, 249-262.

Goulden, E.A. (1921) :

The treatment of sciatica by galvanic acupuncture.
British medical Journal, 1 : 523-524.

Gray, R.; Maharajh, G.S. and Hyland, R. (1991) :

Pneumothorax resulting from acupuncture.
Canadian Association of Radiologists Journal, 42 (2) : 139-140.

Guan, X.M.; Wang, C.Y. and M.K. Ai (1987) :

Studies on the correlation between acupuncture analgesia and
acetylcholine in central nervous system.
Pain DB., Suppl. 4, S. 358.

Guyton, A.C. (1991) :

Textbook of medical physiology, 8th edn.
WB Saunders, Philadelphia, pp. 499-500.

Halvorsen, T.B.; Anda, S.S.; Naess, A.B. and Levang, O.W. (1995) :

Fatal cardiac tamponade after acupuncture through congenital
sternal foramen.
Lancet, 345 : 175.

Hammond, D.L.; Tyle, G.M. and Yaksh, T.L. (1985) :

Effects of 5-hydroxytryptamine and noradrenaline into spinal cord superfusates during stimulation of the rat medulla.
Journal of Physiology (London) 359 : 151-162.

Han, C.S.; Chau, P.H.; Lu, C.C. and Lu, L.H. et al. (1979a) :

The role of 5-HT in acupuncture analgesia.
Sci. Sin. 22 : 91-104.

Han, J.S. and Terenius, G.X. (1984) :

Neurochemical basis of acupuncture analgesia.
Annu. Rev. Pharmacol. Toxicol., 22 : 193-220.

Han, J.S. and Terenius, L. (1982) :

Neurochemical basis of acupuncture analgesia.
Annu. Rev. Pharmacol. Toxicol., 22 : 193-220.

Han, J.S.; Ding, X.Z. and Fan, S.G. (1985) :

Is cholecystokinin octapeptide (CCK-8) a candidate for endogenous antiopioid substrates?
Neuropeptides 5 : 399-402.

Han, J.S.; Ding, X.Z. and Fan, S.G. (1986) :

Cholecystokinin octapeptide (CCK-8) : Antagonism to electroacupuncture analgesia and a possible role in electroacupuncture tolerance.
Pain 27 : 101-115.

Han, J.S.; Guan, X.M. and Shu, J.M. (1979b) :

Study of central norepinephrine turnover rate during acupuncture analgesia in rat.
Acta. Physiol. Sin., 31 : 11-19.

Harper, A.A. and Lawson, S.N. (1985) :

Electrical properties of rat dorsal root ganglion neurones with different peripheral nerve conduction velocities.
Journal of Physiology (London), 359 : 47-63.

Hasegawa, J.; Noguchi, N. and Yamasaki, J. et al. (1991) :

Delayed cardiactamponade and hemothorax induced by an acupuncture needle.
Cardiology, 78 : 58-63.

Hashimoto, T. und Aikawa, S. (1993) :

Needling effects on nociceptive neurons in rat spinal cord.
Proceedings of the 7th World Congress on Pain IASP, Seattle,
p. 428.

Hayhoe, S. and Pitt, E. (1987) :

Case reports. Complications of acupuncture.
Acupuncture in Medicine 4 (2) : 15.

HMSO (1989) :

Guidelines for the blood transfusion services in the United
Kingdom, Vol. 1, HMSO, London, Chapter 5, p. 22.

Hollander, J.E.; Dewitz, A. and Bowers, S. (1991) :

Permanently imbedded subcutaneous acupuncture needles :
radiographic apperance.
Annals of Emergency Medicine, 20 : 1025-1026.

Hosobuchi, Y.; Adams, J.E. and Linchitz, R. (1977) :

Pain relief by electrical stimulation of central gray matter in
humans and its reversal by naloxone.
Science, 197 : 183-186.

Hussain, K.K. (1974) :

Serum hepatitis associated with repeated acupuncture.
British Medical Journal 3 : 41-42.

Hyodo, M. (1990) :

Ryodoraku treatment.
Japanese Society of Ryodoraku Medicine, Osaka.

Iguchi, K. and Sawai, Y. (1993) :

Correlation-ship between the meridians and acute lymphangitis.
Proceedings of the 3rd world conference on acupuncture, Kyoto,
p. 270.

Isu, T.; Iwasaki, Y.; Sasaki, H. and Abe, H. (1985) :

Spinal cord and root injuries due to glass fragments and
acupuncture needles.
Surgical Neurology, 23 : 255-260.

Izall, E. and Fairman, M. (1977) :

Staphylococcal septicaemia with DIC associated with acupuncture.

Postgraduate Medical Journal, 53 (619) : 285-286.

Jawahar, N.; Ghia, Willie Mao, Timothy, C.; Toomy and John, M. Gregg (1976) :

Acupuncture and chronic pain mechanisms.

Pain, 2 : 285-299.

Jefferys, D.B.; Smith, S.; Brennand-Roper, D.A. and Curry, P.V.L. (1983) :

Acupuncture needles as a cause of bacterial endocarditis.

British Medical Journal, 287 : 326-327.

Kaada, B.; Jorum, E. and Sagvolden (1979) :

Analgesia induced by trigeminal nerve stimulation (electroacupuncture) abolished by nuclei raphe lesions in rats.

Acupunct. Electro. Ther. Res., 4 : 221-234.

Kapchuk, T. (1983) :

The web that has no weaver.

New York Congdon and Weed.

Kawakita, K. (1991) :

Role of polymodal receptors in the peripheral mechanisms of acupuncture and moxibustion stimulation. In : Manchanda, S.K.; Selvamurthy, W.; Mohan Kumar, V. (eds) Advances in physiological sciences.

New Delhi, pp.731-739.

Kawakita, K. and Funakoshi, M. (1982) :

Suppression of the jaw-opening reflex by conditioning A-delta fiber stimulation and electroacupuncture in the rat.

Experimental Neurology, 78 : 461-465.

Keane, J.R.; Ahmadi, J. and Gruen, P. (1993) :

Spinal epidural hematoma with subarachnoid hemorrhage caused by acupuncture.

American Journal of Neuroradiology, 14 (2) : 365-366.

- Kishikawa, K.; Nakae, Y.; Fujiwara, S.; Namiki, A. and Mori, T. (1990):**
A spinal cord injury caused by acupuncture needles.
Pain Clinic. 3 (3) : 179-184.
- Koizumi, H.; Tomoyori, T.; Kumakri, M. and Ohkawara, A. (1989) :**
Acupuncture needle dermatitis.
Contact Dermatitis, 21 : 352.
- Kumazawa, T. and Perl, E.R. (1978) :**
Excitation of marginal and substantia gelatinosa neurons in the primate spinal cord : indications of their place in dorsal horn functional organization.
Journal of Comparative Neurology, 177 : 417-434.
- Lee, S.C.; Yin, S.J.; Lee, M.L.; Tsai, J.W. and Sim, C.B. (1982) :**
Effect of acupuncture on serum cortisol level and dopamine beta-hydroxylase activity in normal chinese.
An. J. Chin. Med., 10 : (1-4) : 62-9.
- Leranth, C.S.; Maxwell, D.J. and Verhofstad, A.A (1984) :**
Ultrastructure of serotonin-immunoreactive boutons in the substantia gelatinosa of the rat's spinal cord.
Journal of Physiology (London), 355, 20P.
- Levine, J.D.; Gormley, J. and Fields, H.L. (1976) :**
Observations on the analgesic effects of needle puncture (acupuncture).
Pain 2 : 149-159.
- Lewis-Driver, D.J. (1973) :**
Pneumothorax associated with acupuncture.
Medical Journal of Australia, 2 : 296-297.
- Liao, Y.Y.; Setok, Saito, H.; Fujita, M. and Kawakami, M. (1979) :**
Effects of acupuncture on adrenal hormone production : I. Variation in the ability for adrenocortical hormone production in relation to the duration of acupuncture stimulation.
Am. J. Chin. Med. Winter, 7 (4) 362-371.
- Manthy, P.W. (1982b) :**
Forebrain projections to the periaqueductal gray in the monkey, with observations in the cat and rat.
Journal of Comparative Neurology, 206 : 146-158.

Mantyh, P.W. (1982a) :

The ascending input to the midbrain periaqueductal gray of the primate.
Journal of Comparative Neurology, 211 : 50-64.

Marchand, S. and Li, J. (1993) :

The effect of electro-acupuncture on perceived heat pain at different body locations.
Proceedings of the 7th World Congress on Pain, p. 427.

Matsumoto, T. and Hayes, M.F. (1973) :

Acupuncture, electric phenomenon of the skin, and post-vagotomy gastrointestinal atony.
American Journal of Surgery 125 : 176-180.

Maxwell, D.L.; Leranah, C.S.; Verhofstad, A.A.J. (1983) :

Fine structure of serotonin-containing axons in the marginal zone of the rat spinal cord.
Brain Research 266 : 233-260.

Mayer, D.J.; Price, D.D. and Raffii, A. (1977) :

Antagonism of acupuncture analgesia in man by the narcotic antagonist naloxone.
Brain. Res., 121 : 368-372.

Mclennan, H.; Gill, Fillan, K. and Heap, Y. (1977) :

Some pharmacological observations on the analgesia produced by acupuncture in rabbits.
Pain, 3 : 299-238.

Melzack, R. (1984) :

Acupuncture and related forms of folk medicine in : Wall PD. Melzack, R. (eds.) : Text book of pain, churechill livingstone, 691-699.

Melzack, R.; Stillwell, D.M. and Fox, E.J. (1977) :

Trigger points and acupuncture points for apin : correlations and implications.
Pain, 3 : 3-23.

- Murata, K.; Nishio, A.; Nishikawa, M.; Ohinata, Y.; Sakaguchi, M. and Nishimura, S. (1990) :**
Subarachnoid hemorrhage and spinal root injury caused by acupuncture needle.
Neurologia Medico-Chirurgica (Tokyo) 30 : 956-959.
- Norheim, A.J. and Fonnebo, V. (1995) :**
Adverse effects of acupuncture.
Lancet, 345 : 1576.
- Noumi, T.; Yamauchi, Y. and Kamimura, K. et al., (1976) :**
A broken acupuncture needle migrated into the spinal canal.
Nippon Iji Shinpo, 4 : 799-803.
- Ogata , A.; Umeyama, T.; ogawa, T.; Kobavashi, S.; Suganova, L.; Kugimiya, T. and Hanaoka, K. (1993) :**
Effects of low-frequency electro-acupuncture on psychological sweating.
Proceedings of the 3rd World Conference on Acupuncture, Kyoto, p. 157.
- Oka, N.; Kanemaru, K.; Akiguchi, I.; Kameyama, M. and Koyama, T. (1986) :**
Cervical adhesive arachnoiditis as a complication of acupuncture.
Rinsho Shineigaku 26 (8) : 847-850.
- Peets, J. and Pomeranz, B. (1985) :**
Acupuncture like transcutaneous electrical nerve stimulation is influenced by spinal cord endorphins but not serotonin : an intrathical pharmacological study. In : Fields H. et al., (Eds.), *Adv. In Pain Res. And Therapy*. Raven Press, New York, 519-525.
- Pierik, M.G. (1982) :**
Fatal staphylococcal septicemia following acupuncture report of two cases.
Royal Institute Medical Journal, 65 : 251-253.
- Pomeranz, B. and Chiu, D. (1976) :**
Naloxone blocks acupuncture analgesia and causes hyperalgesia : endorphins is implicated life.
Sci., 19 : 1557-1792.
-

Quen, J. (1975) :

Acupuncture and western medicine.
Bull Hist. Med., 49 : 196-205.

Rajanna, P. (1983) :

Hypotension following stimulation of acupuncture point
fengchi (GB 20).
Journal of Royal College of General Practitioners (Sept.) 33 :
606-607.

Rampers, H. and James, R. (1995) :

Complications of acupuncture.
Acupuncture in Medicine, 13 : 26-33.

Redfearn, T. (191) :

Oh, what a surprise! Acupuncture in Medicine 9 (1) : 2-3.

Richardson, D.E. (1982) :

Analgesia produced by stimulation of various sites in the
human β -endorphin system.
Applied Neurophysiology, 45 : 116-122.

Ritter, H.G. and Tarala, R. (1978) :

Pneumothorax after acupuncture.
British Medical Journal, 277 (2) : 602-603.

Ruda, M.A.; Coffield, J. and Dubner, R. (1984) :

Demonstration of postsynaptic opioid modulation of thalamic
projection neurons by the combined techniques of retrograde
horseradish peroxidase and enkephalin immunocytochemistry.
Journal of Neuroscience, 4 : 2117-2132.

Schill, A.F. (1965) :

A fatality due to acupuncture.
Medical Times (London) 93 (6) : 630-631.

Shimizu, T.; Kojima, T. et al. (1981) :

Effects of Methysergide and naloxone on analgesia produced
by peripheral electrical stimulation in mice.
Brain Res., 208 : 463-467.

Sjolund, B.H. and Erikson, M.B. (1979b) :

Endorphins and analgesia produced by peripheral conditioning stimulation. In : JJ. Bonica, J.C. Liebeskind and D.G. Albe Fessard (Eds). Advances in pain research and therapy. Vol. 3, Raven Press, New York, 587-592.

Slater, P.E.; Ben-Ishai, P. and Leventhal, A. et al. (1988) :

An acupuncture-associated outbreak of hepatitis B in ferusalem.
European Journal of Epidemiology, 4 (3) : 322-325.

Soper, W.Y. and Melzack, R. (1982) :

Stimulation-produced analgesia evidence for somatotopic organization in the midbrain.
Brain Research 251 : 301-312.

Sorensen, T. (1990) :

Auricular perichondritis caused by acupuncture therapy.
Ugeskrift for Laeger (Copenhagen), 152 (11) : 752-753.

Southworth, S.R. and Hartwig, R.H. (1990) :

Foreign body in the median nerve : a complication of acupuncture.
Journal of Hand Surgery (British), 15B : 111-112.

Stryker, W.S.; Gunn, R.A. and Francis, D.P. (1986) :

Outbreak of hepatitis B associated with acupuncture.
Journal of Family Practice, 22 (2) : 155-158.

Sugiura, Y.; Lee, C.L.; and Perl, E.R. (1986) :

Central projection of identified, unmyelinated © afferent fibers innervating mammalian skin.
Science, 234 : 358-361.

Takagi, H. (1982) :

Critical review of pain relieving procedures including acupuncture advances in pharmacology and therapeutics II
CNS pharmacology.
Neuropeptides 1 : 79-92.

Takeshige, C.; Sato, T. and Komugi, H. (1980b) :

Role of periaqueductal centralg ray in acupuncture anaesthesia.
Acupuncture and Electro-Therapeutics Research 5 : 323-337.

- Tanaka, M.; Sato, T. and Hishida, F. (1990) :**
Mechanism of individual variations in effectiveness of
acupuncture analgesia based on animal experiment.
European Journal of Pain, 11 : 109-113.
- Tanii, T.; Kono, T.; Katoh, J.; Mizuno, N.; Fukuda, M. and Hamada,
T. (1991) :**
A case of prurigo pigmentosa considered to be contact allergy
to chromium in an acupuncture needle.
Acta. Dermato-Venereologica (Stockh) 71 : 66-67.
- Tanita, Y.; Kato, T.; Hanada, K. and Tagami, H. (1985) :**
Blue macules of localized argyria caused by implanted
acupuncture needles.
Archives of Dermatology, 121 : 1550-1552.
- Thompson, J.W. (1991) :**
The effects of auricular transcutaneous electrical nerve
stimulation (TENS) on experimental pain threshold and
autonomic function in healthy subject.
Pain, 46 : 337-342.
- Tollison, C. and David (1989) :**
Acupuncture Handbook of chronic pain management, 182-183.
- Travell, J.G. and Simons, D.G. (1983) :**
Myofascial pain and dysfunction. The trigger point manual.
Williams and Wilkins, Baltimore.
- Tsai, H.Y.; Chen, Y.E. and Lin, J.G. (1993) :**
Studies of mechanism of electroacupuncture analgesia in the
central monoaminergic neurons.
Proceedings of the 3rd World Conference on Acupuncture,
Kyoto, p. 194.
- Tsubokawa, T.; Katayama, Y.; Ueno, Y. and Moriyasu, N. (1981) :**
Evidence for involvement of the frontal cortex in pain-related
cerebral events in cats : increase in local cerebral blood flow by
noxious stimuli.
Brain Research 217 : 179-185.
- Tuke, J. (1979) :**
Complication of acupuncture.
British Medical Journal, 2 : 1076.

- Umino, M.; Shimada, M. and Kubota, Y. (1984) :**
Effects of acupuncture anesthesia on the pituitary gland.
Bull. Tokyo. Med. Dent. Univ. Jun., 31 (2) : 93-98.
- Verma, S.K. and Khumesra, R. (1989) :**
Recurrent fainting-an unusual reaction to acupuncture.
Journal of the Association of Physicians of India, 37 (9) : 600.
- Vierck, C.J.; Linberry, C.G.; Lee, P.A. and Calderwood, H.W. (1974) :**
Prolonged hypalgesia following acupuncture in monkeys.
Life Science, 15 : 1277-1289.
- Villanueva, L.; Bouhassira, D.; Bing, Z. and Le Bars, D. (1988) :**
Convergence of heterotopic nociceptive information onto
subnucleus reticularis dorsalis neurons in the rat medulla.
Journal of Neurophysiology 60 : 980-1009.
- Villanueva, L.; Cliffer, K.D.; Sorkin, L.S.; Le Bars, D. and Willis, W.D.
(1990) :**
Convergence of heterotopic nociceptive information onto
neurons of caudal medullary reticular formation in monkey
(Macaca fascicularis).
Journal of Neurophysiology, 63 : 1118-1127.
- Vittecog, D.; Mettetal, J.E.; Rouziov, C.; Bach, J.E. and Bouchon,
J.P. (1989) :**
Acute HIV infection after acupuncture treatments.
New England Journal of Medicine, 320 (4) : 250-251.
- Wang, K.M.; Yao, S.M.; Xian, Y.I. and Hou, Z. (1985) :**
A study on the receptive field of acupoints and the relationship
between characteristics of needle sensation and groups of
afferent fibres.
Scientia Sinica, 28 : 963-971.
- Williams, P.L.; Warwick, R.; Dyson, M. and Bannister, L.H. (eds)
(1989) :**
Gray's anatomy, 37th edn.
Churchill Livingstone, Edinburgh.
- Willis, W.D. (1985) :**
The pain system.
Karger, New York.

- Willis, W.D. and Coggeshall, R.E. (1978) :**
Sensory mechanisms of the spinal cord.
Plenum Press, New York.
- Willms, D. (1991) :**
Possible complications of acupuncture.
Western Journal of Medicine, 154 (6) : 736-737.
- Woolf, C.J.; Michell, J. and Barrett, G.D. (1980) :**
Antinociceptive effect of peripheral segmental electro-acupuncture stimulation in rat.
Pain, 8 : 237-252.
- Wright, R.S.; Kupperman, J.L. and Liebhaber, M.L. (1991) :**
Bilateral tension pneumothoraces after acupuncture.
Western Journal of Medicine, 154 (1) : 102-103.
- Yamaguchi, S.; Kyakuno, M. and Osafune, M. (1989) :**
Foreign body in the kidney : a case report and a review of the Japanese literature.
Hinyokika Kyo, 35 (4) : 665-669.
- Ye, W.; Feng, X. and Shen, E. (1984) :**
Evaluation of the role played by different monoaminergic descending pathways in acupuncture analgesia effects in rats (Abstract) proceedings of the second national symposium on acupuncture and Moxibution, All China Society of Acupuncture, Beijing, p. 46.
- Yin, Y.C. (1937) :**
Wire needle in the abdominal cavity : an accident in acupuncture.
Chinese Medical Journal, 52 : 107-108.
- Yoshio, N. (1969) :**
Introduction of Ryodoraku.
Acupuncture Digest, 3 : 70-78.
- Yuzawa, M.; Hara, Y. and Kobayashi, Y. et al. (1991) :**
Foreign body stone of the ureter as a complication of acupuncture report of a case.
Hinyokika Kyo, 37 (10) : 1323-1327.

- Zhang, D.X.; Carlton, S.M.; Sorkin, L.S. and Willis, W.D. (1990) :**
Collaterals of primate spinothalamic tract neurons to the
periaqueductal gray.
Journal of Comparative Neurology, 296 : 277-290.
- Zu Lixia and Li Chunyan (1987) :**
Involvement of spinal GABA in acupuncture induced
segmental inhibition.
Pain DB., Supp. 4 : S 357.