

REFERENCES

- Adler, S.; Roy, A. and Relman, A.S. (1965):
 "Intracellular acid-base regulation". The response of muscle cells to changes in CO_2 tension or extracellular bicarbonate concentration.
 J. Clin. Invest. 44:8.

- Alfrey, A.C.; Le Gendre, G.R. and Kaehny, W.D. (1976):
 "The dialysis encephalopathy syndrome: possible aluminium intoxication".
 N. Eng. J. Med. 294 : 184.

- Anderson, C.B.; Codd, J.R.; Craff, G.M.; Harter, H.R. and Newton, W.T. (1976):
 "Cardiac failure and upper extremity arterio-venous dialysis fistulas".
 Arch. Intern. Med. 136 : 292.

- Anderson, R.H. and Becker, A.E. (1986):
 The Conduction System of the Heart, in: The Heart
 Hurst, J.W. 6th "ed" Mc Graw-Hill Co.,
 New York. PP 30 - 5.

- Andreoli, T.E. (1982):
 Renal Diseases: Disorders of Fluid Volume, Electrolytes, and acid-base balance. In: CECIL TEXT-BOOK OF MEDICINE.
 Smith, L.H. (eds.). Philadelphia W.B. Saunders Co. PP. 488-490.

- Anyus, J.C.; Fromer, P.; Olivero, J.J. and Young, J.B. (1980):
 Effect of long-term dialysis on left ventricular ejection fraction in end stage renal disease.
 Abst. Am. Soc. Nephrol., 13:35 A.

- Arieff, A.I. and Guisado, R. (1976):
"Effect on the central nervous system of hypernatremic and hyponatremic states".
Kidney Int. 10:104.
- Aviloli, L.V. (1982):
Bone Diseases; Hypercalcemia.
In: CECIL TEXTBOOK OF MEDICINE. Wyngaarden J.B.,
Smith, L.H. (eds.). Philadelphia W.B. Saunders
Co. PP. 1324 - 13.
- Ayres, S.M. and Grace, W.J. (1969):
"Inappropriate ventilation and hypoxemia as
causes of cardiac arrhythmias". The control of
arrhythmias without antiarrhythm drugs".
Am. J. Med. 46 : 496.
- Baginski, E.; Marie, S.; Clark, W. and Zak, B. (1973):
"Direct microdetermination of serum calcium".
Clin. Chim. Acta. 46:49.
- Bailey, G.L.; Hampers, C.L. and Merrill, J.P. (1967):
Reversible cardiomyopathy in uremia.
Trans. Am. Soc. Artif. Intern. Organs 13:263.
- Bailey, G.L.; Hampers, C.L. and Merrill, J.P. (1968):
"Uremic pericarditis. Clinical features and
management".
Circulation 38:582.
- Bailey, G.L.; Elharrar, V. and Zipes, D.P. (1978):
"Slow Channel Depolarization and Control of
Arrhythmias".
Ann. Rev. Med. 29:214.

- Barratt, L.J.; Robinson, M.A.; Whitford, J.A.; and Lawrence, J.R. (1976):
"The diastolic murmur of renal failure".
N. Engl. J. Med. 295 : 121.
- Bastl, C.P.; Hayslett, J.P., and Binder, H.J. (1977):
"Increased large intestinal secretion of potassium in renal insufficiency".
Kidney Int., 12:9-16.
- Bastl, C.P.; Binder, H.J. and Hayslett, J.P. (1980):
"Role of glucocorticoids and aldosterone in maintenance of colonic cation transport".
Am. J. Physiol., 238 : F 181 - 6.
- Bergström, J. and Fürst, P. (1976):
"Uremic middle molecules".
Clin. Nephrol., 5 : 143.
- Berl, T.; Katz, F.H. and Henrich, W.L. (1978):
"Role of aldosterone in the control of sodium excretion in patients with advanced chronic renal failure".
Kidney Int., 14 : 228-35.
- BilBrey, G.L.; Carter, N.W. and White, M.G. (1973):
Potassium deficiency in chronic renal failure.
Kidney Int., 4 : 423 - 30.
- Blumberg, A.; Hausermann, M.; Strub, B. and Jenzer, H.R. (1983):
"Cardiac arrhythmias in patients on Maintenance hemodialysis".
Nephron, 33:91 - 95.

- Bornstein, A.; Zambrano, S.S.; Morrison, R.S. and Spodick, D.H. (1975):
"Cardiac effects of hemodialysis: non invasive monitoring by systolic time interval".
Am. J. Med. Sci. 209:189.
- Bourgoignie, J.J.; Hwang, K.H. and Ipakchi, E. (1974):
The presence of a natriuretic factor in urine of patients with chronic uremia. The absence of the factor in nephrotic uremic patients.
J. Clin. Invest., 53:1559 - 7.
- Bower, J.D. and Coleman, T.G. (1969):
"Circulatory function during chronic hemodialysis".
Trans. Am. Soc. Artif. Intern. Organs, 15:373.
- Brenner, B.M.; Meyer, T.W. and Hostetter, T.H. (1982):
Dietary protein intake and the progressive nature of kidney disease: the role of hemodynamically mediated glomerular injury in the pathogenesis of progressive glomerular sclerosis in aging.
N. Engl. J. Med., 307 :652-9.
- Bricker, N.S.; Klahr, S. and Lubowitz, H. (1975):
Renal function in chronic renal disease.
Medicine 44 : 263 - 88.
- Bricker, N.S. and Fine, L.G. (1981):
"The renal response to progressive nephron loss".
N. Engl. J. Med., 1056 - 96.

- Brod, J. (1978):
Hypertension and Renal Parenchymal Disease
Mechanisms and Management. In: CARDIOVASCULAR
CLINICS Edited by G. Onrsti and A.M. Brest.
137. F.A. Davis, Philadelphia PP. 455-57.
- Brown, H.; Tanner, G.L.; and Hecht, H.H. (1951):
"The Effects of Potassium Salts in Subjects with
Heart Disease".
J. Lab. Clin. Med. 37 : 506.
- Capelli, J.P. and Kasparian, H. (1977):
Cardiac work demands on left ventricular function
in end-stage renal disease.
Ann. Intern. Med. 86 :261.
- Carriere, S.; Wong, N.L.M. and Dirks, J.H. (1973):
Redistribution of renal blood flow in acute and
chronic reduction of renal mass.
Kidney Int., 3:364-71.
- Carter, E.P. and Andrus, E.C. (1922):
"Q-T Interval in Human Electrocardiogram in
Absence of Cardiac Disease".
JAMA 78:1922.
- Catto, G.R.; Reid, J.W. and MacLeod, M. (1974):
The effect of low magnesium dialysate on plasma
ultrafiltrate, erythrocyte and bone magnesium
concentration from patients on maintenance hemo-
dialysis
Nephron, 13:372.

- Christopher, R.B. (1983):
Acute complications associated with hemodialysis,
In: REPLACEMENT OF RENAL FUNCTION BY DIALYSIS.
William, D.; Parsons, F.M.; Maher, G.F. Martinus
Nighof Publisher., PP 615 - 23.
- Christina, M.C.; and Fred, L.S. (1983):
Cardiac Complication of Regular Dialysis Therapy,
In: REPLACEMENT OF RENAL FUNCTION BY DIALYSIS.
William, D.; Parsons, F.M.; Maher, G.F. Martinus
Nighof Publisher, PP 606-14.
- Clarkson, B.A. (1966):
"Uric acid related to uremic symptoms".
Proc. Eur. Dial. Transplant Assoc. 3:3.
- Coburn, J.W.; Popovtzer, M.M. and Massry, S.G. (1969):
The physiochemical state and renal handling of
divalent ions in chronic renal failure.
Arch. Intern. Med.; 124:302-11.
- Cogan, M.G. and Rector, F.C. (1982):
Proximal reabsorption during metabolic acidosis
in the rat.
Am. J. Physiol., 242 : F 499-507.
- Cogan, M.G. and Mueller, M.R. (1983):
NaHCO₃ therapy corrects the increased urinary
Na, K, CL and H₂O excretion induced by WH₄CL.
Mineral Electrolyte Metab. , 9 : 132-6.

- Comty, C.M., and Collins, A.J. (1984):
Dialysis therapy in the management of chronic renal failure.
Medical Clinics of North America, 68 : 399-405.
- Comty, C.M.; Wathen, R. and Shapiro, F.L. (1971):
"Pericarditis in chronic uremia and its sequels".
Ann. Intern. Med. 75 : 173.
- Comty, C.M.; Kjellsen, D. and Shapiro, F.L. (1976):
"A reassessment of the prognosis of diabetic patients treated by chronic hemodialysis".
Trans. Am. Soc. Artif. Intern. Organs 22:404.
- Comty, C.M. and Shamprio, F.L. (1982):
"End stage diabetic nephropathy: Dialysis and treatment". In: Diabetes Mellitus and Obesity.
Brodegg, B. and Bleeden, S.J. (eds.) Baltimore, Williams, and Wilkins P. 671.
- Contiguglia, S.R.; Alfrey, A.E. and Miller, N. (1972):
Total body magnesium excess in chronic renal failure.
Lancet, 1 : 1300 - 4.
- Contiguglia, S.R.; Alfrey, A.C. and Miller, N. (1973):
Nature of soft tissue calcification in uremia.
Kidney Int., 4:229-32.
- Danovitch, G.M.; Bourgoignie, J. and Bricker, N.S. (1977):
Reversibility of the "Salt-losing" tendency of chronic renal failure.
N. Eng. J. Med., 296:14-19.

- Darsee, J.R. and Nutter, D.O. (1978):
"Reversible Severe Congestive Cardiomyopathy in
three Cases of Hypophosphatemia".
Ann. Intern. Med. 89:867.
- David, H.F. and Robert, A. (1981):
Cardiovascular Complications of Chronic Renal
Failure, In: CHRONIC RENAL FAILURE.
Barry, M.B.; Joy.; H.S. Martinus Nighof. P. 84.
- Davidson, R.C. and Pendras, J.P. (1967):
"Calcium-related cardio-respiratory death in
chronic hemodialysis".
Trans. Am. Soc. Artif. Intern. Organs 13:36.
- Davis, W.H. and Ziady, F. (1978):
The Effect of Oral Magnesium Chloride Therapy
on the QTc and Quc intervals of the Electro-
cardiogram.
S. Afr. Med. J. 53 : 591.
- Davis, D.L.; Schale Kamp. M.A. ; Beevers, D.G.; Brown,
J.J.; and Tree, M. (1973):
Abnormal relation between exchangeable Sodium
and the renin angiotensin system in malignant
hypertension with chronic renal failure.
Lancet, 1:683-9.
- Deen, W.M.; Maddox, D.A. and Robertson, C.R. (1974):
Dynamics of glomerular ultrafiltration in the
rate response to reduced renal mass.
Am. J. Physiol., 227,556-62.

- DEL Greco, F.; and Grumer , E. (1962):
Electrolytes and Electrocardiographic changes
in the course of hemodialysis.
Amer. J. Cardiol., 9:43.
- Del Greco, F.; Simon, N.M.; Roguska, J. and Walker,C.
(1969):
"Hemodynamic studies in chronic uremia".
Circulation 40:87.
- Denney, J.D.; Sherrard, D.J. and Nelph. W.B. (1973):
"Total body calcium and long-term calcium
balance in chronic renal disease".
J. Lab. Clin. Med. 82:226.
- De Wardener, H.E. and Clarkson, E.M. (1982):
The natriuretic hormone; Recent developments.
Clin. Sci.; 63:415-20.
- Diskin, C.T.; Salzsieder, K.H.; Solomon, R.T.; Carvalho,
J.S. and Trebbin, W.M. (1981):
Electrocardiographic changes following dialysis.
Nephron, 27 : 94 - 100.
- Doucet, A. and Katz, A.I. (1980):
Renal potassium adaptation: Na-K-ATPase activity
along the nephron after chronic potassium loading.
Am. J. Physiol. 238: F 380 - 6.
- Drueke, T. and Jungers, T. (1979):
Cardiovascular complications of chronic hemodialy-
sis, in hamburger, J.; Crosnier, J. and Crunfeld,
J.P. (eds.).
In: Nephrology, Wiley, J. and Sons, New York PP. 1231-33.

- Drueke, T.; Le Pailleur, C.; Zingraff, J. and Jungers, P. (1980):
"Uremic cardiomyopathy and pericarditis".
Adv. Nephrol. 9:33.
- Duke, M. and Abelmann, W.H. (1969):
The hemodynamic response to chronic anemia.
Circulation, 39:503.
- Dyckner, T. and Wester, P.O. (1979):
"Ventricular Extrasystoles and Intracellular
Electrolytes before and after potassium and
Magnesium Infusing in Patients on Diuretic
Treatment".
Am. Heart J., 97:12.
- Earle, D.P. (1960):
"Renal function tests in the diagnosis of renal
diseases".
Bull My Acad. Med., 26:47.
- Edmondson, R.P.S.; Hilton, P.F. and Jones, N.J. (1975):
"Leukocyte sodium transport in uremia".
Clin. Sci. Mol. Med. 49:213-6.
- Epstein, M.; Leep, R.A. and Hoffmun, D.S. (1977):
Potentiation of frusemide by metalozone in
refractory edema.
Curr. Ther. Res., 21:656-67.
- Ernst, D.E.; Sadler, J.H.; Ingram, R.H. and Macom, J. (1968):
"Acid-base balance in chronic hemodialysis".
Trans. Am. Soc. Artif. Intern. Organs 14:434.

- Evans, D.B. and Slapak, M. (1975):
 "Pancreatitis in the hard water syndrome".
 Br. Med. J. 3 : 748.

- Fine, L.G.; Schlondroff, D. and Trizma, W. (1978):
 Functional profile of the isolated uremic
 nephron, impaired water permeability and adenyl-
 ate cyclase responsiveness of the cortical collec-
 ting tubule to vasopressin.
 J. Clin. Invest. 61:1519-27.

- Finnerty, F.A. ; Davidov, M.; and Kakavitos, N. (1968):
 "Relation of sodium balance to arterial pressure
 during drug induced saluresis".
 Circulation, 37:175-81.

- Fisch, C. (1986):
 "Electrolytes and the Heart". In: The Heart
 Hurst, J.W. ~~6th~~ ed Mc Graw-Hill Co., New York., P.1466-
 77.

- Fisch, C.; Feigenbaum, H. and Bowers, J.A. (1964):
 "Nonparoxysmal A.V. Nodal Tachycardia due to
 Potassium".
 Am. J. Cardiol., 14:357.

- Fisch, C.; Greenspan, K. and Edmands, R.R. (1966):
 "Complete Atrioventricular Block due to potassium".
 Circ. Res. 19 : 373.

- Fisch, C.; Knoebel, S.B.; Feigenbaum, H. and Greenspan, K.
 (1966):
 "Potassium and Monophasic Action Potential Elec-
 trocardiogram, Conduction and Arrhythmias".
 Prog. Cardiovasc. Dis. 8:387.

- Francavilla, A.; Albano, O. and Mastrangel, F. (1972):
Erythrocyte membrane ATPase in patients with
acute or chronic renal disease.
Clin. Chim. Acta., 37:298-300.
- Freeman, R.M.; Lawton, R.L. and Chamberlain, M.A.(1967):
"Hard-water syndrome".
N. Eng. J. Med. 276:1113.
- Gantz, N.M.; Myerwitz, X.L. and Medeiros, A.A.(1975):
Listeriosis in immunosuppressed patients; a cluster of eight cases.
Am. J. Med., 58:637-43.
- Garcio-Fihlo, E.; Malnic, G. and Giebisch, G. (1980):
"Effects of changes in electrical potential difference on tubular potassium transport:
Am. J. Physiol. 238: F 235-46.
- Gettes, L.S.; Surawicz, B.; and Shiue, J.C. (1962):
"effect of High K, Low K, and Quinidine on QRS Duration and Ventricular Action Potential".
Am. J. Physiol. 203:1135.
- Giebisch, G.; Boulpaep, E.L. and Whitembury, G. (1971):
Electrolyte transport in kidney tubule cells
philos. Trans. R. Soc. Lond. (Biol.), 262:175-96.
- Gilbert, R.M.; Weber, H. and Turchin, L. (1976):
A study of the intrarenal recycling of urea in the rat with chronic experimental pyelonephritis.
J. Clin. Invest. 58:1348-57.

- Goldberger, A.L. and Goldberge, E. (1981):
"Clinical Electrocardiography" Miscellaneous
ECG Patterns .
London, C.V. Mosby Co. "2nd ed" PP 119 - 39.
- Goodman, J.S.; Crews, D.H.; Gin, H.E. and Koenig, M.G.
(1969):
Bacterial endocarditis as a possible complica-
tion of chronic hemodialysis.
N. Engl. J. Med. 280:876.
- Govan, J.R.; Porter, C.A.; Cook, J.G.H. ; Dixon, B.; and
Trafford, J.A.P. (1968):
Acute magnesium poisoning as a complication of
chronic hemodialysis.
Br. Med. J. 2:278.
- Haire, H.W.; Sherard, D.J.; Scardapane, D.; Curtis, F.K.
and Brunzell, J.D. (1978):
Smoking, hypertension and mortality in a main-
tenance dialysis population.
Cardiovascular Medicine, 3:1163.
- Hampers, C.L.; Skillman, J.J.; Lyons, J.H.; Olson, J.E.
and Merrill, J.P. (1967):
"A hemodynamic evaluation of bilateral nephrec-
tomy and hemodialysis in hypertensive man".
Circualtion 35:272.
- Hayes, G.P.; McLeod, M.E. and Robinson, R.R. (1976):
"An extrarenal mechanism for the maintenance of
potassium balance in severe chronic renal failure".
Trans. Assoc. Am. Physicians, 80:207-16.

- Hecht, H.H. (1961):
"Some Observations and Theories Concerning the Electrical Behavior of Heart Muscle".
Am. J. Med. 30:720.
- Hill, A.B. (1979):
In "A short Textbook of Medical Statistics 10th edition".
The English Language Book Society and Hodder and Stoughton". PP 150-52.
- Howell, W.H. (1906):
"Vagus Inhibition of the Heart and its Relation to the Inorganic Salts of the Blood".
Am. J. Physiol. 15:280.
- Ishikawa, K.; Nagasawa, T.; and Shimada, H. (1979):
Influence of hemodialysis on electrocardiographic waveforms.
Am. Heart. J. 97:5.
- James, T.N. (1963):
"The Coonecting Pathways between the Sinus Node and the A-V ode and between the Right and the Left Atrium in the Human Heart".
Am. Heart J. 66:498.
- John, C.V.S. (1983):
Systemic Manifestation of Chronic Renal Failure,
In: DIALYSIS AND THE TREATMENT OF RENAL INSUFFICIENCY, Anne Campbell; Ted. Groshong; E. Ann. Murray, Kirt Nichols.
Grune and Stratton. P. 17.

- Kaissling, B. (1982):
"Structural aspects of adaptive changes in renal electrolyte excretion".
Am. J. Physiol. 12: F 211-26.
- Keiji, O.; Yohko, H. and Kazuhiko, K. (1983):
Effect of dialyzate sodium concentration on the appearance of ischemic electrocardiographic patterns.
Nephron, 33: 182-185.
- Keith, A. and Flack, M. (1907):
"The Form and Nature of the Muscular Connections between the Primary Divisions of the Vertebrate Heart".
J. Anat. Physiol. 41:172.
- Khuri, R.N.; Wiederholt, M. and Strieder, N. (1975):
"Effect of flow rate and potassium intake on distal tubular potassium transfer".
Am. J. Physiol. 228-1249-61.
- Kleeman, C.R.; Adams, D.A. and Maxwell, M.H. (1961):
"An evaluation of maximal water diuresis in chronic renal disease".
J. Lab. Clin. Med. 58:169-84.
- Kleeman, C. and Singh, B.N. (1979):
Serum Electrolytes and the Heart, in M.H. Maxwell and C.R. Kleeman (eds.),
"Clinical Disorders of Fluid and Electrolyte Metabolism".
Mc Graw Hill Book Company, New York, P.166.

- Knochel, J.P. and Seldin, D.W. (1981):
The pathophysiology of uremia. In: BRENNER, B.M.;
RECTOR, F.C. , The Kidney Philadelphia: W.B.
Saunders, pp. 2137-83.
- Knox, F.G. and Lechene, C. (1975):
Distal site of parathyroid hormone on phosphate
reabsorption.
Am. J. Physiol., 229:1556-60.
- Kopple, J.D.; Swendseid, M.E.; Shinaberger, J.H. and
Umezawa, C.Y. (1973):
"The free and bound amino acids removed by
hemodialysis".
Trans. Am. Soc. Artif. Int. Organs . 14 - 309.
- Kramer, H.J.; Gospodinov, D. and Kruck, F. (1976):
Functional and metabolic studies on red blood
cell sodium transport in chronic uremia.
Nephron, 16:344-58.
- Krasner, B.S. (1979):
Cardiac Effects of Magnesium with Special Refer-
ence to Anaesthesia.
A. Review, Can. Anaesth. Soc. J. 26:181.
- Lawrence, W.H.; autien, J. and Miscra, P.K. (1975):
Cardioactive substances leech from a commercial
hemodialysis set.
N. Eng. J. Med., 292:1356.
- Lazarus, J.M.; Hampers, C.L. and Merril, J.P. (1974):
Hypertension in chronic renal failure.
Arch. Intern. Med., 133:1059-64.

- Lilley, J.J.; Golden, J. and Stone, R.A. (1976):
Adrenogenic regulation of blood pressure in
chronic renal failure.
J. Clin. Invest., 57,1190.
- Linder, A.; Charra, B.; sherrard, D.J. and Scribner,
B.H. (1974):
Accelerated atherosclerosis in prolonged main-
tenance hemodialysis.
New England Journal of Medicine, 290:697.
- Lindner, A.; Moskovtchenko, J.F. and Traeger, J. (1972):
"ACcidental mass hypernatremia during hemodialysis".
Nephron 9:99.
- Marcus, A.K. (1983):
Fluid and Electrolyte Disorders, In: CURRENT
MEDICAL DIAGNOSIS AND TREATMENT.
Milton, J.C.; Marcus A.K. Medical Publications,
Los Altos, California P. 18.
- Marriot, H.J.L. (1983):
Complexes and Intervals. In: PRACTICAL ELECTRO-
CARDIOGRAPHY. Marriot, H.J.L. Williams and
Wilkins. P. 14.
- Marver, D. and Kokko, J.P. (1983):
"Renal target sites and the mechanism of action
of aldosterone".
Min. Elect. Metab., 9:1-18.

- Massry, S.G.; Coburn, J.W. and Peacock, M. (1972):
Turnover of endogenous parathyroid hormone
in uremic patients and those undergoing hemo-
dialysis.
Trans. Am. Soc. Artif. Intern. Organs, 18:416-22.
- Massry, S.G. ; Tuma, S. and Dua, S. (1979):
Reabsorption of skeletal resistance to PTH in
uremia by vitamin D metabolites.
J. Lab. Clin. Med., 94:152-7.
- Matalon, R.; nidus, B.D. and Eisinger, R.P. (1968):
"Pseudoarrhythmias during hemodialysis".
N. Engl. J. Med. 278:1439.
- Mathison, G.G. (1911):
"The Effect of Potassium Salts upon the Circula-
tion and Their Action on Plain Muscle".
J. Physiol. Lond. 42:471.
- Maxwell, M.H.; and Weidmann, P. (1975):
The Renin-angiotensin-aldosterone System. In:
PARENCHYMAL KIDNEY DISEASE. Hamburger, J.;
Crosnier, J.; Maxwell, M.H. (eds.).
Adv. Nephrol., Vol. 5, Year book Medical ,
Chicago, PP. 301.
- Mello-Aries, M.; Giebisch, G. and Maline, G. (1973):
Kinetics of potassium transport across single
distal tubules of rat kidney.
J. Physiol., 232:47-70.

- Mendez, G.; Erlif, D. and Moe, G.K. (1964):
"Indirect Action of Epinephrine on Intraventricular Conduction Time".
Circ. Res. 14:318.
- Mion, C.M.; Hegstrom, R.M. and Boen, S.T. (1964):
Substitution of sodium acetate for sodium bicarbonate in the bath fluid for hemodialysis.
Trans. Am. Soc. Artif. Intern. Organs. 10:110.
- Mitch, W.E. and Wilcox, C.S. (1982):
Disorders of body fluids, sodium, potassium in chronic renal failure.
Am. J. Med. , 72:536-50.
- Mitchell, J.H.; Wildenthal, K. and Johnson, R.L.(1972):
"The effect of acid-base disturbances on cardiovascular and pulmonary function".
Kidney Int., 1:375-9.
- Montanari, A.; Borghi, L. and Canali , M. (1978):
Studies on cell water and electrolytes in chronic renal failure.
Clin. Nephrol., 9:200-4.
- Morrison, G.; Michelson, E.L.; Brown, S. and Morganroth, J. (1980):
"Mechanism and prevention of cardiac arrhythmias in chronic hemodialysis patients".
Kidney Int. 17:811.

- Neff, M.S.; Kim, K.E.; Persoff, M.; Onesti, G. and Swartz, C. (1971):
"Hemodynamics of uremic anemia".
Circulation, 43: 876.
- Nahum, L.H. and Hoff, H.E. (1939):
"Observations on Potassium Fibrillation".
J. Pharmacol. Exp. Ther. 65:322.
- Nickel, J.E.; Lowrance, P.B. and Leifer, E. (1953):
Renal function, electrolyte excretion, and body fluids in patients with chronic renal before and after sodium deprivation.
J. Clin. Invest., 32:68 - 79.
- Nickey, W.A.; Chinitz, V.L.; Kim, K.E.; Onesti, G. and Swartz, C. (1970):
Hypernatremia from water softener malfunction during home dialysis.
JAMA 214:915.
- Nicolis, G.L.; Kahn, T. and Sanchez, A. (1981):
"Glucose-induced hyperkalemia in diabetic subjects".
Arch. Intern. Med., 141:49-53.
- Nierenberg, D.W. and Ransil, B.J. (1979):
"QaTc Interval as a Clinical Indicator of Hypercalcemia".
Am. J. Cardiol. 44:243.

- Norman, R.A.; Coleman, T.G.; Wilen, T.L. and Manning, R.D.
(1975):
Separate roles of sodium ion concentration and
fluid volumes in salt-loading hypertension in
sheep.
Am. J. Physiol. 229:1068-73.
- Novello, A.; Kelsch, R.C. and Easterling, R.E. (1976):
"Acetate intolerance during hemodialysis".
Clin. Nephrol. 5:29.
- O'Connor, L.R.; Wheeler, W.S. and Bethune, J.E. (1977):
"Effect of Hypophosphatemia on Myocardial Per-
formance in Man".
N. Engl. J. Med. 297:901.
- Osanloo, E.; Shalhoub, R.J.; Cioffi, R.F. and Parker,
R.H. (1979):
"Viral pericarditis in patients receiving hemo-
dialysis".
Arch. Intern. Med. 139:301.
- Parsons, F.M. and Davidson, A.M. (1983):
The composition of dialysis fluid.
In Drikker, W.; Parson, F.M. and Maher, J.F. (eds)
Replacement of renal function by Dialysis.
The Hague, Martinus Nijhoff, PP. 148.
- Patton, C.J. and Crouch, S.R. (1977):
"A colorimetric method for determination of
blood urea and creatinine".
Anal. Chem. 49, 464:469.

- Pedro, F.J. and Neil, A.K. (1984):
Water and Electrolyte Abnormalities in Chronic Renal Failure, In: THE SYSTEMIC CONSEQUENCIES OF RENAL FAILURE.
Garabed, E.; James, P.K. Gruse and Stratton, PP. 405.
- Perez, G.O.; Lespier, L. and Jacobi, J. (1977):
"Hyporeninemia and hypoaldosteronism in diabetes mellitus".
Arch. Intern. Med., 137:852-5.
- Peter, P.F.; Emilio, R.G.; Mordecai, F.; William, J.J. and Newlon, T. (1976):
"Statistical investigation of correlations between serum potassium levels and electrocardiographic findings in patients on intermittent hemodialysis therapy".
Circulation, Volume XII, 667.
- Petty, K.J.; Kokko, J.P. and Marver, D. (1981):
"Secondary effect of aldosterone on Na-K-ATPase activity in the rabbit cortical collecting tubule".
J. Clin. Invest., 68:1514-21.
- Prosser, D. and Parsons, V. (1975):
"The case for a specific uremic cardiomyopathy".
Nephron. 15:4-7.
- Rane, A.; Villeneuve, J.P. and Stone, W.J. (1978):
Plasma binding and disposition of furosemide in the nephrotic syndrome and in uremia.
Clin. Pharmacol. Ther. , 24:199-207.

- Rector, W.G.; Jarzowski, J.A. and Levin, H.S. (1979):
 "Sinus Node Dysfunction Associated with Lithium
 Therapy; Report of a Case and a Review of the
 Literature".
 Neb. Med. J. 64:193.

- Reddy, P.S.; Curtiss, E.I.; O Toole, J.D. and Shaner, E.
 (1978):
 "Cardiac tamponade: Hemodynamic observations in
 man.
 Circulation, 58:265.

- Renfrew, R.; buselmeier, T.J. and Kjellstrand, C.M.(1980):
 Pericarditis and renal fialure.
 Ann. Rev. Med., 31:345-60.

- Ribot, S.; Frankel, H.J.; Gielchinsky, I. and Gilbert, L.
 (1974):
 "Treatment of uremic pericarditis".
 Clin. Nephrol. 2:127.

- Ribot, S.; Gilbert, L.; Rothfeld, E.L.; Parsonnet, V.
 and Jacobs, M.G. (1971):
 Bacterial endocarditis with pulmonary edema
 necessitating mitral valve replacement in a
 hemodialysis-dependent patient.
 J. Thorac. Cardiovasc. Surg. 62:59.

- Rocha, J.; Davidson, R.C. and Scribner, B.H. (1972):
 The concept of Basal Sodium Excretion in the
 Management of Hypertension in Primary Renal
 Disease, In: HYPERTENSION, MECHANISM AND MANAGEMENT.
 Onesti, G.; Kim, K.E.; Moyer, J.H. (eds), New York:
 Grune and Stratton, P. 791.

- Roke, S.J.; Davidson, W.D. and Gere, S.S. (1976):
Metabolic Fate of ^{14}C -acetate during dialysis.
Proc. Eur. Dial. Transplant. Assoc.; 13:396.
- Roztocil, K.; Petrovski, I. and Novok, P. (1972):
Capillary diffusion capacity for ^{131}I in muscle
of patients with chronic renal insufficiency.
Clinc. Sci., 43:545-52.
- Said, R.; Quintanilla, A.; Levin, N. and Ivanovich, P.
(1977):
"Acute hemolysis due to profound hypo-osmolality:
a complication of hemodialysis".
J. Dial 1:447.
- Saliva, P.; Brown, R.S. and Epstein, F.H. (1977):
"Adaptation to potassium".
Kidney. Int. 11:466-75.
- Saliva, P.; Ross, B.D. and Charney, A.N. (1975):
"Potassium transport by the isolated perfused
kidney".
J. Clinc. Invest. 56:862-9.
- Scher, A.M.; Young, A.C.; Malmgren, A.L. and Erickson,
R.V. (1955):
"Activation of the interventricular septum".
Circulation Res. 3:56.
- Schmidt, P.; Kotzaurek, R. and Zazgenrik, J. (1971):
"Magnesium metabolism in patients on regular
dialysis treatment".
Clin. Sci. 41:131.

- Scribner, B.H. (1960):
"The treatment of chronic uremia by means of
intermittent hemodialysis".
Trans. Am. Soc. Artif. Intern Organs
6 : 114.
- Schrier, R.W. and Regal, E.M. (1972):
"Influence of aldosterone on sodium, water and
potassium metabolism in chronic renal disease".
Kidney Int. 1:156-58.
- Schultze, R.G.; Shapiro, H.S. and Bricker, N.S. (1969):
Studies on the control of sodium excretion in
experimental uremia.
J. Clin. Invest. 48:869-77.
- Seller, R.H.; Cangiano, J.; Kim, K.E.; Mendelssohn, S.;
Brest, A.N. and Swartz, C. (1970):
"Digitalis Toxicity and Hypomagnesemia".
Am. Heart J. 79:57.
- Seta, K.; Kleiger, R.; Hellerstein, E.F.; Lown, B. and
Bitale, J.J. (1966):
"Effect of Potassium and Magnesium Deficiency on
the Electrocardiogram and Plasma Electrolytes
of Pure Bred Beagles".
Am. J. Cardiol. 17:516.
- Shaul, G.M. (1984):
Disorders of Divalent ion Concentration, In: THE
SYSTEMIC CONSEQUENCES OF RENAL FAILURE. Garabed,
E; James, P.K. Grune and Stratton, PP. 233.

- Simmons, A. (1980):
Technical Hematology.
3rd. ed. Philadelphia, J.B.; Lippincott Co.
PP. 329 - 34.
- Slatopolsky, E.; Rutherford, W.E. and Hruska, K. (1972):
How important is phosphate in the pathogenesis
of renal osteodystrophy?
Arch. Intern. Med., 138:848-52.
- Smith, P.K.; Winkler, A.W. and Hoff, H.E. (1939):
"Electrocardiographic Changes and Concentration
of Magnesium in Serum following Intravenous
Rejection of Magnesium Salts".
Am. J. Physiol. 126:720.
- Spodick, D.H. (1967):
"Acute cardiac tamponade; pathologic physiology,
diagnosis and management".
Prog. Cardiovasc. Dis. 10:64.
- Suki, W.; Rector, F.C. and Seldin, D.W. (1969):
The site of action of frusemide and other sul-
fonamide diuretics in the dog.
J. Clin. Invest., 44:1458-69.
- Surawicz, B. and Lipeschkin, E. (1953):
"The Electrocardiographic Pattern of Hypopotass-
emia with and without Hypocalcemia".
Circulation 8:801.
- Surawicz, B.; MacDonald, M.G.; Kalijot, V. and Bettinger,
J.C. (1959):
"Treatment of Cardiac Arrhythmias with Salts of
Ethylenediamine tetraacetic Acid (EDTA)".
Am. Heart J. 58:493.

- Surawicz, B.; Chlebus, H. and Massellemi, A. (1967):
Hemodynamic and Electrocardiographic Effects
of Hyperpotassemia: Differences in Response to
Slow and Rapid Increases in Concentration of
Plasma K^+ .
Am. Heart J. 73:647.
- Swaminathan, R.; Morgan, D.B.; Ionescu, M. and Hill, G.L.
(1978):
"Hypophosphatemia and Its Consequences in patients
following Open Heart Surgery".
Anaesthesia 33:601.
- Teehan, B.; Gracek, E.; Heymach, G.; Brown, J. and Smith, L.
(1977):
"A clinical appraisal of the dialysis index".
Trans. Am. Soc. Artif. Intern. Organs. 23:548.
- Terman, D.S.; Alfrey, A.C.; Hammond, W.S.; Donde-Linger,
T.; Odgen, D.A. and Homes, J.H. (1971):
"Cardiac calcification in uremia".
American Journal of Medicine 50:744.
- Tietz, N.W. (1983):
"Clinical guide to laboratory tests".
1st ed. Philadelphia, W.B.; Saunders Co. 401 - 3.
- Vassalle, M. (1965):
"Cardiac Pacemaker Potentials at Different Extra
and Intracellular K^+ Concentrations".
Am. J. Physiol., 208:770.

- Vassalle, M. (1971):
 "Automaticity and automatic Rhythms".
 Am. J. Cardiol. 28:215.
- Wary, T.M. and Stone, W.J. (1976):
 Uremic pericarditis a prospective echocardiography and clinical study.
 Clin. Nephrol., 6:295-302.
- Weaver, W.F. and Burchell, H.B. (1960):
 "Serum Potassium and the Electrocardiogram in Hypokalemia".
 Circulation, 21:505.
- Weiner, M.W. and Epstein, F.H. (1972):
 Signs and symptoms of electrolyte disorders, in:
 Clinical Disorders of Fluid and Electrolyte Metabolism, edited by Maxwell, M.H. and Kleeman, C.R., New York, Mc Graw-Hill Book Company, PP. 629-33.
- Wellens, H.J.; Cats, V.M. and Duren, D.R. (1974):
 "Symptomatic sinus Node Abnormalities following Lithium Carbonate Therapy".
 Am. J. Med. 59:285.
- Whalen, R.E. (1982):
 Cardiovascular Diseases; Disorders of the Pericardium. In: CECIL TEXTBOOK OF MEDICINE. Myngaarden, J.B.; Smith, L.H. (eds.).
 Philadelphia, W.B. Saunders, PP. 300 - 306.

- Whilson, W.E.C.; Kirkpatrick, C.H., and Talmage, D.W. (1955):
Suppression of immunologic responsiveness in uremia.
Ann. Intern. Med., 62:1-13.
- whittier, F.C. and Freeman, R.M. (1971):
Potentiation of metastatic calcification in vitamin D treated rats by magnesium.
Am. J. Physiol., 220:209-14.
- Wiegand, C.F.; Davin, T.D.; Raij, L. and Kjellstrand, C.M. (1981):
"Severe hypokalemia induced by hemodialysis".
Arch. Intern. Med. 141:167.
- Wing, A.J. (1968):
Optimum calcium concentration of dialysis fluid for maintenance dialysis.
Br. Med. J. 4:145.
- Wray, T.M. and Stone, W.J. (1976):
Uremic pericarditis: A prospective echocardiographic and clinical study.
Clin. Nephrol. 6:295.
- Young, E.; Krothapallin, A. and Ayus, E. (1984):
Electrocardiographic Changes in Chronic Renal Failure. In: THE SYSTEMIC CONSEQUENCIES OF RENAL FAILURE.
Garabed, E.; James, P.K.
Grune and Stratton, PP. 75.

- Young, T.B.; Welton, D.E. and Raizner, A.E. (1979):
Surgery in active infective endocarditis.
Circulation, 60 : 2.