

REFERENCES

References

- Ahn, M. and Phelan, J.P. (1989):* Epidemiological aspects of postterm pregnancy. Clin. Obstet. Gynecol., 32:229-233.
- Alan, H.D. and Martin, L. (1994)* Prolonged pregnancy. In: "current obstetric & Gynecologic diagnosis and treatment" By Martin, L. and Pernoll, M.D. Appleton and Lang. 8th ed. Ch. 15, P. 338-339.
- Alfirevic, Z. and Neilson, J.P. (1995):* Doppler ultrasonography in high risk pregnancies, systematic review with metaanalysis. Am. J. Obstet. Gynecol. 172: 1379.
- Alfirevic, Z. and Walkinshaw, S.A. (1995):* A randomized controlled trial of simple compared with complex antenatal fetal monitoring after 42 weeks of gestation. Br. J. Obstet. Gynecol. 102: 638-643.
- Alfirevic, Z. and Steve, A. (1997):* A randomized comparison between amniotic fluid index and maximum pool depth in the monitoring of post-term pregnancy. Br. J. Obstet. Gynecol., vol. 104: 207-211.
- Almstrom, H.; Granstrom, L. and Ekman, G. (1995):* Serial antenatal monitoring compared with labor induction in post-term pregnancies. Acta. Obst. Gynecol. Scand., 74:599-604.
- American college of obstetricians and Gynecologists (1994):* Antepartum fetal surveillance. Technical Bulletin no. 188.
- American college of obstetricians and gynecologists. (1995a):* Fetal heart rate patterns: Monitoring, Interpretation and management. Technical bulletin no. 207.
- American College of Obstetricians and Gynecologist (1995b):* Quality, Evaluation, and Improvement in practice: Post-term pregnancy. Committee on quality assessment. Criteria set no. 10.

REFERENCES

- American College of Obstetricians and Gynecologists. (1995):* Post-term pregnancy. Int. J. Gynecol. Obstet. 53:89-90.
- American College of Obstetricians and Gynecologist (1996):* Post-term pregnancy. Int J. of Gynecol. And Obstet. 53:89-90.
- Anderson, F.H.; Johnson, T.R.B. and Flora, J.D. (1981):* Gestational age assessment: Analysis of individual clinical observation. Am. J. Obstet. Gynecol., 139:173-178.
- Anderson, H.F.; Johnson, T.R.B; Flora, J.D. and Barclay, M.L. (1981):* Gestational age assessment. II predication for combined clinical observation. Am. J. Obstet. Gynecol. 140: 770.
- Ann, C.; Siril, L. and Bruce, W.k. (1996):* Ultrasonographic measurement of amniotic fluid volume in normal diamniotic twin pregnancies. Am. J. Obstet. Gynecol. 174(3): 1003-1007.
- Anteby, E.Y.; Tadmor, O.; Revel, A. and Yagel, S. (1994):* Post-term pregnancies with normal cardiotocographs and amniotic fluid columns: The role of doppler evaluation in predicting outcome. Eur J Obstet. Gynecol. Repord Biol. 54(2): 93-8.
- Apgar, V. (1953):* A proposal for a new method of evaluation of the newborn infant. In "William,s Obstet." 19th ed. Vol. 1 p. 444-446. Appleton and Lange.
- Arias, F. (1993):* Prolonged pregnancy. In: "Practical guide to High-Risk pregnancy and Delivery" 2nd edition P. 150-165. Mosby Year Book Inc.
- Ariel, D.; Marks and michael, Y. Divon (1992):* Longtiudinal study of the amniotic fluid index in post-date pregnancy. Obstet. & Gynecol., 79 (2); 229-33.
- Bakketeig, L. and Bergsje, P. (1991):* Postterm pregnancy : Magnitude of the problem. In: "Effective care in pregnancy and Childbirth". By: Chalnors I., Enkin M. and Kierse M., Oxford, oxford university press. P.765.

REFERENCES

- Barret, J.M.; Saleyr, S.L. and Boehm, F.H. (1981):** The non stress test: An evaluation of 1000 patients. *Am. J. Obstet. Gynecol.* 141: 153.
- Benzie, R.J.; Doron, T.A.; Hankins, J.L.; Jonesowen, V.M. and Porter, C.J. (1974):** Post-term pregnancy. *Am. J. Obstet. Gynecol.* 119:798-806.
- Bishop, E.H.; (1964):** Pelvic scoring for elective induction. *Obstet. Gynecol.* 24:266.
- Bobby, P.D. and Divon, M.Y. (1997):** Fetal testing in post dates. *Curr. Opin. Obstet. Gynecol.* 9(2):79-82
- Bochner, C.J.; Williams, J.III., Castro, L.; Medeoris, A.; Hobel, C.J. and Wade, M. (1988):** The efficacy of starting postterm antenatal testing at 41 weeks as compared with 42 weeks gestational age. *Am. J. Obstet. Gynecol.* 159:550-560.
- Bootstaylor, B.; Rigaud, E.S.; Barry, J.O. And Saltzman, D. (1996):** Influence of the lateral decubitus position on the amniotic fluid index. *Am J. Obstet. Gynecol.* 174:338.
- Borgatta, L.B.; Patrick, S.; Divon, M.Y. (1988):** Reliability and reproducibility of non stress test reading. *Am J. Obstet. Gynecol.* 159:544-8.
- Boyce, A. and Schwartz, D. (1978):** Classical and true gestational postmaturity. *Am. J. Obstet. Gynecol.* 125: 911.
- Brace, R.A. and Wolf, E.J. (1989):** Normal amniotic fluid volume changes Throughout pregnancy. *Am. J. Obstet. Gynecol.* 161:382-388.
- Brien'o, G.D.; Queanan, J. T. and Campbell, S. (1981):** Assessment of gestational age in the second trimester by measurement of femur length. *Am. J. Obstet. Gynecol.* 139(5): 54-57.
- Brown, R. and Patrick, J. (1981):** The non stress test: how long is enough?. *Am. J. Obstet. Gynecol.* 141: 646.

REFERENCES

- Buster, J.E.; Sakakini, J. and Kilam, A.P. (1976):** Serum unconjugated estriol levels in the third trimester and their relationship to gestational age. *Am. J. Obstet. Gynecol.* 125: 672.
- Calder, A.A. (1998):** Nitric oxide: Another factor in cervical ripening. *Hum Reprod.* 13:250.
- Campbell, S.; Wladimiraff, J.W. and Dewhurst, C.J. (1973):** The antenatal measurement of fetal urine production. *J. Obstet. Gynecol. Br Commonw.* 80:680.
- Chamberlain, P.E.; Manning, F.A.; Morrison, I.; Harman, C.R. and Lange, I.R. (1984):** Ultrasound evaluation of amniotic fluid volume. The relationship of marginal and decreased amniotic fluid volumes to perinatal outcome. *Am. J. Obstet. Gynecol.* 150:245-248.
- Chauhan, S.P.; Everette, F.M. and J.C. Morrison, (1993):** Amniotic fluid volume estimation in the postdate pregnancy: A comparison of techniques. *Obstet. And Gynecol.* 82(4): 635-636.
- Chauhan S.P.; Magann, E.F. and J.C. Morrison, (1997):** Ultrasonic assessment of amniotic fluid does not reflect actual amniotic fluid volume. *Am. J. Obstet. Gynecol.* 177(2): 291-6.
- Clement, D.; Barry, S.S. and Richard, B.K. (1987):** Acute oligohydramnios in post date pregnancy. *Am. J. Obstet. Gynecol.* 157: 884-6.
- Clement, M.D.; Borry, S. and Schifrin, M.D. (1987):** Acute oligohydramnios in postdate pregnancy. *Am. J. Obstet. Gynecol.* 884: 886.
- Clifford, S.H. (1954):** Postmaturity with placental dysfunction. Clinical syndrome & Pathologic finding. *J. Pediatric.* 44: 1-3.
- Crowley, P. (1980):** Non quantitative estimation of amniotic fluid volume in suspected prolonged pregnancy. *Int. J. Gynecol. Obstet.* 18:56-62.

REFERENCES

Crowley, P.; O'Herlily, P. and Boylan, P. (1984): The value of ultrasound measurement of amniotic fluid volume in the management of prolonged pregnancies. Br. J. obstet. Gynecol., 91:444-449.

Crowley, P. (1989): Post-term pregnancy: Induction or surveillance? In: "Effective care in pregnancy and child birth" By I Chalmers, M. Enkins and M.J.N.C Keirse, Oxford university press, oxford P.P. 776-791.

Crowley, P. (1991): Elective induction of labor at 41 weeks gestation. In: "Pregnancy and child birth module, cochrane database of systematic reviews," By Enkin MW, Keirse MJNC, Renfrew MJ. issue 2.0 Oxford: Update software.

Cunningham, F.G.; Macdonald, P.C.; Leveno, K.J.; Gant, N.F. and Gilstrap, III L.C. (1990): Preterm and postterm pregnancy and inappropriate fetal growth. In: "Williams obstet" Appleton and Lange. Ch.38, 14th ed. P.758-763..

Cunningham, F.G.; Macdonald, P.G.; Leveno, K.J.; Gant, N.F. and Gilstrap, III L.C. (1993): Preterm and post-term pregnancy and fetal growth retardatin. In: "Williams obstetrics" Appleton and Lange 19th .Edition, Vol. 2, P. 853-857.

Cunningham, F.G.; Macdonald, P.C.; Leveno, K.J.; Gant, N.F. and Gilstrap, III L.C. (1997): Post-term pregnancy. In: "Williams obstetrics" Appleton and Lange 20th .edition. Vol. 2, P. 827-831..

David, C.L.; Ragor, K. and Freeman, M.D. (1986): Management of postdate pregnancy. Am. J. Obstet. Gynecol. 154: 8-13.

Dildy, G.A.; Lira, N.; Moise, K.J.; Riddle, G.D. and Deter, R.L. (1992): Amniotic fluid volume assessment: Comparison of ultrasonographic estimates versus direct measurments with dye dilution technique in human pregnancy. Am. J. Obstet. Gynecol. 167: 986-94.

REFERENCES

- Divon, M.Y.; Cassandra, E. and Henderson, (1995):* Longitudinal measurement of amniotic fluid index in post-term pregnancies and its association with fetal outcome. Am. J. Obstet. Gynecol., 172:142-146.
- Divon, M.Y.; Haglund, B. and Nisell, H. (1996):* Perinatal outcome in a large cohort of postdate pregnancies. Am. J. Obstet. Gynecol. 174: 351.
- Drum, J.E. and Mokenzie, G. (1976):* Ultrasonic measurement of fetal CRL as a method of assessing gestational age. Br. J. Obstet. Gynecol. 83(6): 417-21.
- E.C. Nwosu; C.R. Welch And Manasse, P.R. (1993):* Longitudinal assessment of amniotic fluid index. Br J. Obstet. Gynecol. 100:816-819.
- E.C. Nwosu; C.R. Welch and S.A. Walkrnsnow. (1994):* Measurement of amniotic fluid volume using maximum pool depth. Contemp. Rev. Obstet. Gyecol. 6:25-31.
- Eden, R.D.; Seifert, L.S.; Winegon, A. and Spellacy, W.H. (1987):* Perinatal characteristic of uncomplicated postdate pregnancies. Obstet. Gynecol. 60: 282.
- Eden, R.D.; Seifert, L.S. and Kodack, L.D. (1988):* A modified biophysical profile for antenatal fetal surveillance. Obstet. Gynecol. 71: 365.
- Eden, R.D.; Seifert, L.S. And Winegor, A. (1988):* Maternal risk status and post-date outcome. J. Repord Med. 33:53.
- Favre, R.; Bader, A.M. and Nisand, G. (1995):* Prospective study on fetal weight estimation using limb circumferences obtained by three dimensional ultrasound. Ultrasound Obstet. Gynecol. 6: 140-4.
- Fisher, R.L.; McDonell, M. and BianCulle, K.W. (1993):* Amniotic fluid volume estimation in the postdate pregnancy: A comparison of technique. Obstet. Gynecol. 81: 697-704.

REFERENCES

Frank, A.C.; Glenn, C.I. and Stuart, C. (1993): Amniotic fluid assessment In: "ultrasound in obstetrics and Gynecology". By **Catherine, S.S. and weiner, S.** Little, Brown and company. Boston, Toronto, London, Vol.I. Ch. 54. P. 555-564.

Frydman, R.; Lelaidier, C. and Baton Saint- Mieux, C. (1992): Labor induction at women in term with mifepristone (Ru4861): A double blind randomized, placebo-controlled study. *Obstet. Gynecol.* 84: 807.

Gabbe, S.G.; Ettinger, B.B. and Freeman, R.K. (1976): Umbilical cord compression associated with amniotomy. *Am. J. Obstet. Gynecol.*, 126:353-5.

Gardner, M.; Rouse, D.; Goldenberg, R.; Lanning, J.; Thom, E. and Zachary, J. (1996): Cost comparison of induction of labor at 41 weeks versus expectant management in post-term pregnancy. *Am. J. Obstet. Gynecol.*, 174: 351-360.

Gauthier, R.J.; Griego, B.D. and Goebelsmann, U. (1981): Estriol in pregnancy. VII unconjugated plasma estriol in prolonged gestation. *Am. J. Obstet. Gynecol.* 139: 382.

Geirsson, R.T. (1986): Intrauterine volume in pregnancy. *Acta Obstet. Gynecol. Scand* 136: 1-7.

Gillieson, M.; Dunlap, H. and Nain, R. (1984): Placental site, parity and date of quickening. *Obstet. Gynecol.* 64-44.

Goeree, R.; Hannah, M. and Hewson, S. (1995): Cost- Effectiveness of induction of labor versus serial antenatal monitoring in the Canadian Multicentre post-term pregnancy trial. *Am. J. Obstet. Gynecol.*, 171:1215-1223.

Gohari, P.; Berkowitz, R.L. and Hobbins, J. C. (1977): Prediction of IUGR by determination of total intrauterine volume. *Am. J. Obstet. Gynecol.* 127:255-260.

Gordosi, J.; Vonner, T. and Francis, A. (1997): A gestational age and induction of labor for prolonged pregnancy. *Br. J. Obstet. Gynecol.* 104: 792.

REFERENCES

- Granado, J.L. (1984):** Survey of the management in post-term pregnancy. *Obstet. Gynecol.* 63:851.
- Grannum, P.A.; berkowitz, R.L. and Hobbins, J. C. (1979):** The ultrasonic changes in the maturing placenta and their relation to fetal pulmonic maturity. *Am. J. Obstet. Gynecol.* 133:915-920.
- Grant, J.M. (1994):** Induction of labor confers benefits in prolonged pregnancy. *Br J. Obstet. Gynecol.* 101:99-102.
- Grover, J.; Mentakis, E.A. and Ross, M.G. (1997):** Three dimensional method for determination of amniotic fluid volume in intrauterine pockets. *Obstet. Gynecol.* 90(6): 1007-10.
- Grubb, D.K.; Rabelleo, Y.A. and Paul, R.H. (1992):** Postterm pregnancy: Fetal death with antepartum surveillance. *Obstet. Gynecol.*, 79: 1024-6
- Hadlock, F.D; Deter, R.L. and Harrist, R.B. (1982):** Fetal abnormal circumference: Relation to menstrual age. *Am. J. Radiol.* 139: 367.
- Hannah, M.E.; Hannah, W.J. and Hellman, J. (1992):** Canadian multicenter post-term pregnancy trial group: Induction of labor as compared with serial antenatal monitoring in post-term pregnancy. *N Engl Med.* 326:1587.
- Hannah, M.E.; Huch, C.; Hewson, S.A. and Hannah, W.J. (1996):** Post-term pregnancy: Putting merrits of policy of induction of labor into perspective. *Br. J. Obstet. Gynecol.*, 96: 587-596
- Harding, J.A.; Jackson, D.M.and Lewis,D.F. (1991):** Correlation of amniotic fluid index and nonstress test in patients with preterm premature rupture of membranes. *Am. J. Obstet. Gynecol.* 165: 1088-94.
- Hartly, J.B. (1975):** Radiological estimation of fetal maturity. *Br J Rad*, 30:361.

REFERENCES

Hoddick, W.K. (1984): Ultrasonographic determination of qualitative amniotic fluid volume in intrauterine growth retardation: Re assessment of 1-cm rule. *Am. J. Obstet. Gynecol.* 149: 785-762.

Hoskins, I.A.; McGovern, P.G. and Ordorica, S.A. (1992): Longitudinal study of amniotic fluid index in postdates pregnancies. *Obstet. Gynecol.* 79(2): 229-233.

James S.R.; Philip, J.D.; Charles, B.H. And Spellacy, W.N. (1994): Postdate pregnancy In: "Danforth's obstetrics & Gynecology" 7th ed., Vol.I, P.325-331. J.B Lippincott company- Philadelphia.

James S.R.; Philip, J.D.; Charles, B.H. And Spellacy, W.N. (1994): Assessment of fetal well being. In: "Danforth's obstetrics and gynecology" By Alejandro, R. S. and Robert, D. E. J.B. Lippincott company- Philadelphia 7th ed. Ch.15, P. 269-324..

Jeonty, P.; Cantraine, F. and Romero, R. (1984): Longitudinal study of fetal weight growth. *J. ultrasound Med.* 321:238

Jodi, Schuckar, Brain, Mucey, Francois and Aubidert (1996): Serial amniotic fluid index in sever preeclampsia. *Am. J. Obstet. Gynecol.* 175-4: 1019-1023.

John, N.; Green, M.D. and Richard, N. (1978): The value of amniocentesis in prolonged pregnancy. *Obstet. Gynecol.* 51: 293-298.

Johnson, T.R. and Work, J.R. (1979): A dynamic graph for documentation of gestational age. *Obstet. Gynecol.* 54:45.

Josimovich, J.B.; Saffonoff, P. and Strakovsky, N. (1977): Evaluation of post-term pregnancy with maternal serum placental lactogen and alphafetoprotein concentrations. *Obstet Gynecol*; 59:445-449.

Josimovich, J.B.; Soffonaff, P.; Starkovsky, N. and Muller, H.E. (1983): Evaluation of post-term pregnancy with maternal serum placental lactogen and alphafeoprotein concentration. *Obstet. Gynecol.* 61: 73.

REFERENCES

Katagiri, H.; Distler, W.; Freeman, R.K. and Goebelsmann, V. (1976): Estriol in pregnancy. IV: Normal concentration, diurnal variation and day to day changes in unconjugated and total estriol in late pregnancy plasma. Am. J. Obstet. Gynecol. 124: 272.

Keirse, M.J.N.C. (1993): Post-term pregnancy: New lessons from an unresolved debate. Birth 20:102-105.

Kerr, J.; Borgida, A.F.; Hardarelottir, H.; Calhoun, S.; Caletta, J. and Egan, J. F.X. (1996): Maternal hydration and its effect on the amniotic fluid index. Am. J. Obstet. Gynecol. 174: 416.

Kjas, S.; Thaler, I.; Paz, N. and Shmueli, O. (1995): Interpretation of non stress tests by an artificial neural network. Am J. Obstet. Gynecol. 172:1372.

Klopper, A. and Billewics, W. (1963): Urinary excretion of estrial and pregnanediol during normal pregnancy, J. obstet. Gynecol. Br. commorw, 70:1024.

Kuhns, L.R. and Finnstorn, D. (1976): Newstandaras of ossification of newborn. Radiology, 119:655.

Kurtz, A.B.; kurtz, R.J. and Rifkin, M.D. (1984): Total uterine volume: A new graph and its clinical applications. J. ultrasound Med., 3:299.

Lagrew, D.C; and Freeman, R.K. (1986): Management of postdate pregnancy. Am. J. Obstet. Gynecol. 159: 8-13.

Lagrew, D.C; Pircon, R.A.; Nageotte, M.; Freeman, R.K. and Drochester, W. (1992): How frequency should the amniotic fluid index be repeated? Am. J. Obstet. Gynecol. 167: 1129-1133.

Larsen, L.C; Clousen, H.V.; Anderson, B., Graem, N. (1995): A stereological study of post mature placentas fixed by dual perfusion. Am. J. Obstet. Gynecol. 172: 500.

REFERENCES

- Lawrence, D.; Platt, M.D.; Santulli, J.R. and Carlson, D.E. (1998):* Three dimensional ultrasonography in obstetrics and gynecology: preliminary experience. Am. J. Obstet. Gynecol. 178: 1199-206.
- Levine, A.B.; LockWood, C.J. and Brown, B. (1992):* Sonographic diagnosis of the large for gestational age fetus at term: Does it make difference? Obstet. Gynecol. 79: 55.
- Lipshitz, J. (1990):* Post-term pregnancy In: "Manual of clinical problems in obstetrics and gynecology" By Rivlin, M.E; Morrison, J.L. and Botes, W.G.; Little Brown & company. Boston- Toronto-London 3rd ed. Ch.20, P.94-98.
- L. Hilder, L.; Canteloe K.R. and Baskaron T.H. (1998):* Prolonged pregnancy: Evaluating gestation-specific risks of fetal and infant mortality. Br. J. Obstet. Gynecol. 105: 109-173.
- Lookwood, C.J.; Moscarelli, R.D.; Wein, R.; Lunch, L.; Lapinski, R. and Ghidini, A. (1994):* Low concentration of vaginal fetal fibronectin as a predictor of deliveries occurring after 41 weeks. Am J. Obstet. Gynecol., 171:1-12.
- Luck, C.A. (1992):* Value of routine ultrasound scanning at 19 weeks: A four year study of 8849 deliveries. BMJ. 304:1474-8.
- Magann, E.F.; Nolan, T.E.; Hess, L.W.; Martin, R.W.; Whitworth, N.S. and Morrison, J.C. (1992):* Measurement of amniotic fluid volume: Accuracy of ultrasonography techniques. Am. J. Obstet. Gynecol. 167: 1533.
- Magann, E.f.; Chauhan, S.P. and WhitWorth, N.S. (1998):* Do multiple measurements employing different ultrasonic techniques improve the accuracy of amniotic fluid volume assessment?. Aust NZ J Obstet. Gynecol. 38(2): 172-5.
- Manning, F.A.; Platt, L.D. and Sipos, L. (1980):* Antepartum fetal evaluation: Development of a fetal biophysical profile. Am. J. Obstet. Gynecol. 136: 787-800.

REFERENCES

- Manning, F.A.; Hill, L.M. and Platt, L.D. (1981):** Qualitative amniotic fluid volume as determined by ultrasound. Antepartum detection of IUGR. Am. J. Obstet. Gynecol. 139: 254-260
- Mercer, L.J.; Brown, L.G. And Peters, R.E. (1984):** A survey of pregnancies complicated by decreased amniotic fluid. Am J. Obstet. Gynecol. 149:355-61.
- Michael, Y.; Divon, D.; Marks, C.E. and Hendrson (1995):** Longitudinal assessment of amniotic fluid index in post-term pregnancies and its association with fetal outcome. Am J. Obstet. Gynecol. 172:142-6.
- Miller, D.A.; Robello, Y.A. and Paul, R.H. (1996):** The modified biophysical profile: Antepartum testing in the 1990s. Am. J. Obstet. Gynecol. 174: 812.
- Miller, F.; Miller, D.; Paul, R. and Rubello, Y. (1996):** Is one fetal heart rate acceleration during a non stress test as reliable as two in predicting fetal status. Am J. Obstet. Gynecol. 174:337.
- Miyazaki, F.S. and Taylor, N.A. (1983):** Saline amniocentesis for relief of variable or prolonged decelerations. Am. J. Obstet. Gynecol. 146:670-8.
- Mongelli, M.; Wilcax, M. and Gordosi, J. (1996):** Estimating the date of confinement: ultrasonographic biometry versus certain menstrual dates. Am. J. Obstet. Gynecol. 174: 278-281.
- Moore, T.R. and Cayle, J.E. (1990):** The amniotic fluid index in normal human pregnancy. Am. J. Obstet. Gynecol. 162: 1168-73.
- Motan, S. and Malcus, P. (1995):** Amniotic fluid index in prolonged pregnancy: A cohort study. J Maten fetal invest. 5:4-7.
- Nagotte, M.P.; Towers, C.V.; Asrat, T. and Freeman, R.K. (1994):** Perinatal outcome with the modified biophysical profile. Am. J. Obstet. Gynecol. 170: 1072.

REFERENCES

Nahum, G.G.; Stanislaw, H. and Huffaker, B.J. (1995): Fetal weight gain at term. Am. J. Obstet. Gynecol. 172: 1387.

Norman, J.E.; Thomson, A.J. and Greer, I.A. (1998): Cervical ripening after nitric oxide. Hum Reprod. 13:251.

O'Driscoll, K.M.; Coughlan, M.; Phenton, V. and Skelly, M. (1977): Active management of labor: care of the fetus. Br J. Obstet. Gynecol., 2:1451-3.

Ohel, G.; Yaacobi, N.; Linder, N. and Younis, J. (1995): Postdate antenatal testing. Int. J. Gynecol. Obstet., 49(2):145-7.

Owen, J.; Henson, B.V. and Hauth, J.C. (1990): A prospective randomized study of saline solution amnioinfusion. Am. J. Obstet. Gynecol. 162(5): 1146-9.

Patrick, J.E.; Featherson, W. and Vick, N. (1978): Human fetal breathing and gross body movements at week 34 to 35 of gestation. Am. J. Obstet. Gynecol. 130: 693.

Peedicayil, A.; Mothai, M.; Rogi, A.N. and Aseelon, L.J. (1994): Inter and intraobserver variation in the amniotic fluid index. Obstet. Gynecol. 84:848.

Phelan, J.B.; Ahn, M.O. and Smith, C.B. (1982): Amniotic fluid index measurements during pregnancy. J. Rep. Med. 32:601-608.

Phelan, J.P.; Platt, L.D.; Yeh, S.Y.; Brossard, P. and Paul, R.H. (1985): The role of ultrasound assessment of amniotic fluid volume in the management of postdate pregnancy. Am. J. Obstet. Gynecol. 151:304-308.

Phelan, J.P.; Smith, C.V.; Broussard, P. and Small, M. (1987): Amniotic fluid volume assessment with the four quadrant technique at 36-42 week's gestation. J. Rep. Med., 32:540-550.

Phelan, J.P. (1988): Antepartum fetal assessment, Newer techniques. Semin perinatal. 12:57.

REFERENCES

Phelan, J.P. (1989): The postdate pregnancy: An overview. Clin Obstet. Gyneco. 32(2): 221-227.

Porter, T.; Gary, A.D. and Jeffrey, R.B. (1996): Norman values for amniotic fluid index during uncomplicated twin pregnancy. Obstet. Gynecol. 87(5):699-702.

Quinlan, R.W.; Cruz, A.C. and Martin, M. (1983): Hydramnios: Ultrasound diagnosis and its impact on perinatal management and pregnancy outcome. Am. J. Obstet. Gynecol. 145: 306.

Rawlingse, E. and Moore, B.A. (1970): The accuracy of method of calculating the expected date of delivery for use in diagnosis of postmaturity. Am. J. Obstet. Gynecol. 106: 676-705.

Ray-Burn, W.F. (1982): Clinical implication from monitoring fetal activity. Am. J. Obstet. Gynecol. 144: 967.

Ray, M. (1972): Clinical experience with the oxytocin challenge test. Am. J. Obstet. Gynecol. 114: 1.

Reuss, M.L.; Halch, M.C. and Susser, M. (1995): Early ultrasound dating of pregnancy: Selection & measurement bias. J. Clin epidemiol, 48:667.

Robert K.C. and Robert, R. (1999): General principles and applications of ultrasonography In: "Maternal fetal medicine" By Frank, A. and Manning, M.D. W.B Soundress company, Philadelphia, London, Toronto. 4th edition, Ch. 13, P.169-269.

Robert K.C. and Robert, R. (1999): Fetal heart rate In: "Maternal fetal medicine" By Julian, T. and Parer, M.D. W.B Soundress company, Philadelphia, London, Toronto 4th ed.; Vol. I Ch.19. P.270-298.

Robert K.C. and Robert, R. (1999): Post-term pregnancy In: "Maternal- fetal medicine" By Robert R. And calder, A. W.B. Saunders company Philadelphia- London and Toronto. 4th ed. Vol. I. Ch. 33. P.532-539.

REFERENCES

- Roberts, L. and Young, K. (1991):** The management of prolonged pregnancy- an analysis of women's attitude before and afterward. Br. J. Obstet. Gynecol. 98: 1102.
- Rosen, M.G. and Dickenson, J.C. (1993):** Management of post-term pregnancy. N. Engl J. Med. 326:1628-1629.
- Roussis, P.; Cax, S.M.; Campbell, B.A. and Miller, F.C. (1993):** Survey on the management of postdate pregnancy. J. Mat Fet Med. 2:155.
- Rushton, D.I. (1991):** Pathology of placenta. In: "Textbook of fetal and perinatal pathology" By wiggles worth JS, Singer DB. Boston, Black well, P.171.
- Rutherford, S.E.; Phelan, J.P.; Smith, C.V. and Jaccobs, N.(1987):** The four quadrant assessment of amniotic fluid volume. obstet. Gynecol. 70:353-6.
- Saari – Kamppainen A., Korfalainen, O.; YloStalo, P. and Heinonen, O.P. (1990):** Ultrasound screening and periratal mortality: Controlled trial of systematic one- stage screening in pregnancy: The Helsinki ultrasound trial lancet, 336:387-91.
- Sallam, H. and Aboul Einin, A. (1988):** Scanning in early pregnancy. In:"An introduction to ultrasonography in obstetrics and Gynecology" Alexandria: Al Maaref a stablishment. Ch. II P. 21-30.
- Sallam, H. and Aboul Einen, A. (1988):** An introduction to ultrasonography in obstetrics and gynecology. Alexandria: Al Maaref establishment, 1st ed. P. 29-32.
- Sandmire, H.F. (1993):** Whither ultrasound prediction of macrosomia?. Obstet. Gynecol. 82: 860.
- Santag, L.W. And Wallace, R.F. (1935):** The movement response of the human fetus to sound stimuli. Child dev; 6:253.
- Sawai, S.K.; O'Brein, W.F. and Mastrogiannis, D.S. (1994):** Patient- administered outpatient intravaginal prostaglandin E₂ suppositories in postdate pregnancies: A double blind, randomized placebo- controlled study. Obstet. Gynecol. 84: 807.

REFERENCES

Schrieber, M.H. and Morreten, L.B. (1976): Antepartum predication of fetal maturity. Rad clin North Am, 5:21-8.

Shime, J.; Gare, D.J.; Andrews, J.; Bertrand, M.; Salgado, J. and Williams, J. (1984): Prolonged pregnancy: Surveillance of the fetus and the neonate and the course of labour and delivery. Am. J. Obstet. Gynecol. 148: 547.

Sims Mauren, E and Waltherforms, J. (1989): Neonatal morbidity and mortality and long-term outcome of postdate infants. J.Clinical obstet. Gynecol. 32:285-292.

Skretek, M.; Bielecki, M.; Zdanowicz, A. and Zabelan, H. (1993): Prognostic value of cardiologic acoustic test in post-term pregnancy. Ann-Med. Univ. Bialyst-Pol. 38(1):79-85.

Smith, L.V.; Phelan, J.P. and Plott, L.D. (1986): Fetal acoustic stimulation testing II. A randomized clinical comparison with the non stress test. Am. J. Obstet. Gynecol. 155: 131.

Smith, C.V.; Phelan, J.P. And Plott, L.d. (1987): Fetal death following antepartum fetal heart rate testing: A review of 65 cases. Obstet. Gynecol. 70:18.

Sodovsky, E. and Polishuk, W.Z. (1977): Fetal movements in utero. Review Obstet. Gynecol. 5:49.

Speroff, L.; Glass, R.H. and Kase, N.G.(1989): Postterm pregnancy. Int. J. Gynecol. Obstet., 28:120-138.

Staisch, K.J.; Westlake, J.R. and Bashore, R.A. (1980): Blind oxytocin challenge test and perinatal outcome. Am. J. Obstet. Gynecol. 138: 399.

Steiner, H.; Staudach, A.; Spilzer, D. and Schaffer, H. (1994): Three dimensional ultrasound in obstetrics and gynecology: Technique, possibilities and limitations. Hum Reprod 9:1773-8.

REFERENCES

- Stewart, H.D.; Moore, R.M. and Carry, J. (1985):* Complications of reported biological effects data and ultrasound exposure levels. J Clin ultrasound 167-186.
- Thliveris, J.A. and Basket, T.F. (1978):* Fine structure of the human placenta in prolonged pregnancy. Preliminary report. Obstet. Gynecol. 9: 40-8.
- T. Moore (1995):* Assessment of amniotic fluid volume in At-Risk pregnancies. Clinical Obstetrics and Gynecology Vol. 38:78-90.
- Thornton, J.G. and Lilford, R.J. (1993):* Do we need randomized trial of antenatal tests of fetal well being?. Br J. Obstet. Gynecol. 100:197-200.
- Thorp, J.A. (1989):* Routine umbilical cord blood if as determinations. Am J. Obstet. Gynecol. 161:601.
- Tongsong, T. and srisomboon, J. (1993):* Amniotic fluid volume as a predictor of fetal distress in postterm pregnancy. Int. J. Gynecol. Obstet. 40:213-7.
- Toppozada, H.K. and Rizk, M.A. (1977):* Diagnosis of pregnancy. In "Alexandria Manual of obstetrics" Al-Maaref Establishment. Ch. 52nd ed. P.80-95.
- Trimmer, K.J.; Leveno, K.J.; Peters, M.T. and Kelly, M.A. (1990):* Observation on the cause of oligohydromnios in prolonged pregnancy. Am. J. Obstet. Gynecol. 163(6): 1900-3.
- Van meir, C.A.; Romirez, M.M. and Mathews S.G. (1997):* Chorionic prostaglandin catabolism is decreased in the lower uterine segment with term labour. Placenta, 18:109.
- Veitle, J.C.; Perny, M. and Muller-Heubach, E. (1993):* Fetal renal pulsed doppler waveform in prolonged pregnancies. Am. J. Obstet. Gynecol. 169: 882.
- Vintzilleos, A.M.; Campbell, W.A.; Ingradioch, J. and Nochimson, D.J. (1983):* The fetal biophysical profile and its predictive value. Obstet. Gynecol. 62: 271-8.

REFERENCES

Vorherr, H. (1975): Placental insufficiency in relation to postterm pregnancy and fetal postmaturity. Am. J. Obstet. Gynecol., 123:67-80.

Votta, R.A. and Luis AC. (1993): Active management of prolonged pregnancy. Am J. Obstet. Gynecol. 168:557-63.

Wax, J.R.; Costigan, K.; Callan, N.A.; Gegor, C. and Johnson, T.R.(1993): Effect of fetal movement on the amniotic fluid index. Am. J. Obstet. Gynecol. 168: 188-189.

Weiner, Z.; Formakides, G. and Schulman, H.(1996): Central and peripheral haemodynamic changes in post-term fetuses; correlation with oligohydromnios and abnormal fetal heart rate pattern. Br. J. Obstet. Gynecol. 103(6): 541-6.

Weingold, A.B. (1982): Obstetric complications. The management of prolonged pregnancy. The year book of obstetrics and gynecology p. 69-85.

Weinstein,D.; Ezra, Y.; Picard, R.; Furman, M. and El-Chalal, U. (1996): Expectant management of post-term: observations and outcome. J. Matern Fet Med. 5(5):293-7.

Wilson, T. and Christie DI. (1991): Gravidin and endogenous inhibitor of phospholipase A₂ activity, secretory component of IGA. Biochemical, Biopsy, Res. Commun; 176:447

Wing, D.A.; Fishman, A.; Gonzalez, C.; Paul, RH. (1996): How frequently should the amniotic fluid index be performed during the course of antepartum testing?. Am J. Obstet. Gynecol. 174:33.

Wirtgen, P. (1995): Prolonged pregnancies. Revue du praticien. 45(14):1748-50.

Yancey ,M.K. and Richards ,D.S. (1994): Effect of attitude on the amniotic fluid index. J. Reprod med. 39: 101.

Z.M.; Abotalib, M.H.; Soltan, N.; Chawdhury, B. and Adelusi. (1996): Obstetric outcome in uncomplicated prolonged pregnancy. Int J. of Gynacol. & Obstet. 55:225-230.

REFERENCES

Zimmerman, P.; Alback, T. and Koskinen, J. (1995): Doppler flow velocimetry of the umbilical artery, uteroplacental arteries and fetal middle cerebral artery in prolonged pregnancy. *Ultrasound Obstet. Gynecol.* 5:189.