

REFERENCES

REFERENCES

- 1- **Allen RE, Hosker GL, Smith Ar, Warrell DW** : Pelvic floor damage and childbirth: a neurophysiological study. *Br J Obstet Gynaecol* 1990; 97:770-779.
- 2- **April EW** : Perineum. In : April EW editor. *NMS, Anatomy*, 2nd edition. Mass Publishing Co. Egypt 1992, 313.
- 3- **Arena B, Maffulli N, Vocaturo I, Scognamiglio G** : Incidence of glove perforation during episiotomy repair. *Arch Gynecol Obstet* 1992; 251:111-114.
- 4- **Argentine Episiotomy Trial Collaborative Group** : Routine vs selective episiotomy : a randomized trial. *Lancet*, 1993; 42 : 1517-1518.
- 5- **Bansal RK, Tan WM, Ecker JL, Bishop J, Kilpatrick SJ** : Is there a benefit to episiotomy at spontaneous vaginal delivery?. A natural experiment. *Am J Obstet Gynecol* 1996; 175 : 897-901.
- 6- **Banta D, Thacker SB** : The risks and benefits of episiotomy : a review. *Birth* 1982; 9 : 25-30.
- 7- **Baruffi G, Dellinger WS, Strobino DM, Rudolph A, Timmons RY, Ross A** : A study of pregnancy outcomes in a maternity center and a tertiary care hospital. *Am J Public Health* 1984a; 74:973-978.
- 8- **Baruffi G, Dellinger WS, Strobino DM, Rudolph A, Timmons RY, Ross A** : Patterns of obstetric procedures use in maternity care. *Obstet Gynecol* 1984b; 64:493-498.
- 9- **Beazley JM** : Maternal injuries and complications. In : Whitfield CR, editor. *Dewhurst's Text Book of Obstetrics and Gynecology for Postgraduates* 5th ed., London, Backwell Science, 1995; 377-387.
- 10- **Bex PJ, Hofmeyr GJ** : Perineal management during childbirth and subsequent dyspareunia. *Clin Exp Obstet Gynecol* 1987; 14:97-100.
- 11- **Bourget M, Ymayo M** : Changes in the delivery room : An alternative way to reduce the c-section rate and episiotomy rate in Brazilian Hospital. *Int J Gynecol Obstet.*, 2000; 70 : 86.

-
- 12- **Brendsel H, Logue M** : Perineal muscle function after childbirth. *Lancet* 1985; 2 : 123-125.
 - 13- **Brown S, Lumley J** : Satisfaction with care in labor and birth : a survey of 790 Australian women. *Birth* 1994; 21 : 4-13.
 - 14- **Buchhave P, Flatow L, Rydhstroem, Thorbet G** : Risk factors for rupture of the anal sphincter. *Eur J Obstet Gynaecol Reprod Biol*, 1999; 124-132.
 - 15- **Buckens P, Lagasse R, DramaixM, Wollast E** : Episiotomy and third-degree tears. *Br J Obstet Gynaecol* 1985; 92:820-823.
 - 16- **Carroli G, Belizan J, Stamp G** : Episiotomy policies in vaginal births (Cochrane Review). In : *The Cochrane Library*; Issue 2, 1998.
 - 17- **Carroli G, Belizan J, Stamp G** : Episiotomy policies in vaginal births (Cochrane Review). In : *The Cochrane Library*; Issue 3, 1998.
 - 18- **Chamberlain GVP** : Episiotomy. In : Chamberlain GVP editor. *Obstetrics by Ten Teachers*, 16th edition, London, Edward Arnold, 1995; 288.
 - 19- **Chambliss LR, Daly C, Medearis AL, Amews M, Kayne M, Paul R** : The role of selection bias in comparing cesarean birth rates between physician and midwifery management. *Obstet Gynecol* 1992; 80:161-165.
 - 20- **Corman ML** : Anal incontinence following obstetrical injury. *Dis Colon Rectum* 1985; 28:86-89.
 - 21- **Cravchick S, Munoz DM, Bartman M** : Indications for episiotomy at public maternity clinics in Nequén, Argentina. *Rev. Param Salud Publica*, 1998; 4 : 26-31 (English abstract).
 - 22- **Cunningham FG, MacDonald PC, Gant NF, Ievana KJ, Gilstrap LC** : Episiotomy. In : Cunningham FG, MacDonald PC, Gant NF, Ievan KJ, Gilstrap LC editors. *William's Obstetrics*, 20th edition, Appleton & Lange, Norwalk-connecticut 1997; 334.
 - 23- **Dimitrov A, Nalbanski B, Nikolov A, Stamenov G, Dimitrov I, Lazarova L, Gamishev G** : An analysis of the indications for episiotomy in current obstetrical practice. *Akush Ginekol (Sofia)*, 1997; 1 : 1-3, (English Abstract).
-

-
- 24- **Dimpfl T, Hesse U, schüssler B** : Incidence and cause of postpartum urinary stress incontinence. *Eur J Obstet Gynaecol Reprod Biol* 1992; 43:29-33.
- 25- **Drew NC, Salmon P, Webb L** : Mothers', midwives' and obstetricians' views on the features of obstetric care which influence satisfaction with childbirth. *Br J Obstet Gynaecol* 1989; 96 : 1084-1088.
- 26- **Ecker JL, Tan WM, Bansal PK, Bishop JT, Kilpatrick SJ** : Is there a benefit to episiotomy at operative vaginal delivery? Observations over ten years in a stable population. *Am J Obstet Gynecol* 1997; 176 : 411-414.
- 27- **Enkin M, Keirse MJNC, Renfrew M, Neilson J** : Episiotomy. In : Enkin M, Keirse MJNC, Renfrew M, Neilson J, editors. *A Guide to Effective Care in Pregnancy and Childbirth*. 2nd edition, Oxford : Oxford University Press 1999; 231-233.
- 28- **Fahmy K** : Episiotomy. In : Fahmy K. *Postgraduate Obstetrics Safe Operative Delivery*, 1st edition. Benha Faculty of Medicine Zagazig University-Egypt, Benha. 1999; 3-6-7.
- 29- **Feldman E, hurst M** : Outcomes and procedures in low risk birth: a comparison of hospital and birth center settings. *Birth* 1987;14:18-24
- 30- **Flint G, Poulengeris P** : The "know your midwife" report. Heinemann, London 1987.
- 31- **Flint C, Poulengeris P, Grant A** : The "Know Your Midwife" Scheme-a randomized trial of continuity of care by a team of midwives. *Midwifery* 1989; 5:11-16.
- 32- **Flood C.** : The real reason for performing episiotomies. *World Medicine* 1982; 6 : 17: 51.
- 33- **Foldspang A, Mommsen S, Djurhuus JC** : Prevalent urinary incontinence as a correlate of pregnancy, vaginal childbirth and obstetric techniques. *Am J Public Health*, 1999; 89 : 209-212.
- 34- **Franz HB, Benda N, Gonser M** : Clinical effects of childbirth with medium episiotomy and anal sphincter injury on fecal incontinence of primiparous women. *Zentralbl Chir*, 1998; 123 : 218-222 (English Abstract).
-

-
- 35- **Gillon R** : "Primum non nocere" and the principle of non-maleficent. *BMJ* 1985; 291 : 130-131.
- 36- **Glazener CMA, Abdalla M, Naji S, Templeton A, Russel IT** : Postnatal maternal morbidity : extent, causes, prevention and treatment. *Br J Obstet Gynaecol*. 1995; 102 : 286-287.
- 37- **Golan A, David MP** : Birth injuries and their repair. In : Iffy L, Appuzio JA, Vintzileos AM editors. *Operative Obstetrics*, 2nd edition, New York : McGraw Hill, 1992; 370.
- 38- **Graham ID** : *Episiotomy : Challenging Obstetric Interventions*. Blackwell Science, Oxford 1997.
- 39- **Graham ID, Graham DF** : Episiotomy counts : trends and prevalence in canada 1981/1982 to 1993/1994. *Birth*, 1997 : Doc No. 10 (3) : 141-147.
- 40- **Green JM, Coupland VA, Kitzinger' JV** : Expectations, experiences, and psychological outcomes of childbirth a prospective study of 825 women. *Birth* 1990; 17 : 15-24.
- 41- **Grimes DA** : How can we translate good science into good perinatal care. *Birth* 1986; 13:83-90.
- 42- **Grudzinskas JG, Atkinson L** : Sexual function during the puerperium. *Arch Sex Behav* 1984; 13:85-91.
- 43- **Gürel H, Gürel SA** : Pelvic relaxation and associated risk factors : the results of logistic regression analysis. *Acat Obstet Gynecol Scand*, 1999; 78 : 290-243.
- 44- **Gürel H, Gürel SA, Atilla MK** : Urethral syndrome and associated risk factors related to obstetrics and gynecology. *Eur J Obstet Gynecol Reprod Biol*, 1999; 83 : 5-7.
- 45- **Hankins GDV, Clark SL, Cunningham FG, Gilstrap LA** : Episiotomy. In : Hankins GDV, Clark SL, Cunningham FG, Gilstrap LA editors. *Operative Obstetrics*, Norwalk-Connecticut, Appleton and Lang, 1995; 96.
- 46- **Harrison RF, Brennan M, North PM, Reed JV, Wickham EA** : Is routine episiotomy necessary? *BMJ*, 1984; 288 : 1971-1975.
-

-
- 47- **Henriksen TB, Bek FM, Hedegaard M, Secher MJ** : Episiotomy and perineal lesions in spontaneous vaginal deliveries. *Br J Obstet Gynaecol* 1992; (99) : 950-954.
- 48- **Henriksen TB, Beck KM, Hedegaard M, Secher NJ** : Methods and consequences of changes in use of episiotomy. *BMJ* 1994; 309 : 1255-1258.
- 49- **Hibbard BM** : Episiotomy and perineal lacerations. In : *Principles of Obstetrics*, 1st edition. Butterworths, London 1988; 500.
- 50- **Hirsch HA** : Episiotomy and its complications. *Z Geburtshilfe Neonatol*, 1997; Doc No 10 : 55 – 62 (English Abstract).
- 51- **House MJ, Cario G, Jones MH** : Episiotomy and the perineum : a random controlled trial. *J Obstet Gynaecol* 1986; 7 : 107-110.
- 52- **Hueston WJ** : Factors associated with the use of episiotomy during vaginal delivery. *Obstet Gynecol* 1996; 87 : 1001-1005.
- 53- **Hueston WJ, Rudy M** : A comparison of labor and delivery management between nurses, midwives and family physicians. *J Fam Pract* 1993; 37 : 449-454.
- 54- **Jacoby A** : Women's preferences for the satisfaction with current procedures in childbirth-findings from a national study. *Midwifery* 1987; 3 : 117-124.
- 55- **Johanson R** : Obstetric procedures. In : Edmonds DK, editor. *Dewhurst's Text Book of Obstetrics and Gynecology for Postgraduates* 6th ed., London, Backwell Science, 1999; 308-312.
- 56- **Kaczorowski J, Levitt C, Hanvey L, Avar D, Chance G** : A national survey of use of obstetric procedures and technologies in Canadian hospitals : routine or based on existing evidence? *Birth* 1998; 25 : 11-8.
- 57- **Klein MC, Gauthier RJ, Jorgensen SH, Robbin JM, Kaczorowski J, Johnson B et al.** : Does episiotomy prevent perineal trauma and pelvic floor relaxation? online Obstetrical and Gynecological Survey. *Online J Curr Clin Trials*, 1992; (Doc No. 10) : 238-239.
-

-
- 58- Klein MC, Gauthier RJ, Robbins JM, Kaczorowski J, Jorgensen SH, Franco ED et al : Relationship of episiotomy to perineal trauma and morbidity, sexual dysfunction and pelvic floor relaxation. *Am J Obstet Gynecol* 1994; 171 : 591-598.
- 59- Labrecque M, Ballargeon L, Dallaire M, Tremblay A, Pinault JJ, Gingras S : Association between median episiotomy and severe perineal lacerations in primiparous women. *CMAJ*, 1997; 10 : 797-802.
- 60- Larsson P, Platz-Christensen JJ, Bergman B, Wallstersson G : Episiotomy : clinical, technical and psychological aspects. *Minerva Ginecol*, 1996; 31 : 39-43.
- 61- Larsson PG, Platz-Christensen JJ, Bergman B, Wallstersson G : Advantage or disadvantage of episiotomy compared with spontaneous perineal laceration. *Gynecol Obstet Invest* 1991; 31 : 213 – 216.
- 62- Lede RL, Belizàn JM, Garroli G : Is routine use of episiotomy justified? *Am J Obstet Gynecol* 1996; 174 : 1399-1402.
- 63- Lee B : Episiotomy. *BMJ* 1982; 284-595.
- 64- Lorenz N, Nougara A, Garner P : Episiotomy in Burkina Faso. *Trop-Doct.*, 1998; 28 : 83-85.
- 65- Mayes F, Oakley D, Wranesh B, Springer N, Krumlauf J, Crosby R : A retrospective comparison of certified nurse –midwife and physician management of low risk births : a pilot study. *J Nurse Midwifery* 1987; 32:216-221.
- 66- McGuinness M, Norr K, Nacion K : Comparison between different perineal outcomes tissue healing. *J Nurse Midwifery* 1991; 36 :192-198.
- 67- Miller AWF, Hanretty KP : Episiotomy. In : Miller AWF, Hanretty KP editors. *Obstetrics Illustrated* 5th edition Churchill Livingstone, New York, 1997; 296:297.
- 68- Needham D, Sheriff J : A survey on tears and episiotomies of the perineum. *Midwives Chronicle Nursing Notes* 1983; 96 : 232-233.
-

-
- 69- **Nichols DH** : Episiotomy, Repair of fresh obstetric lacerations, and symphysiotomy. In : Nichols DH, Clarke-Pearson editors. Gynecologic, Obstetric and Related Surgery, 2nd edition. Mosby, Boston 2000; 3 : 1066-1080.
- 70- **Nichols DH, Randall CL** : Maternal injuries associated with childbirth. In : Nichols DH, Randall CL editors. Vaginal Surgery, 4th edition, Williams & Wilkins, Baltimore 1996; 43-57.
- 71- **Oakley A** : Social consequences of obstetric technology : the importance of measuring "soft" outcomes. Birth 1983; 10 : 99-108.
- 72- **Owen J, Hauth JC** : Episiotomy infection and dehiscence. In : Gilstrap LC III, Faro S, eds. Infection In Pregnancy. Alan R. Liss, New York, 1990; 61-74.
- 73- **Pauerstein CY** : Episiotomy. In : Pauerstein CY, editors. Clinical Obstetrics. Wiley Medical Publications, New York 1987; 847.
- 74- **Peleg D, Kennedy CM, Merrill D Zlatnik FJ** : Risk of repetition of a severe perineal laceration. Obstet Gynaecol, 1999; 181 : 1021-1024.
- 75- **Perry RE, Blatchford GJ, Christensen MA, Thorson AG, Attwood SE** : Manometric diagnosis of anal sphincter injuries. Am J Surg 1990; 159:112-117.
- 76- **Philippe HJ** : Can the perineum be protected?. Int J Gynecol Obstet, 2000; 70 : 9.
- 77- **Plauché WC** : Episiotomy and repair. In : Plauché WC, Morrison JC, O'Sullivan MJ editors. Surgical Obstetrics. 2nd edition, WB Saunders, Philadelphia, 1992; 365-371.
- 78- **Poen AC, Felt-Bersma RJ, Dekker A, Devillé W, Cuesta MA, Meuwissen SG** : Third degree obstetric perineal tears : risk factors and the preventive role of mediolateral episiotomy. Br J Obstet Gynaecol 1997; 31 : 563-566.
- 79- **Pritchard JA, MacDonald PC, Gant NF** : Episiotomy. In : Pritchard JA, MacDonald PC, Gant NF, editors. Williams Obstetrics, 17th Edition : Appleton-Century-Crofts, New York, 1985; 323.
-

-
- 80- **Renfrew MJ, Hannah W, Albers L.** : Practices that minimize trauma to the genital tract in childbirth : a systematic review of the literature. *Birth* 1998; 25 : 143-60.
- 81- **Reynolds JL** : Reducing the frequency of episiotomies through a continuous quality improvement program. *CMAJ*, 1995; 153 : 275-282.
- 82- **Reynolds JL, Yudkin PL.** : Changes in the management of labour :1. Length and management of the second stage. *CMAJ* 1987a; 136: 1041 – 1045.
- 83- **Reynolds JL, Yudkin PL.** : Changes in the management of labour : 2. Perineal management. *CMAJ* 1987b; 136 : 1045 – 1049.
- 84- **Robinson JN, Norwitz ER, Cohen AP, McElrath TF, Lieberman ES** : Episiotomy, operative vaginal delivery and significant perinatal trauma in nulliparous women. *Am J Obstet Gynaecol*, 1999; 181 : 1180-1184.
- 85- **Röckner G** : Urinary incontinence after perineal trauma at childbirth. *Scand J Caring Sci* 1990; 4:169-172.
- 86- **Röckner G, Fianu-Jonasson A** : Changed pattern in the use of episiotomy in Sweden. *Br J Obstet Gynaecol* 1999; 106 : 95-101.
- 87- **Röckner G, Henningsson A, Wahlberg V, Ölund A** : Evaluation of episiotomy and spontaneous tears of perineum during childbirth. *Scand J Caring Sci* 1988; 2:19-24.
- 88- **Röckner G, Jonasson A, Ölund A** : The effect of mediolateral episiotomy at delivery on pelvic floor muscle strength evaluated with vaginal cones. *Acta Obstet Gynecol Scand* 1991; 70:51-54.
- 89- **Röckner G, Ölund A** : The use of episiotomy in primiparae in Sweden. A descriptive study with particular focus on two hospitals. *Acta Obstet Gynecol Scand* 1991; 170 : 325-330.
- 90- **Röckner G, Wahlberg V, Ölund A.** : Episiotomy and perineal trauma during childbirth. *J Adv Nurs* 1989; 14 : 264 –268.
- 91- **Rooks JP, Weatherby NL, Ernst EK** : The national birth center study. Part II – intrapartum and immediate postpartum and neonatal care. *J Nurse Midwifery* 1992; 37:301-330.
-

-
- 92- **Rosenberg AA, Battaglia FC** : The newborn infant. In: Hatbaway WE, Hay WW, Groothuis JR, Paisley JW, eds. *Current Pediatric Diagnosis and Treatment*. 11th ed. Norwalk, CT, Appleton Langes 1993; 9-63.
- 93- **Sarfati R, Mar'echaud M, Magnin G** : Comparison of blood loss during cesarean section and during vaginal delivery with episiotomy. *J Gynecol Obstet Reprod Biol*, 1999; 181 : 48-54.
- 94- **Saunders NS, Paterson CM, Wadsworth J** : Neonatal and maternal morbidity in relation to the length of the second stage of labour. *Br J Obstet Gynaecol* 1992; 99:381-385.
- 95- **Séguin L, Therrien R, Champagne F, Larouche, D** : The components of women's satisfaction with maternity care. *Birth* 1989; 16 : 109-113.
- 96- **Serrano CW, Wright JW, Newton ER** : Surgical glove perforation in obstetrics. *Obstet Gynecol* 1991; 77:525-528.
- 97- **Shiono P, Klebanoff MA, Carey JG** : Midline episiotomies : more harm than good? (comment). *Obstet Gynecol* 1990; 76 : 474-5.
- 98- **Siraj N, Johanson R** : The 2nd stage of labour. In: John Studd, editor. *Progress in Obstetrics and Gynaecology*, 14th edition, Harcourt, London, 2000; 170-187.
- 99- **Sleep J, Grant A** : West Berkshire perineal management trial: three year follow up. *BMJ* 1987; 295:749-751.
- 100- **Sleep J, Grant AM, Garcia J, Elbourne D, Spencer J, Chalmers I** : West berkshire perineal management trial. *BMJ* 1984; 289 : 587 - 590.
- 101- **Sleep J, Roberts J, Chalmers I** : Care during the second stage of labor. In : Chalmers I, Enkin M, Keirs MJNC, eds. *Effective Care in Pregnancy and Childbirth*. Oxford. Oxford University Press, 1989 : 1129-1144.
- 102- **Smith AR, Hosker GL, Warrell DW** : The role of partial denervation of the pelvic floor in the aetiology of genitourinary prolapse and stress incontinence of urine. A neurophysiological study. *Br J Obstet Gynaecol* 1989a; 96:24-28.
-

-
- 103- **Smith AR, Hosker GL, Warrell DW** : The role of pudendal nerve damage in the aetiology of genuine stress incontinence in women. *Br J Obstet Gynaecol* 1989b; 96:29-32.
- 104- **Snooks SJ, Badenoch DF, Tiptaft RCh, Swash M** : Perineal nerve damage in genuine stress urinary incontinence: an electrophysiological study. *Br J Urology* 1985b; 57:422-426.
- 105- **Snooks SJ, Henry MM, Swash M** : Faecal incontinence due to external anal sphincter division in childbirth is associated with damage to the innervation of the pelvic floor musculature: a double pathology. *Br J Obstet Gynaecol* 1985a; 92:824-828.
- 106- **Snooks SJ, Swash M, Henry MM, Setchell M** : Risk factors in childbirth causing damage to pelvic floor innervation *Int Colorect Dis* 1986; 1 : 20-24.
- 107- **Snooks SJ, Swash M, Mathers E, Henry MM** : Effect of vaginal delivery on the pelvic floor: a 5-year follow up. *Br J Surg* 1990; 77:1358-1360.
- 108- **Snooks SJ, Swash M, Setchell M, Henry MM** : Injury to innervation of pelvic floor sphincter musculature in childbirth. *Lancet* 1984; 2:456-550.
- 109- **Snyder RR, Hammond TL, Hankins GD** : Human papillomavirus associated with poor healing of episiotomy repairs. *Obstet Gynecol* 1990; 76:664-667.
- 110- **Snyder RR, Hammond TL, Hankins GD** : Episiotomy and body image. *Mod Midwife*, 1996; 31 : 18-19.
- 111- **Solt'esz S, Biedler A, Ohlmann P, Molter G** : Puerperal sepsis due to infected episiotomy wound in. *Zentralbl Gynakol*, 1999; 121 : 441-443 (English Abstract).
- 112- **Stovall TG, Ling FW** : Episiotomy. In : Stovall TG, Ling FW, *Atlas of Benign Gynecologic and Obstetric Surgery*, 2nd edition, London, Mosby-Wolfe, 1995; 220.
- 113- **Sultan AH** : Anal incontinence after childbirth. *Curr Opin Obstet Gynecol*. 1997; 9 : 320-324.
-

-
- 114- Sultan AH, Kamm MA, Hudson CN : Pudendal nerve damage during labour : prospective study before and after childbirth. Br J Obstet Gynaecol 1994a; 101:22-28.
- 115- Sultan AH, Kamm MA, Hudson CN, Bartram CI : Third degree obstetric anal sphincter tears : risk factors and outcome of primary repair. BMJ 1994b; 308 : 887-891.
- 116- Swash M, Henry M, Snooks SJ : Unifying concept of pelvic floor disorders and incontinence. J R Soc Med 1985; 78 : 906-911.
- 117- Tapp A, Cardozo L, Versi E, Montgomery J, Studd J : The effect of vaginal delivery on the urethral sphincter. Br J Obstet Gynaecol 1988; 95: 142-146.
- 118- Thacker SB, Banta HD. : Benefits and risks of episiotomy : an interpretative review of the English language literature 1860-1980. Obstet Gynecol 1983; 38 : 322-338.
- 119- Thranov I, Kringelbach AM, Melchior E, Olsen O, Damsgaard MT : Postpartum symptoms. Episiotomy or tear at vaginal delivery. Acta Obstet Gynecol Scand 1990; 69:11-15.
- 120- Throp JM, Bowes WA : Episiotomy : can its routine use be defended? Am J Obstet Gynecol 1984; 160 : 1027-1030.
- 121- Throp JM, Bowes WA, Brame RG, Cefalo R : Selected use of midline episiotomy: effect on perineal trauma. Obstet Gynecol 1987; 70 : 260-262.
- 122- Viktrup L, Lose G, Rolff M, Barfoed K : The symptom of stress incontinence caused by pregnancy or delivery in primiparas. Obstet Gynecol 1992; 79 : 945 - 949.
- 123- Weijmar SWC, van de Wiel HB, Heidemann R, Aarnoudse JG, Huisjes HJ : J Psychosom Obstet Gynaecol 1990; 11:119-127.
- 124- Wenderlein JM, Merkle E : [Complaints caused by episiotomy. Study of 413 women with spontaneous complication-free labor.] Geburtshilfe und Frauenheilkunde 1983; 43 : 625-628 (English Abstract).
-

-
- 125- **Wilcox LS, Strobino DM, Baruffi G, Dellinger WS** : Episiotomy and its role in the incidence of perineal laceration in a maternity center and a tertiary hospital obstetric service. *Am J Obstet Gynecol* 1989; 160:1047-1052.
- 126- **Williams FL, Du V Florey C, Mires GL, Oqston SA** : Episiotomy and perineal tears in low risk UK primigravidae. *J Public Health Med*, 1998; 20 : 422-427.
- 127- **Willson JR** : Prophylactic episiotomy to minimize soft tissue damage. *Infections in surgery* 1987; 6:399-407.
- 128- **Woinarski JE, Wright J** : Episiotomy. *BMJ* 1982; 284-595.
- 129- **Wood J, Amos L, Rieger N** : Third degree anal sphincter tears : risk factors and outcome. *Aust NZ J Obstet Gynaecol*, 1998; 38 : 414-417.
- 130- **Woolley RJ** : Benefits and risks of episiotomy : a review of English language literature since 1980. *Obstet Gynecol Surv* 1995; 50 : 806-835.
- 131- **Zelzer DD** : Episiotomy. In : *Obstetric Myths Versus Research Realities*. Return to the online birth center, last updated, November 2, 1996.
- 132- **Zuspan FP, Quilligan EJ** : Management of delivery trauma. In : *Zuspan FP, Quilligan EJ editors. Douglas-Stramme Operative Obstetrics*. 5th edition. Appleton & Lange, Norwalk, Connecticut 1998; 529.

ERRATA

Page	Line	Wrong	Wright
1	4	<i>Janasson</i>	<i>Jonasson</i>
3	6	Multiparas	Multiparous
5	10	Priniparas	Priniparous
10	17	Benefit and risk	Benefits,
15	4	He	They
19	19	After	With
19	24	Of 19.2%	19.2%
22	16	Flour	Floor
22, 25	28,25	Beazly	Beazley
26	6	And risks	And others risks
27	24	<i>Wenderlein et al.</i>	<i>Wenderlein and Merkle</i>
28	12	<i>Brown et al.</i>	<i>Brown and Lumley</i>
28	13	Mode	Made
28	15	Nulliparaus	Nulliparous
39, 40	28, 17	<i>Janasson</i>	<i>Jonasson</i>
43	12	Polyglycolic	Polyglactin
50	12	(167)	(266)
50	17	, regarding	, except regarding
65	10	This	There
66	6	Whereas	But
66	24	None	Non
67	21	Nulliparas	Nulliparous
68	21	Ten day	Seven to ten-days
69	1	0/12	0/142
70	2, 3	Falls just short of statistical significant P = 0.5	Was not statistically significant P = 0.9
77	2	May be due Was due to	Was be May be due to
77	8	Heaviness discomfort or	Heaviness or discomfort
77	26	<i>Hill, 1990</i>	يحذف

80	3	At 10 days	At 7-10 days
80	15	An, 10 day	On, at 7-10 days
81	3	, head position	Fetal head position
	17	12.4%	4.9%
	21	pelvic	Perineal
	22	21.1%	12.1%
	23	5.6%	5.2%
82	1	39.9	35.9
83	1	Primiparae	Primiparae
	18	Of	By
	20	Is	Was
84, 88	9, 55	London, back well science	Back well science, London
85	18	London, Edward Arnold	Edward Arnold, London.
86, 92	27, 101	Oxford, Oxford University Press	Oxford University Press, Oxford
87	37	New York, McGraw Hill	McGraw Hill, New York
88	49	In : Hibbard BM editor	
84	60, 61		61, 60
90	73	Editors	Editor
93	104	1985b	1985a
93	105	1985a	1985b
93	112	London, Mosby-Wolfe	Mosby-Wolfe. London
94	122	Primiparas	Primiparous
1	1	بضع	شق
	9	ولمنع	لمنع
3	7	الننام	التحكم
	23	%١٢,٤	%٤,٩
4	1	%٤,٩	%٤,٢
	2	%٢١,١	%١٢,١
	3	%٥,٦	%٥,٢
	6	٣٩,٩	٣٥,٩