

## REFERENCES

R E F E R E N C E S

- Abdin, F.H.; Tawfik, H.N. and Khalil, A. (1973):  
Experience with the pathology of breast lesion.  
Kasr El Aini J. Surg., 13: 95.
- Aboul-Nasr, A.L.; Boutros, S.G. and Husein, M.H. (1982):  
The Cancer Registry for the Metropolitan Cairo  
Area. Cairo University.
- Aboul-Nasr, A.L.; Boutros, S.G. and Husein, M.H. (1976):  
The Cancer Registry for the Metropolitan Cairo  
Area. Cairo University.
- Aboul-Nasr, A.L.; Boutros, S.G. and Husein, M.H. (1978):  
The Cancer Registry for the Metropolitan Cairo  
Area. Cairo University.
- Aboul-Nasr, A.L.; Boutros, S.G. and Husein, M.H. (1979):  
The Cancer Registry for the Metropolitan Cairo  
Area. Cairo University.
- Aldridge, W.N. (1953):  
Serum esterases. Two types of esterase (A and B)  
hydrolysing p-nitrophenyl acetate, propionate  
and butyrate and a method for their determination,  
Biochem. J., 53: 110-117.
- Allen, J.M. and Gockerman, J. (1964):  
Electrophoretic separation of multiple forms of  
particle associated acid phosphatase. Acad. Sci.,  
121: 616.

- Ammon, R. and Jaarma, J. (1950):  
Enzymes hydrolyzing fat and esters. In the enzymes chemistry and mechanism of action. Vol. 1, p. 390. Ed. by Saunder, J.B.; Myrback, K.N.Y.. Academic Press Inc.
- Ascari, E.; Marini, G.; Invernizzi, R.; Ippolita, G.; Casirola, G.; Fontana, G. and Rizzo, S.C. (1975):  
On the usefulness of PAS reaction for the prognosis of acute lymphoblastic leukemia. *Haematologica*, 60, 300.
- Astaldi, G. and Vergal, L. (1957):  
Glycogen content of the cells of lymphatic leukaemia. *Acta Haematologica*, 17: 129-135.
- Axline, S.G. (1968):  
Isoenzymes of acid phosphatase in normal and calmette - Gurein bacillus induced rabbit alveolar macrophages. *J. Exp. Med.*, 128, 1031.
- Axline, S.G. and Cohn, Z.A. (1969):  
The in vitro induction of lysosomal enzymes by phagocytosis. *J. Clin. Invest.*, 48, 4a.
- Baggiolini, M. (1972):  
The enzymes of the granules of polymorphnuclear leucocytes and their functions. *Enzymes*, 13, 132.
- Baggiolini, M. (1975):  
The granules of neutrophilic polymorphnuclear leucocytes, formation, properties and function. *The Intern. Cong. Haematol., European and African Division. Third.*

- Bain, B.J.; Catovsky, D.; O'Brien, M. et al. (1981):  
Megakaryoblastic leukemia presenting as acute  
myelofibrosis - a study of four cases with the  
platelet peroxidase reaction. *Blood*, 58, 206-213.
- Bainton, D.F. and Farquhar, M.G. (1968):  
Differences in enzyme content of azurophilic and  
specific granules of polymorphnuclear leucocytosis.  
*J. Histochem. Cytochem.*, 10, 743
- Bainton, D.F. (1972):  
Origin, content, and fate of pH P granules, phago-  
cytic mechanisms in health and diseases. (Ed. by  
R.C. Williams, Jr. and H.H. Fudenberg), p. 123.  
Intercontinental Medical Book.
- Barka, T. (1961):  
Studies of acid phosphatase I. Electrophoretic  
separation of acid phosphatase of rat liver on  
polyacrylamide gels. *J. Histochem. Cytochem.*,  
9, 542.
- Barka, T. and Anderson, P.J. (1962):  
Histochem. methods for acid phosphatase using  
hexazonium pararosaniline as coupler.  
*J. Histochem. Cytochem.*, 10, 741.
- Barr, R.D. and Perry, S. (1976):  
Lysosomal acid hydrolases in humen lymphocyte  
subpopulations. *British Journal of Hematology*,  
32: 565-572.
- Bauer, H. (1933):  
Mikroskopisch - Chemischer Nachweis Von Glykogen  
und einigen anderen polysacchariden. *Z. Mikr.*  
*Anat. Forsch.*, 33, 143.

- Baum, E.; Sather, H.; Nachman, J. et al. (1979):  
Relapse rates following cessation of chemotherapy  
during complete remission of acute lymphocytic  
leukemia. Med. Pediatr. Oncol., 7: 25-34.
- Beard, C.W. and Dorfman, R.F. (1974):  
Histopathology of malignant lymphomas.  
Clin. Haem., 3, 39.
- Bennett, J.M. (1971):  
Myelomonocytic leukemias - a historical review  
and perspective. Cancer, 27, 1218.
- Bennett, J.M. and Begg, C.B. (1981):  
Eastern Cooperative Oncology Group Study of Cyto-  
chemistry of Adult Acute Myeloid Leukemia by  
Correlation of Subtypes with Response and  
Survival. Cancer Res., 41, 4833-4837.
- Bennett, J.M.; Catovsky, D.; Daniel, M.T.; Flandrin, G.;  
Galton, D.A.G.; Gralnick, H.R. and Sultan, C. (1981):  
The morphological classification of acute lympho-  
blastic leukemia: Concordance among observers  
and clinical correlations. Br. J. Hematol., 47:  
553-561.
- Bennett, J.M.; Catovsky, D.; Daniel, M.T.; Flandrin, G.;  
Galton, D.A.G.; Gralnick, H.R. and Sultan, C. (1976):  
Proposals for the classification of the acute  
leukemia. British Journal of Haematology, 33:  
451-458.
- Bennett, J.M. and Dutcher, T.F. (1969):  
The cytochemistry of acute leukemia: observations  
on glycogen and neutral fat in bone marrow aspirates.  
Blood, 33: 341-347.

- Bennett, J.M.; Klemperer, M.R. and Segel, G.B. (1973):  
Survival prediction based on morphology of  
lymphoblasts. In: Recent Results in Cancer Res.,  
No. 43, Springer Verlag.
- Bennett, J.M. and Reed, C.F. (1975):  
Acute leukemia cytochemical profile: diagnostic  
and clinical implication. Blood Cells, 1, 101.
- Bessis, M. (1956):  
Cytology of the blood and the blood forming organs.  
New York, Grune & Stratton.
- Bessis, M. (1973):  
Living blood cells and their ultrastructure.  
Berlin: Springer-Verlage, 367.
- Bimes, C.H. and Gullhem, A. (1962):  
Existence dans le sang circulant d'une variété  
de lymphocytes présentant une activité esterasique  
non spécifique et un pouvoir. Colloïdopexique  
Comptes Rendus Hebdomadaires des Séances de  
l'Académie des Sciences, 245, 1696.
- Boggs, D.R.; Wintrobe, M.M. and Cartwright, G.E. (1962):  
The acute leukemias. Medicine, 41: 163.
- Braunstein, H. (1959):  
Esterase in leukocytes. J. Histochem. Cytochem.,  
7: 202.
- Breton-Gorius, J.; Reyes, F.; Duhamel, G. et al. (1978):  
Megakaryoblastic acute leukemia. Identification  
by the ultrastructural demonstration of platelet-  
peroxidase. Blood, 51, 45-60.

- Brincher, H. and Jensen, K.B. (1972):  
Cytomorphological classification of acute leukemias.  
Dan. Med. Bull., 19: 215.
- Brittinger, G.; Hirschhorn, R.; Doughlas, S.D. and  
Weissmann, G. (1968):  
J. Cell. Biol., 37, 394.
- Brouet, J.C.; Flandrin, G.; Sasportes, M.; Preud'homme,  
J.L. and Seligmann, M. (1975):  
Chronic lymphocytic leukemia of T-cell origin.  
Immunological and clinical evaluation in eleven  
patients. Lancet, ii: 890-893.
- Brouet, J.C.; Valensi, F.; Daniel, M.T.; Flandrin, G.;  
Preud'homme, J.L. and Seligmann, M. (1976):  
Immunological classification of acute lympho-  
blastic leukemias: evaluation of its clinical  
significance in a hundred patients. Brit. J.  
Haemat., 33, 319-328.
- Broun, G.O. (1969):  
Chronic erythroleukemic. Am. J. Med., 47: 785.
- Browning, D. and Gross, S. (1968):  
Epidemiological studies of acute childhood  
leukemia. A survey of Cuyahogu county, Ohio.  
Am. J. Dis. Child., 116, 576-585.
- Brunning, R.D.; Parkin, J.L. and McKenna, R.W. (1983):  
Acute lymphoblastic leukemia. In: Polliack, A.,  
ed. Human leukemias. Contribution of cytochemistry  
and ultrastructure in diagnosis. Mass., U.S.A.,  
Martinus Nijhoff Publishers. In Press.

Burstone, M.S. (1962):

Enzyme histochemistry and its application in the study of neoplasms. Acad. Press, New York.

Catovsky (1981):

Post graduate hematology, ed. Hoffbrand, A.V. and Lewis, S.M. (1981). Pub. William and Heinemann Medical Books Limited, London.

Catovsky, D. and Castello, C. (1979):

Cytochemistry of normal and leukemic lymphocytes: a review. Basic Appl. Histochem., 23, 255-270.

Catovsky, D.; Cherchi, M.; Greaves, M.F.; Pain, C.;

Janossy, G. and Kay, H.E.M. (1978):

The acid phosphatase reaction in acute lymphoblastic leukemia. Lancet, 1, 749, 751.

Catovsky, D.; De Salvo Cardullo, L.; O'Brien, M. et al. (1981):

Cytochemical markers of differentiation in acute leukemia. Cancer Res., 41, 4824-4832.

Catovsky, D.; Galetto, J.; Okos, A.; Miliani, E. and Galton, D.A.G. (1974):

Cytochemical profile of B and T leukemic lymphocytes with special reference to acute lymphoblastic leukemia. Journal of Clinical Pathology, 27: 767-771.

Cawley, J.C. and Hayhoe, F.G.T. (1973):

Ultrastructure of haemic cells. A cytological atlas of normal and leukemic blood and bone marrow. London, W.B. Saunders Co. Ltd.

- Catovsky, D.; Matutes, E.; Crockard, A.D. et al. (1983):  
Prolymphocytic leukemia of B- and T-cell types.  
Morphological differences by light and electron  
microscopy. In Polliack, A., ed. Human Leukemias.  
Martinus Nijhoff Publishers. In Press, U.S.A.
- Catovsky, D.; O'Brien, M. and Cherchi, M. (1978):  
Cytochemistry; an aid to the diagnosis and  
classification of the acute leukemia. Recent  
Results in Cancer Research.
- Carpentieri, U.; Patten, E.V. and Chamberlin, D.A. (1979):  
Leukopheresis in three year old child with lymphoma  
in leukemic transformation. J. Pediatr., 94: 919-  
921.
- Catovsky, D.; Pittman, S.; O'Brien, M. et al. (1979):  
Multiparameter studies in lymphoid leukemias.  
Am. J. Clin. Path., 72, 736-745.
- Chandra, R.K. and Kutty, K.M. (1975):  
Experientia, 31: 858.
- Chang, L.M.S. (1971):  
Development of terminal deoxynucleotidyl transferase  
activity in embryonic calf thymus gland. Biochemical  
Biophysical Research Communication, 44: 124-131.
57. Chayen, J.C. (1968):  
Histochemistry of phospholipids and its significance  
in the interpretation of the structure of cells.  
In: The Interpretation of Cell Structure, eds.  
Ross, K.F. and McGee-Russell, S. Arnold: London.

- Chessels, J.M.; Hardisty, R.M.; Rapson, N.T. et al. (1977):  
Acute lymphoblastic leukemia in children: Classification and prognosis. *Lancet*, 2: 1307.
- Cheung, W.H.; Rai, K.R. and Sawitsky, A. (1972):  
Characteristics of cell proliferation in acute leukemia. *Cancer Res.*, 32: 939.
- Chilcote, R.R. and Bachner, R.L. (1979):  
Septicemia in association with acute lymphoblastic leukemia. *J. Pediatr.*, 94: 715-718.
- Clarkson, B.D. (1969):  
Review of recent studies of cellular proliferation in acute leukemia. *Natl. Cancer Inst. Monogr.*, 30: 81.
- Chilcote, R.R.; Coccia, P.; Sather, H. et al. (1976):  
Mediastinal mass and prognosis in acute lymphocytic leukemia (ALL). *Proc. Am. Soc. Clin. Oncol.*, 17: 292.
- Coccia, P.F.; Miller, D.R.; Keresy, J.H.; Bleyer, W.A.; Gross, S.; Siegel, S.E.; Sather, H.N. and Hammond, G.D. (1979):  
Relationship of blast cell surface markers and morphology (FAB classification) in childhood acute lymphoblastic leukemia. *Blood*, 54: 182a.
- Coccia, P.; Sather, H.; Nesbit, M. et al. (1976):  
Interrelationship of initial WBC, age and sex in predicting prognosis in childhood acute lymphoblastic leukemia (abstract). *Proc. Am. Soc. Hematol.*

Cohn, Z.A. and Hirsch, J.G. (1960):

The isolation and properties of the specific cytoplasmic granules of rabbit polymorphnuclear leucocytes. J. Exp. Med., 112, 983.

Coleman, M.S.; Hutton, J.J.; De Simone, P. and Bollum, F.J. (1974):

Terminal deoxyribonucleotidyl transferase in human leukemia. Proceedings of the National Academy of Sciences of the USA, 71: 4404-4408.

Cooke, J.V. (1954):

The occurrence of leukemia. Blood, 9: 340.

Cooper, I.A.C. (1970):

Clinical presentation of reticulum cell sarcoma, a disease with many faces. Med. J. Austr., 1; 697.

Court Broun, W.M. and Doll, R. (1959):

Adult leukemia. Trends in mortality in relation to aetiology. Br. Med. J., 1, 1063.

Dameshek, W. and Gunz, F. (1964):

Leukemia, 2nd Edition, p. 1. New York: Grune & Stratton.

Dameshek, W. and Gunz, F. (1974):

Leukemia, 3rd Ed., Grune and Stratton Inc., New York, 1, 17, 377, 420, 431.

Daniel, M.T.H.; Flandrin, G.; Legune, J.; Liso, P. and Lortholary, P. (1971):

Specific esterase of monocytes. Their use in the classification of acute leukemias. Nouv. Rev. Er. Haematol., 11: 223.

Davis, B.J. (1959):  
Histochemical demonstration of erythrocyte esterases.  
Proceedings of the Society for Experimental Biology and Medicine, 101: 90.

Davis, D.R. (1934):  
The phosphatase activity of spleen extracts.  
J. Biochem., 28, 529.

Dausset, J. (1950):  
Essai de différenciations des diverses variétés  
des leucémies aiguës par l'examen du sang et de  
la moelle à l'état frais. Sang., 21: 610.

De Duve (1959):  
Lysosomes, a new group of cytoplasmic particles  
in subcellular particles. Ed. Hayashi, T. Ronald,  
New York.

Denuth, F. (1925):  
Über phosphorstoffwechsel I. Mitteilung über  
Hexosephosphatasen in menschlichen organen und  
körperffühigkeiten. Biochem. Ztschr., 159, 415.

Dipietre, D.L. and Zengerle, F.S. (1967):  
Separation and properties of three acid phosphatases from human placenta. J. Biol. Chem., 242, 339 I.

Dearth, J.C.; Fountain, K.S. and Smithson, W.A. (1978):  
Extreme leukemic leukocytosis (blast crisis) in  
childhood. Mayo Clin. Proc., 53: 207-211.

Donaldson, V.H. and Evans, R.R. (1963):  
Biochemical abnormality in hereditary angioneurotic  
edema: absence of serum inhibitor of C1-esterase.  
Am. J. Med., 35: 37.

- Donne, A. (1844):  
Course de microscopie. Paris Bailliere, p. 132 H.
- Duffy, J.H. and Driscoll, E.J. (1958):  
Oral manifestations of leukemia. Oral Surg., 11:  
484.
- Durant, J.R. and Tassoni, E.M. (1967):  
Co-existent Diguglielmo's leukaemia and Hodgkin's  
disease. Case report with cytogenetic studies.  
American Journal of the Medical Sciences, 254:  
824-830.
- Efrati, P.; Klajman, A. and Spitz, M. (1957):  
Mast cell leukemia, malignant mastocytosis with  
leukemia like manifestations. Blood, 12: 869.
- Eimoto, T.; Mitsui, T. and Kikuchi, M. (1981):  
Ultrastructure of adult T-cell leukemia lymphoma.  
Virch Arch. Cell Pathology, 38, 189-208.
- Ellis, R.B.; Rapson, N.T.; Patrick, A.D. and Greaves,  
M.F. (1978):  
Expression of hexosaminidase isoenzymes in child-  
hood leukemia. New Eng. J. Med., 298, 476-480.
- Ernst, P.; Andersen, V. and Killmann, S.A. (1971):  
Cell cycle effect of extracorporeal indication of  
the blood in acute myeloid leukemia. Scand.  
J. Haematol., 8: 21.

- Farquhae, M.G.; Baintorn, D.F.; Baggiolini, M. and De Duve, C. (1972):  
Cytochemical localization of acid phosphatase activity in granule fractions from rabbit polymorphonuclear leucocytes. *J. Cell. Biol.*, 54, 144.
- Ferlugo, J.; Asherson, G.L. and Becker, B.L. (1972):  
The effect of organophosphorus inhibitors, P-nitrophenol and cytochalasin-B on cytotoxic killing of tumor cell by immune spleen cells and the effect of shaking. *Immunology*, 23: 577-590.
- Fiessinger, N. and Boyer, F. (1936):  
Les phosphatases des leucocyte. *Enzymologia*, 1, 172.
- Flandrin, G.; Brouet, J.C.; Daniel, M.T. and Preud'homme, J.L. (1975):  
Acute leukemia with Burkitt's tumor cells: a study of six cases with special reference to lymphocyte surface markers. *Blood*, 15: 183-188.
- Flandrin, G. and Daniel, M.T. (1973):  
Practical value of cytochemical studies for the classification of acute leukemias. *Recent Results in Cancer Research*, 43: 43-56.
- Flandrin, G. and Daniel, M.T. (1981):  
Cytochemistry in the classification of leukemias. In: *The leukemic cell*. Edited by D. Catovsky, published by Churchill Livingstone.
- Foadi, M.D.; Cooper, E.H. and Hardisty, R.M. (1967):  
DNA synthesis and DNA content of leucocytes in acute leukaemia. *Nature*, 216: 134.

- Fraumeni, J.F.; Manning, M.D. and Mitus, W.J. (1971):  
Acute childhood leukemia: Epidemiologic study of  
cell type of 1263 cases at the Children's Cancer  
Research Foundation in Boston 1947-65. J. Natl.  
Cancer Inst., 46: 461.
- Frei, E. and Sallan, S.E. (1978):  
Acute lymphoblastic leukemia: Treatment.  
Cancer, 42 (Suppl.): 828-838.
- Gabutti, V.; Pileri, A.; Tarocco, R.P.; Gavosto, F. and  
Cooper, E.H. (1969):  
Proliferative potential of out of cycle leukemic  
cells. Nature, 224: 375.
- Gahrton, G.; Brandt, L.; Franzen, S. and Norden, A. (1969):  
Cytochemical variants of neutrophil leucocyte  
populations in chronic myelocytic leukemia.  
Scand. J. Haemat., 6, 365.
- Gamliel, H.; Gurfel, D. and Polliack, A. (1983):  
Immuno-scanning electron microscopy of human  
leukemias. A study of 50 cases of leukemia and  
14 established leukemia lymphoma cell lines. In:  
Polliack, A., ed. Human leukemia. Martinus-  
Nijhoff Publishers. In Press, U.S.A.
- Gavosto, F.; Pileri, A.; Gabutti, V. and Maseria, P. (1967):  
Non self maintaining kinetics of proliferating  
blasts in human acute leukemia. Nature, 216: 188.
- Gibb, R.P. and Stowell, R.E. (1949):  
Glycogen in human blood cells.  
Blood, 4, 569.

Goldberg, A.F. (1964):

Acid phosphatase activity in Auer bodies.  
Blood, 24, 305.

Goldberg, A.F. and Barka, T. (1962):

Acid phosphatase activity in human blood cells.  
Nature, 195, 297.

Gomori, G. (1946):

A new histochemical test for glycogen and mucin.  
Amer. J. Clin. Path., 10, 177.

Gomori, G. (1952):

Microscopic histochemistry. Principles and practice.  
Univ. of Chicago Press: Chicago, Illinois.

Gott Fried, E.L. (1972):

Lipid patterns of leucocytes in health and disease.  
Seminars Haemat., 9, 241.

Graham, R.C. and Karnovsky, M.J. (1966):

The early stages of absorption of injected horse-radish peroxidase in the proximal tubules of mouse kidney. Ultrastructural cytochemistry by a new technique. J. Histochem. Cytochem., 14: 4752-4766.

Greydanus, D.E.; Burgert, E.O., Jr. and Gilchrist, G.S. (1978):

Hypothalamic syndrome in children with acute lymphocytic leukemia. Mayo Clin. Proc., 53: 217-220.

Grogg, E. and Pearse, A.G.E. (1952):

A critical study of the histochemical techniques for acid phosphatase. J. Path. Bact., 64, 627.

- Grossi, C.E.; Webb, S.R.; Zicca, A.; Lydyrad, P.M.;  
Moretta, L.; Mingari, M.C. and Cooper, M.A. (1978):  
Morphological and histochemical analyses of two  
human T-cells subpopulations bearing receptor  
for IgM or IgG. *Journal of Experimental Medicine*,  
147: 1405-1417.
- Gunz, F. and Baikie, A.G. (1974):  
*Leukemia, 3rd Edition*. Grune & Stratton Publishers,  
New York.
- Gunz, F.W. and Burry, A.F. (1963):  
Cellular types in acute leukemia. Diagnosis and  
significance. *Br. J. Hematology*, 16: 325.
- Gunz, F.W. and Hough, R.F. (1956):  
Acute leukemia over the age of fifty. A study  
of its incidence and natural history. *Blood*,  
11: 882.
- Gunz, F.W. and Spears, G.F.S. (1968):  
Distribution of acute leukemia in time and space.  
Studies in New Zealand. *Br. Med. J.*, 4: 604.
- Hamilton, R.M.; de Meesters, S. and Golomb, H.M. (1983):  
Scanning electron microscopy of hairy cells from  
15 patients with hairy cell leukemia. In: Polliack,  
A., ed. *Human leukemias*. Martinus Nijhoff  
Publishers. In Press, U.S.A.
- Hammed, H.A. (1977):  
Histochemical studies of the white blood cells  
in acute leukaemia. M.D. Thesis, Alexandria  
University.

- Hammouda, F.A.; Sokkar, S.M.; El-Fadaly, N.H.; Abdel Halim, S. and Hindawy, D.S. (1984):  
Journal of the Egyptian National Cancer Institute, Vol. 1, No. 3, 99-109.
- Hanaoka, M.; Sasaki, M.; Matsumoto, H. et al. (1979):  
Adult T-cell leukemia. Histological classification and characteristics. Acta Pathol. Japan., 29, 723-738.
- Hann, I.M.; Evans, D.I.K.; Palmer, M.K.; Morris, Jones, P.J. and Haworth, C. (1979):  
The prognostic significance of morphological features in childhood acute lymphoblastic leukemia. Clinical and Laboratory Hematology, 1: 215-226.
- Harada, N. (1951):  
Histochemical studies on the Auer body. Nagaya J. Med. Sci., 14, 129.
- Hardin, E.B.; Valentine, M.N.; Follette, J.H. and Laurence, J.S. (1955):  
Esterase and lipase activity of leukocytes and erythrocytes in health and disease. The American Journal of Medical Sciences, 229: 397.
- Harris, A.L. (1978):  
Leukostasis associated with blood transfusion in acute myeloid leukemia. Br. Med. J., 1: 1169-1171.
- Hauptmann, E.; Crepinko, I. and Ljubimir, K. (1977):  
Cytomorphological and cytochemical classification of acute leukemias and its reproducibility. In: Therapy of acute leukemia. Proc. of 2<sup>nd</sup> Int. Symp. Ed. Mandelli, F., Lombardo Editore, Rome, p. 43.

Hayhoe, F.G.J. (1969):

The cytochemistry of haemopoiesis. In: Disorders of the Blood, p. 123, ed. Britton, C.J.C., Churchill: London.

Hayhoe, F.G.J. and Cawley, J.C. (1972):

Acute leukemia: cellular, morphology, cytochemistry and fine structure. Clinics Hematol., 1: 49.

Hayhoe, F.G.J.; Quaglino, D. and Doll, R. (1964):

The cytology and cytochemistry of acute leukaemias. A study of 140 cases. M.R.C. Special Report, Series No. 304, H.M.S.O.: London.

Hayhoe, F.G.J. and Quaglino, D. (1980):

Haematological cytochemistry. ed. Churchill Livingstone, p. 9, 51-60.

Heyn, R.M.; Doo, P.; Karon, M. et al. (1975):

Intensity of immunosuppressive therapy and the incidence of pneumocystitis carinii pneumonitis. Cancer, 36: 2004.

Higgy, K.E. (1978):

Estrase cytochemistry of haemic cells. M.D. Thesis, Cambridge University, England.

Higgy, K.E.; Burns, G.F. and Hayhoe, F.G.J. (1977):

Discrimination of B, T and null lymphocytes by esterase cytochemistry. Scand. J. Haemat., 18, 437.

Higgy, K.E.; Burns, G.F. and Hayhoe, F.G.J. (1978):

Identification of the hairy cells of leukaemic reticulo-endotheliosis by an esterase method. Brit. J. Haemat., 38, 99.

- Hoffbrand, A.V.; Ganeshaguru, K.; Janossy, G.; Greaves, M.F.; Catovsky, D. and Woodruff, R.K. (1977):  
Terminal deoxynucleotidyl transferase levels and membrane phenotypes in diagnosis of acute leukemia. *Lancet*, ii, 520-523.
- Horn, R.G. and Spicer, S.S. (1964):  
Sulfated mucopolysaccharides and basic protein in certain granules of rabbit leucocytes. *Lab. Invest.*, 13, 1, 15.
- Horwitz, D.A.; Allison, A.C.; Ward, D.; Kight, N. and Harrow, G.B.R. (1977):  
Identification of human mononuclear leukocyte populations by esterase staining. *Clin. Exp. Immunol.*, 30 (2): 289-298.
- Hotchkiss, R.D. (1948):  
A microchemical reaction resulting in the staining of polysaccharide structures in fixed tissue preparations. *Arch. Biochem.*, 16, 131.
- Hubler, W.R. and Netherton, E.W. (1977):  
Cutaneous manifestations of leukemia. *Arch. Dermat.*, 56, 70.
- Huhn, D.; Thiel, E.; Rodt, H. and Andreewa, P. (1981):  
Cytochemistry and membrane markers in acute lymphatic leukemia (ALL). *Scand. J. Haematol.*, 26, 311-320.
- Humphrey, G.B.; Nesbit, M.E. and Brunning, R.D. (1974):  
Prognostic value of PAS reaction in acute lymphoblastic leukemia. *American Journal of Clinical Pathology*, 61: 393-397.

- Hustu, H.O. and Aur, R.J. (1978):  
Extramedullary leukemia. Clin. Haematol., 7:  
313-337.
- Isaacs, R. (1937):  
Lymphosarcoma cell leukemia. Ann. Int. Med.,  
11, 657.
- Jaffe, N. (1975):  
Metabolic and biochemical changes in leukemia.  
Mod. Probl. Pediatr., 16: 113.
- James, G. White (1967):  
Fine structural demonstration of acid phosphatase  
activity in Auer bodies. Blood, 29, 667.
- Jamra, M. and Lorenzi, T.F. (1961):  
Megakaryocytic formula. Morphological and cyto-  
chemical study of the megakaryocytes in thrombo-  
penic purpura. Rev. Hosp. Clin., Fac. Med., S.  
Paulo, 16, 274.
- Jansson, S.E.; Gripenberg, J.; Vuopio, P. et al. (1980):  
Classification of acute leukemia by light and  
electron microscope cytochemistry. Scand. J.  
Hematol., 25, 412-416.
- Jones, B.; Holland, J.F.; Glidewell, O. et al. (1977):  
Optimal use of L-asparaginase (NSC-109229) in  
acute lymphocytic leukemia. Med. Pediatr. Oncol.,  
3: 387-400.
- Kaplow, L.S. and Burstone, M.S. (1964):  
Cytochemical demonstration of acid phosphatase in  
hemopoietic cells in health and in various haemato-  
logical disorders during azodye techniques.  
J. Histochem. Cytochem., 12, 805.

- Kass, L. and Peters, C.L. (1977):  
Non specific esterase activity in pernicious anaemia  
and chronic erythremic myelosis. A.J.C., p. 68, 2.
- Kass, L.; Peter, C.L. and Vugrin, D. (1978):  
Electrophoretic properties of esterases in  
chronic granulocytic leukaemia. A.J.C.P., 69 (3):  
329-332.
- Kay, H.D. (1929):  
Plasma phosphatase; method of determination:  
Some properties of enzyme. J. Biol. Chem., 89, 235.
- Keleti, J.; Révész, T. and Schuler, D. (1978):  
Morphological diagnosis in childhood leukemia.  
Br. J. Hematol., 40: 501-502.
- Khalil, F.I.; Imal, S.; Ibrahim, Hamza, R.I.; Mansour,  
A.M. and Iskander, R.I. (1983):  
Clinico-epidemiologic study of leukemia.  
J. of National Cancer Institute.
- Kirshbaum, J.D. and Preuss, F.S. (1943):  
Leukemia. A clinico-pathological study of 123  
fatal cases in a series of 14,4000 necropsies.  
Arch. Intern. Med., 71, 777.
- Komp, D.M.; George, S.L. and Falletta, J. (1976):  
Cyclophosphamide-asparaginase-vincristine-  
prednisone induction therapy in childhood acute  
lymphocytic and non-lymphocytic leukemia.  
Cancer, 37: 1243-1247.
- Krogh Jensen, M.L. and Killmann, S.A. (1967):  
Chromosome studies in acute leukemias. Evidence  
for chromosomal abnormalities common to erythro-  
blasts and leukemic white cells. Acta Med.  
Scand., 181, 147.

- Kulenkampff, J.; Janossy, G. and Greaves, M.F. (1977):  
Acid esterase in human lymphoid cells and leukaemic  
blasts: a marker for T lymphocytes. Brit. J.  
Haemat., 36, 231.
- Lambertenghi-Delilieri, G.; Polli, N. and Nava, M.T. (1983):  
The ultrastructure of monocytic leukemia in  
Polliack, A., ed. Human leukemias: Contribution  
of cytochemistry and ultrastructure in diagnosis.  
Mass. U.S.A. Martinus Nijhoff Publishers, in press.
- Lampert, F. and Deckelnik, K.H. (1968):  
Das Kerntrockengewicht von menschlichen leukämie-  
und lymphosarkomzellen imvergleich zu normalen  
lymphozyten. Z. Gesamte Exp. Med., 48: 28.
- Lampkin, B.C.; Nagao, T. and Mauer, A.M. (1969):  
Drug effect in acute leukemia.  
J. Clin. Invest., 48: 1124.
- Lampkin, B.C.; Nagao, T. and Mauer, A.M. (1971):  
Synchronization and recruitment in acute leukemia.  
J. Clin. Invest., 50: 2204.
- Lane, D.M. (1977):  
Principles of total care-psychologic support in .  
South, W.W., Vietti, J.J. and Fernbach, D.J. (eds.):  
Clinical pediatric oncology. Edition 2, St. Louis,  
C.V. Mosby Co., pp. 264-275.
- Laurie, H.G. (1968):  
Duration of remission in lymphoblastic leukemia  
of childhood. Brit. Med. J., ii, 95-97.

Leder, L.D. (1967):

Die fermentcytochemische Erkennung normaler und neoplastischer Erythropoesezellen in Schnitt und Austrich. Blut., 15, 289.

Lee, S.L. and Glide-Well, O. (1973):

Cytology and survival in acute lymphoblastic leukemia of children. In Recent Results in Cancer Res. No. 43, Springer Verlag.

Lee, S.L.; Kopel, B. and Glidewell, O. (1976):

Cytomorphological determinants of prognosis in acute lymphoblastic leukemia in children. Semin. Oncol., 3: 209.

Li, C.Y.; Lam, K.W. and Yam, L.T. (1973):

Esterases in human leukocytes. The Journal of Histochemistry and Cytochemistry, 21 (1): 1.

Li, C.Y.; Yam, L.T. and Zam, K.W. (1970):

Acid phosphatase isoenzymes in human leucocytes in normal and pathological conditions. J. Histochem. Cytochem., 18, 473.

Lilleyman, J.S.; Mills, V.; Sugden, P.J. and Britton, J.A. (1979):

Periodic acid schiff reaction and prognosis in lymphoblastic leukemia. J. Clin. Path., 32, 158.

Lillie, R.D. and Burtner, H.J. (1953):

Stable sudanophilia of human neutrophil leucocytes in relation to peroxidase and oxidase. J. Histochem. Cytochem., 1, 8.

Löffler, H. (1973a):

Biochemical properties of leukemic blast cells revealed by cytochemical methods: their relation to prognosis. *Advances in the Biosciences*, 14: 163-173.

Löffler, H. (1973b):

Indications and limits of cytochemistry in acute leukemias. *Recent Results in Cancer Research*, 43: 57-62.

Lowendbraun, S.; Sutherland, J.C.; Feldman, M.J. and Seprick, A.A. (1971):

Transformation of reticulum cell sarcoma to acute leukaemia. *Cancer*, 27, 579.

Malaty, H.A. (1969):

Cytological localisation of alpha and A. S. esterases, and their possible role in cell metabolism. *Alex. Med. J.*, 15: 271-275.

Mathé, G.; Amiel, J.L. and Schwarzenberg, L. (1973):

Bone marrow transplantation and leucocyte transfusions, 1 vol. Springfield III; C.C. Thomas, Thymectomy Experiments.

Mathé, G.; Belpomme, D.; Dantchev, D. et al. (1975):

Search for correlations between cytological types and therapeutic sensitivity of acute leukemia. *Blood Cells*, 1: 37.

Mathé, G.; De Vassal, F.; Schwarzenberg, L. et al. (1977):

Results in children of acute lymphoid leukemia: Protocol ICIG-ALL 9 consisting of chemotherapy for only nine months followed by active immunotherapy: *Recent Results Cancer Res.*, 62-67-77.

Mathé G., Pouillart, P. and Schwarzenberg L (1974)  
Acute leukemia, classification, clinical trials,  
methodology and actuarial results *Europ J. clin.  
Biol. Res.*, 16, 554.

- Mathé, G.; De Vassel, F.; Schwarzenberg, L. et al. (1978):  
Preliminary results of three protocols for the  
treatment of acute lymphoid leukaemia of children:  
distinction of two groups of patients according  
to predictable prognosis. Med. Pediatr. Incol.,  
4: 17-27.
- Mathé, G.; Pouillart, P.; Streresen, M.; Amiel, J.L.;  
Schwarzenberg, L.; Schneider, M.; Hayat, M.;  
De-Vassal, F.; Jasmin, C. and Lafleur, M. (1971):  
Subdivision of classical varieties of acute  
leukemia: correlation with prognosis and cure  
expectancy. Europ. J. Clin. Biol. Res., 16: 554.
- Mathé, G.; Rappaport, H.; O'Connor, G.T. and Torloni, H.  
(1976):  
Histological and cytological typing of neoplastic  
diseases of hematopoietic and lymphoid tissues.  
WHO, Geneva.
- Mauer, A.M. (1972):  
Remission of disease in acute lymphoblastic  
leukemia: Mechanisms and meaning, in Vincent,  
P.C. (ed.): The nature of leukemia. Sydney:  
Australian Cancer Society.
- Mauer, A.M. (1973):  
In Hematology, physiology and clinical patho-  
physiology principles. James W. Linman.
- Mauer, A.M. (1977):  
Leukemias in childhood. Curr. Probl. Cancer,  
2: 1-46.

- Mc Kenna, R.W.; Brynes, R.K.; Nesbit, M.E.; Bloomfield, C.D.; Kersey, J.H.; Spanjers, E. and Brunning, R.D. (1979):  
Cytochemical profile in acute lymphoblastic leukemia. Am. J. Pediatric Hematol./Oncology, 1: 263-275.
- Mc Manus, J.F.A. (1964):  
Histological demonstration of mucin after periodic acid. Nature, 158, 202.
- Miller, D.R. (1975):  
Prognostic factors in childhood leukemia. J. Pediatr., 87: 672-676.
- Miller, J.F.A.P. and Michel, G.F. (1968):  
Cell to cell interaction in the immune response  
I. Hemolysin forming cells in neonatally thymectomized reconstituted with thymus or thoracic duct lymphocytes. J. Exp. Med., 128, 801.
- Miller, D.R.; Pearson, H.A.; Baehner, R.L. and Mc Millan, C.W. (eds.) (1978):  
Smith's Blood Diseases of Infancy and Childhood. St. Louis, C.V. Mosby Co.
- Mitus, W.J.; Bergna, L.J.; Mednicoff, I.B. and Dameshek, W. (1958):  
Cytochemical studies of glycogen content of lymphocytes in lymphocytic proliferations. Blood, 13, 748.
- Moore, G.E.; Grener, R. and Franklin, A. (1967):  
Culture of normal human leukocytes. J. Amer. Med. Ass., 199, 519.

- Mortland, M.; Hansman, F.S. and Robinson, R. (1924):  
Phosphoric esterase of blood. *Biochem. J.*,  
18, 1152.
- Muller, J.; Brundel Re, G.; Buerki, H.; Keller, H.U.;  
Hess, M.W. and Cottier, H. (1975):  
Non-specific acid esterase activity: A criterion  
for differentiation of T and B lymphocytes in  
mouse lymph nodes. *Eur. J. Immunol.*, 5: 270-274.
- Nelson, B.D. (1966):  
Rat liver acid phosphatase differences in lyso-  
somal and cytoplasmic forms. *Proc. Soc. Exp.*  
*Biol. Med.*, 121, 998.
- Neukirch, P. (1910):  
Über die Jodophile substanz der leukocyten und  
ihr Verhalten zur bestchen Tärbung. *Zeitschr.*  
*F. Klin. Med.*, 70, 251.
- Nicols, B.A.; Bainton, D.F. and Fraquher, M.G. (1971):  
Differentiation of monocytes, origin, nature and  
fate of their azurophil granules. *J. of Cell.*  
*Biology*, 50, 498.
- Nieri, R.L.; Burgert, E.O. and Groover, R.V. (1968):  
Central nervous system complications of leukemia.  
A review. *Mayo Clinic Proc.*, 43: 70.
- Nies, B.A.; Kundel, D.W.; Thomas, L.B. and Freireich,  
E.J. (1965):  
Leukopenia, bone pain, and bone necrosis in  
patients with acute leukemia. A clinicopatho-  
logic complex. *Ann. Intern. Med.*, 62: 698.

North, R.J. (1966):

The localization by electron microscopy of acid phosphatase activity in guinea pig macrophages. J. Ultrastruct. Res., 16, 96.

Okun, D.B. and Tanaka, K.R. (1978):

Leukocyte alkaline phosphate. American Journal of Hematology, 4: 293-299.

Ortega, J.A.; Nesbit, M.E., Jr.; Donaldson, M.H. et al. (1977):

L-asparaginase, vincristine and prednisone for induction of first remission in acute lymphocytic leukemia. Cancer Res., 37: 535-540.

Paolucci, G.; Rosito, P.; Mancini, A.; Vecchi, V.;

Vivarelli, F. and Faldella, G. (1977):

Relazione fra percentuale di blasti PAS positivi alla diagnosi e durata della prima remissione nella leucemia acuta linfoblastica del bambino. Haematologica, 62, 250.

Pangalis, G.A.; Rousson, P.P. and Tsavaris, N.B. (1983):

Cytochemical distribution of 5-nucleotidase activity in human leukemic cells. In Polliack, A., ed. Human leukemias: contribution of cytochemistry and ultrastructure in diagnosis. Mass., U.S.A., Martinus Nijhoff Publishers. In Press.

Parwaresch, M.R. (1976):

The human blood basophil, pp. 49, 217. Springer-Verlag: Berlin, Heidelberg and New York.

Perry, S. (1973):

Introduction to nomenclature and classification of acute leukemias P3 in recent results in cancer research nomenclature, methodology and results of clinical trials in acute leukemias. Edited by Mathé, G.; Pouillart, P. and Schwarzenberg, L. Springer-Verlag, Berlin, Heidelberg, New York.

Perugini, S. (1954):

Sul significato dell'affinità dei granuli neutrofili dei leucociti per i coloranti tipo sudan. *Experientia*, 10, 381.

Peter H. Wiern (1982):

Acute leukemia of adults: from cancer principles and practice of oncology. Ed. Vincent T. Devita Samuel Hellman Steven A. Rosenberg Publisher, Lippincott Co.

Phair, J.P.; Anderson, R.E. and Namiki, H. (1964):

The central nervous system in leukemia. *Ann. Intern. Med.*, 61: 863.

Pinkel, D. (1979):

The Ninth Annual David Karnofsky Lecture: Treatment of acute lymphocytic leukemia. *Cancer*, 43:1128-1137.

Pochedly, C. (1979):

Prophylactic CNS therapy in childhood acute leukemia. *Am. J. Pediatr. Hematol. Oncol.*, 1: 119.

Polliack, A.; Leizerowitz, R.G.; George, D. et al. (1983):

Surface morphology of leukemic cells as seen by scanning electron microscopy. Interpretation and correlation with cell type in 212 cases of leukemia. In Polliack, A., ed. *Human leukemias contribution cytochemistry and ultrastructure in diagnosis*. Mass. U.S.A., Martinus Nijhoff Publishers, in press.

- Polliack, A.; Prokocimer, M.; Or, R. et al. (1981):  
Use of multiparameter studies and SEM in the interpretation and attempted correlation of surface morphology with cell type in 135 cases of human leukemias. *Cancer Res.*, 41, 1174-1179.
- Prokocimer, M.; Matzner, Y. and Polliack, A. (1980):  
Burkitt's lymphoma presenting as acute leukemia (Burkitt's lymphoma cell leukemia). Report of two cases in Israel. *Cancer*, 45: 2884-2889.
- Quaglino, D.; Cowling, D.C. and Hayhoe, F.G.J. (1964):  
Cytochemical and autoradiographic studies on normal and leukemic cells in short-term tissue cultures. *Brit. J. Haemat.*, 10, 417.
- Quaglino, D. and Hayhoe, F.G.J. (1959):  
Observations on the periodic acid-schiff reaction in lymphoproliferative disease. *J. Path. Bact.*, 78, 521.
- Queiser, W.; Dietrich, M.; Finke, J.; Kubanek, B.; Nen, G.; Olischläger, A. and Heimpel, H. (1972):  
Vergleich zwischen cytologischer und cytochemischen klassifizierung bei 47 fallen von akuter leukemie. *Klinische Wochenschrift*, 50: 498-503.
- Ranki, A.; Torreman, T.H. and Hayry, P. (1978):  
Identification of resking human T and B lymphocytes by acid -naphthyl acetate esterase staining combined with rosette formation with staphylococcus aureus stain cowan1. *Scand. J. Immunol.*, 5: 1129-1138.

Rappaport, H. (1966):

Tumours of the haemopoietic system. Armed Forces  
Inst. of Pathology, Washington, D.C., Atlas of  
Tumour Pathology, Sec. III, Fascule 8.

Reed, C.E. (1977):

Cytochemistry of adult acute leukemia cell.  
M.D. Thesis, Rochester, New York.

Reiffers, J.; Darmendrail, V.; Larrue, J. et al. (1981):

Ultrastructural cytochemical prospective study of  
adult acute lymphoblastic leukemia. Detection of  
peroxidase activity in patients failing to respond  
to treatment. Cancer, 48: 927-931.

Ritz, J.; Pesando, J.M.; Mc Conarty, N. et al. (1981):

Use of monoclonal antibodies as diagnostic and  
therapeutic reagents in acute lymphoblastic  
leukemia. Cancer Res., 41: 4771-4775.

Rivera, G.; Aur, R.J.; Dahl, G.V. et al. (1979):

VM-26 and cytosine arabinoside combination chemo-  
therapy for initial induction failures in child-  
hood lymphocytic leukemia. Proc. Am. Soc. Clin.  
Oncol., 20: 370.

Roberts, W.C.; Bodey, G.P. and Waterlake, P.T. (1968):

The heart in acute leukemia. A study of 420  
autopsy cases. Am. J. Cardiol., 21: 338.

Robert, G. Horn, Spicers and Bruce K. Wetzel (1964):

Phagocytosis of bacteria by heterophil leucocytes.  
Am. J. Path., 45, 325.

- Robinson, L.; Sather, H.; Coccia, P.F. et al. (1980):  
Assessment of the interrelationship of prognostic  
factors in childhood acute lymphoblastic leukemia.  
Am. J. Pediatr. Hematol. Oncol., 2: 5.
- Rosales, C.L.; Bennett, J.M. and Rutenberg, A.M. (1966):  
Histochemical demonstration of leucocytes acid  
phosphatase in health and in disease. Brit. J.  
Haemat., 12, 172.
- Rozenszain, L.; Leibovich, M.; Shoman, D. and Epstein,  
J. (1968):  
The esterase activity in megaloblasts, leukaemic  
and normal haemopoietic cells. British Journal  
of Haematology, 14: 605-610.
- Rozenszain, L.; Marshak, G. and Efrati, P. (1963):  
Acid phosphatase activity in normal human blood  
and bone marrow cells as demonstrated by the  
azo-dye method. Acta Haematol., 30, 310.
- Sackman-Muriel, F.; Svarch, E.; Eppinger-Helft, M. et al.  
(1978):  
Evaluation of intensification and maintenance  
programs in the treatment of acute lymphoblastic  
leukemia. Cancer, 42.
- Said, J.W. and Pinkus, G.S. (1981):  
Immunologic characterization and ultrastructural  
correlations for 125 cases of B- and T-cell  
leukemias. Cancer, 12: 2630-2642.
- Sather, H.; Coccia, P. and Besbit, M. (1980):  
Disappearance of the predictive value of prognostic  
variables in childhood acute lymphoblastic leukemia.  
Cancer, in press.

- Saunders, E.F.; Lampkin, B.C.; Mauer, A.M. (1967):  
Variation of proliferative activity in leukemic  
cell populations of patients with acute leukemia.  
J. Clin. Invest., 46: 1356.
- Saunders, E.F. and Mauer, A.M. (1969):  
Reentry of non dividing cells into a proliferative  
phase in acute childhood leukemia. J. Clin.  
Invest., 48: 1299.
- Schiffer, C.A.; Sanel, F.T.; Stechmiller, B.K. et al. (1975):  
Functional and morphologic characteristics of the  
leukaemia cell of a patient with acute leukemias:  
correlation with clinical features. Blood, 46: 17.
- Schmalz1, F. and Braunsteiner, H. (1970):  
The cytochemistry of monocytes and macrophages.  
Ser. Haematol., 3: 93-131.
- Schrek and Donnelly (1971):  
Cytology in lymphosarcoma cell leukemia. Am. J.  
Clin. Pathol., 55: 646.
- Schumacher, H.R.; Mc Feely, A.E. and Mangel, T.K. (1971):  
The acute leukemia cell IV. DNA synthesis in  
peripheral blood and bone marrow. Am. J. Clin.  
Pathol., 56: 508.
- Scott, R.B. (1968):  
The role of glycogen in blood cells. New Engl.  
J. Med., 278: 1436.
- Scott, R.B. and Still, W.J. (1968):  
Glycogen in human peripheral blood leukocyte.  
II. The macromolecular state of leukocyte  
glycogen. J. Clin. Invest., 47, 353.

- Segi, M. and Kurihara, M. (1966):  
Cancer. Incidence for selected sites in 24 countries  
No. 4 (1962-1963). Sendai, Dept. Publ. Health.  
Tohoku University School of Medicine.
- Shibko, S. and Tappel, A.L. (1964):  
Distribution of esterases in rat liver. Arch.  
Biochem. Biophys., 106: 259-266.
- Shimkin, M.B. (1955):  
Blood, 10, 1214.
- Silverberg, E. (1979):  
Cancer statistics. CA, 29: 6-21.
- Simone, J.V.; Verzosa, M.S. and Rudy, J.A. (1975):  
Initial features and prognosis in 363 children  
with acute lymphocytic leukemia. Cancer, 36:  
2099-2108.
- Skipper, H.E.; Schabel, F.M.Jr. and Wilcox, W.S. (1964):  
Experimental evaluation of potential anticancer  
agents. XIII. On the criteria and kinetics  
associated with 'curability' of experimental  
leukemia. Cancer Chemother Rep., 35: 1-111.
- Smithson, W.A.; Gilchrist, G.S. and Burgert, E.O. (1980):  
Childhood acute lymphocytic leukemia. Cancer  
Journal for Clinicians, Vol. 30, No. 3.
- Storti, E. and Perugini, S. (1951):  
Cytochemical researches on the lipids of the  
haematic cells with particular attention to those  
of acute leucosis. Acta Haemat., 5, 321.

- Storti, E.; Perguini, S. and Soldati, M. (1953):  
Le modificazioni del contenuto polisaccaridico  
delle cellule ematiche in alcune emopatie e  
malattie infettive (Ricerche citochimiche).  
Publ. Chim. Biol. Med., I, 475, C. Erba: Milano.
- Storti, E. and Zubiani, M. (1949):  
Ricerche di istochemica ematologica. Il glucogeno  
nelle cellule ematiche normali. Boll. Soc. Med.  
Chir., Pavia, 63, 3.
- Stryekmanns, P.A. (1975):  
Immune-versus chemotherapy during complete  
remission (CR) of acute lymphoblastic leukemia  
(ALL) (Abstract). Int. Soc. Haematol., Eur.  
Afr. Div., 21: 6.
- Sullivan, M.P.; Humphrey, G.B.; Vietti, T.J. et al. (1975):  
Superiority of conventional intrathecal metho-  
trexate therapy with maintenabce over intensive  
intrathecal methotrexate therapy, unmaintained,  
or radiotherapy (2000-2500 rads tumor dose).  
In treatment for meningeal leukemia. Cancer,  
35: 1066-1073.
- Turner, J.Y.; Schmur, J. and Gurland, J. (1963):  
Stable sudanophilia. Contributions to the histo-  
chemistry of the sudan dyes. Lab. Invest.,  
12, 405.
- Thomas, S.D.; Sanders, J.E.; Flournoy, N. et al. (1979):  
Marrow transplantation for patients with acute  
lymphoblastic leukemia in remission. Blood, 54:  
468.

- Thompson, S.W., and Hunt, R.D. (1966):  
Selected histochemical and histopathological  
methods. Springfield, Charles C. Thomas.
- Tomonaga, M. (1966):  
Statistical investigation of leukemia in Japan.  
Nz. Med. J., 65: 863.
- Tricot, G.; Broeckaert, A.; Van Orshoven, Van Hoof, A.  
and Verwilghen, R.L. (1982):  
Sudan black B positivity in acute lymphoblastic  
leukemia. British Journal of Haematol., 51:  
615-621.
- Velpeau (1827):  
A Rew. Med., 2: 218. Quoted by Virchow, Medz,  
16: 9, 15, 1847.
- Viana, M.B.; Maurer, H.S. and Ferenc, C. (1980):  
Subclassification of acute lymphoblastic leukemia  
in children: Analysis of reproducibility of  
morphological criteria and prognostic implica-  
tions. Br. J. Hematol., 44: 383-388.
- Virchow, R. (1845):  
Weisses Blut. Frorieps Notizen, 36: 151.
- Virchow, R. (1847):  
Weisses Blut and Milztumoren Med. 2; 16: 9, 15.
- Wagner, V.M. and Baehner, R.L. (1979):  
Correlation of the FAB morphological criteria  
and prognosis in acute lymphocytic leukemia of  
childhood. Am. J. Pediatr. Haematol. Oncol.,  
1: 103.

- Wagner, H.P. and Cronkite, E.P. (1972):  
Variability of proliferative patterns in acute lymphoid leukemia of children. Blood, 39: 176.
- Walters, T.R.; Bushmore, M. and Simon, J. (1972):  
Poor prognosis in Negro children with acute lymphoblastic leukemia. Cancer, 29: 210.
- Ward, G. (1917):  
The infective therapy of acute leukemia.  
Br. J. Child. Dis., 14: 10.
- Waterhouse, J.A.H. (1974):  
Cancer Handbook of Epidemiology and Prognosis, pp. 178-190. Churchill Livingstone, Edinburgh and London.
- Wetherley-Mein, G. and Cottom, D.G. (1956):  
Portal fibrosis in acute leukemia.  
Br. J. Haematol., 2: 345.
- Wetzel, B.K.; Spicer, S.S. and Horn, R.G. (1967):  
Fine structural localization of acid and alkaline phosphatase in cells of rabbit blood and bone marrow. J. Histochem. Cytochem., 15, 311.
- Wilkinson, J.H. (1970):  
Isoenzymes, Second Edition. (Shampon Hall, London).
- Windeyer, B.W. and Stewart, J.W. (1952):  
The leukemias in Cade, S.: Malignant disease and its treatment by radium, Vol. 4 (ed. 2). Bristol Wright, p. 347.

Wiern ~~pH~~, Sutherland and JC, stechmiller BK (1982).  
Clinical significant Cardiac infiltration in acute leukemia, lymphoblastic lymphoma and plasma cell lymphoma  
Med. pediatr. oncol. 2:75.

- Wislocki, G.B. and Dempsey, E.W. (1946):  
Observations on the chemical cytology of normal blood and hemopoietic tissues. Anat. Rec., 96, 249.
- Wislocki, G.B.; Rheingold, J.J. and Dempsey, E.W. (1949):  
The occurrence of the periodic acid schiff reaction in various normal cells of blood and connective tissue. Blood, 4, 582.
- Wintrobe, M. (1967):  
In Clinical Haem., 6<sup>th</sup> ed. Henry Kimpton, London, p. 1024.
- Woessner, S.R.; Lafuente, J.; Capdevila and J. Sams (1979):  
Diagnostic value of leucocytic acid phosphatase isoenzymes in determining cytological types of non lymphoid acute leukaemia. Acta Haemat., 61, 85.
- Yam, L.T.; Li, C.Y. and Crosby, W.H. (1971):  
Cytochemical identification of monocytes and granulocytes. A.J.C.P., Vol. 55, 283-290.
- Yam, L.T.; Li, C.Y. and Lam, K.W. (1971):  
Tartarate resistant acid phosphatase isoenzyme in the reticulum cells of leukaemic reticulo-endotheliosis. The New England J. of Med., 284 (7), 357.
- Young, C.W. and Bittar, E.S. (1973):  
Analysis of tissue estrase from patients with Hodgkin's disease and other types of advanced cancer by isoelectric focusing in acrylamide gel. Cancer Research, 33: 2692-2700.

- Yu, B.P.; Kummerow, F.A. and Nishida, T. (1966):  
Acid phosphatase of rat polymorphonuclear leucocytes. Proc. Soc. Exp. Biol. Med., 122: 1045.
- Zaizov, R. and Matoth, Y. (1971):  
The pathogenesis of anaemia in acute leukemia. Isr. J. Med. Sci., 7: 1025.
- Zucker-Franklin, D. and Hirsch, J.G. (1964):  
Electron microscope studies on the degranulation of rabbit peritoneal leucocytes during phagocytosis. J. Exp. Med., 120: 569.
- Zuelzer, W.W. (1978):  
Childhood leukemia - a perspective. Johns Hopkins Med. J., 142: 115-127.