




REFERENCES

REFERENCES

- Aarden, LA, De Groot, ER., Schaap, OL and Lansdorp, PM (1987)**
Production of hybridoma growth factor by monocytes. *Eur. J. Immunol.* 17:1411.
- Abdel-Wahab, MF (1982):** Schistosomiasis in Egypt. CRC Press, Inc. Boca Ration, Florida.
- Aderka D, Fisher S and Levo Y (1985):** Cachectin / tumor necrosis factor production by cancer patients. *Lancet* 2:1190.
- Aderka D, Fisher S, and Levo Y (1985):** Cachectin / tumor necrosis factor production by cancer patients. *Lancet* 2:1190.
- Aderka D., Holtmann H, Toker L, Hahn T and Waallch D (1986):**
Tumor necrosis factor induction by sendal virus. *J. Immunol* 136:2938.
- Aggarwal BB, Kohr WJ, Hass PE, Moffat B, Spencer SA, harkins RN (1985):** Human tumor necrosis factor, production, purification and charactrization *J Biol Chem* 260:2345.
- Aggarwal BB, Traquina PR and Eessalu TE (1986)** Modulation of receptors and cytotoxic response of tumor necrosis factor-alpha by various lectins. *J Biol Chem* 261:13652.
- Akahoshi TM, Oppenheim JJ and Matsushima K (1988):** Induction of high-affinity interleukin-1 receptor on human peripheral blood lymphocytes by glucocorticoid. *J Exp Med* 167:924,
- Aldershniile J, Dietrichson A and Skinhoj P (1982):** Chronic persistent hepatitis: serological classification and meaning of the hepatitis system. *Hepatology.* 2: 243.
- Algire GH, Legallais FY and Anderson BF (1952):** Vascular reactions of normal and malignant tissues in vivo. V. The role of hypotension in the action of a bacterial polysaccharide on tumors *J Natl Cancer Inst.* 12:1279.
- Alter BJ and Bach FH (1990):** Cellular basis of the proliferative response of human T cells to mouse xenoantigens *J Exp Med* 171:333.
- Amador E and Wachter WC (1962):** Serum glutamic oxalacetic transaminase activity a new modification and analytical assessment of current assay technique. *Clin Chem* 8:343.
- Andus T, Bauer J and Gerok W (1991):** Effects of cytokines on the liver *Hepatology* 13:364.

- Andus T, Geiger T, Hirano T, Northoff H, Ganter U, Bauer J, Kishimoto T and Heinrich PC (1987):** Recombinant human B-cell stimulatory factor 32 (BSF-2/IFN γ 2) regulates b-fibrinogen and albumin mRNA levels in Fao-9 cells. *FEBS Lett* 221:18.
- Anstassakos CH, Alexander GM, Avery JA, Portmann BC, and Williams R (1988):** Interleukin-1 and interleukin-2 activity in chronic hepatitis B virus infection. *Gastroenterology* 94:999.
- Anthony PP, Ishak KG, and Nayak NC (1978):** The morphology of cirrhosis: definition, nomenclature, and classification. *J Clin Pathol* 31:395.
- Arenson DM and Bissell DM (1987):** Glycosaminoglycan, proteoglycan and hepatic fibrosis. *Gastroenterology* 92:536.
- Arenson DM and Bissell DM (1987):** Glycosaminoglycan, Proteoglycan and hepatic fibrosis. *Gastroenterology* 92:536.
- Argiles JM, Lopez-soriano FJ (1990):** The effects of tumor necrosis factor on hepatic amino acid mobilization in rat. *Biochem J* 266:123-126.
- Atkins E (1960):** Pathogenesis of fever. *Physiol Rev* 40:580.
- Auron PE, Gubler R, Helmann CP and Pan YE (1984):** Cloning and expression of murine Interleukin-1 cDNA in Escherichia Coli. *Nature* 312:458.
- Bachem MG, Riess U, Gressner AM (1989):** Liver fat storing cell proliferation is stimulated by epidermal growth factor / transforming growth factor α and inhibited by transforming growth factor beta. *Biochem Biophys Res Commun* 162:708.
- Baes MW, Carmeliet P, Van Damme J, Biliau A and Denef, C. (1987):** Evidence for functional communication between folliculostellate cells and hormone-secreting cells in perfused anterior pituitary cell aggregates. *Endocrinology* 120:885.
- Bagby GC Jr (1989):** Interleukin-1 and hematopoiesis. *Blood Rev* 3:152.
- Balkwill F, Burke F, Talot D (1987):** Evidence of tumor necrosis factor cachectin production in cancer. *Lancet* 2:1229.
- Balkwill FR and Burke F (1989):** The cytokine network. *Immunol Today* 10:299.
- Balkwill FR. (1989):** Interferons. *Lancet* 1:1060.
- Bamber A, Murray A and Arbergh BAM (1981):** Short incubation non-A, non-B hepatitis transmitted by Factor VIII concentrates in patients with congenital coagulation disorders. *Gut* 22: 854.

- Baracos V, Rodemann HP and Dinaellow (1983):** Stimulation of muscle protein degradation and prostaglandin E2 release by leukocyte pyrogen. *N Engl J Med* 38:553.
- Barber EF and Cousins RJ (1988):** Interleukin-1 stimulated induction ceruloplasmin synthesis in normal and copper deficient rats. *J Nutr* 118:375.
- Bauer J, Birmelin M, Northoff GH and Heinrich PC (1984):** Induction of rat alpha 2 macroglobulin in vivo and in hepatocyte primary cultures: synergistic action of glucocorticoids and Kupffer cell derived factors. *FEBS Lett* 177:89.
- Bauer J, Tran-Thi TA, Northoff H, Hirsch F, Schalyer HJ, Gerok W and Heinrich PC (1986):** The acute phase induction of α_2 -macroglobulin in rat hepatocyte-stimulating factor, triiodothyronine and dexamethasone. *Eur J Cell Biol* 40:86.
- Baughman RP, and Lower EE (1991):** An inhibitor of tumor necrosis factor found in pleural effusions. *J Lab Clin Med* 118:326.
- Baughman RP, Strohofer SA, Buchsbaum J and Lower EE (1990):** Release of tumor necrosis factor by alveolar macrophages of patients with sarcoidosis. *J Lab Clin Med* 115:36.
- Bauman H, Jahreis G, Sauder DN and Koj A (1984):** Human Keratinocytes and monocytes release factors which regulate the synthesis of major acute phase plasma proteins in hepatic cells from man, rat and mouse. *J. Biol. Chem.* 259:7331.
- Beasley D, Cohen RA and Levinsky NG (1989):** Interleukin-1 inhibits contraction of vascular smooth muscle. *J Clin Invest* 83:331.
- Beasley D, Dinarello CA and Cannon JG (1988):** Interleukin-1 induces natriuresis in conscious rats: Role of renal prostaglandins. *Kidney Int* 33:1059.
- Beisel WR (1975):** Metabolic response to infection *Annu Rev Med* 26:9.
- Beisel WR (1977):** Metabolic and nutritional consequences of infection. In: *Advances in Nutritional Research* (Draper, H. H., ed.), pp. 125-143, Plenum, New York.
- Bendtsen K, Buschard K, Diamant M, Horn T and Svenson M (1988):** Possible role of IL-1, TNF, and IL-6 in insulin-dependent diabetes mellitus and autoimmune thyroid disease. *Lymphokine Res* 8:335.
- Bendtsen K, Mandrup-Poulsen T, Nerup J, Nielsen JH, Dinarello CA and Svenson M (1986):** Cytotoxicity of human pI 7 interleukin-1 for pancreatic islets of Langerhans. *Science* 232:154.

- Benjamin D, Wormsley S and Dower SK (1990):** Heterogeneity in interleukin (IL)-1 receptors expressed on human B cell lines. Differences in the molecular properties of IL-1 alpha and IL-1 beta binding sites. *J Biol Chem* 265:9943
- Bensi G, Raugei G, Palla E, Carinci V, Tornese BD and Melli M (1987):** Human interleukin-1 beta gene. *Gene* 52:95.
- Berg PA and Klein R (1986):** Antimitochondrial antibodies in primary biliary cirrhosis *J Hepatol.* 2:123.
- Bertini R, Bianchi M and Ghezzi P (1989):** Protective effect of chlorpromazine against the lethality of interleukin 1 in adrenalectomized or actinomycin D-sensitized mice. *Biochem Biophys Res Commun* 165:942.
- Beutler B (1990):** The tumour necrosis factor : cachectin and lymphotoxin *Hosp Pract* 15:45.
- Beutler B and Cerami A (1986):** Cachectin and tumour necrosis factor as two sides of the same biological coin. *Nature* 320:584.
- Beutler B and Cerami A (1989):** The biology of cachectin TNF: a primary mediator of the host response. *Annu Rev Immunol* 7:625.
- Beutler B, and Cerami A (1987):** More than a tumor necrosis factor. *N Engl J Med* 318:479.
- Beutler B, Krochin N, Milsark IW, Goldberg A and Cerami A (1986):** Induction of cachectin / tumor necrosis factor synthesis by influenza virus deficient production by endotoxin-resistant C3H-HEJ macrophages. *Clin Res* 34:491a.
- Beutler B, Krochin N, Milsark IW, Luedke C and Cerami A (1986):** Control of cachectin (tumor necrosis factor) synthesis: mechanisms of endotoxin resistance. *Science* 232:977.
- Beutler B, Thompson P, Keyes J, Hagerty K and Crawford D (1988):** Assay of a ribonuclease that preferentially hydrolyses mRNAs containing cytokine-derived UA-rich instability sequences. *Biochem. Biophys Res Commun.* 152:73.
- Beutler B. (1988):** Tumor necrosis, cachexia, shock, and inflammation: a common mediator. *Ann Rev Biochem* 57:505.
- Beutler BA, Milsark IW and Cerami A.(1985):** Cachectin/ tumor necrosis factor: production, distribution, and metabolic fate in vivo. *J Immunol* 135:3972.

- Beutler E, Gelbart T, Han J, Koziol JA and Beutler B (1988)** Evolution of the genome and the genetic code: selection at the dinucleotide level by methylation and polyribonucleotide cleavage. *Proc. Natl. Acad Sci USA* 82:3246.
- Bevilacqua MP, Pober JS, Cortan RS and Gimbrone MA (1986):** Recombinant tumor necrosis factor induces procoagulant activity in cultured human vascular endothelium. *Proc Natl Acad Sci USA* 83:4533.
- Bianchi L, Zimmerli - Ning M and Gudat F (1978):** Viral hepatitis. In: pathology of the liver. Macsween R, Anthony P, and Scheuer P (Eds.) London, New York p. 164-191.
- Bibby DC and Grimble RF (1989):** Temperature and metabolic changes in rates after various doses of tumour necrosis factor. *J Physiol* 410:367.
- Bird GAL, Sheron N, Goka J and Williams R (1990):** Increased plasma tumor necrosis factor in severe alcoholic hepatitis. *Ann Intern Med* 112:917.
- Bird TA and Saklatvala J (1990):** Down-modulation of epidermal growth factor receptor affinity in fibroblasts treated with interleukin 1 or tumor necrosis factor is associated with phosphorylation at a site other than threonine 654. *J Biol Chem* 265:235.
- Bird TA, Davies T, Baldwin SA and Saklatvala J (1990):** Interleukin-1 stimulates hexose transport in fibroblasts by increasing the expression of glucose transporters. *J Biol Chem* 265:13578.
- Bissell M, Friedman SL, and Maher JJ (1990):** Connective tissue biology and hepatic fibrosis. *Hepatology* 11:488.
- Black M, Rabin L and Schatz N (1980):** Nitrofurantoin-induced chronic active hepatitis. *Ann Int Med* 92:62.
- Blatteis CM, Shibata M and Dinarello CA (1987):** Comparison of the central nervous system effects of recombinant (R) interleukin-1 (IL-1), rInterferon $\alpha 2$ (IFN), and rTumor necrosis factor alpha (TNF). *J. Leukocyte Biol.* 42:560.
- Bomsztyk K, Sims JE, Stanton TH, Slack J, McMahan CJ, Valentine MA and Dower SK (1989):** Evidence for different interleukin 1 receptors in murine B- and T-cell lines. *Proc Natl Acad Sci USA* 86:8034.
- Boniolo A, Davis M and Matte JA (1982):** The use of an ELISA technique for screening of hybridoma antibodies against hepatitis B surface antigen. *J Immunol Meth* 49:1.

- Castell JV, Geiger T, Gross V, Andus T, Walter E, Hirano T, Kishimoto T and Heinerich, PC (1988)** Plasma clearance organ distribution and target cells of interleukin-6/hepatocyte-stimulating facotr in the rat. *Eur. J. Biochem.* 177:357.
- Castell JV, Gomez-Lechon MJ, David M, Andus T, Geiger T, Trullenque R, Fabra R and Heinrich PC (1989)** Interleukin-6 is the major regulator of acute phase protein synthesis in adult human hepatocytes. *FEBS.* 242:237.
- Cavallaro JJ, Palmer DF and Bigazzi PE (1976):** Immunofluorescence detection of autoimmune disease Atlanta, US Dept Heath Education and Welfare p. 128.
- Caverzasio J, Rizzoli R, Dayer JM and Bonjour JP(1987):** Interleukin-1 decreases renal sodium reabsorption: Possible mechanism of endotoxin-induced natriuresis. *Am J Physiol* 252:F943.
- Ceuppens JL, Baroja, ML, Lorre K, Damme JV and Billiau A (1988):** Human T cell activation with phytohemagglutinin: The function of IL-6 as an accessory signal. *J Immunol* 141:3868.
- Chajek-Shaul T, Friedman G, Stein O, Shiloni E, Etienne J and Stein Y (1989):** Mechanism of the hypertriglyceridemia induced by tumor necrosis factor administration to rats. *Biochem Biophys Acta* 1001:316.
- Cheever, AW and Andrade ZA. (1981):** Pathological lesions associated with *S. mansoni* infections in man. *Trans R Soc Trop Med Hyg* 61:626.
- Chizzonite R, Truitt T, Kilian PL, Stern AS, Nunes P, Parker KP, Kaffka KL, Chua AO, Lugg DK and Gubler U (1989):** Two high-affinity interleukin 1 receptors represent separate gene products. *Proc Natl Acad Sci USA* 86:8029.
- Chowdhury MH and Agius L (1987):** Epidermal growth factor counteracts the glycogenic effect of insulin in hepatocyte cultures. *Biochem J* 247:307.
- Christie KE, Endresen, C and Haukenes G. (1984):** IgM antibodies in sera from patients with chronic active hepatitis with the measles virus matrix protein and nucleo-protein. *Journal of Medical Virology*, 14, 149.
- Clark BD, Collins KL, Gandy MS, Webb AC and Auron PE (1987):** Genomic sequence for human prointerleukin 1 beta: Possible evolution from a reverse transcribed prointerleukin 1 alpha gene. *Nucleic Acids Res* 14:7897.

- Castell JV, Geiger T, Gross V, Andus T, Walter E, Hirano T, Kishimoto T and Heinerich, PC (1988)** Plasma clearance organ distribution and target cells of interleukin-6/hepatocyte-stimulating facotr in the rat. *Eur. J. Biochem.* 177:357.
- Castell JV, Gomez-Lechon MJ, David M, Andus T, Geiger T, Trullenque R, Fabra R and Heinrich PC (1989)** Interleukin-6 is the major regulator of acute phase protein synthesis in adult human hepatocytes. *FEBS.* 242:237.
- Cavallaro JJ, Palmer DF and Bigazzi PE (1976):** Immunofluorescence detection of autoimmune disease Atlanta, US Dept Heath Education and Welfare p. 128.
- Caverzasio J, Rizzoli R, Dayer JM and Bonjour JP(1987):** Interleukin-1 decreases renal sodium reabsorption: Possible mechanism of endotoxin-induced natriuresis. *Am J Physiol* 252:F943.
- Ceuppens JL, Baroja, ML, Lorre K, Damme JV and Billiau A (1988):** Human T cell activation with phytohemagglutinin: The function of IL-6 as an accessory signal. *J Immunol* 141:3868.
- Chajek-Shaul T, Friedman G, Stein O, Shiloni E, Etienne J and Stein Y (1989):** Mechanism of the hypertriglyceridemia induced by tumor necrosis factor administration to rats. *Biochem Biophys Acta* 1001:316.
- Cheever, AW and Andrade ZA. (1981):** Pathological lesions associated with *S. mansoni* infections in man. *Trans R Soc Trop Med Hyg* 61:626.
- Chizzonite R, Truitt T, Kilian PL, Stern AS, Nunes P, Parker KP, Kaffka KL, Chua AO, Lugg DK and Gubler U (1989):** Two high-affinity interleukin 1 receptors represent separate gene products. *Proc Natl Acad Sci USA* 86:8029.
- Chowdhury MH and Agius L (1987):** Epidermal growth factor counteracts the glycogenic effect of insulin in hepatocyte cultures. *Biochem J* 247:307.
- Christie KE, Endresen, C and Haukenes G. (1984):** IgM antibodies in sera from patients with chronic active hepatitis with the measles virus matrix protein and nucleo-protein. *Journal of Medical Virology*, 14, 149.
- Clark BD, Collins KL, Gandy MS, Webb AC and Auron PE (1987):** Genomic sequence for human prointerleukin 1 beta: Possible evolution from a reverse transcribed prointerleukin 1 alpha gene. *Nucleic Acids Res* 14:7897.

- Clement B, Grimaud JA and Campion JP (1986):** Cell types involved in collagen and fibronectin production in normal and fibrotic human liver. *Hepatology* 6:225.
- Clement B, Rescan PY, Baffet G, Loreah O, Lehry D, Campion JP and Guillouzo A (1988):** Hepatocytes may produce laminin in fibrotic liver and in primary culture. *Hepatology* 8:794.
- Coceani F, Bishai I and Dinarello CA (1983):** Prostaglandin E2 and thromboxane B2 in cerebrospinal fluid of afebrile and febrile cat. *Am J Physiol* 244:R785.
- Coceani F, Lees J and Dinarello CA (1988):** Occurrence of interleukin-1 in cerebrospinal fluid of the conscious cat. *Brain Res* 446:245.
- Collart MA, Berlin D, Vassalli JD, Dekossodo S, Vassalli P (1986)** Gamma interferon enhances macrophage transcription of the tumor necrosis factor/cachectin, interleukin 1, and urokinase genes, which are controlled by short-lived repressors. *J. Exp. Med.* 164: 2113.
- Colotta F, Dejana E, Lampugnani MG and Mantovani A (1988):** Interleukin-1 induces c-fos protooncogene expression in cultured human endothelial cells. *Biochem Biophys Res Commun.* 152:1104.
- Cooksley WGE, Cowen AE and Powell LW (1973):** The incidence of oxyphenisatin ingestion in chronic active hepatitis; a prospective controlled study of 29 patients. *Australian and New Zealand Journal of Medicine*, 3:124.
- Corbel C and Melchers F (1984):** The synergism of accessory cells and of soluble a-factors derived from them in the activation of B cells to proliferation *Immunol. Rev.* 78:51.
- Cordingley FT, Hoffbrand AV, Heslop HE, Turner M, Bianchi A, Reittie JE, Vyakarnam A, Meager A and Brenner MK (1988):** Tumor necrosis factor as an autocrine tumour growth factor for chronic B-cell malignancies. *Lancet* 1:969.
- Cousins RJ, Leinart AS (1988):** Tissue specific regulation of zinc metabolism and metallothionein genes by IL-1. *FASEB J* 2:2884.
- Cozzolino F, Torcia M, Aldinucci D, Ziche M, Almerigogna F, Bani D and Stern DM (1990):** Interleukin-1 is an autocrine regulator of human endothelial cell growth *Proc Natl Acad Sci USA* 87:6487.
- Craxi A, Rainondo G, Longo G and Lonigo G (1984):** Delta agent infection in acute hepatitis and chronic HBsAg carriers with and without liver disease. *Gut* 25: 1288.

- Creasey AA, Yamamoto R and Vitt CR (1987):** A high molecular weight component of the human tumor necrosis factor receptor is associated with cytotoxicity. *Proc. Natl. Acad. Sci. USA* 84:3293.
- Curtis BM, Widmer MB, deRoos P and Qwanstrom EE (1990):** IL-1 and its receptor are translocated to the nucleus. *J Immunol* 144:1295.
- Cuturi. MC, Murphy M, Costa- Giomi MP, Weinmann R, Perussia B and Trinchieri G(1987):** Independent regulation of tumopr necrosis factor and lymphotoxin production by human peripheral blood lymphocytes. *J. Exp. Med.* 165:1581.
- Czaja MJ, Weiner FR and Falnders KC (1989):** In vitro and in vivo assiciation of transforming growth factor beta I with hepatic fibrosis *J Cell Biology* 108:2477.
- Dacie JU (1984):** Practical hematology. Churchill livingstone Edinburg London New York.
- Daniels HM, Meager A and Alexander GM (1990):** Spontaneous production of tumour necrosis factor alpha and interleukin-1 β during interferon- α treatment of chronic HBV infection *Lancet* 335:875.
- Darlington GJ, Wilson DR and Lachman LB (1986):** Monocyte-conditioned medium, interleukin-1, and tumor necrosis factor stimulate the acute phase response in human hepatoma cells in vitro. *J Cell. Biol.* 103: 787.
- Daumy GO, Merenda JM, McColl AS, Andrews GC, Franke AE, Geoghegan KF and Otterness IG (1989):** Isolation and characterization of biologically active murine interleukin-1 alpha derived from expression of a synthetic gene in *Escherichia coli*. *Biochim Biophys Acta* 998:32.
- Davis, JM, Narachi MA, Alton NK, Arakawa T (1987):** Structure of human tumor necrosis factor alpha derived from recombinant DNA. *Biochemistry* 26:1322.
- Dayer J-M, Beutter B and Cerami A (1985):** Cachectin / TNF stimulates collagenase and prostaglandin E₂ production by human synovial cells and dermal fibroblasts. *J Exp. Med* 162:2163.
- Dayer JM, de Rochcmonteix B, Burrus B, Demczuk S and Dinarellow CA (1986):** Human recombinant interleukin 1 stimulates collagenase and prostaglandin E₂ production by human synovial cells. *J Clin. Invest* 77:645.
- Dayer JM, Zavadil Grob C and UCLA C (1984):** Induction of human interleukin-1 mRNA measured by collagenase and prostagland in E₂-stimulating activity in the umatoid synovial cells. *Eur J Immunol* 14:989.

- Decker T, Lohmann-Matthes ML, Gifford GE (1987):** Cell-associated tumor necrosis factor (TNF) as a killing mechanism of activated cytotoxic macrophages. *J. Immunol.* 138:957.
- Decker T, Lohmann-Matthes ML, Karck U, Peters T and Decker K (1989):** Comparative study of cytotoxicity, tumor necrosis factor, and prostaglandin release after stimulation of rat Kupffer cells, murine Kupffer cells, and murine inflammatory liver macrophages *J Leukoc Biol* 45:139.
- Degliantoni G, Murphy M, Kobayashi M, Francis MK, Perussia B and Trinchieri G (1985):** Natural killer (NK) cell-derived hematopoietic colony-inhibiting activity and NK cytotoxic factor. Relationship with tumor necrosis factor and synergism with immune interferon. *J. Exp. Med.* 162:1512.
- Dejana E, Breviario F, Erroi A, Bussolino F, Mussoni L, Gramse M, Pintucci G, Casali B, Dinarello CA, Van Damme J and Mantovani A (1987):** Modulation of endothelial cell functions by different molecular species of interleukin 1. *Blood* 69:695.
- Del Rey A and Besedovsky H (1987):** Interleukin 1 affects glucose homeostasis. *Am J Physiol.* 253:R794.
- Demczuk S, Baumberger C, Mach B and Dayer JM (1987):** Expression of human IL 1 alpha and beta messenger RNAs and IL 1 activity in human peripheral blood mononuclear cells. *J Mol Cell Immunol* 5:255.
- Deodhar KP, Tapp E and Scheuer PJ (1975):** Orcein stain for hepatitis B antigen in paraffin sections of liver tissue. *J Clin. Pathol.* 28:66.
- Detmar M, Imcke E and Ruszczak Z (1989):** Effects of tumor necrosis factor on cultured microvascular endothelial cells derived from human dermis. *J Invest Dermatol* 93:546.
- Devier J, Content J, Denys C and Dupont E (1989):** High interleukin-6 serum levels and increased production by leukocytes in alcoholic liver cirrhosis, correlation with IgA serum levels and lymphokine production. *Clin Exp Immunol* 77:221.
- Devier J, Content J, Denys C, and Dupont E (1990):** Excessive in vitro bacterial lipopolysaccharides induced production of monokines in cirrhosis. *Hepatology* 11:628.
- Dewasy W and Pories W (1972):** Inhibition of a spectrum of animal tumors by dietary zinc deficiency. *J Natl Cancer Inst* 48:375.
- Dewhirst FE, Ago JM and Stashenko P (1987):** Synergistic interaction between parathyroid hormone and interleukin -1, tumor necrosis factor and lymphotoxin in bone resorption. *J Bone Min Res* 2:127.

- Dewhirst FE, Stashenko PP, Mole JE and Tsurumachi T (1985):** Purification and partial sequence of human osteoclast-activating factor: Identity with interleukin 1 beta. *J Immunol* 135:2562.
- Dienes HP, Hutteroth T, Hess, G and Meuer SC (1987):** Immunoelectron microscopic observations on the inflammatory infiltrates and HLA antigens in hepatitis B and non-A, non-B Hepatology, 7: 1317.
- Dienes HP, Popper H and Arnold W (1982):** Histologic observations in human hepatitis non-A non-B. *Hepatology*, 2 : 562.
- Dinarellow CA (1989):** Interleukin-1 and its biologically related cytokines *Immunol Adv Immunol* 44:153.
- Dinarellow CA (1991):** Interleukin-1 and interleukin-1 antagonism. *Blood* 77:1627.
- Dinarellow CA, Cannon JG and Wolff SM (1988):** New concepts on the pathogenesis of fever. *Rev Infect Dis* 10:168.
- Dinarellow CA, Cannon JG, Wolff SM, Bernheim HA, Beutler B, Cerami A, Figari IS, palladino MA Jr and O'Connor JV.(1986):** Tumor necrosis factor (cachectin) is an endogenous pyrogen and induces production of interleukin 1. *J Exp Med* 163:1433.
- Dinarellow CA, Goldin NP and Wolff SM (1974):** Demonstration and characterization of two distinct human leukocytic pyrogens. *J. Exp. Med* 139:1369.
- Dinarellow CA., Renfer L and Wolff SM (1977):** Human leukocytic pyrogen: Purification and development of a radioimmunoassay. *Proc Natl Acad Sci USA* 74:4624.
- Dinarellow CA, Clowes GH, Gordon AH and Wolf SM (1984):** Cleavage of human interleukin-1 isolation of a peptide fragment from plasma of febrile humans and activated monocytes. *J Immunol* 133:1332.
- Djeu JY, Balnchard KD and Richards AI (1988):** Tumor necrosis factor induction by *Candida albicans* from human natural killer cells and monocytes *J Immunol* 141:4047.
- Dower Sk, McMahan C, Flack J, Lupton S and Sins GE (1990):** Molecular characterization of two types of interleukin-1 receptor coding peptides on murine and human cells. *J Leukoc Biol* 1:103.
- Dudley FJ, Fox RA, Sherlock S (1972):** Cellular immunity hepatitis associated (Australia) antigen liver disease. *lancet*.i:743.

- Dudley FJ, O'Shea MJ, Ajdukiewicz A (1973):** Serum antibodies and immunoglobulins in hepatitis associated antigen (HAA) positive and negative liver disease 14:360.
- Dunn MA, Kamel R., Kamel I, Biempica, L, El-Kholy, A, Rojkind M, Warren KS and Mahmoud A (1979):** Liver collagen synthesis in Schistosomiasis mansoni. Gastroenterology; 76:978.
- Dusheiko G and Paterson A (1987):** Hepatitis B core and surface antigen expression in HBeAg and HBV DNA positive chronic hepatitis B: correlation with clinical and histological parameters. Liver 7, 228.
- Edwards DR, Murphy G and Reynolds JJ (1987):** Transforming growth factor beta modulates the expression of collagenase and metalloproteinase inhibitor J Biol Chem 36:234.
- Elwi AM (1976):** Pathology of Schistosomiasis, in : Compiled Review on Schistosomiasis (Bilharziasis), Nidoc, Dokki, Cairo; p. 74.
- Emilie D, Crevon MC, Auffredou MT and Galanaud P (1988):** Glucocorticosteroid-dependent synergy between interleukin 1 and interleukin 6 for human B lymphocyte differentiation Eur. J. Immunol. 18:2043.
- Endo DW and Look RA (1987):** Identification of some Interleukin-1 sensitive organs in vivo following injection of recombinant IL-1 β in mice. Lymphokines Res. 6:325.
- Endo Y (1989):** Induction of histidine and ornithine decarboxylase activities in mouse tissues by rIL-1 and TNF- α Biochem pharmacol 38:1287.
- Endres S, Cannon JG, Ghorbani R, Dempsey RA, Sisson SD, Lonnemann G, Van Der Meer JWM, Wolff SM and Dinarello CA (1989):** In vitro production of IL-1 beta, IL-1 alpha, TNF, and IL-2 in healthy subjects: Distribution, effect of cyclooxygenase inhibition and evidence of independent gene regulation. Eur. J Immunol 19:2327 .
- Engelberts I, Stephens S, Francot GJM and Bayrman WA (1991):** Evidence of different effects of soluble TNF-receptors on various TNF measurements in human biological fluids. Lancet 336:515.
- Engelmann H, Novick D, and Waallich D (1990):** Two tumour necrosis factor-binding proteins purified from human urine J Biol Chem 265:1531.
- Enterback S, Semb H, Tavernier J and Olivercrona T (1988):** Tissue specific regulation of guinea pig lipoprotein lipase. Effects of nutritional state and tumour necrosis factor on mRNA levels in adipose tissue, heart and liver. Gene 64:97.

- Ernst TJ, Ritchie AR, Demetri GD and riffin JD (1989):** Regulation of granulocyte and monocyte colony stimulating factor mRNA levels in human blood monocytes is mediated primarily at a post-transcriptional level. *J Biol Chem* 264:5700.
- Esparza I, Mannel D and Ruppel A (1987):** Interferon gamma and lymphotoxin or tumor necrosis factor synergize to activate macrophages for tumoricidal and schistosomicidal functions. *Lymphokine Res* 6:1715.
- Esteban JI and Gonzalez A (1989):** Hepatitis C virus antibodies among high risk group in Spain. *Lancet* 2:294.
- Evans DB, Buning RA and Russell RG (1990):** The effects of recombinant IL-1 beta on cellular proliferation, and the production of PGE, plasminogen activator, osteocalcin and alkaline phosphatase by osteoblast-like cells derived from human bone. *Biochem Biophys Res Commun* 166:208.
- Falk W, Krammer PH, and Mannel DN (1987):** A new assay for Interleukin -1 β . *J Immunol Methods* 99:47.
- Farci P, Alter HJ and Wong D (1991):** A long-term study of hepatitis C virus replication in non-A Non-B hepatitis. *N Engl J Med* 325:98.
- Farci P, Karayiannis P and Brook MG (1989):** Treatment of chronic hepatitis delta virus infection with human lymphoblastoid alpha-interferon. *Quarterly Journal of Medicine*. 73: 1045.
- Fattovich G, Brollo L and Aberti A (1990):** Chronic persistent hepatitis type B can be a progressive disease when associated with sustained virus replication. *Hepatology* 11: 29.
- Fauerholdt L, Schlichting P and Christensen E (1983):** Conversion of micronodular cirrhosis into macronodular cirrhosis. *Hepatology* 3:928.
- Feige U, Karbowski A, Rordorf-Adam C and Pataki A (1989):** Arthritis induced by continuous infusion of hr-interleukin-1 α into the rabbit knee-joint. *Int J Tissue React* 11:225.
- Feingold KR and Grunfeld C (1987):** Tumour necrosis factor stimulates hepatic lipogenesis in the rat in vivo. *J clin Invest* 80:184.
- Feingold KR, Serio MK, Adi S, Moser AH and Grunfeld C (1989):** Tumour necrosis factor stimulates hepatic lipid synthesis and secretion. *Endocrinology* ; 124:2336.
- Feingold KR, Serio MK, Moser AH, and Grunfeld C (1989):** Tumour necrosis factor stimulates hepatic lipid synthesis and secretion. *Endocrinology* ; 124:2336.

- Felver ME, Mezey E, and Veech RL (1990):** Plasma tumor necrosis factor predicts decreased long-term survival in severe alcoholic hepatitis. *Alcoholism : Clin Exp Res* 14:255.
- Fenton MJ, Vermeulen MW, Clark BD, Webb AC and Auron PE (1988):** Human pro-IL-1 beta gene expression in monocytic cells is regulated by two distinct pathways. *J Immunol* 140:2267.
- Ferluga J and Allison AC (1978):** Role of mononuclear infiltrating cells in pathogenesis of hepatitis. *Lancet* 2:610.
- Fialla ML, Craft NF and Weinberg GA (1983):** Depressed response of plasma iron and zinc to endotoxin and LEM in STZ-diabetic rat. *Proc. Soc. Exp. Biol. Med* 173:445.
- Fibbe WE, Falkenburg JHF, Schaafsma MR and Willemze R (1989):** The hematopoietic activities of interleukin 1. *Biotherapy* 1:263.
- Fienman R; Tsujimoto M and Vilcek J (1987):** Tumornecrosis factor is an important mediator of tumor cell killing by human monocytes. *J Immunol.* 138:635.
- Filkins JP, Mathews HL and Yelich MR (1985):** Monokines and hyperinsulinism in endotoxemia and septic peritonitis. In: *The Physiologic, Metabolic, and Immunologic Actions of Interleukin-1* (Kluger, M. J., Oppenheim, J.J. & Powanda, M.C., eds.), pp. 231-240, Liss, New York.
- Fisel RH, Denniston JG and Beiscl WR (1972):** Infection with diplococcus pneumoniae and salmonella typhimurium in monkeys: changes in plasma lipoproteins. *J Infect. Dis.* 125:54.
- Flores E, Drabik M, Bistran BR and Istafan N (1987):** Synergistic effects of human recombinant mediator during the acute phase reaction. *Clin Res* 35:384.
- Foley NM, McNicol MW, Rook GAW, McI and Johnson N (1989):** Effect of serum from patients with sarcoidosis and tuberculosis on TNF-induced killing of murine cells. *Am Rev Respir Dis* :139:A58.
- Fondrey J and Jelkmann WE (1991):** Interleukin-1 and tumor necrosis factor alpha inhibits erythropoietin production in vitro. *Ann Acad Sci* 628:250.
- Fox ES, Broitman SA and Thomas P (1990):** Bacterial endotoxins and the liver. *Lab Invest* 63:733.
- Fransen L, Muller R, Marmenout A, Tavernier J, Van der Heyden J, Kawashima E, Chollet A, Tizard R, Van Heuverswyn H, Van Vliet A, Ruysschaert MR and Fiers W (1985):** Molecular cloning of mouse tumour necrosis factor cDNA and its eukaryotic expression. *Nucleic Acids Res.* 13:4417.

- Gasparetto C, Laver J, Abboud M, Gillio A, Smith C, O'Reilly RJ and Moore MAS (1989):** Effect of interleukin-1 on hemopoietic progenitors: Evidence of stimulatory and inhibitory activities in a primate model. *Blood* 74:547.
- Gasparetto C, Smith C, Gillio A, Stoppa A, Muench M and Moore MAS (1990) :** Enrichment of peripheral blood stem cells with cytokine treatment in a preclinical primate model. *Blood* 76:541a.
- Gehrke L, Jobling SA, Paik LS, McDonald B, Rosenwasser LJ and Auron PE (1990):** A point mutation uncouples human interleukin-1 beta biological activity and receptor binding. *J Biol Chem* 265:5922 .
- Geiger T, Andus T, Klapproth J, Hirano T, Kishimoto T and Heinrich, P. (1988):** Induction of rat acute-phase proteins by interleukin-6 in vivo. *Eur J Immunol.* 18:717.
- George AL, Bird MB, Sheron NB and Alexander MB (1990):** Increased plasma tumour necrosis factor in severe alcoholic hepatitis *Ann Int Med* 112:917.
- Gerken G, Paterlini P and Manns M (1991):** Assay of hepatitis B virus DNA by polymerase chain reaction and its relationship to pre-s and S0-encoded viral surface antigens. *Hepatology* 13:158.
- German RD, Jacobs KA, Clark SC and Raulet DH (1987):** B-cell stimulatory factor 2 ($\beta 2$ interferon) functions as a second signal for interleukin 2 production by mature murine T cells. *proc Natl Acad Sci USA* 84:7629 .
- Girardin E, Grau GE and Dayer JM (1988):** Tumor necrosis factor and interleukin-1 in the serum of children with severe infections purpura. *N Engl J Med*; 319:397.
- Goldberg RJ and Campbell DH (1951):** The light-scattering properties of an antigen-antibody reaction *Journal of Immunology* 66:79.
- Goldstein GB, Lam KC and Mistilis SP (1973):** Drug-induced active chronic hepatitis. *Digestive Diseases and Sciences*.18:177.
- Goto M, Takei Y, Kawano S, Tsuji S, Fukui H and Kamada T (1992):** Tumor necrosis factor and endotoxin in the pathogenesis of liver and pulmonary injuries after orthotopic liver transplantation in the rat. *Hepatology* 16:487.
- Gottschall PE, Katsuura G, and Arimura A (1989):** Interleukin-1 β is more potent than interleukin-1 α in suppressing follicle stimulating hormone differentiation of ovarian granulosa cells. *Biochem Biophys Res Commun* 163:764 .

- Gottschall PE, Katsuura G, Hoffmann ST and Arimura A (1988):** Interleukin 1: An inhibitor of luteinizing hormone receptor formation in cultured rat granulosa cells. *FASEB* 2:2492 .
- Govindarajan S, Fields HA, Humphrey CD and Margolis HS (1986):** Pathologic and ultrastructural changes of acute and chronic delta hepatitis in an experimentally infected chimpanzee. *Am J Pathol* 122: 315.
- Granger GA and Yamamoto RS (1978):** The human LT system. *Cell Immunol* 38:388.
- Grau GE, Taylor TE and Molyneux ME (1989):** Tumor necrosis factor and disease severity in children with falciparum malaria. *N Engl J Med* 320:1586.
- Green AR.(1989):** Peptide regulatory factors multifunctional mediators of cellular growth and differentiation. *Lancet* 1:705.
- Green S, Dobrjansky A, Carswell EA, Kassel RL, Old LJ, Fiore N and Schwartz MK (1976):** partial purification of a serum factor that causes necrosis of tumors. *Proc Natl Acad Sci USA* 73:381.
- Greenwald D, Hulmes J, Beutler B and Cerami A (1985):** Isolation and structure of mouse tumour necrosis factor: a modulator of metabolism in nontumorigenic cells. *Nature* 316:552.
- Griffin JD, Cannistrà SA, Sullivan R, Demetri GD, Ernst TJ and Kanakura Y (1990):** The biology of GM-CSF: Regulation on production and interaction with its receptor. *Int J Cell Cloning* 1:35.
- Gronenborn AM, Wingfield PT, McDonald HR, Schmeissner U and Clore GM (1988):** Site directed mutants of human interleukin-1 alpha: A ¹H-NMR and receptor binding study. *FEBS Lett* 231:135.
- Grunfeld C, Soued M, Adi S, Moser AH, Dinarello CA and Feingold KR (1990):** Evidence for two classes of cytokines that stimulate hepatic lipogenesis: Relationships among tumor necrosis factor, interleukin-1 and interferon-alpha. *Endocrinology* 127:46 .
- Grunfeld C, Verdier JA, Neese R, Moser AH and Feingold KR (1988):** Mechanisms by which tumour necrosis factor stimulates hepatic fatty acid synthesis in vivo. *J Lipid Res* 29:1327.
- Guang LX (1993):** Hepatitis B virus infection in monocytes and their functional changes in patients with chronic hepatitis B (Abstract) *Chung Hua Nei Ko Tsa Chin* 72:651.
- Hadziyannis S, Vissoulis C and Moussourios A (1972):** Cytoplasmic localization of Australia antigen in liver. *Lancet* 1:976.

- Hahn T , Toker L, Aderka D and Waallch D (1985) :** Use of monoclonal antibodies to a human cytotoxin for its isoaltion and for examinining the self-induction of resistance to this protein. Proc Natl Acad Sci USA 82:3814.
- Hammonds P, Beggs M, Beresford G, Espinal J, Clarke J and Mertz RJ (1990):** Insulin-secreting beta cells possess specific receptors for interleukin-1 beta. FEBS Lett 261:97 .
- Han J, Thompson B and Beutler B (1990):** Dexamethasone and pentoxiphyllin inhibits endotoxins- induced cachectin / tumor necrosis factor synthesis at separate points in the signaling pathway. J Exp. Med 172:391.
- Haranake K, Satomi N and Sakurai A (1984):** Antitumor activity of murine tumor necrosis factor against transpalnted murine tumors. Int J Cancer 34:263.
- Hart PH, Vitti GF, Burgess DR, Whitty GA, Piccoli DS, Hamilton JA (1989):** Potential anti-inflammatory effects of interleukin-4. Suppression of human monocyte tumor necrosis factor, interleukin 1 and prostaglandin E2. Proc Natl Acad Sci USA 86:3803 .
- Hazuda DJ, Lee JC and Young PR(1988):** The kinetics of interleukin 1 secretion from activated monocytes. Differences between interleukin 1 alpha and interleukin 1 beta. J Biol Chem 263:8473.
- Hazuda DJ, Strickler J, Kueppers F, Simon PL, andYoung PR (1990):** Processing of precursor interleukin-1 beta and inflammatory disease. J Biol Chem 265:6318 .
- Heirrich PC, Castel JV and Andus T (1990):** Interleukin-6 and the acute phase response. Biochem J 265:621.
- Helfgott DC, May LT, Sthoeger Z, Tamm I and Sehgal PB(1987):** Bacterial lipopolysaccharide (endotoxin) enhances expression and secretion of $\beta 2$ interferon by human fibroblasts. J Exp Med 166:1300 .
- Helle M, Brakenhoff J, De-Groot E and Aarden L (1988):** Interleukin-6 is involved in interleukin-1-induced activities. Eur J Immunol. 18:957.
- Hellerstein MK, Meydani SN, Meydani M, WuK and Dinarellow CA(1989):** Interleukin-1-induced anorxia in the rat. Influence of prostaglandins. J Clin Invest 84:228 .
- Helson L, Green S, Carswell E and Old LJ (1975):** Effect of tumour necrosis factor on cultured human melanoma cells. Nature 258:731.
- Henry RJ, Cannen DL and Winbelnein JW (1974):** Clinical chemistry principal and techniques Second ed Harper and Raw. New York.

- Henry RN , Cbiamort OJ and Berkman SB (1960):** Revised spectrophotometric method for the determination of glutamic pyruvic transaminase and alctic acid dehydrogenase Am. J Clin Path 4:381-386.
- Hesse DG, Tracey KJ, and Fong, Y (1988):** Cytokine appearance in human endotoxemia and primate bacteremia Surg. Gynecol Obstet 166:147.
- Hill MR, Stith, RD and McCallum RE (1986):** Interleukin 1:a regulatory role in glucocorticoid-regulated hepatic metabolism. J. Immunol. 137:858.
- Hirano T, Kishimoto T: Interleukin-6 (IL-6), in Sporn MB and Roberts AB (eds)(1989):** Handbook of Experimental Pharmacology "Peptide Growth Factors and Their Receptors "Springer- Verlag, Berlin.
- Hirano T, Matsuda T, Hosoi K, Okano A, Matsui H and Kishimoto T (1988):** Absence of antiviral activity in recombinant B cell stimulatory factor 2 (BSF-2). Immunol Lett 17:41.
- Hirano T, Yasukawa K, Harada H, Taga T, Watanabe Y, Matsuda T, Taniguchi T and Kishimoto T(1986):** Complementary DNA for a novel human interleukin (BSF-2) that induces B lymphocytes to produce immunoglobulin. Nature 324:73.
- Hodges JR, Millward-Sadler, GH and Barbatis C (1981):** Heterozygous MZ alpha-1-antitrypsin deficiency in adults with chronic active hepatitis and cryptogenic cirrhosis. N Engl J Med, 304: 557.
- Holborow EJ, Hemsted EH and Mead SV (1973):** Smooth muscle antibodies in infectious mononucleosis. British Medical Journal 3: 323.
- Holtmann H and Wallach D(1987):** Down regulation of the receptors for tumor necrosis factor by interleukin 1 and 4 beta-phorbol-12-myristate-13-acetate. J Immunol 139:1161.
- Homberg JC, Abuaf N and Bernard O (1987):** Chronic active hepatitis associated with anti-liver-kidney microsome antibody type 1: a second type of autoimmune hepatitis. Hepatology, 7: 1333.
- Hoofnagle JH, Gerely RJ and Barker IF (1974):** Antibody to hepatitis B virus core in man Lancet 11: 869.
- Horii Y, Muraguchi A, Suematsu S, Matsuda T, Yoshizaki K, Hirano T and Kishimoto T(1988):** Regulation of BSF-2/IL production by human mononuclear cells: macrophage-dependent synthesis of BSF-2/IL-6 by T cells. J Immunol 141:1529.

- Horii Y, Muraguehi A, Suematsu S, Matsuda T, Yoshizaki K, Hirano T and Kishimoto T (1988):** Regulation of BSF-2/IL-6 production by human mononuclear cells. Macrophage-dependent synthesis of BSF-2/IL-6 by T cells. *J. Immunol.* 141:1529.
- Horuk R and McCubrey JA(1989):** The interleukin-1 receptor in Raji human B cell lymphoma cells. *Biochem J* 260:657.
- Horuk R, Huang JJ, Covington M and Newton RC(1987):** A biochemical and kinetic analysis of the interleukin-1 receptor. Evidence for differences in molecular properties of IL-1 receptors. *J Biol Chem* 262:16275.
- Houssiau F, Devogelaer J-P, Van Damme J, Nagant de Deuxchaisnes C and Van Snick, J. (1988):** Interleukin 6 in synovial fluid and serum of patients with rheumatoid arthritis and other inflammatory arthritides. *Arthritis Rheum.* 31:784.
- Ichinose Y, Tsao JY and Fidler IJ (1988):** Destruction of tumor cells by monokines released from activated human blood monocytes evidence for parallel and additive effects of IL-1 and TNF. *Cancer Immunol Immunother* ; 27:7.
- Ikebuchi K, Wong GG, Clark SC, Ihle JN, Hirai Y and Ogawa M(1987):** Interleukin-6 enhancement of interleukin-3-dependent proliferation of multipotential hemopoietic progenitors. *Proc Natl Acad Sci USA* 84:9035.
- International Group (1977):** Acute and chronic hepatitis revisited . *Alncet* 11:914.
- Israel S, Hahn T, Holtmann H and Wallach D (1986):** Binding of human TNF-alpha to high-affinity cell surface receptors: Effect of IFN. *Immunol. Lett.* 12:217.
- Jablons DM, Mule JJ, McIntosh JK, Sehgal PB, May LT, Huang, CM, Rosenberg SA and Lotze MT (1989):** IL-6/IFN γ -2 as a circulating hormone. Induction by cytokine administration in humans. *J. Immunol.* 142:1542.
- Jacob R, Barrett E, Plewe G and Fagin KD (1989):** Acute effects of insulin-like growth factor I on glucose and amino acid metabolism in the awake fasted rat: comparison with insulin. *J Clin Invest* 83:1717.
- Jambou RC, Snouwaert JN, Bishop GA, Stebbins, JR, Frelinger JA and Fowlkes DM. (1988):** High-level expression of a bioengineered, cysteine-free hepatocyte-stimulating factor (interleukin 6) like protein. *Proc Natl Acad Sci USA* 85:9426 .

- James SL, Glaven J and Goldenberg S. (1990):** Tumour necrosis factor (INF) as a mediator of macrophage helminthotoxic activity. *Parasitic Immunol* ; 12:1.
- Johnson CS, Keckler DJ, Topper MI, Braunschweiger PG, Furmanski P(1989):** In vivo hemopoietic effects of recombinant interleukin-1 alpha in mice: Stimulation of granulocytic, monocytic, megakaryocytic, and early erythroid progenitors, suppression of late stage erythropoiesis, and reversal of erythroid suppression with erythropoietin. *Blood* 73:678.
- Kahari VM; Heino J and Vuorio E (1987):** Interleukin-1 increases coallgen production and mRNA levels in cultured skin fibroblasts. *Biochem Biophys Acta* 929:142-147.
- Kakumu S, Fukatsu A, Kurokawa S and Kusaalbe A (1992):** Localization of intrahepatic interleukin-6 in patients with acute and chronic liver disease. *J Clin Pathol* 45:408.
- Kakumu S, Shinagawa T, Ishikawa T and Yoshioka K (1993):** Interleukin-6 production by peripheral blood mononuclear cells in patients with chronic hepatitis B virus infection and primary biliary cirrhosis. *Am J Gastroenterol* 28:18.
- Kakumu S, Shinagawa T, Yoshioka K and Wakitat (1991):** Serum inteleukin -6 levels in patients with chronic hepatitis B *Am J. Gastroenterol* 86:1804.
- Kamel IA, Elwi AM, Cheever AW, Mossiman JE and Danner R (1978):** S. mansonii and S. haematobium infections. *Am. J. Trop. Hyg*; 27:939.
- Kamogashira T, Masui Y, Ohmoto Y, Hirato T, Nagamura K, Mizuno K, Hong YM, Kikumoto Y, Nakai S and Hirai Y(1988):** Site specific mutagenesis of the human interleukin-1 beta gene: Structure-function analysis of the cysteine residues. *Biochem Biophys Res Commun* 150:1106.
- Kampschmidt RF (1981):** Leukocytic endogenous mediator/endogenous pyrogen, in Powanda MC, Canonico PG (eds) *Leukocytic Endogenous Mediator/Endogenous Pyrogen*. Amsterdam, the Netherlands, Elsevier/North Holland, p 55.
- Kaufman RL, Matson CF, and Beiselw R (1978):** Hypertriglyceridemia produced by endotoxin: role of impaired triglyceride disposal mechanisms *J Infect Dis* 133:548.
- Kawakami M, pekaal PH, Alne MD and Cerami A (1982):** Lipoprotein lipaase suppression in 3T3-L1 cells by an endotoxin induced mediator from exudate cells. *Proc. Natl. Acad Sci* ; 79:912.

- Kelker HC, Oppenheim JD, Wolff D, and Vilcek J (1985):** Characterization of tumour necrosis factor produced by peripheral blood monocytes and its separation from lymphotoxin. *Int J Cancer* 36:69.
- Khoruts A, Sahnke L, McCalin CG, and Allen JI (1991):** Circulating tumour necrosis factor, interleukin-1 and interleukin-6 concentrations in chronic alcoholic patients. *Hepatology* 13:267.
- Kinashi T, Harada N, Severinson E, Tanabe R, Sideras P, Konishi M, Azuma C, Takatsu K and Honjo T(1986):** Cloning of complementary DNA encoding T-cell replacing factor and identity with B-cell growth factor II. *Nature* 324:70.
- Kishimoto T (1989):** The biology of interleukin-6. *Blood* 74:1-10.
- Kishimoto T, Yoshizaki K, Kajeda T and Yamamura Y (1982):** Induction of proliferation and Ig production in human B leukemic cells by anti-immunoglobulins and T-cell factors. *J Immunol* 128:1296.
- Klasing KC (1984):** Effect of inflammatory agents and interleukin 1 on iron and zinc metabolism. *Am J. Physiol* 247:R901-R904.
- Klasing KC (1985):** Influence of stress on protein metabolism. In: *Animal Stress* (Moberg, G.P., ed.), pp. 269-280, American physiological Society, USA.
- Klasing KC (1987):** Interactions between nutrition and the immune response. *Nut* 117:1629-1637.
- Klasing KC (1988):** Nutritional aspects of leukocytic cytokines. *J Nutr* 188:1436.
- Klatskin G (1975):** Persistent HB antigenemia: associated clinical manifestations and hepatic lesions. *Am J Med Sci*, 270, 33-40.
- Knudsen PJ, Dinarello CA, Strom TB(1986):** Prostaglandins posttranscriptionally inhibit monocyte expression of interleukin 1 activity by increasing intracellular cyclic adenosine monophosphate. *J Immunol* 137:3189.
- Koenig A, Muehlbauer RC and Fleisch H(1988):** Tumor necrosis factor and interleukin-1 stimulate bone resorption in vivo as measured by 3-H tetracycline excretion from prelabeled mice. *J Bone Miner Res* 3:621.
- Kohas M, Henriksen Destefano D, Sehgal PB and Vilcek J (1986):** Induction of B2 interferon by tumour necrosis factor : a homeostatic mechanism in the control of cell proliferation. *Cell* 45:659.

- Kohase M, May LT, Tamm I, Vilcek J, Sehgal PB(1987):** A cytokine network in human diploid fibroblasts: Interactions of b interferons, tumor necrosis factor, platelet-derived growth factor and interleukin 1. *Mol Cell Biol* 7:273.
- Koj A (1985):** Definition and classification of acute phase proteins in the acute phase response to injury and infection. Ed. A. H. Gordion and A. Koj, 10:139-232. Amsterdam: Elsevier.
- Kojima T, Callea F and Desmyter J (1990):** Electron microscopic features of chronic hepatitis D. *Liver*, 10, 17-27.
- Kovacs EJ (1991):** Fibrogenic cytokines : the role of immune mediators in the development of scar tissue. *Immunol Today* 12:17.
- Krane SM, Conca W, Stephenson ML, Amento EP and Goldring MB (1990):** Mechanisms of matrix degradation in rheumatoid arthritis. *Ann NY Acad Sci* 580:340.
- Kriegler, M, Perez, SC, Defay, K, and Albert I (1988):** A novel form of TNF/cachectin is a cell surface cytotoxic transmembrane protein. *Cell* 53:45.
- Kull FC Jr, Jacobs S and Cuatrecasas P (1985):** Cellular receptor for ¹²⁵I-labeled tumor necrosis factor: specific binding, affinity labeling , and relationship to sensitivity. *Proc. Natl. Acad. Sci. USA* 82:5756.
- Kuo G, Cboo QL and Alter HJ (1989):** An assay for circulating antibodies to a major etiologic virus of human non-A non-B hepatitis *Science* 244:362.
- Kupper T, Horowitz M, Lee F, Robb R and Flood PM(1987):** Autocrine growth of T cells independent of IL-2: Identification of IL-4 as an autocrine growth factor for a cloned antigen specific helper T cell. *J Immunol* 138:4280.
- Kurki P, Gripenberg M, Teppo AM (1984):** Profiles of anti-nuclear antibodies in chronic active hepatitis, primary biliary cirrhosis and alcoholic liver disease. *Liver* 4: 134.
- Kurki P, Miettinen A, Salaspuro M (1983):** Cytoskeleton antibodies in chronic active hepatitis, primary biliary cirrhosis and alcoholic liver disease. *Liver*, 3: 297.
- Kurt-Jones EA, Beller DI, Mizel SB and Unanue ER(1985):** Identification of a membrane associated interleukin-1 in macrophages. *Proc Natl Acad Sci USA* 82:1204.
- Kushner I (1982):** The phenomenon of the acute phase response. *Ann NY Acad Sci* 389:39.

- Lahdevirta J, Maury CPJ and Teppo AM(1988):** Elevated levels of circulating chachectin/ tumor necrosis factor in patients with acquired immunodeficiency syndrome. *Am J Med* ; 85:289.
- Lancet Editorial (1990):** The A to F of viral hepatitis. *Lancet*, 336, 1158-1160.
- Landis JB and Pardue HL (1987):** Kinetics of the reactions of conjugated and unconjugated bilirubin with P. Diazo benzen sulfonic acid. *Clin Chem* 24:10.
- Lang CH, Bagby GJ, Blakesley HL and Spitzer, JJ (1987):** Fever is not responsible for the elevated glucosed kinetics in sepsis. *Proc. Soc. Exp. Biol. Med.* 185:455.
- Le J and Vilcek J (1987):** Tumour necrosis factor and interleukin-1: cytokines with multiple biological activities. *Lab Invest* 56:234.
- Le J, Lin JX and Vilcek J (1986):** Bacterial lipopolysaccharide induced interferin gamma production *J Immunol* 136:4525.
- Leary AG, Ikebuchi K, Hirai Y, Wong GG, Yang Y-C, Clark SC, Ogawa M(1988):** Synergism between interleukin-6 and interleukin-3 in supporting proliferation of human hematopoietic stem cells: Comparison with interleukin-1a. *Blood* 71:1759 .
- Lee F, Yokota T, Otsuka T, Meyerson P, Villaret D, Coffman R, Mosmann T, Rennick D, Roeham N, Smith C, Zlotnick A and Arai K(1986):** Isolation and characterization of a mouse interleukin cDNA clone that expresses B-cell stimulatory factor 1 activities and T-cell and mast-cell-stimulating activities. *Proc Natl Acad Sci USA* 83:2061.
- Lee MD, Zentella A, Pekala PH and Cerami A (1987):** Effect of endotoxin-induced monokines on glucose metabolism in the muscle cell line L6. *Proc. Natl. Acad. Sci.* 84:2590.
- Lee Sh, Aggarwal BB and Chiu H (1984):** The synergistic anti-proliferative effect of γ -interferon and human lymphotoxin J *Immunol* 133:1083.
- Leevy CM (1976):** Diseases of the liver and biliary tract: standarization of nomenclature, diagnostic criteria and diagnostic methodology, Fogarty international center. Washington, D.C., U.S. Governement printing office.
- Lenzi M, Ballardinin G and GFusconi M (1990):** Type 2 autoimmune hepatitis and hepatitis C virus infection. *Lancet*, 1: 258.
- Leroux - Roels G and Oftnen (1990):** Tumor necrosis factor in sepsis. *JAMA* 263:1494.

- Lesnicar G (1988):** A prospective study of viral hepatitis A and the question of chronicity. *Hepato-gastroenterology*, 35: 69.
- Libby P, Ordovas JM, Birinyi LK, Auger KR and Dinarello CA(1986):** Inducible interleukin-1 gene expression in human vascular smooth muscle cells. *J Clin Invest* 78:1432.
- Libby P, Warner SJ and Friedman GB(1988):** Interleukin 1: A mitogen for human vascular smooth muscle cells that induces the release of growth-inhibitory prostanoids. *J Clin Invest* 81:487 .
- Lidman, K., Biberfeld, G. and Fagraeus, A. (1976):** Anti-actin specificity of human smooth muscle antibodies in chronic active hepatitis. *Clinical and Experimental Immunology*, 24: 266.
- Lomedico PT, Gubler R, Hellmann CP, Dukovich M, Giri JG, Pan YE, Collier K, Semionow R, Chua AO and Mizel SB(1984):** Cloning and expression of murine interleukin-1 cDNA in *Escherichia coli*. *Nature* 312:458.
- Long CL (1977):** Energy balance and carbohydrate metabolism in infection and sepsis. *Am. J. Clin. Nutr.* 30:1301.
- Lonnemann G, Endres S, van der Meer JW, Cannon JG, Koch KM, Dinarello CA(1989):** Differences in the synthesis and kinetics of release of interleukin 1 alpha, interleukin 1 beta and tumor necrosis factor from human mononuclear cells. *Eur J Immunol* 19:1531.
- Lowenthal JW, MacDonald HR(1986):** Binding and internalization of interleukin 1 by T-cells. Direct evidence from high and low affinity classes of interleukin-1 receptors. *J Exp Med* 164:1060 .
- Maddrey WC (1983):** Drug-induced chronic active hepatitis. In Cohen, S. & Soloway, R.D. (eds) *Chronic Active Liver Disease*, pp. 131-146. Edinburgh: Churchill Livingstone.
- Maddrey WC (1987):** Subdivisions of idiopathic autoimmune chronic active hepatitis. *hepatology*, 7:1372.
- Maher JJ, Friedman SL and Roll FJ (1988):** Immuno-localization of laminin in normal rat liver and biosynthesis of laminin by hepatic lipocytes in primary cultures. *Gastroenterology* 94:1053.
- Mancilla J, Ikejima I, Clark BD, Orencole SF, Sirko S and Dinarello CA(1989):** Lectin binding suggest different glycosylation patterns of IL-1 receptors on different cells. *Cytokine* 1:95 .
- Manns MP, Johnson EF and Griffin KJ (1989):** Major antigen of liver kidney microsomal autoantibodies in idiopathic autoimmune hepatitis is cytochrome p 450 *J Clin Invest* 83:1066.

- Marinkovic S, Jahreis GP, Wong GG and Baumann H (1989):** IL-6 modulates the synthesis of a specific set of acute phase plasma proteins in vivo, *J. Immunol* 142:808.
- Marti U, Burwen SJ and Wells A (1991):** Localization of epidermal growth factor receptor in hepatocyte nuclei. *Hepatology* 13:15.
- Matsubara T and Morris Z (1986):** Increased superoxid anion release from human endothelial cells in response to cytokines. *J Immunol* 137:3295.
- Matsuda T, Hirano T, Nagasawa S and Kishimoto T (1989):** Identification of α_2 -macroglobulin as a carrier protein for IL-6. *J. Immunol.* 142:148.
- Matsuka M and Tsukamoto H (1990):** Stimulation of hepatic lipocyte collagen production by Kupffer cell derived transforming growth factor beta. *Hepatology* 11:599.
- Matsuka M, Pham N and Tsukamoto H (1989):** Differential effects of tumor necrosis factor α -Interleukin- 1β , and transforming growth factor β on cell proliferation and collagen formation by cultured fat-storing cells. *Liver* 9:71.
- Matsuka T, Furukawa S and Yabuta K (1990):** Serum levels of tumor necrosis factor, interleukin-2 receptors, and interferon- γ in kawasaki disease involved coronary- artery lesions. *Clin Immunol and Immunopathol.* 56:29.
- Matsushima K, Akahoshi T, Yamada M, Furutani Y and Oppenheim JJ (1986):** Properties of a specific interleukin-1 receptor on human Epstein-Barr virus-transformed B lymphocytes: Identity of the receptor for IL- 1α and IL- 1β . *J Immunol* 136:4496.
- Matthews N (1983):** Anti-tumour cytotoxin produced by human monocytes study on its mode of action. *Br J Cancer* 44:418.
- McCalin CJ and Cohen DA (1989):** Increased tumour necrosis factor production by monocytes in alcoholic hepatitis. *Hepatology* 9:349-351.
- McCallum RE, Hill MR and Stith RD (1988):** Inhibited steroid induction of pepsin in hepatoma cells treated with IL-1 and TNF. In: monokines and Other Non-Lymphocytic Cytokines (Powanda, M.C., Oppenheim, J.J., Kluger, M.J. & Dinarello, C.A., eds.), pp. 267-272, Liss, NY.
- McConkey DJ, Hartzell P, Chow SC, Orrenius S and Jondal M (1990):** Interleukin-1 inhibits T cell receptor mediated apoptosis in immature thymocytes. *J Biol Chem* 265:3009.

- McDonald GSA; Courtney MG; and Shattock (1989):** Igm antibodies and hepatopathological evidence of chronicity of hepatitis Liver 9:223.
- McFarlane BM, McSorlery CG and Vergani D (1986):** Serum antibodies reacting with the hepatic asialoglycoprotein receptor (hepatic lectin) in acute and chronic liver disorders. Journal of Hepatology, 3: 196.
- McFarlane IG, Smith HM and Johnson PJ (1990):** Hepatitis C virus antibodies in chronic active hepatitis: pathogenetic facotr or false positive? Lancet, 335: 754.
- McNiece I, Langely K and Zsebo K(1990):** Recombinant human stem cell factor synergizes with CSF's and EPO to stimulate colony formation of myeloid and erythroid cells. Blood 76:154a.
- Merriman CR, Pulliam LA and Kampschmidt RF (1977):** Comparison of leukocytic pyrogen and leukocytic endogenous mediator. Proc Sci Exp Biol Med 154:224.
- Mestan J and Digel W and Mitnacht S (1986):** Antiviral effects of recombinant tumor necrosis factor in vitro. Nature ; 323:816.
- Meszaros K, Bageby GJ, Lang CH and Spitzer JJ (1987):** Increased uptake and phosphorylation of 2-deoxyglucose by skeletal muscles in endotoxin-treated rats. Am. J. Physiol. 253:E33-E39.
- Meszaros K, Lang CH, Bagby GJ and Spitzer JJ (1987):** Tumor necrosis factor increases in vivo glucose utilization of macrophage-rich tissues. Biochem. Biophys. Res. Commun. 149:1.
- Meyer Zum Buschenfelde KH, Lohse AW and Manns M (1990):** Autommunity and liver disease. Hepatology 12:354.
- Miller LG, Galpern WR, Dunlap K, Dinarello CA and Turner TJ(1991):** Interleukin-1 augments GABAa receptor function in brain. Mol Pharmacol 12:137 .
- Miller RH, Pursell RH and Wantzin P (1990):** Hepatitis C virus shares amino acid sequance simialrity with pestivirus and falviviruses Proc Natl Acad Sci (USA) 78:2057.
- Mills CT, Lee E and Perrillo R. (1990):** Relationship between histology, aminotransferase levels, and viral replication in chronic hepatitis B Gastroenterology 99:519.
- Miyaura C, Onozaki K, Akiyama Y, Taniyama T, Hirano T, Kishimoto T and Suda T(1988):** Recombinant human interleukin 6 (B-cell stimulatory factor 2) is a potent inducer of differentiation fo mouse myeloid leukemia cells (M1). FEBS Lett 234:17.

- Mock BA, Nordan, RP Justice, MJ, Kozak C, Jenkins NA, Copeland NG, Clark SC, Wong GC and Rudikoff S (1989):** The murine IL-6 gene maps to the proximal region of chromosome 5. *J. Immunol.* 142:1372.
- Moldawer LL, Andersen C, Gelin J and Lundholm K(1988):** Regulation of food intake and hepatic protein synthesis by recombinant derived cytokines. *Am J Physiol* 254:G450 .
- Monjardino JP and Saldanha JA (1990):** Delta hepatitis. *British Medical Bulletin*, 46: 399.
- Moore KW, Vieira P, Fiorentino DF, Trounstein ML, Khan TA and Mosmann TR(1990):** Homology of cytokine synthesis inhibitory factor (IL-10) to the Epstein-Barr virus gene BCRF1. *Science* 248:1230.
- Moore MA and Warren DJ(1987):** Synergy of interleukin 1 and granulocyte colony-stimulating factor: In vivo stimulation of stemcell recovery and hematopoietic regeneration following 5-fluorouracil treatment of mice. *Proc Natl Acad Sci USA* 84:7134 .
- Mori S, Goto F, Goto K, Ohkawara S, Maeda S, Shimada K and Yoshinaga M(1988):** Cloning and sequence analysis of a cDNA for lymphocyte proliferation potentiating factor of rabbit neutrophils: Identification as rabbit interleukin-1 β . *Biochem Biophys Res Comm* 150:1237.
- Morrone G, Cortese R, Sorrentino V (1989):** Post transcriptional control of negative acute phase genes by transforming growth factor β . *EMBO J* 8:3767.
- Moule SK and McGivan JF(1988):** Epidermal-growth-factor stimulation of gluconeogenesis in isolated rat hepatocytes involves the inactivation of pyruvate kinase. *Biochem J* ; 255:361.
- Movat HZ, Burrowes CE, Cybulsky MI and Dinarello CA(1988):** Acute inflammation and a Schwartzman-like reaction induced by interleukin-1 and tumor necrosis factor. Synergistic action of the cytokines in the induction of inflammation and microvascular injury. *Am J Pathol* 129:463.
- Mrosovsky N, Molony LA, Conn CA and Kluger MJ(1989):** Anorexic effects of interleukin-1 in the rat. *Am J Physiol* 257:R 1315.
- Muller C and Zielinski CC (1992):** Interleukin-6 production by peripheral blood monocytes in patients with chronic liver disease and acute viral hepatitis *J Hepatol* 15:372-377.
- Muller C, Knoflach P, Lersch C and Hart R (1989):** Soluble interleukin -2 receptors in acute viral hepatitis and chronic liver diseases. *Hepatology* 10:928.

- Munoz LE, Thomas HC and Scheuer (1981):** Is mitochondrial antibody diagnostic of primary biliary cirrhosis. *Gut* 22:136.
- Munro JM, Pober JS and Cotran RS(1989):** Tumor necrosis factor and interferon-gamma induce distinct patterns of endothelial activation and associated leukocyte accumulation in skin of Papio anubis. *Am J pathol* ; 135:121.
- Muraguchi A, Hirano T, Tag B, Matsuda T, Horii Y, Nakajima K, Kishimoto T(1988):** The essential role of B-cell stimulatory factor 2 (BSF-2/IL-6) for the terminal differentiation of B cells *J. Exp Med* 167:332 .
- Muraguchi A, Kishimoto T, Kishimoto T, Miki Y, Kuritani T, Kaieda T, Yoshizaki K and Yamamura Y(1981):** T cell-replacing factor (TRF)-induced IgG secretion in human B blastoid cell line and demonstration of acceptors for TFR: *J Immunol* 127:412.
- Murphy PA, Chesney PJ and Wood WB Jr (1974):** Further purification of rabbit leukocyte pyrogen. *J Lab Clin Med* 83:310 .
- Muto Y; Nouri Aria KT ; and Meager A (1988):** Enhanced tumor necrosis factor and interleukin-1 in fulminant hepatic failure *Lancet* 2:72.
- Nachman RL, Hajjar KA and Dinarello Ca (1986):** Interleukin-1 induces endothelial cell production of plasminogen activator inhibitor *J Exp Med* 163:1595.
- Naito Y, Fukata J, Masui Y, Hirai Y, Murakami N, Tominaga T, Nakai Y, Tamai S, Mori K and Imura H(1990):** Interleukin-1 beta analogues with markedly reduced pyrogenic activity can stimulate secretion of adrenocorticotrophic hormone in rats. *Biochem Biophys Res Commun* 167:103.
- Nakano Y, Onozuka K and Terndn Y (1990):** Protective effect of recombinant tumor necrosis factor-alpha in murine salmonellosis, *J. Immunol* ; 144:1935.
- Natanson C, Eichenholz PW and Danner RL (1989):** Endotoxin and tumor necrosis factor challenges in dogs simulate the cardiovascular profile of human septic shock. *J Exp Med* ; 169:823.
- Nathan CF (1987):** Neutrophil activation on biological surfaces massive secretion of hydrogen peroxide in response to products of macrophages and lymphocytes. *J Clin Invest* ; 80:1550.
- Nawroth PP and Stern DM (1986):** Modulation of endothelial cell homeostatic properties by tumor necrosis factor *J Exp Med* 163:740.

- Nayak NC and Ramalingaswami V (1975):** Indian childhood cirrhosis Gastroenterology 4:333.
- Nedospasov SA, Hirt B, Shakhov AN, Dobryning VN, Kawashima E, Accolla RS and Jongeneel CV (1986):** The genes for tumor necrosis factor (TNF-alpha) and lymphotoxin (TNF-beta) are tandemly arranged on chromosome 17 of the mouse. Nucleic Acids Res. 14:7713.
- Nedwin CE, Naylor SL, Sakaguchi AY, Smith D, Jarrett-Nedwin J, Pennica D, Goeddel DV and Gray PW (1985):** Human lymphotoxin and tumor necrosis factor genes: structure homology and chromosomal localization. Nucleic Acids Res. 13:6361.
- Neta R, Sztejn MB, Oppenheim JJ, Gillis S and Douches SD (1987):** The in vivo effects of interleukin-1. Bone marrow cells are induced to cycle after administration of interleukin-1. J Immunol 139:1861.
- Nijsten M, De Groot E, Ten Duis H, Klasen H, Hack C and Aarden L (1987):** Serum levels of interleukin-6 and acute phase responses. Lancet (II):921.
- Nishida T, Nishino N, Takano M, Kawai K, Bando K, Masui Y, Nakai S and Hirai Y (1987):** cDNA cloning of IL-1 alpha and IL-1 beta from mRNA of U937 cell line. Biochem Biophys Res Commun 143:345, .
- Nolon JP (1989):** Intestinal endotoxins as mediator of hepatic injury An idea whose time has come again. Hepatology 10:887.
- Noma T, Mizuta T, Rosen A, Hirano T, Kishimoto T and Honjo T (1987):** Enhancement of the interleukin 2 receptor expression on T cells by multiple B-lymphotropic lymphokines. Immunol 15:249.
- O'Garra A (1989):** Interleukins and the immune system. Lancet 1:1003.
- O'Malley WE, Achinstein B, and Shear MJ (1962):** Action of bacterial polysaccharide on tumors. II. Damage of sarcoma 37 by serum of mice treated with Serratia marcescens polysaccharide, and induced tolerance. J. Natl. Cancer Inst. 29:1169.
- Obal F, Opp M, Cady AB, Johannsen L, Postlethwaite AE, Poppleton HM, Seyer JM and Krueger JM (1990):** Interleukin 1 α and an interleukin 1 β fragment are somnogenic Am J Physiol 259: R439, .
- Ohmori Y, Strassman G and Hamilton TA (1990):** cAMP differentially regulates expression of mRNA encoding IL-1 α and IL-1 β in murine peritoneal macrophages. J Immunol 145:3333.

- Okada M, Kitahara M, Kishimoto S, Matsuda T, Hirano T and Kishimoto T (1988):** IL-6/BSF-2 functions as a killer helper factor in the in vitro induction of cytotoxic T cells. *J Immunol.* 141:1543.
- Okada M, Sakaguchi N, Yoshimura N, Hara H, Shimizu K, Yoshida N, Yoshizaki K, Kishimoto S, Yamamura Y and Kishimoto T (1983):** B-cell growth factor (BCGF) and B-cell differentiation factor from human T hybridomas: Two distinct kinds of BCGFs and their synergism in B cell proliferation. *J Exp Med* 157:587.
- Okusawa S, Gelfand JA, Ikejima T, Connolly RJ and Dinarello CA (1988):** Interleukin 1 induces a shock-like state in rabbits. Synergism with tumor necrosis factor and the effect of cyclooxygenase inhibition. *J Clin Invest* 81:1162.
- Old LJ (1988):** Tumor necrosis factor. *Am Sci* 258:41.
- Oppenheim JJ, Neta R, Tiberghien P, Gress R, Kenny JJ and Longo DL (1989):** Interleukin-1 enhances survival of lethally irradiated mice treated with allogeneic bone marrow cells. *Blood* 74:2257.
- Orencole SF and Dinarello CA (1989):** Characterization of a subclone (D10S) of the D210. G4.1 helper T-cell line which proliferates at attomolar concentrations of interleukin-1 in the absence of mitogens. *Cytokine* 1:14.
- Ozeki T, Imanishi K, Unoki H, and Funakoshi K (1990):** Interleukin-1 and -2 in sera of patients with chronic hepatitis (type B). *J Int. Exp Pathol* 71:815.
- Palaszynski EW (1987):** Synthetic C-terminal peptide of IL-1 functions as a binding domain as well as an antagonist for the IL-1 receptor. *Biochem Biophys Res Comm* 147:204.
- Palonbeall VJ, Yamashiro DH, Decker SJ and Vilcek J (1987):** Tumor necrosis factor increases the number of epidermal growth factor receptors on human fibroblasts. *J Biol Chem* 262:234.
- Patel A, Sherlock S and Dusheiko G (1991):** Clinical course and histological correlations in post-transfusion hepatitis C: The royal free Hospital experience. *Eur. J Gastroenterol Hepatol.* 3:491.
- Patton JS, Shepard HM, Wilking H, Aggarwal B and Grunfeld G (1986):** Interferons and tumour necrosis factors have semialr catabolic effects on 3 T3-L1 cells. *proc Natl. Acad Sci USA* 83:8313.
- Paul NL and Ruddle NH (1988):** Lymphotoxin. *Annu. Rev. Immunol.* 6:407.

- Pekala PH, Kawakami M, Angus CW and Cerami A (1983):** Selective inhibitors of synthesis of enzymes for de novo fatty acid biosynthesis by endotoxin induced mediator from exudate cells. *Proc. Natl Acad Sci USA* 80:2743.
- Pekala PH, Price SR, Horn CA, Hom BE and Cerami A (1984):** Model for cachexia in chronic disease: secretory products of endotoxin - Stimulated macrophages induce a catabolic state in 3T3-L1 adipocytes. *J. Immunol* 10:251.
- Pelala T, Korn JH (1987):** Lymphocyte fibroblast adhesion induced by interferon gamma and tumour necrosis factor. *Arthritis Rheum* 30:990.
- Pennica D, Hayflick JS, Bringman TS, Palladino MA, and Goeddel DV (1985):** Cloning and expression in *Escherichia coli* of the cDNA for murine tumor necrosis factor. *Proc. Natl. Acad. Sci. USA* 82:6060.
- Pennica D, Nedwin GF, Hayflick JS, Seeburg PH, Derynck R, Palladino MA, Kohr WJ, Aggarwal BB and Goeddel DV (1984):** Human tumor necrosis factor: precursor structure, expression and homology to lymphotoxin. *Nature* 312:724.
- Peters PM, Ortaldo JR, Shalaby MR, Svedersky LP, Nedwin GE, Bringman TS, Hass PE, Aggarwal BB, Herberman RB, Goeddel DV and Palladino MA (1986):** Natural killer-sensitive targets stimulate production of TNF-alpha but not TNF-beta (lymphotoxin) by highly purified human peripheral blood large granular lymphocytes. *J. Immunol.* 137:2592.
- Pialro AM and Alskin DL (1986):** Accumulation of activated mononuclear phagocytes in liver following lipopolysaccharide treatment of rats. *J Leukoc Biol* 40:29.
- Piguet PF, Grau GE and Vassalli P (1990):** Subcutaneous perfusion of tumor necrosis factor induces local proliferation of fibroblasts, capillaries, and epidermal cells, or massive tissue necrosis. *Am J Pathol* 136:103.
- Pinzani M, Gesualdo L, Sabbah GM and Abboud HE (1989):** Effects of platelet derived growth factor and other polypeptide mitogens on DNA synthesis and growth of cultured rat liver fat storing cells. *J Clin. Invest* 84:1786.
- Plaut M, Pierce JH, Watson CJ, Hanley-Hyde J, Nordan RP and Paul WE, (1989):** Mast cell lines produce lymphokines in response to cross-linkage of FcRI or to calcium ionophores. *Nature* 339:64.

- Pober JS, Gimbrone MA, and Lapierre LA (1986):** Overlapping patterns of activation of human endothelial cells by interleukin-1, tumor necrosis factor, and immune interferon. *J Immunol* 137:1893.
- Popper H (1977):** Pathological aspects of cirrhosis. *Am. J. Pathol.*, 87:228.
- Popper H, and Schaffner, F (1971):** Chronic hepatitis. *N. Engl. J. Med.* 284:1154.
- Popper H, Thung SN and Gerber MA (1983):** Histologic studies of severe delta agent infection in Venezuelan Indians. *Hepatology*, 3: 906.
- Popper H. and Martin G (1982):** Fibrosis of the liver: The role of the ecto skeleton in progress in liver diseases (Ed). Grune and stratton. A subsidiary of Harcourt Brace Joranorich New York.
- Popys MB and Baltz ML (1983):** Acute phase protein with special reference to c-reactive protein and related proteins and serum amyloid A protein. *J Adv. Immunol* 34:141.
- Porta G , Gayotto LC and Alvarez F (1990):** Anti-liver-kidney microsome antibody-positive autoimmune hepatitis presenting as fulminant liver failure. *J. Pediatr. Gastroenterol. Nutr.* 11:138.
- Preistle JP, Schar HP, Grutter MG (1989):** Crystallographic refinement of interleukin 1 beta at 2.0 Å resolution. *Proc Natl Acad Sci USA* 86:9667 .
- Quick AJ (1942):** The hemorrhagic diseases and the physiology of hemostasis. Thomas, Illinois.
- Qwarnstrom EE, Page RC, Gillis S and Dower SK(1988):** Binding, internalization, and intracellular localization of interleukin-1 beta in human diploid fibroblasts. *J Biol Chem* 263:8261.
- Raetz CRH (1990):** Biochemistry of endotoxins *Annu Rev Biochem* 59:129.
- Ramadori G, Sipe JD, Dinarello CA, Mizel SB and Colten HR (1985):** Pretranslational modulation of acute phase hepatic protein synthesis by murine recombinant interleukin-1(IL-1) and purified human IL-1. *J. Exp. Med.* 162:940.
- Ramadori G, Van Damme J, and Rieder H (1988):** Interleukin-6 the third mediator of acute phase reaction, comparison with interleukin-1 β and tumor necrosis factor- α . *Eur J Immunol* 18:1259.
- Rappaport AM, McPhee PJ and Fisher MM (1983):** The scarring of liver acini (cirrhosis) Tridimensional and microcirculatory considerations *Virchows Archiv A Pathologicl Anatomy and Histology* 402:107.

- Ren H, Zheng OF and Jia XP (1992):** Tumour necrosis factor and interleukin-6 in hepatitis C virus infection *Chung Hua Nei Ko Tsa Chih* 31:344.[Abstract]
- Rieder H, Ramadori G and Dienes HP (1987):** Sinusoidal endothelial cells from guinea pig liver synthesize and secrete cellular fibronectin in vitro. *Hepatology* 7:856.
- Ritchie DG (1990):** Interleukin-6 stimulates hepatic glucose release from prelabeled glycogen pools. *Am J Physiol* 258:E57.
- Rizzetto M (1983):** The delta agent. *Hepatology*, 3, 729.
- Robertson DAF, Zhang SL and Guy EG (1987):** Persistent measles virus genome in autoimmune chronic active hepatitis. *Lancet* 2:9.
- Robertson PA, Ross HJ and Figlin RA (1989):** Tumor necrosis factor induces hemorrhagic necrosis of a sarcoma *Ann Inter Med* 111:682.
- Rofe AM, Conyers RA, Bais R and Vadas MA (1987):** The effects of recombinant tumor necrosis factor on metabolism in isolated rat adipocyte, hepatocyte and muscle preparations. *Biochem J* 247:789.
- Roh MS, Moldawer LL, Ekman LG, Dinarello CA, Bistrian BR, Jeevanandam M and Brennan MF (1986):** Stimulatory effect of interleukin-1 upon hepatic metabolism. *Metabolism* 35:419.
- Rojkind M, Giambrone MA and Biempica L (1979):** Coallgen types in normal and cirrhotic liver. *Gastroentrology* 76:710.
- Roll JT, Young KM, Durtz RS, Human rTNF-alpha augments anti-bacterial resistance in mice(1990):** potentiation of its effects by recombinant human rIL-1 alpha. *Immunology* 69:31.
- Rosenbaum JT, Howes EL, Rubin RM and Samples JR(1988):** Ocular inflammatory effects of intravitreally-injected tissue necrosis factor. *Am J pathol* ; 133:47.
- Rosenwasser LM, Dinarello CA and Rosenthal AS(1979):** Adherent cell function in murine T-lymphocyte antigen recognition. IV. Enhancement of murine T-cell antigen recognition by human leukocytic pyrogen. *J Exp Med* 150:709.
- Rossi V, Breviario F, Ghezzi P, Dejana E and Mantovani A(1985):** Prostacyclin synthesis induced in vascular cells by interleukin-1. *Science* 229: 174 .
- Rothenberg EV, Diamond RA, Pepper KA and Yang JA(1990):** IL-2 gene inducibility in T cells before T cell receptor expression. *J. Immunol* 144:1614 .

- Rougier P, Degott C and Rueff B (1978):** Nodular regenerative hyperplasia of the liver. *Gastroenterology* 75:169.
- Rowzer CA and Cerami A (1980):** Hypertriglyceridemia associated with *Trypanosoma brucei* infection in rabbit: role of defective triglyceride removal. *Mol Biochem Parasitol* 2:31.
- Rubartelli A, Cozzolino F, Talio M and Sitia R (1990):** A novel secretory pathway for interleukin-1 beta, a protein lacking a signal sequence. *Embol J* 9:1503.
- Ruddle NH and Waksman BH (1967):** Cytotoxic effect of lymphocyte-antigen interaction in delayed hypersensitivity. *Science* 157:1060.
- Ruddle NH and Waksman BH (1968):** Cytotoxicity mediated by soluble antigen and lymphocytes in delayed hypersensitivity I. Characterization of the phenomenon. *J. Exp. Med.* 128:1237.
- Ruggiero V, Tavernier W, and Baglioni C (1986):** Induction of the synthesis of tumor necrosis factor receptors by interferon- γ J *Immunol* 136:2445.
- Ruggiero V, Latham K and Baglioni C (1987):** Cytostatic and cytotoxic activity of tumor necrosis factor on human cancer cells. *J. Immunol* 138:2711.
- Sakaguchi O and Sakaguchi S (1979):** Alterations of lipid metabolism in mice injected with endotoxin. *Microbiol Immunol* 23:71-85 (Coated from Liao W, And Floren CH 1992 *Hepatology* 16:224).
- Sakaguchi S (1982):** Metabolic disorders of serum lipoprotein in endotoxin-poisoned mice the role of high density lipoprotein and triglyceride-rich lipoproteins. *Microbiol Immunol* 26:1071.
- Saklatvala J, Sarsfield Sj, Townsend Y: Pig interleukin 1 (1985):** Purification of two immunologically different leukocyte proteins that cause cartilage resorption, lymphocyte activation, and fever. *J Exp Med* 162:1208, .
- Sariban E, Imamura K, Lucibbers R and Kufe D (1988):** Transcriptional and posttranscriptional regulation of tumor necrosis factor gene expression in human monocytes. *J. Clin. Invest.* 81:1506.
- Sata N, Goto T and Tsuruoka N (1990):** Effect of inflammatory cytokines on human endothelial cell proliferation *J Cell Physiol* 142:488. **Savage N, puren AJ, Orencole SF, Ikejima T, Clark BD, Dinarello CA (1989):** Studies on IL-1 receptors on D10S T-helper cells: Demonstration of two molecularly and antigenically distinct IL-1 binding proteins. *Cytokine* 1:23.

- Sato N, Goto T, Haranaka K and Satomi N (1986):** Actions of tumor necrosis factor on cultured vascular endothelial cells morphologic modulation and cytotoxicity. *J Natl Cancer Inst* 76:1113.
- Sawada H, Kan M and McKeehan WL (1990):** Opposite effects of monokines on proliferation and heparin-binding growth factor binding to human aortic endothelial and smooth muscle cells. *Cell Dev Biol* 26:213.
- Scapigliati G, Ghiara P, Bartalini A, Taglibue A and Boraschi D(1989):** Differential binding of IL1 α . and IL1 β . to receptors on B and T cells. *FEBS Lett* 243:394 .
- Schall TJ, Lewis M and Koller KJ (1990) :** Molecular cloning and expression of a receptor for human tumor necrosis factor. *Cell* 61:361.
- Scharffetter K Heckman M and Hatamochi A (1989):** Synergistic effect of tumor necrosis factor alpha and interferon gamma on collagen synthesis of human skin fibroblasts in vitro. *J Invest Dermatol* 92:513.
- Scheuer PJ (1979):** Chronic hepatitis In: Pathology of the liver. Macsween, R., Anthony P., and Scheuer, PJ. (Eds.). Churchill Livingstone, Edinburg London and New York; p. 248-257.
- Scheuer PJ (1988):** Chronic hepatitis. In liver biopsy Interpretation, 4th edn. London, Bailliere Tindall.
- Scheuer PJ, Ashrafzadeh P and Sherlock S (1992):** The pathology of hepatitis C. *Hepatology* 15:567.
- Scheurich, P Thoma B and Uler V (1987):** Immunoregulatory activity of tumor necrosis factor. *J Immunol* 138:1788.
- Schimpler A and Wecker E (1972):** Replacement of T-cell function by a T-cell product. *Nature* 237:15 .
- Schindler R and Dinarello CA(1990):** Ultrafiltration to remove endotoxins and other cytokine-inducing materials from tissue culture media and parenteral fluids. *Bio Techniques* 8:408 .
- Schindler R, Clark BD and Dinarello CA (1990):** Dissociation between interleukin-1 β mRNA and protein synthesis in human peripheral blood mononuclear cells. *J Biol Chem* 265:10232 .
- Schindler R, Gelfand JA and Dinarello CA(1990):** Recombinant C5a stimulates transcription rather than translation of IL-1 and TNF; priming of mononuclear cells with recombinant C5a enhances cytokine synthesis induced by LPS, IL-1 or PMA. *Blood* 76:1631.

- Schindler R, Ghezzi P and Dinarello CA (1990):** IL-1 induces IL-1. IV. IFN- γ suppresses IL-1 but not lipopolysaccharide-induced transcription of IL-1. *J Immunol* 144:2216.
- Schindler R, Manciall J, Calrk SC, and Dinarello CA (1990):** Correaltion and interactions in the production of interleukin-6, IL-1 and tumour necrosis factor in human blood mononuclear cells : IL-6 supresses IL-1 and TNF *Blood* 75:40.
- Schirren G, Scharffetter K and Manogue KR (1990):** Tumor necrosis factor alpha induces invasiveness of human skin fibroblasts in vitro. *J. Invest Dermatol* 94:706.
- Schleef RR, Bevilacqua MP and Sawdey M (1988):** Cytokine activation of vascular endothelium. *J Biol Chem* 263:5797.
- Schweizer A, Feige U, Fontana A, Muller K and Dinarello CA (1988):** Interleukin-1 enhances pain reflexes. mediation through increased prostaglandin E2 levels. *Agents Actions* 25:246.
- Seaton TB, Coombe N and Mittelman A. (1990):** Tumor necrosis factor and hypermetabolism (Letter). *Ann Intern Med* ; 122:715.
- Seckinger P, Issaz S, And Dayer JM (1989):** Purification and biological characterization of specific tumour necrosis alpha inhibitors *J Biol Chem* 264:11966.
- Sehgal PB, Zilberstein A, Ruggieri RM, May LT, Ferguson-Smith A, Late, DL, Revel M and Ruddie FM (1987):** Human chromosome 7 carries the $\beta 2$ interferon gene. *Proc. Natl. Acad. Sci. USA* 84:3633.
- Sehgal PB, Helfgott DC, Santhanam U, Tatter SB, Clarick RH, Ghrayeb J and May LT (1988):** Regulation of the acute phase and immune responses in viral disease. *J Exp Med* 167:1951.
- Sehgal PB, Walther Z and Tamm I (1987):** Rapid enhancement of $\beta 2$ -interferon/B-cell differentiation factor BSF-2 gene expression in human fibroblasts by diacylglycerols and calcium ionophore A23187. *Proc Natl Acad Sci USA* 84:3633.
- Selden AC, Hodgson HJF (1991):** Growth factors and the liver. *Gut* 32:601.
- Semb H, Peterson J, Tavernier J, and Olivecrona T (1987):** Multiple effects of tumour necrosis factor on lipoprotein lipase in vivo. *J Biol Chem* 262:8390.

- Semon D, Kawashima E, Jongeneel CV, Shakhov AN and Nedospasov SA (1987):** Nucleotide sequence of the murine TNF locus, including the TNF-alpha (tumor necrosis factor) and TNF-beta (lymphotoxin) genes. *Nucleic Acids Res.* 15:9083.
- Shalaby MR, Aggarwal BB, Rinderkecht E, Svedersky LP, Finkle BS and Pallidino MR(1985):** Activation of human polymorphonuclear neutrophil functions by interferon-gamma and tumor necrosis factors *J. Immunol* ; 135:2069.
- Sherlock S (1989):** Diseases of the liver and biliary system. Balckwell scientific Publications Oxford London Edinburgh, Melbourne.
- Sherlock S (1993):** Diseases of the liver and biliary system. Balckwell scientific Publication Oxford - London - Edenbargh, Melborne.
- Sheron N and Williams R (1992):** IL-8 as a circulating cytokine induction by recombinant tumor necrosis factor - alpha. *Clin Exp Immunol* 89-100.
- Sheron N, Alu J, Daniels H and Williams R (1991):** Increased production of tumour necrosis factor alpha in chronic hepatitis B virus infection. *J Hepatol* 12:241.
- Shibayama Y and Nakata K (1989):** The role of sinusoidal stenoses in portal hypertention of liver cirrhosis *J Hepatol* 8:60.
- Shieh JH, Gordon MS, Peterson RHF, Jakubowski AA, Gabrilove JL, Moore MAS (1990):** Modulation of cytokin receptors and superoxide production in neutrophils treated with IL-1 in vitro and in vivo. *Blood* 76:165a .
- Shirai T, Yamaguchi H, Ito H, Todd CW, Wallace RB (1985):** Cloning and expression in *Escherichia coli* of the gene for human tumour necrosis factor. *Nature* 313:803.
- Silberstein DS and David JR (1986):** Tumor necrosis factor enhances eosinophil toxicity to *shistosoma mansoni* larvae. *Proc Natl Acad Sci. USA* 83:1055.
- Simic MM and Stosic GS (1985):** The dual role of interleukin 1 in lectin-induced proliferation fo T cells. *Folia Biol (Praha)* 31:410 .
- Sims JE, March CJ, Cosman D, Widmer MB, MacDonald HR, McMahan CJ, Grubin CE, Wignall JM, Jackson JL, Call SM, Gillis S and Dower SK(1988):** cDNA expression cloning of the IL-1 receptor, a member of the immunoglobulin superfamily. *Science* 241:585 .

- Sisson SD and Dinarello CA (1988):** Production of interleukin-1 alpha, interleukin-1 beta and tumor necrosis factor by human mononuclear cells stimulated with granulocyte-macrophage colony-stimulating factor. *Blood* 72:1368, .
- Smedile A, Baroudy BM and Bewrgmann KF (1987) :** Clinical significance of HDV-RNA in HDV disease. In Rizzetto. M., Gerin, J.L. & Purecell, R.H. (eds) *Hepatitis Delta Virus and its Infection*, pp. 231-234. New York: Alan R. Liss.
- Smith J, Urba W, Steis R, Janik J, Fenton B, Sharfman W, Conlon K, Sznol M, Creekmore S, Wells N, Elwood L, Keller J, Hestdal K, Ewel C, Rossio J, Kopp W, Shimuzut M, Oppenheim J and Longo D (1990):** Interleukin-1 alpha: Results of a phase I toxicity and immunomodulatory trial. *Am Soc Clin Oncol* 9:717 .
- Smith RA and Baglioni C (1987):** The active form of tumor necrosis factor is a trimer. *J. Biol. Chem.* 262:6951.
- Smith RA, Kirstein M, Fiers W and Baglioni C (1986):** Species specificity of human and murine tumor necrosis factor. *J. Biol. Chem.* 261:14871.
- Sobocinski PZ, Canterbury, WJ, and Dinterman RE (1978):** Involvement of hepatic metallothioneine in hypozincemia associated with bacterial infection. *Am J Physiol* 234:E399.
- Solari R, Smithers N, page K, Bolton E and Champion BR (1990):** Interleukin-1 responsiveness and receptor expression by murine TH1 and TH2 clones. *Cytokine* 2:129.
- Solis Herruzo J, Brenner DA and Skely H (1987):** Tumor necrosis factor inhibits collagen synthesis in cultured fibroblasts and hepatic cells. *Hepatology* 7:1047.
- Stanley ER, Bartocci A, Patinkin D, Rosendaal M and Bradley TR (1986):** Regulation of very primitive, multipotent, hemopoietic cells by hemopoietin-1. *Cell* 45:667 .
- Stashenko P, Kent RI and Dewhirst FE (1987):** Synergistic interactions interleukin-1 and tumor necrosis factor in bone resorption. *Immunol* 138:1464.
- Stephens KE, Ishizaka A, Larrick JW and Raffin TA(1988)** Tumor necrosis factor causes increased pulmonary permeability and edema: comparison to septic acute lung injury. *Am Rev Respir Dis*; 137:1364.
- Stern D and Nawroth PP (1986):** Modulation of endothelial hemostatic properties by tumor necrosis factor. *J Exp Med* 163:740.

- Stern DM, Ban KJ, Nawroth PP and Fenton JW (1985):** Self-regulation of procoagulant events on the endothelial cell surface. *J Exp. Med* 162:1223.
- Stopen AH, Guinan EC and Pober JS (1986):** Recombinant tumor necrosis factor and immune interferon act singly and in combination to reorganize human vascular endothelial cell monolayers. *Am J. pathol* 123:16-24.
- Sugarman BJ, Aggarwal BB, Paalldino MA, and Shepard HM (1985):** Recombinant human tumour necrosis factor-alpha: effects on proliferation of normal and transformed cells in vitro. *Science* 230:943.
- Sweeting J (1989):** Tumor necrosis factor in alcoholic hepatitis. *Gastroenterology* 97:1056.
- Syners L, Fontaine V and Content J, (1989)** Modulation of interleukin-6-receptors in human cells. *Ann. NY Acad. Sci.* 557:388 .
- Taga T, Kawanishi K, Hardy RR, Hirano T and Kishimoto T (1987):** Receptors for B cell stimulatory factor 2 (BSF-2): Quantitation, specificity, distribution and regulation of the expression. *J Exp Med* 166:967.
- Takahashi S, Dunn MA and Seifter S (1980):** Liver collagenase in murine schistosomiasis. *Gastroenterology* 78:1425.
- Takai Y, Wong GG, Clark SC, Burakoff SJ and Herrmann SH (1988):** B cell stimulatory factor-2 is involved in the differentiation of cytotoxic T lymphocytes. *J Immunol* 140:508.
- Takatsuki F, Okano A, Suzuki C, Chieda R, Takahara Y, Hirano T, Kishimoto T, Hamuro J and Akiyama Y (1988):** Human recombinant interleukin 6/B cell stimulatory factor 2 (IL-6/BSF-2) augments murine antigen-specific antibody responses. in vitro and in vivo. *J. Immunol* 141: 3072.
- Tanabe O, Akira S, Kamiya T, Wong GG, Hirano T and Kishimoto T (1988):** Genomic structure of the murine IL-6 gene: High degree conservation of potential regulatory sequences between mouse and human. *J Immunol* 141:3875.
- Tanaka T, Araki E, Nilta K and Tateno M (1987):** Recombinant human tumor necrosis factor depresses serum iron in mic. *J. Biol res Mod* 6:484-488.
- Taner A, Heyhani A, and Reiner R (1981):** Proteolytic enzymes released by Live macrophages and may promote injury of hepatic damage *Gastroenterology* 86:647.

- Teppo AM and Maury C:J (1987):** Radioimmunoassay of tumour necrosis factor in serum Clin Chem 33:2024.
- Tewari A, Buhles WC Jr and Starnes HF Jr (1990):** Preliminary report: Effects of interleukin-1 on platelet counts. Lancet 336:712 .
- Tilg H, Wilmer A, Vogel W, Herold M and Judmaier G (1992):** Serum levels of cytokines in chronic liver diseases. Gastroenterology 103:264.
- Titus RG, Sherry B and Cerami A(1989):** Tumor necrosis factor plays a protective role in experimental murine cutaneous leishmaniasis. J Exp Med ; 170:2097.
- Tobar DR, Burchett Sk and Jacobs RF (1988):** Enhanced production of monokines by canine alveolar macrophages in response to endotoxin-induced shock. Proc Soc Exp Biol Med 187:408.
- Torti FM, Dieckmann B, Beutler B, Cerami A and Ringold GM (1985):** A macrophage factor inhibits adipocyte gene expression An in vitro model of cachexia. Science 229:867.
- Tracey KJ and Cerami A (1989):** Cachectin / tumour necrosis factor. Lancet 1:1122.
- Tracey KJ Wel H, Manogue KR, Fonc Y, Hesse DC, Nguyen HT, Kuo GC, Beutler B, Cotran RS, Cerami A and Lowry SF (1988):** Cachectin/tumor necrosis factor induces cachexia, anemia and inflammation. J. Exp. Med. 167:L 1211.
- Tracey KJ, Lowry SF and Fahey TJ (1987):** Cachectin / tumor necrosis factor induces lethal shock and stress hormone responses in the dog surg Gynecol Oestet 164:415.
- Tracey KJ, Beutler B and Lowry SF, (1987):** Shock and tissue injury induced by recombinant human cachectin. Science 234:470.
- Trappmair, J; Avdoe K J and Huber, C (1988):** Interferons and tumor necrosis factor in T-cell mediated immune response against alloantigens. Immunobiology 176:236.
- Triger DR (1991):** Endotoxemia in liver disease time for re-appraisal Hepatol 12:136-138.
- Triger DR, Alp MH and Wright R (1972):** Bacterial antigens and dietary antibodies in liver disease. Lancet, 1: 60.
- Triger DR, Kurtz JB and Wright R (1974):** Viral antibodies in chronic liver disease. Gut, 15: 94.

- Triger DR, Kurtz JB, MacCallum FO (1972):** Raised antibody titres to measles and rubella viruses in chronic active hepatitis. *Lancet*, 1: 665.
- Tsujimoto M, Yip YK, and Vilcek J (1985):** Tumour necrosis factor: specific binding and internalization in sensitive and resistant cells. *Proc Natl Acad Sci USA* 82:7626.
- Tsujimoto M, Yokota S, Vilcek J and Weissmann G. (1986):** Tumour necrosis factor provokes superoxide anion generation from neutrophils. *Biochem. Biophys. Res. Commun.* 137:1094.
- Ucla C, Roux-Lombard P, Fey S, Dayer J-M and Mach B (1990):** Interferon gamma modifies the regulation of interleukin 1 genes by endotoxin in U937 cells. *J Clin Invest* 85: 185.
- Uhl J, Newton CR, Giri JG, Sandlin G and Horuk R (1989):** Identification of IL-1 receptors on human monocytes. *J Immunol* 142:1576.
- Ulich TR, del Castillo J, Keys M, Granger GA and Ni R-X (1987):** Kinetics and mechanisms of recombinant human interleukin-1 and tumor necrosis factor induced changes in circulating numbers of neutrophils and lymphocytes. *J Immunol* 139:3406.
- Urban JL, Shepard HM and Sugarman BJ (1986):** Tumour necrosis factor a potent effector molecule for tumour cell Killing by activated macrophage *Proc Natl Acad Sci USA* 83:5233.
- Van Damme J, Opdenakker G, DeLey M, Heremans H and Billiau A (1986):** Pyrogenic and haematological effects of the interferoninducing 22K factor (interleukin-1) from human leukocytes. *Clin Exp. Immunol* 66:303,
- Van Damme J, Opdenakker G, Simpson RJ, Rubira M.R., Cayphas S, Vink A, Billiau A and Snick JV (1987):** Identification of the human 26-KD protein, interferon b2 (IFN-b2), as a B-cell hybridoma/plasmacytoma growth factor induced by interleukin 1 and tumor necrosis factor. *J. Exp. Med* 165:914.
- Van Der Meer JW, Barza M, Wolff SM and Dinarello CA (1988):** A low dose of recombinant interleukin 1 protects granulocytopenic mice from lethal gram-negative infection. *Proc Natl Acad Sci USA* 85:1620.
- Van Der Poel CL, Cuypers HTM and Reesink HW (1991):** Confirmation of hepatitis C virus infection by new four antigen recombinant immunoblot assay. *Lancet* 338:317.
- Van Snick J (1990):** Interleukin-6 an overview *Annu Rev Immunol* 8:253.

- Van Snick J, Cayphas S, Szikora J-P, Renauld J-C, Van Roost E, Boon T and Simpson RJ (1988):** cDNA cloning of murine interleukin- HPI: homology with human interleukin 6. *Eur J Immuno* 18:193.
- Van Snick J, Cayphas S, Vink A, Uyttenhove C, Coulie P and Simpson R (1986):** Purification and NH2-terminal amino acid sequence of a new T cell-derived lymphokine with growth factor activity for B cell hybridomas. *Proc. Natl. Acad. Sci. USA* 83:9679.
- Vander Poll T, Butler HR (1990):** Activation of coagulation after administration of tumor necrosis factor to normal subjects. *N Engl J Med* 322:1622.
- Vankelecom H, Carmeliet P, Van Damme J, Billiau A and Deneef C (1989):** Production of interleukin-6 by folliculo-stellate cells of the anterior pituitary gland in a histiotypic cell aggregate culture system. *Neuroendocrinology* 49:102.
- Vanky, F. Wang, P and Pattaroyo M (1990):** Expression of the adhesion molecule ICAM-1 and major histocompatibility complex class I antigens on human tumor cells is required for their interaction with autologous lymphocytes in vitro. *Cancer Immunol Immunother* 31:19.
- Vannier E and Dinarello CA (1991):** Interleukin-1 induces interleukin-1. VI. Histamine via the H-2 receptor enhances IL-1 induced IL-1 gene expression and synthesis. *Clin Res* 5:112.
- Vannier E, Miller LC, Schindler R, Terlain B and Dinarello CA (1989):** Histamine suppresses the synthesis of tumor necrosis factor- α in vitro via H2 receptors. *Cytokine* 1:123.
- Verme G, Amoroso P and Lettieri G. (1986):** A histological study of hepatitis delta virus liver disease. *Hepatology*, 6:1303.
- Vilcek J and Lee TH (1991):** Tumor necrosis factor. New insights into the molecular mechanisms of its multiple forms. *J Biol chem* 266:7313.
- Vilcek J, Palombella VJ and Henriksen- Destefano (1986):** Fibroblast growth enhancing activity of tumor necrosis factor and its relationship to other polypeptide growth factors. *J. Exp. Med* 1986; 163:632.
- Vink A, Coulie PG, Wauters P, Nordan RP and Van Snick, J. (1986):** B cell growth and differentiation activity of interleukin-HIP and related murine plasmacytoma growth factors. Synergy with interleukin-1, *Eur. J. Immunol.* 18:607.
- Voth R; Rossols and Klein L (1990):** Differential gene expression of IFN α and tumor necrosis α in peripheral mononuclear cells from patients with AIDS and AIDS related complex. *J Immunol* 144:970.

- Vyttenhove C, Coulie PG and Van Snick J (1988):** T cell growth and differentiation induced by interleukin-HPI/IL-6, the murine hybridoma/plasmacytoma growth factor. *J. Exp. Med.* 167:1417.
- Wahl SM; and Wahl LM (1981):** Modulation of fibroblast growth and function by monokines and lymphokines. In *Lymphokines*, vol 2 edited New York Academic Press.
- Wakefield PE, James WD, Samalska CP, and Meltzer MS (1991):** Tumour necrosis factor. *J Am Acad Dermatol* 24:675.
- Wallach D, Holtmann H, Engelmann H and Nophar Y (1988):** Sensitization and desensitization to lethal effects of tumor necrosis factor and IL-1. *J Immunol* 140:2994.
- Wang AM, Creasey AA, Lander MB, Lin LS, Strickler J, Van Arsdell JN, Yamamoto R, Mark DF (1985):** Molecular cloning of the complementary DNA for human tumor necrosis factor. *Science* 228:149.
- Wang JT Wang TH and Sheu JC (1991):** Detection of hepatitis B virus DNA by polymerase chain reaction in plasma of volunteer blood donors negative for hepatitis B surface antigen. *J. Infect. Dis.* 163:397.
- Wannemacher RW Jr. (1977):** Key role of various individual amino acids in host response to infection. *Am. J. Clin. Nutr.* 30:1269.
- Wannemacher RW, Jr Beall FA, Canonico PG, Din-terman RE Hadick CL and Neufeld HA (1980):** Glucose and alanine metabolism during bacterial infections in rats and rhesus monkeys. *Metabolism* 29:201.
- Warren KS and (1984):** The kinetics of hepatosplenic schistosomiasis. *Semin Liver Dis* 4:293.
- Warren KS, Grove DI and Pekey PP (1978):** *Schistosoma jabanicum* egg granuloma II. *Am J Trop Med* 27:271.
- Warren RS, Starnee HF and Bennan MF (1987):** The acute metabolic effects of tumor necrosis factor administration in humans. *J Immunol* 122:1396.
- Webb AC, Collins KL, Auron PE, Eddy RL, Nakai H, Byers MG, Haley LL, Henry WM and Shows TB (1986):** Interleukin-1 gene (IL1) assigned to long arm of human chromosome 2. *Lymphokine Res* 5:77.
- Weiner FR, Giambrone MA and Gzaja MJ (1990):** Ito-cell gene expression and collagen regulation. *Hepatology* 11:111.

- Weiner FR, Giambrone MA, Takahashi S and Annoni G (1988):** Czaja MJ, Zern MA. Modulators of cell collagen synthesis. *Hepatology*; 8:1253.
- Weissenbach J, Chernajovsky Y, Zeevi M, Shulman L, Sorecq H, Nir U, Wallach D, Perricaudet M, Tiollais P, Revel M. (1980):** Two interferon mRNA in human fibroblasts: in vitro translation and Escherichia coli cloning studies. *Proc. Natl. Acad. Sci. USA* 77:7152.
- Whicher JT, Price CP and Spencer K (1982):** Immunonephelometric and immunoturbidimetric assays for proteins. *Science* 18:213.
- Wilkinson SP, Portmann B and Cochrane AMG (1978):** Clinical course of chronic lobular hepatitis. *Q.J. Med.*, 47:121.
- Williams DE and Morrissey PJ (1989):** Alterations in megakaryocyte and platelet compartments following in vivo IL-1 beta administration to normal mice. *J Immunol* 142:4361.
- Wong GH and Goeddel DV (1989):** Tumour necrosis factor. In Zembala M, Asherson GL, eds. *Human monocytes* New York. Academic press 183-194.
- Wong GHW; and Goeddel DV (1986):** Tumor necrosis factor alpha inhibits virus replication and synergize with interferons *Nature* 323:819.
- Wood JR, Czaja AJ and Beaver SJ (1986):** Frequency and significance of antibody to double-stranded DNA in chronic active hepatitis. *Hepatology* 6:976.
- Wright R (1992):** Liver and biliary disease, Saunders company LTD London, Philadelphia; Sydney, Tokyo.
- Wyler DJ, Prakash S and Libby P (1987):** Mesenchymal target cell specificity of egg granuloma-Derived fibroblast growth factor in schistosomiasis. *The J. of Inf. Dis.* 155:728.
- Yamasaki K, Taga T, Hirata Y, Ywata H, Kawanishi Y, Seed B, Taniguchi T, Hirano T and Kishimoto T (1988):** Cloning and expression of the human interleukin-6 (BSF-2/IFN γ) receptor. *Science* 241:825.
- Yamayoshi M, Ohue M, Kawashima H, Kotani H, Ida M, Kawata S and Yamada M (1990):** A human il-1 α derivative which lacks prostaglandin E2 inducing activity and inhibits the activity of IL-1 through receptor competition. *Lymph Res* 9:405.
- Yamoto K Et-Hajjaoui Z and Koeffer HP (1989):** Regulation of levels of IL-1 mRNA in human fibroblasts. *J Cell Physiol* 139:610.

- Yasukawa K, Hirano T, Watanabe Y, Muratani K, Matsuda T and Kishimoto T (1987):** Structure and expression of human B-cell stimulatory factor 2 (BSF-2/IL-6) gene. *EMBO J* 6:2939.
- Ye K, Clark BD and Dinarello CA(1991) :** Interleukin-1b downregulates gene and surface expression of interleukin-1 receptor type I by destabilizing its mRNA whereas interleukin-2 increases its expression. *Clin. Res* 6:324.
- Yoshie O, Tada K and Ishida N (1986):** Binding and cross linking of I125 lobeled recombinant human tumour necrosis factor to cell surface receptors *J Biochem* 100:531.
- Yoshioka K, Kakunu S, Arao M, and Mizokam M (1990):** Immunohistochemicla studies for intrahepatic tumour necrosis factor - α in chronic liver diseases. *J Clin. Pathol.* 43:298-302.
- Yoshizaki K, Nakagawa T, Kaieda T, Muraguchi A, Yamamura Y and Kishimoto T (1982):** Induction of proliferation and Ig production in human B leukemic cells by anti-immunoglobulins and T-cell factors, *J Immunol* 128:1296.
- Zamkoff KW, Newman NB, and Rudolph AR (1989):** A phase I trial of subcutaneously administered recombination tumor necrosis factor to patients with advanced malignancy. *J. Biol Response Mod* 8:539.
- Zhang Y, Lin J-X and Vilcek J (1988):** Synthesis of interleukin 6 (nterferon-b2/B-cell stimulatory factor 2) in human fibroblasts is triggered by an increase in intracellular cyclic AMP. *J Biol Chem* 263:6177.
- Zsebo KM, Yuschenkoff VN, Schiffer S, Chang D. McCall E, Dinarello CA, Brown MA, Altrock B and Bagby GCJ (1988):** Vascular endothelial cells and granulopoiesis: Interleukin-1 stimulates release of G-CSF and GM-CSF. *Blood* 71:99 .
- Zuraweski G and Vaies JE (1994):** Interleukin-13, an inteleukin-4-like cytokine that acts on monocytes and B cells, but not on T cells. *Immunol Today* 15:19.
- Zwingenberger K, Irschick E; Vergetti-Siqueira JG; and Feldmeier H (1990):** Tumour necrosis factor in hepatosplenic schistosomiasis *Scand J Immunol* 31:205.