



REFERENCES

REFERENCES

- * *Abb J, Zachoval R and Eisenberg J (1985):*
Production of interferon alpha and interferon gamma by peripheral blood leukocytes from patients with chronic hepatitis B virus infection.
J Med Virol, 16 : 171.
- * *Abdel-Latif Z, Abdel-Wahab M F and El-Kady N M (1981):*
Evaluation of portal hypertension in cases of hepatosplenic schistosomiasis using ultrasound.
N Engl J Med, 304 : 989.
- * *Abdel-Salam E, Ishaac S and Mahmoud A A F (1979):*
Histocompatibility of hepatosplenomegally in human schistosomiasis mansoni.
J Immunol, 123 : 1829.
- * *Abdel- Wahab M F (1977):*
Proceedings of the Egyptian Society of Clinical Chemistry. The 15th Scientific meeting. Faculty of Medicine, Cairo University.
Quoted from El-Defrawy M S (1987):
MD Thesis, Pediatrics, Benha Faculty of Medicine. Zagazig University.
- * *Abdel - Wahab M F (1983):*
Sonography in schistosomiasis.
Frist Egyptian American Conference. Cairo - Egypt, P11.
Quoted from Ibrahim A y (1991):
Immunological assessment of children with chronic liver disease.
MD Thesis, Pediatrics, Benha Faculty of Medicine, Zagazig University.
- * *Abe S, Gatanaga T, Yamazaki M, Soma G and Mizuno D (1985):*
Purification of rabbit tumor necrosis factor.
J Immunol, 180 : 203.
- * *Abe Y, Miyake M, Hotez PJ and Beutler B (1989):*
Non-specific reaction in the sandwich immunoassay for human tumor necrosis factor- α .
Clin Chim Acta, 181 : 223.

- * Aderka D, Norvick D, Hahn T, Fischer D G and Wallach D (1985):**
Increase of vulnerability to lymphotoxin in cells infected by vesicular stomatitis virus and its further augmentation by interferon.
Cell Immunol, 92 : 218.
- * Aggarwal B B, Eessalu T E and Hass P E (1985):**
Characterization of receptors for human tumor necrosis factor and their regulation by γ -interferon.
Nature, 318 - 665.
- * Aggarwal B B, Moffat B and Harkins R N (1984):**
Human lymphotoxin produced by a lymphoblastoid cell line, purification and initial characterization.
J Biol Chem, 259 : 686.
- * Akahane Y, Yamanaka T and Suzuki H (1990):**
Chronic active hepatitis with hepatitis B virus DNA and antibody against antigen in the serum. Disturbed synthesis and secretion of e antigen from hepatocytes due to a point mutation in the precore region.
Gastroenterology, 99 : 113.
- * Alberti A, Realdi G, Tremolada F and Spina G p (1986):**
Liver cell surface localization of hepatitis B antigen in acute and chronic hepatitis and in liver cirrhosis.
Clin Exp Immunol, 25 : 369.
- * Alexander G J M, Brahm H, Fagan E A, Smith H M, Daniels H M, Eddleston A L W and Williams R (1987):**
Loss of HBs Ag with interferon in hepatitis B virus infection.
Lancet, 2 : 66.
- * Alexander G J M, Nouri-Aria K T and Eddleston A L W (1983):**
Contrasting relations between suppressor cell function and suppressor cell number in chronic liver disease.
Lancet, II : 1291.

*** Algire G H, Legallais F y and Anderson B F (1952):**

Vascular reactions of normal and malignant tissues in vivo. The role of hypotension in the action of a bacterial polysaccharide on tumors.

JNCI, 12 : 1279.

Quoted from Beulter B and cerami A (1987):

Cachectin: more than a tumor necrosis factor.

N Engl J Med, 316 (7) : 379.

*** Almeida J D and Waterson A P (1969):**

Immune complexes in hepatitis.

Lancet, ii : 983.

*** Alter M J (1989):**

Non-A, non-B hepatitis: Sorting through a diagnosis of excnusion.

Ann Inter Med, 110 : 583.

*** Alter H J, Purcell R H and Shin J W (1989):**

Detection of antibody to hepatitis C virus in prospectively followed transfusion recipients with acute non-A, non-B hepatitis.

N Engl J Med, 321 : 1494.

*** Anderson M G, Harrison T J, Alexander D, Zuckerman A J and Murray-Lyon I M (1987):**

Randomised controlled trial of lymphoblastoid interferon for chronic active hepatitis B.

Gut, 28 : 619.

*** Andrade Z A (1965):**

Hepatic schistosomiasis: Morphological aspects. In: Progress in liver disease. Popper H and Schaffner F (eds), William Heinemann Medical Book, London, Vol II, P 228.

Quoted from Ibrahim A Y (1991):

Immunological assessment of children with chronic liver disease.

MD Thesis, Pediatrics, Benha Faculty of Medicine, Zagazig University.

*** Andrade Z A and Cheever A W (1971):**

Alterations of the intrahepatic vasculature in hepatosp-
lenic schistosomiasis mansoni.

Am J Trop Med Hyg, 20 : 425.

- * **Andus T, Bauer J and Gerok W (1991):**
Effects of cytokines on the liver.
Hepatology, 13 : 364.
- * **Anthony P P, Jshak K G and Nayak N C (1977):**
The morphology of cirrhosis: definition, nomenclature and classification.
J Infect Dis, 135 : 980.
- * **Arakawa T, Hsu Y and Toth E (1987):**
The antiviral activity of recombinant human tumor necrosis factor- α .
J Interferon Res, 7 : 103.
- * **Arenson D M and Bissell D M (1987):**
Glucosaminoglycan, proteoglycan and hepatic fibrosis.
Gastroenterology, 92 : 236.
- * **Attallah A M (1979):**
Harmonization of immunosuppressive state during schistosoma infection.
J Immunol, 122 (4) : 1413.
- * **Bachwich P R, Lynch J P, Larrick J and Spengler M (1989):**
Tumor necrosis factor production by human sarcoid alveolar macrophages.
Am J Path, 125 : 421.
- * **Baglioni C and Nilsen T W (1983):**
Mechanisms of antiviral action of interferon. In: Interferon 5. Cresser I (ed).
London, Academic press, P 585.
- * **Bain V G, White Y S and Naoumov N V (1989):**
Differential effect of α -interferon on HBV antigen expression in cultured hepatocytes.
Hepatology, 10 : 6.
- * **Balayan M S, Andjaparidze A G and Savinskaya S S (1983):**
Evidence for A virus in non-A, non-B hepatitis transmitted via the fecal-oral route.
Intervirology, 20:23.
- * **Balkwill F, Osborne R and Burke F (1987):**
Evidence for tumor necrosis factor/cachectin production in cancer.
Lancet, 2 : 1229.

- * **Baraoum J S, Dahawi H S S and Gamil F M (1984):**
Immune responses and immunoregulation in relation to human schistosomiasis in Egypt.
J Immunol, 133 (3) : 11576.
- * **Bassily S, Higashi G I, Farid Z and Williams R E (1972):**
Serum immunoglobulins in schistosomiasis mansoni.
J Trop Med Hyg, 75 (4) : 73.
- * **Baughman P R and Lower E E (1991):**
An inhibitor of TNF found in pleural effusion.
J Lab Clin Med, 118 : 326.
- * **Baughman R P, Lower E E, Pierson G and Strohofer S (1988):**
Spontaneous secretion of hydrogen peroxide by alveolar macrophages of patients with sarcoidosis: Comparison with cigarette smokers.
J Lab Clin Med, 11 : 399.
- * **Baughman R P, Strohofer S A, Buchsbaum J and Lower E (1990):**
Release of tumor necrosis factor by alveolar macrophages of patients with sarcoidosis.
J Lab Clin Med, 115 : 36.
- * **Beasley M, Alberti A, Tremolada F and Fattovich G (1983):**
Virus replication and liver disease in chronic hepatitis B virus infection.
Lancet, ii : 1323.
- * **Becker M D, Baptista A, Schever P J and Sherlocks (1970):**
Prognosis of chronic persistent hepatitis.
Lancet, i : 53.
- * **Bensabath G, Hadler S C and Soares M C P (1987):**
Hepatitis delta virus infection prevalence and role in fulminant hepatitis in the Amazon Basin.
JAMA, 258 : 479.
- * **Berger J, Yaneva H and Nabarra B (1977):**
Glomerular changes in patients with cirrhosis of the liver.
Adv Nephrology, 7 : 3.

- * **Bertolini D R, Nedwin G E, Bringman T S, Smith D D and Mundy G R (1986):**
Stimulation of bone resorption and inhibition of bone formation in vitro by human tumor necrosis factors.
Nature, 319 : 516.
- * **Beutler B (1990):**
TNF in pathophysiology: Biosynthetic regulation.
J Invest. Dermat, 95 (6) : 815.
- * **Beutler B, Cerami A (1986):**
Cachectin and tumor necrosis factor as two sides of the same biological coins.
Nature, 320 : 584.
- * **Beutler B and Cerami A (1987):**
Cachectin: More than a tumor necrosis factor.
N Engl J Med, 316 (7) : 379.
- * **Beutler B and Cerami A (1988):**
Cachectin (tumor necrosis factor): a macrophage hormone governing cellular metabolism and inflammatory response.
Endocrin Rev, 9 : 57.
- * **Beutler B, Krochin N, Milsark I W, Luedke C and Cerami A (1986):**
Control of cachectin (tumor necrosis factor) synthesis.
Science, 232 : 977.
- * **Beutler B A, Milsark I W and Cerami A (1985):**
Cachectin/tumor necrosis factor: production distribution and metabolic fate in vivo.
J Immunol, 135 : 3972.
- * **Bianchi L and Gudar F (1983):**
Immunopathology of hepatitis B. In: Progress in liver disease. Propper H and Schaffner A (eds). Grune and Stratton, New York, Vol. VI, P 371.
- * **Bjorneboe M, Prytz H and Orskov F (1972):**
Antibodies to intestinal microbes in serum of patients with cirrhosis of the liver
Lancet, ii : 58.

***Bjorvatn B, Bjertnaes L and Fadnes Ho (1984):**

Meningococcal septicaemia treated with combined plasmapheresis and leucapheresis or with blood exchange.

Br Med J, 288 : 439.

*** Blumberg B S, Friedlander J S and Woodside A (1969):**

Hepatitis and Australia antigen: autosomal recessive inheritance of susceptibility to infection in humans.

Proc Nat Acad Sci USA, 62 : 1108.

***Blumberg B S, Sutrick A K and London W T (1970):**

Australia antigen as a hepatitis virus: Variation in host response.

Am J Med, 48 : 1.

*** Bortolotti F, Calzia R and Cadrobbi P (1986):**

Liver cirrhosis association with chronic hepatitis B virus infection in childhood.

J Pediatr, 108 : 224.

*** Bortolotti F, Tagger A and Cadrobbi P (1991):**

Antibodies to hepatitis C virus in community acquired acute non-A, non-B hepatitis.

J hepatol, 12 : 176.

*** Bout D, Rousseaux R, Carlier Y and Capron A (1980):**

Kinetics of classes and sub-classes of total immunoglobulins and specific antibodies to *Schistosoma mansoni* during murine infection.

Parasitology, 80 : 274.

*** Bradley D W (1980):**

Hepatitis A virus infection: pathogenesis and serodiagnosis of acute disease.

J Viral Methods, 2 : 31.

*** Bradley D W (1990):**

Enterically-transmitted non-A, non-B hepatitis:

Br Med J, 46 : 442.

*** Bradley D W, Krawczynski K and Cook E G (1988):**

Enterically transmitted non-A, non-B hepatitis: etiology of disease and laboratory studies in non human primates. In: Viral hepatitis and liver disease. Zuckerman A J, (ed). New York: Alan R Liss, P 138.

- * **Brillanti S, Masci C and Ricc P (1991):**
Serum IgM antibody to HCV: a reliable marker of active hepatitis C.
Gastroenterology, 100 : 723.
- * **Broxmeyer H E, Williams D E and Lu L (1986):**
The suppressive influences of human tumor necrosis factor on bone marrow hematopoietic progenitor cells from normal donors and patients with leukemia: Synergism of tumor necrosis factor and interferon-gamma.
J Immunol, 136 : 4487.
- * **Bruix J, Barrera JM and Caivet x (1989):**
Prevalence of antibodies to hepatitis C virus in Spanish patients with hepatocellular carcinoma and hepatic cirrhosis.
Lancet, 2 : 1004.
- * **Brunetto M R, Stemler M and Schodel F (1989):**
Identification of HBV variants which cannot produce precore derived HBe Ag and may be responsible for severe hepatitis.
Ital J Gastroenterol, 21 : 151.
- * **Buitrago B, Popper H and Halder S c (1986):**
Specific histologic features of Santa Marta hepatitis: a severe form of delta-virus infection in Northern South America.
Hepatology, 6 : 1285.
- * **Buti M, Amengual J and Esteban R (1989):**
Serological profile of tissue autoantibodies during acute and chronic delta hepatitis.
J hepatol, 9 : 345.
- * **Cadrobbi P, Bortolotti M and Zacchello Z (1985):**
Hepatitis B virus replication in acute glomerulonephritis with chronic aggressive hepatitis.
Arch. Dis Child, 65 : 83.
- * **Campbell I L, Iscaro A and Harrison L C (1991):**
IFN- γ and tumor necrosis factor- α cytotoxicity to murine islets of Langerhans.
J Immunol, 1 : 41 (7): 2325.
- * **Campbell I L, Oxbrow L and Harrison L C (1987):**
Interferon- γ pleotropic effects on a rat pancreatic beta cell line.
Mol cell Endocrinol, 52 : 161.

- * **Campbell I L, Oxbrow L, Koulmanda M and Harrison L C (1988):**
Interferon- γ induces islet cell MHC antigens and enhances autoimmune, streptozotocin-induced diabetes in the mouse.
J Immunol, 140 : 1111.
- * **Camus D, Carlier Y and Capron M (1977):**
Immunological studies in human schistosomiasis. Immunoglobulin levels, antibodies and delayed hypersensitivity.
Am J Trop Med Hyg, 26 (3) : 482.
- * **Cannistra S A, Rambaldi D R and Spriggs F, (1987):**
Human granulocyte-macrophage colony stimulating factor induces expression of the tumor necrosis factor gene by the U 937 and by normal human monocytes.
J Clin Invest, 79 : 1720.
- * **Capron A, Dessaint A J, Copron M and Joseph M (1982):**
Effector mechanisms of immunity to schistosomes and their regulation.
Immunol Rev, 61 : 41.
- * **Caput D, Beutler B, Hartog, Brown-Scheimer S and Cerami A (1986):**
Identification of a common nucleotide sequence in the 3'- untranslated region of mRNA molecules specifying inflammatory mediators.
Proc Natl Acad Sci USA, 83 : 1670.
- * **Carman W F, Hadziyannis S and Mc Garvey M J (1989):**
Mutation preventing formation of hepatitis B e antigen in patients with chronic hepatitis B infection.
Lancet, 2 : 588.
- * **Caraman W F, Zanetti A R and Karayiannis P (1990):**
Vaccine induced escape mutant of hepatitis B virus.
Lancet, 336 : 325.
- * **Carswell E A, Old L J and Kassel R L et al (1975):**
An endotoxin-induced factor that causes necrosis of tumor.
Proc Natl Acad Sci USA, 72 : 3666.
- * **Cazzola M, Ascarl E and Barosi G (1983):**
Juvenile idiopathic haemochromatosis: A life threatening disorder presenting as hypogonadotrophic hypogonadism.
Hum Genet, 65 : 149.

- * **Celis E and Chang T W (1984):**
HBs Ag-serum protein complexes stimulate immune T lymphocytes more efficiently than do pure HBs Ag.
Hepatology, 4 : 116.
- * **Cerami A, Ikeda Y, Le Trang N, Hotez P J and Beutler B (1985):**
Weight loss associated with an endotoxin-induced mediator from peritoneal macrophages: the role of cachectin (tumor necrosis factor).
Immunol Lett, 11 : 173.
- * **Chang T W, Lee C y and Chen D S (1984):**
In vitro response to HBs Ag of peripheral blood lymphocytes from recipients of hepatitis B vaccine.
Hepatology, 4 : 1984.
- * **Chao Y C, Lee C M and Tang H S (1991):**
Molecular cloning and characterization of an isolate of hepatitis delta virus from Taiwan.
Hepatology, 13 : 345.
- * **Chayama K, Saitoh S and Arase Y (1991):**
Effect of interferon administration on serum hepatitis C virus RNA in patients with chronic hepatitis C.
Hepatology, 13 : 1040.
- * **Cheesbrough M (1991):**
Medical Laboratory Manual for Tropical Countries. Volume 11, Chapter 69, English Language Book Society, Tropical Health Technology, Butterworths, P 368.
- * **Cheever A W (1986):**
A quantitative post-mortem study of Schistosemiasis mansoni in man.
Am J Trop Med Hyg, 17 : 38.
- * **Chen P J, Lin M H and Tu S J (1991):**
Isolation of a complementary DNA fragment of hepatitis C virus in Taiwan revealed significant sequence variations compared with other isolates.
Hepatology, 14 : 73.
- * **Cheng C, Hsueh Y S and Lumeng L (1990):**
Detection of hepatitis C virus by polymerase chain reaction in HCV EIA positive sera obtained from volunteer blood donors.
Hepatology, 12 : 876.

*** Coley W B (1893):**

The treatment of malignant tumors by repeated inoculation of erysipelas: with a report of ten original cases.

Am J Med Sci, 105 : 487.

Quoted from Beutler B and Cerami A (1987):

Cachectin: more than a tumor necrosis factor.

N Engl J Med, 316 (7) : 379.

*** Colley D G (1975):**

Immune response to a soluble schistosomal egg antigen preparation during chronic primary infection with *Schistosoma mansoni*.

J Immunol, 115 : 150.

*** Colley D G, Katz N, Rocha R S and Abrantes W (1983):**

Immune responses during human schistosomiasis mansoni. T-lymphocyte subset by monoclonal antibodies in hepatosplenic disease.

Scand J Immunol, 17 : 297.

*** Colley D G, Todd C W, Lweis F A and Goodgame R W (1979):**

Immune response during human schistosomiasis mansoni, responsiveness induced by exposure to certain schistosomal preparations.

J Immunol, 122 : 1447.

*** Collier A C, Corey L and Murphy V L (1988):**

Antibody to human immunodeficiency virus (HIV) and suboptimal response to hepatitis B vaccination.

Ann Intern Med, 109 : 101.

*** Colombo M, Oldani S and Donato M F (1987):**

A multi-center, prospective study of post-transfusion hepatitis in Milan.

Hepatology, 7 : 709.

*** Colucci G, Colombo M, De Iginio E and Paronetti F (1983):**

In situ characterization by monoclonal antibodies of the mononuclear cell infiltrate in chronic active hepatitis.

Gastroenterology, 85 : 1138.

*** Content J, De Wit L, Poupart P, Opdenakker G and van Damme J (1985):**

Induction of a 26 K Da-protein mRNA in human cells treated with an interleukin-1-related, leukocyte-derived factor.

Eur J Biochem, 152 : 253.

- * ***Cordingley F T, Bianchi A, Hoffbrand A V and Reittie J E (1988):***
Tumor necrosis factor as an autocrine tumor growth factor for chronic B-cell malignancies.
Lancet, I : 969.
- * ***Cottrel B J, Humber D and Sturrock R F (1980):***
An immunosuppressive factor in the serum of patients with schistosomiasis.
Trans Roy Soc Trop Med Hyg, 3 : 445.
- * ***Coursaget P, Yvonnet B and Gilks WR (1991):***
Scheduling of revaccination against hepatitis B virus.
Lancet, 337 : 1180.
- * ***Craven D E, Awdeh Z L and Kunches L M (1986):***
Non-responsiveness to hepatitis B vaccine in health care workers.
Ann Intern Med, 105 : 356.
- * ***Creasey A A, Doyle L V and Reynolds T (1987):***
Biological effects of recombinant human tumor necrosis factor and its novel effects on tumor and normal cell lines.
Cancer Res, 47 : 145.
- * ***Cupps T R, Gerin J L and Purcell P H (1984):***
In vitro antigen-induced antibody responses to hepatitis B surface antigen in man.
J Clin Invest, 74 : 1204.
- * ***Czaja A J (1981):***
Current problems in the diagnosis and management of chronic active hepatitis.
Mayo Clin Proc, 56 : 311.
- * ***Czaja A J (1982):***
Hepatitis non-A, non-B. Manifestations and implications of acute and chronic disease.
Mayo Clin Proc, 57:639.
- * ***Czaja A J (1984):***
Strategies in the management of chronic active hepatitis.
Survey Dig Dis, 2 : 233.

- * **Daniels H M, Meager A, Feddleston A W and Alexander G M (1990):**
Spontaneous production of tumor necrosis factor - α and interleukin -1 B during interferon- α treatment of chronic HBV infection.
Lancet, 335 : 875.
- * **Darlington G J, Wilson D r and Lachman L B (1986):**
Monocyte-conditioned medium, interleukin-1 and tumor necrosis factor stimulate the acute phase response in human hepatoma cells in vitro.
J Cell Biol, 103 : 787.
- * **Davies S E, Portmann B C and O Grady J G (1991):**
Hepatic histological findings after transplantation for chronic B virus infection, including a unique pattern of fibrosing cholestatic hepatitis.
Hepatology, 13 : 150.
- * **Davis G L, Balart L A and Schiff E R (1989):**
Treatment of chronic hepatitis C with recombinant interferon alpha:a multi-center randomized, controlled trial.
N Engl J Med, 321 : 1501.
- * **Davis G L, Hoofnagle J H and Waggoner J G (1984):**
Spontaneous reactivation of chronic hepatitis B virus infection.
Gastroenterology, 86 : 203.
- * **Dealtry G B, Naylor M S and Balkwill F R (1987):**
DNA fragmentation and cytotoxicity caused by tumor necrosis factor is enhanced by interferon- γ .
Eur J Immunol, 17 : 689.
- * **De cock K M (1986):**
Hepatosplenic schistosomiasis: a clinical review.
Gut, 27 : 734.
- * **De cock K M, Govindarajan S and Chin K P (1986):**
Delta hepatitis in Los Angeles area : a report of 126 cases.
Ann Intern Med, 105 : 108.
- * **Defilippi P, Pouport P, Tavernier J, Fliers W and Contant W (1987):**
Induction and regulation of mRNA encoding 26-kDa protein in human cell lines treated with recombinant human tumor necrosis factor Proc Natl Acad Sci USA, 84 : 4557.

- * **DeFranchis R, D'Amico A and Vecchi M (1980):**
Chronic asymptomatic HBs Ag carriers: Histologic abnormalities and diagnostic and prognostic value of serologic markers of the HBV.
Gastroenterology, 79 : 521.
- * **Degos F, Lugassy C and Degot C (1988):**
Hepatitis B virus and hepatitis B related viral infection in renal transplant.
A prospective study of 90 patients.
Gastroenterology 94 : 151.
- * **De Groote J, Desmet V J and Gedig K P (1976):**
A classification of chronic hepatitis.
Lancet, II : 626.
- * **De Martino M, Rossi M E, Muccioli A T, Rest M and Vierucci A (1985):**
Interference of hepatitis B virus surface antigen with natural killer cell function.
Clin Exp Immunol, 61 : 90.
- * **Deodhar KP, Tapp E and Scheuer P J (1975):**
Orcein staining of hepatitis B antigen in paraffin sections of liver biopsies.
J Clin Pathol, 28 : 66.
- * **Desmyter J, Colaert J and De Groote G (1983):**
Efficacy of heat inactivated hepatitis B vaccine in haemodialysis patients and staff.
Lancet, ii : 1323.
- * **Devriere J, Content J and Denys C (1990):**
Excessive in vitro bacterial lipopolysaccharide-induced production of monokines in cirrhosis.
Hepatology, 11 : 628.
- * **Devusser PH, Bounameaux H, Verhaeghe R and Degroote J (1985):**
Liver cirrhosis, ascites, and peripheral vascular resistance.
Lancet, 9 : 1078.
- * **Di Bisceglie A M, Martin P and Kassianides C (1989):**
Recombinant interferon alpha therapy for chronic hepatitis C.
N Engl J Med, 321 : 1506.
- * **Dienstag J L (1984):**
Immunologic mechanisms in chronic viral hepatitis. In: Viral Hepatitis and Liver Disease. Vyas G N, Dienstag J L and Hoofnagle J H (eds).
Grune and Stratton, New York, P 135.

- * **Dietrichson O (1975):**
Chronic persistent hepatitis. A clinical, serologic and prognostic study.
Scand J Gastroenterol, 10 : 249.
- * **Digel W, Schoniger W, Martin S and Hans J (1990):**
Receptros for tumor necrosis factor on neoplastic B cells from chronic lymphocytic leukemia are expressed in vitro but not in vivo.
Blood, 76 (8) : 1607.
- * **Dinareello C A and Mier J W (1986):**
Interleukins
Annu Rev Med, 37 : 173.
- * **Dinareello C A, Cannon J G, Wolff S M and Beutler B (1986):**
Tumor necrosis factor cachectin is an endogenous pyrogen and induces production of interleukin 1.
J Exp Med, 163 : 1433.
- * **Djeu, J Y, Blanchard D K, Halkias D and Friedman H (1986):**
Growth inhibition of Candida albicans by human polymorphonuclear neutrophils: activation by interferon-gamma and tumor necrosis factor.
J Immunol, 137 : 2980.
- * **Dooley JE, Davis GL, Peters M, Waggoner JG, Goodman Z and Foofnagle JH (1986):**
Pilot study of recombinant human interferon for chronic type B hepatitis.
Gastroenterology, 90 : 150.
- * **Doumas B T et al. (1971):**
Clin chim Acta, 31 : 87.
Quoted from pamphlet of albumin kit, bioMerieux Laboratory reagents and instruments.
- * **Dragosics B, Ferenci P and Hütchman E (1987):**
Long term follow study of asymptomatic HBs Ag-positive voluntrary blood donors in Austria: A clinical and histologic evaluation of 242 cases.
Hepatology, 7 : 302.
- * **Dubois R S and Silverman A (1974):**
Treatment of chronic active hepatitis in children.
Postgrad Med J, 50 : 386.

- * **Dudley F J, Fox R A and Sherlock S (1972):**
Cellular immunity and hepatitis-associated Australia antigen and liver disease.
Lancet, i : 723.
- * **Dudley F J, O'shea M J and Ajdukiewicz A (1973):**
Serum autoantibodies and immunoglobulins in hepatitis-associated antigen positive and negative liver disease.
Gut, 14 : 360.
- * **Dusheiko G, Song E and Bowyer S (1983):**
Natural history of hepatitis B virus infection in renal transplant recipients-a fifteen-year follow up.
Hepatology, 3 : 330.
- * **Echevarria J M, Leon P and Domingo C J (1988):**
Atypical hepatitis B virus in Spain.
Lancet, 2 : 1315.
- * **Eddleston ALWF and Williams R (1974):**
Inadequate antibody response to HBs Ag or suppressor T-cell defect in development of active chronic hepatitis.
Lancet, 2 : 1543.
- * **Edwards CO, Carrol M and Bray P (1977):**
Hereditary hemochromatosis: Diagnosis in siblings and children.
N Engl J Med, 297 : 6.
- * **Eggink H F, Houthoff H J and Woleters S H G (1984):**
Cellular and humoral immune reactions in chronic active liver disease. Lymphocyte subsets and viral antigens in liver biopsies of patients with acute and chronic hepatitis B.
Clin Exp Immunol, 46 : 121.
- * **Eisenbarth G S (1986):**
Type 1 diabetes mellitus. A chronic autoimmune disease.
N Engl J Med, 314 : 1360.
- * **Ekladios Em, Higashi G I, Ageeb M and E L-Ghorab N M (1978):**
Suppression of T lymphocytes in chronic bilharziasis.
Am J Med, 57 : 128.
- * **El-Defrawy M S (1987):**
Humoral immunity in chronic liver disease.
MD Thesis, Pediatrics, Benha Faculty of Medicine. Zagazig University.

- * *El-Gawhry S M (1981):*
Study of autoantibodies in various stages of intestinohepatic bilharziasis.
M-Sc. Thesis. Clinical and chemical pathology. Faculty of Medicin.
Cairo University.
- * *El-Sheikh N, Osman C H, Cullens H, William R and Eddleston A (1987):*
Thymocyte mediated cytotoxicity in HBs Ag positive liver disease.
Clin Exp Immunol, 31 : 150.
- * *Engelmann H, Aderka D, Rubinstein M, Rubinstein M, Rotman D and Wallach D (1989):*
A tumor necrosis factor-binding protein purified to homogeneity from human urine protects cells from tumor necrosis factor toxicity.
J Biol Chem, 264 : 11974.
- * *Enomoto N, Takada A and Nakao T (1990):*
There are two major types of hepatitis C virus in Japan.
Biochem Biophys Res Commun, 170 : 1021.
- * *Epstein O, Ajdukiewicz A B and Dick R (1979):*
Hypertrophic hepatic osteoarthropathy.
Am J Med, 67 : 88.
- * *Eriksson S G (1985):*
Liver disease in alpha-1-antitrypsin deficiency.
Scand J Gastroenterol, 20 : 907.
- * *Esteban J I, Gonzalez A and Hernandez J M (1990):*
Evaluation of antibodies to hepatitis C virus in a study of transfusion-associated hepatitis.
N Engl J Med, 323 : 1107.
- * *Everhart J E, DiBisceglie A M and Murray L M (1990):*
Risk for non-A, non-B (type C) hepatitis through sexual or household contact with chronic carriers.
Ann Intern Med, 112 : 544.
- * *Farci P, Alter H J and Wong D (1991):*
A long-term study of hepatitis C virus replication in non-A, non-B Hepatitis.
N Engl J Med, 325 : 98.

- * **Fattovich G, Rugge M and Brollol (1986):**
Clinical, virologic and histologic outcome following seroconversion from HBe Ag to anti-HBe in chronic hepatitis type B.
Hepatology, 6 : 167.
- * **Fauerholdt L, Schlichting P and Christensen E (1983):**
Conversion of micronodular cirrhosis into macronodular cirrhosis
Hepatology, 3 : 928.
- * **Feingold K R and Grunfeld C (1987):**
Tumor necrosis factor alpha stimulates hepatic lipogenesis in the rat in vivo.
J clin Invst, 8 : 184.
- * **Feinman R, Henriksen-Destefano D and Tsujimoto M (1987):**
Tumor necrosis factor is an important mediator of tumor cell killing by human monocytes.
J Immunol, 138 : 635.
- * **Feinman R, Siegel DS, Le J and Vilcek J (1986);**
Interferon-gamma enhances target cell sensitivity to monocyte killing Cell Immunol, 99 : 287.
- * **Feldmier, Castl G A, Paggensee V and Christina K (1985):**
Relationship between intensity of infection and immunomodulation in human schistosomiasis. T-Lymphocytes subpopulation and specific antibody responses.
Clin Exp Immunol, 60 : 234.
- * **Ferluga J and Allison A G (1978):**
Role of mononuclear infiltrating cells in pathogenesis of hepatitis.
Lancet, i : 610.
- * **Feroldi J and Mallet-Guy Y (1987):**
Liver cirrhosis, pathogenesis and clinical manifestations.
Arch Anat Cytol Path, 27 : 376.
- * **Fields H A, Govindarajan S and Margosis H S (1986):**
Experimental transmission of the delta virus to a hepatitis B chronic carrier chimpanzee with the development of persistent delta carriage.
Am J pathol, 122 : 308.

- * **Fischer E, Camus D, Santoro F and Carpon A (1981):**
Schistosoma mansoni: autoantibodies and polyclonal B-cell activation in infected mice.
Clin Exp Immunol, 46 : 89.
- * **Foley N M, McNicol M W, Rook G A and Mel Johnson N (1989):**
Effect of serum from patients with sarcoidosis and tuberculosis on TNF-induced killing of murine cells.
Am Rev Respir Dis, 139 : 58.
- * **Foley N M, Millar A B, Rook G A and Johnson N M (1988):**
Tumor necrosis factor production by alveolar macrophages is enhanced in sarcoidosis and tuberculosis.
Am Rev Respir Dis, 137 : 589.
- * **Fomsgaard A, Svenson M and Bendtzen K (1989):**
Autoantibodies to tumor necrosis factor- α in healthy humans and patients with inflammatory disease and Gram negative bacterial infections.
Scand J Immunol, 30 : 219.
- * **Foulis A k and Farquharson M A (1986):**
Aberrant expression of HLA-DR antigens by insulin containing beta cells in recent onset type 1 (insulin-depdent) diabetes mellitus.
Diabetes, 35 : 1215.
- * **Fraser C L and Arieff A J (1985):**
Hepatic encephalopathy.
New Engl J Med, 313 : 865.
- * **Frei P C, Desaulles M and Krafft T (1978):**
Cell-mediated immune response to purified HBs Ag infections. In: Viral hepatitis : A contemporary Assessment of Aetiology, Epi-demiology, Pathogenesis and Prevention. Vyas G N and Cohen S N (eds). Franklin institute press. Philadelphia, P 257.
- * **Fried M W, Shindo M and Fong T L (1992):**
Absence of hepatitis C viral RNA from saliva and semen of patients with chronic hepatitis C.
Gastroenterology, 102 : 1306.
- * **Fuji A, Kakumu S and Ohtani Y (1987):**
Interferon- γ production by peripheral blood mononuclear cells of patients with chronic liver disease.
Hepatology, 7 : 577.

- * **Gabbiani G, Lelous M and Bailey A J (1976):**
Collagen and myofibroblasts of granulation tissue: a chemical ultrastructural and immunologic study.
Virchows Arch Abt B cell Path, 21 : 133.
- * **Galbraith R M, Eddelston A L and Williams R (1975):**
Fulminant hepatic failure in leukaemia and choriocarcinoma related to withdrawal of cytotoxic drug therapy.
Lancet, 2 : 528.
- * **Gamble J R, Harlan J H, Klebanoff S J and Vadas M A (1985):**
Stimulation of the adherence of neutrophils to umbilical vein endothelium by human recombinant tumor necrosis factor.
Proc Natl Acad Sci USA, 82 : 8667.
- * **Gerber M A, Amorose P and Cleg J A (1979):**
Antibodies to ribosomes in chronic active hepatitis.
Gastroenterology, 76 : 139.
- * **Gerber M A and Thung S N (1981):**
Pathophysiology of hepatitis B virus. Pathobiology Annual. Locchim HI (ed), vol 11, Raven press, New York, P 197.
- * **Ghanem M (1982):**
Persistent infection of humans with hepatitis B virus: mechanisms and consequences.
Rev Infect Dis, 4 (5) : 1026.
- * **Ghanem M H, El-Sherif A F, Issa I A and Wafy A A (1975):**
Immunoprecipitins to Schistosoma mansoni somatic antigen in hepatic schistosomiasis.
Egypt J Bith, 2 : 271.
- * **Ghanem M, Gurigis F K and El-sawy M (1970):**
Classification of hepatosplenic schistosomiasis.
J Trop Med, 75 : 126.
- * **Girardin E, Grau G E, Dayer J M and Roux-Lombard P (1988):**
Tumor necrosis factor and interleukin-1 in the serum of children with severe infectious purpura.
N Engl J Med, 319 : 397.
- * **Giorgio A, Amoroso P and Lettieri G (1986):**
Cirrhosis: Value of caudate to right lobe ratio in diagnosis.
Radiology, 161 : 443.

- * **Goldsmith R, Yarbough P O, Reyes G R, Fry K E, Gabor K A, Kamel M, Amer S and Gaffar y (1992):**
Enzyme-linked immunosorbent assay for diagnosis of acute sporadic hepatitis E in Egyptian children.
Lancet, 339 : 328.
- * **Gornall A C, Bardawill C J and David M M (1949):**
J Boil Chem, 177 : 751.
Quoted from pamphlet of total protein kit, bioMerieux Laboratory reagents and instruments.
- * **Goudeau A, Lesage G and Denis F (1983):**
Lack of anti-HBc IgM in neonates with HBs Ag carrier mothers argues against transplacental transmission of hepatitis B virus infection.
Lancet, ii : 1103.
- * **Govindarajan S, De cock K M and Redeker A G (1986):**
Natural course of delta superinfection in chronic hepatitis B virus infected patients: histopathologic study with multiple liver biopsies.
Hepatology, 6 : 640.
- * **Goviandarajan S, Smedile A and De cock K M (1989):**
Study of reactivation of chronic hepatitis delta infection.
J Hepatol, 9 : 204.
- * **Grace H W, John F, Daniel P and David V (1988):**
In vitro anti-human immunodeficiency virus activities of tumor necrosis factor - α and interferon- γ .
J Immunol, 140 : 120.
- * **Graudal N, Milman N and Kirkegaard E (1986):**
Bacteremia in cirrhosis of the liver.
Liver, 6 : 297.
- * **Grauer W, Bratting N W, Schomerus H and Frosner B (1984):**
Immunosuppressive serum factors in viral hepatitis. Prognostic relevance of rosette inhibitory factor and serum inhibition factor in acute and chronic hepatitis.
Hepatology, 4 : 15.
- * **Grimaud J A and Borojevic R (1977):**
Chronic human schistosomiasis mansoni. Pathology of the Disse's space.
Lab Invest, 36 : 268.

- * *Guy M W (1975):*
Serum and tissue fluid lipids in rabbits experimentally infected with *Trypanosoma brucei*.
Trans R Soc Trop Med Hgy, 69 : 429.
- * *Ha D K, Gardner I D and Lawton J W (1983):*
Characterization of macrophage function in *Mycobacterium leprae* murium-infected mice : sensitivity of mice to endotoxin and release of mediators and lysosomal enzymes after endotoxin treatment.
Parasite Immunol, 5 : 513.
- * *Hadziyannis S J (1983):*
Delta antigen positive chronic liver disease in Greece.
Preg Clin Biol Res, 143 : 209.
- * *Hadziyannis S, Gerber M A, Vissoulisc, and Popper H (1973):*
Cytoplasmic hepatitis B antigen in ground-glass hepatocytes of carriers.
Arch Pathol, 96 : 327.
- * *Hadziyannis S T, Lieberman H M and Karvountzis G G (1983):*
Analysis of liver disease, nuclear HBc Ag, viral replication, and hepatitis B virus DNA in liver and serum of HBe Ag versus anti-HBe positive carriers of hepatitis B virus.
Hepatology, 3 : 656.
- * *Hanson R G, Hoofnagle J H and Minuk G Y, (1984):*
Cell mediated immunity to hepatitis B surface antigen.
Clin Exp Immunol, 57 : 257.
- * *Haranaka K, Satomi N and Sakura A (1984):*
Antitumor activity of murine TNF-against transplanted murine tumors and heterotransplanted human tumors in nude mice.
Int J Cancer, 34 : 263.
- * *Haranaka K, Satomi N, Sakurai A and Haranaka R (1989):*
Role of first stimulating agents in the production of tumor necrosis factor.
Cancer Immunol Immunother, 13 : 87.
- * *Harris A R C, Russell R J and Charters A D (1984):*
A review of schistosomiasis in immigrants in western Australia, demonstrating the unusual longevity of *Schistosoma mansoni*.
Trans R Soc Trop Med Hyg, 78 : 385.

- * **Harrison T J, Bol V and Wheeler E G (1985):**
Hepatitis B virus DNA and e antigen in serum from blood donors in the United Kingdom positive for hepatitis B surface antigen.
Br Med J, 290 : 663.
- * **Hasan F, Jeffers L J and DeMedina M (1990):**
Hepatitis C-associated hepatocellular carcinoma.
Hepatology, 12 : 589.
- * **Hassanein B M (1984):**
Study of enzymatic activity in chronic liver disease in Egyptian children.
MD Thesis, Pediatrics, Benha Faculty of Medicine. Zagazig University.
- * **Hauing F (1975):**
Glycogen metabolism and glycogen storage disease.
Physiol Rev, 55 : 609.
- * **Hershow R C, Chomel B B and Graham D R (1989):**
Hepatitis D virus infection in the developmentally disabled.
Ann Intern Med, 110 : 779.
- * **Herzyk D J and Wewers M D (1988):**
Comparative effects of maturation upon monocyte interleukin-1 and tumor necrosis factor production.
Clin Res, 36 : 856.
- * **Hodges J R, Millward-Sadler G H and Barbatis (1981):**
Heterozygous MZ alpha-1 antitrypsin deficiency in adults with chronic active hepatitis and cytogenic cirrhosis.
N Engl J Med, 304 : 557.
- * **Hoefs J C, Aufrichtig D and LoHenberg S (1986):**
Non-invasive evaluation of hepatic fibrosis using frequency demodulation of ultrasound signals.
Dis Sci, 31 : 1046.
- * **Hofseeteer M, Poindexter R W and Ruiz-Tiben E (1982):**
Modulation of the host response in human schistosomiasis.
Immunol, 46 : 777.
- * **Holler E, Kold H J, Moller A and Kempeni J (1990):**
Increased serum levels of tumor necrosis factor- α precedes major complications of bone marrow transplantation.
Blood, 75 (4) : 1011.

- * **Hoofnagle J H (1983):**
Chronic type B hepatitis.
Gastroenterology, 84 : 422.
- * **Hoofnagle J H (1986):**
Serologic markers of hepatitis B virus infection.
Ann Rev Med, 32 : 1.
- * **Hoofnagle J H, Dusheiko G M, Seef LB, Jones E A, Waggoner A G and Bales Z B (1987):**
Seroconversion from hepatitis Be antigen to antibody in chronic type B hepatitis.
Ann Intern Med, 94 : 744.
- * **Hoofnagle J H, Mulien K D and Jones D B (1986):**
Treatment of chronic non-A, non-B, hepatitis with recombinant alpha interferon.
N Engl J Med, 315 : 1575.
- * **Hoofnagle J H and Schafer D F (1986):**
Serologic markers of hepatitis B virus infection.
Semin Liver Dis, 6 : 1.
- * **Horton J E, Raisz L G Simmons H A, Oppenheim J J and Mergenhagen E (1972):**
Bone resorbing activity in supernatant fluid from cultured human peripheral leukocytes.
Science, 177 : 793.
- * **Houghton M, Weiner A and Han J (1991):**
Molecular biology of the hepatitis C virus: implication for diagnosis, development and control of viral disease.
Hepatology, 14 : 381.
- * **Hsu H H, Wright T L and Luba D (1991):**
Is hepatitis C virus is present in human secretions?
Gastroenterology, A : 754.
- * **Ibrahim A Y (1991):**
Immunological assessment of children with chronic liver disease.
MD Thesis, Pediatrics, Benha, Faculty of Medicine, Zagazig University.

*** *Idem L (1906):***

Late results of the treatment of inoperable sarcoma by the mixed toxins of erysipelas and *Bacillus prodigiosus*

Am J Med Sci, 131 : 375.

Quoted from Beutler B and Cerami A (1987):

Cachectin: more than a tumor necrosis factor.

N Engl J Med, 316 (7) : 379.

*** *Ikeda T, Lever A M L and Thomas H C (1989):***

Evidence for a deficiency of interferon production in patients with chronic hepatitis B virus infection acquired in adult life.

Hepatology, 6 : 962.

*** *International Group (1977):***

Acute and chronic hepatitis.

Lancet ii : 914.

*** *Ismail S A, Sleek M J and Leef J L (1983):***

Circumoval precipitin test in schistosomiasis with frozen *S. mansoni* eggs.

Trans Roy Soc Trop Med Hyg, 77 : 809.

*** *Ito H, Shirai T and Yamamotos S (1986):***

Molecular cloning of the gene encoding rabbit tumor necrosis factor.

DNA, 5 : 157.

*** *Iwarson S, Tabor E and Thomas H C (1985):***

Protection against hepatitis B virus infection by immunization with hepatitis B core antigen.

Gastroenterology, 88 : 763.

*** *Jain V K and Chandra R K (1988):***

Chronic liver disease. In: Harries pediatric gastroenterology. Milla P J (ed), 2nd ed. Churchill livingstone, Edinburgh, P 463.

*** *James S P (1988):***

Immunology of hepatobiliary diseases. In: Immunological diseases. Samter M, Talmage D W, Frank M M, Austen KF and Claman H N (eds). 2nd ed. vol II, Little Brown and company, Boston, Toronto ch 78, P 1945.

*** *James K (1990):***

Interactions between cytokines and α_2 - macroglobulin.

Immunol Today, 11 : 163.

- * *Japanese Red Cross Non-A, Non-B Hepatitis Research Group (1991):*
Effect of screening for hepatitis C virus antibody and hepatitis B virus core antibody on incidence of post-transfusion hepatitis.
Lancet, 338 : 1040.
- * *Jelinek D F and Lipsky P E (1987):*
Enhancement of human B cell proliferation and differentiation by tumor necrosis factor- α and interleukin-1.
J Immunol, 139 : 2970.
- * *Jendrassik L et al. (1938):*
Biochem Z, 297 : 81.
Quoted from pamphlet of test-combination Bilirubin, Boehringer Mannheim GmbH Diagnostica, 1990.
- * *Jones A, Selby P J, Viner C, Hobbs S, Gore M E and McElwain T J (1990):*
Tumor necrosis factor, cholestatic jaundice and chronic liver disease.
Gut, 31 : 938.
- * *Jordan P (1982):*
Diagnostic and laboratory techniques. In: Schistosomiasis, epidemiology, treatment and control. Jordan P and webbe G (eds). Heinemann, London, P 165.
- * *Kamal K A and Higashi G I (1982):*
Suppression of mitogen-induced transformation by plasma from patients with hepatosplenic schistosomiasis mansoni: role of immune complexes.
Immunology, 4 : 283.
- * *Kamel I A, Elwi A M, Cheever A W and Mosimann J E (1978):*
Schistosoma mansoni and S. haematobium infection in Egypt.
Am J Trop Hyg, 27 : 939.
- * *Kato N, Hijikata M and Ootsuyama M (1990):*
Molecular cloning of the human hepatitis C virus genome from Japanese patients with non-A, non-B hepatitis.
Proc Natl Acad Sci, 87 : 9524.
- * *Kato Y, Nakagawa H, Kodayashi K, Hattori N and Hatano (1982):*
Interferon production by peripheral lymphocytes in HBs Ag positive liver disease.
Hepatology, 2 : 789.

- * **Kawakami M and Cerami A (1981):**
Studies of endotoxin-induced decrease in lipoprotein lipase activity.
J Exp Med, 154 : 631.
- * **Kawakami M, Pekala P H, Lone M D and Cerami A (1982):**
Lipoprotein lipase suppression in 3T3-L1 cells by an endotoxin-induced mediator from exudate cells.
Proc Natl Acad Sci USA, 79 : 912.
- * **Keren G, Blochis H, Swas T S and Frand M (1983):**
pulmonary arterio-venous fistula in hepatic cirrhosis.
Arch Dis Child, 58 : 302
- * **Kevin J, Wei H, Kirk R and Manoguef (1988).**
Cachectin/tumor necrosis factor induces cachexia, anemia and inflammation
J Exp Med, 167 : 1211.
- * **Kew M C, Houghton M and Choo Q L (1990):**
Hepatitis C virus antibodies in Southern African blacks with hepatocellular carcinoma.
Lancet, 335 : 873.
- * **Khalil H J, Fahmy M I and Ghanem M M (1981)**
Study of cell mediated immune responsiveness to soluble egg antigen and phytohaemagglutinin using the lymphoblast transformation in human S-mansoni
Egypt Rev Int Med Trop, 23 (3) : 97.
- * **King P R N and King E G (1954):**
J Clin Path, 7 : 322.
Quoted from pamphlet of alkaline phosphatase kit, bioMerieux Laboratory reagents and instruments.
- * **Kirkpatrick A, Davis H, Horsburgh R, Cohn D (1985):**
Interleukin-2 production by persons with generalized lymphadenopathy syndrome or the acquired immune deficiency syndrome.
J Clin Immunol, 5 : 31.
- * **Kirstein M and Baglioni C (1986):**
Tumor necrosis factor induces synthesis of two proteins in human fibroblasts.
J Biol Chem, 261 : 9565.

- * **Kiyosawa K, So deyama T and Tanaka E (1990):**
Inter-relationship of blood transfusion, non-A, non-B hepatitis and hepatocellular carcinoma: analysis by detection of antibody to hepatitis C virus.
Hepatology, 12 : 671.
- * **Klatskin G (1975):**
Persistent HB antigenemia: Associated clinical manifestations and clinical lesions.
Am J Med Sci, 270 : 33.
- * **Klebanoff S J, Vadas M A, Harlan J M and Sparks L H (1986):**
Stimulation of neutrophils by tumor necrosis factor.
J Immunol, 136 : 4220.
- * **Kleinman R E, Harmatz P R and Walker W A (1982):**
The liver: and integral part of the enteric mucosal immune system.
Hepatology, 2 : 379.
- * **Knight A H, Fox R A and Baillod M A (1970):**
Hepatitis associated antigen and antibody in haemodialysis patients and staff.
Br Med J, ii : 603.
- * **Kohase M, Henriksen-Destefano D, May LT and Vilcek J (1986):**
Induction of B₂-interferon by tumor necrosis factor: a homeostatic mechanism in the control of cell proliferation.
Cell, 45 : 659.
- * **Koike K, Lino S and Kuraik L (1987):**
IgM anti-HBc in anti-HBe positive chronic hepatitis with acute exacerbation.
Hepatology, 7 : 573.
- * **Koretz R L, Stone O and Gitnick G L (1980):**
The long term course of non-A, non-B post-transfusion hepatitis.
Gastroenterology, 79 : 893.
- * **Kos A, Di Jkema R and Arnbeig A C (1986):**
The hepatitis delta virus possesses a circular RNA.
Nature, 323 : 558.

- * **Kosaka Y, Takase K and Kojima M (1991):**
Fulminant hepatitis B induction by hepatitis B virus mutants defective in the precore region and incapable of encoding e-antigen.
Gastroenterology, 100 : 1087.
- * **Krauss M R, Grunfeld C, Doerrler T W and Feingold K R (1990):**
Tumor necrosis factor acutely increases plasma levels of very low density lipoproteins of normal size and composition.
Endocrinology, 127 (3) : 1016.
- * **Krawczynski K and Bradley D W (1989):**
Enterically transmitted non-A, non-B hepatitis: Identification of virus-associated antigen in experimentally infected cynomolgus macaques.
J Infect Dis, 159 : 1032.
- * **Kronheim S R, March C J, Erb S k, Conlon P J and Hopp T P (1985):**
Human interleukin 1: purification to homogeneity.
J Exp Med, 161 : 490.
- * **Krugman S, Overby L R and, Mushabwar I (1979):**
Viral hepatitis type B: Studies on natural history and prevention.
N Engl J Med, 300 : 101.
- * **Kull F C, Jacobs S and Cuatrecasas P (1985):**
Cellular receptor for 125I-labeled tumor necrosis factor: specific binding, affinity labeling, and relationship to sensitivity.
Proc Natl Acad Sci USA, 82 : 5756.
- * **Lahdevirta J, Maury C P J Teppo A M and Tepo H (1988):**
Elevated levels of cachectin/tumor necrosis factor in patients with acquired immunodeficiency syndrome.
Am J Med, 85 : 289.
- * **Larcher V F (1986):**
Chronic active hepatitis and related disorders.
Clin Gastroenterol, 15 : 173.
- * **Larcher V E, MacDonald A and Vegnente A (1984):**
Antibodies to liver specific lipoprotein (LSP) in children with chronic liver disease due to chronic active hepatitis, cystic fibrosis and alpha-1-antitrypsin deficiency.
J Pediatr Gastroenterol Nutr, 3 : 728.

- * **Larcher V F, Manolaki N, Vegnente A, Vergani D and Mowat A P (1985):**
Spontaneous bacterial peritonitis in children with chronic liver disease: Clinical features and aetiological factors.
J Pediatr, 106 : 907.
- * **LaRusso N F, Wieser R H and Luding J (1984):**
Primary sclerosing cholangitis.
N Engl J Med, 310 : 899.
- * **Le J, Prenskey W, Yip Y K and Chang Z (1983):**
Activation of human monocyte cytotoxicity by natural and recombinant immune interferon.
J Immunol, 131 : 2821.
- * **Le J and Vilcek J (1987):**
Tumor necrosis factor and interleukin-1: cytokines with multiple overlapping biological actions.
Lab Invest, 56 : 234.
- * **Le J, Vilcek J and Prenskey W (1987):**
Generation and characterization of human T-cell hybridomas that constitutively produce immune interferon. In: Human hybridomas and monoclonal antibodies. Engleman E G, Fong S K H, Larrick J, Raubitschek A (eds.), New York and London, Plenum Press, P 355.
- * **Lee W M, Reed W D and Osman C G (1977):**
Immune response to the hepatitis B Surface antigen and liver specific lipoprotein in acute type B hepatitis.
Gut, 18 : 250.
- * **Lefkowitz J H, Goldstein H and Yatto R (1987):**
Cytopathic liver injury in acute delta virus hepatitis.
Gastroenterology, 92 : 1262.
- * **Lehmann V, Freudenberg M A and Galanos C (1987):**
Lethal toxicity of lipopolysaccharide and tumor necrosis factor in normal and D-galactosamine-treated mice.
J Exp Med, 165 : 657.
- * **Lemm G, Salzer K and Warnatz H (1983):**
Studies on immunoregulatory mechanisms in acute and chronic hepatitis B.
Clin Exp Immunol, 52 : 250.

- * **Mackenzie M K R, Coovadia H M and Chuttee C H J (1984):**
Clinical recognition of mild hepatic schistosomiasis in an endemic area.
Trans Roy Soc Trop Med Hyg, 78 : 13015.
- * **Maddrey W C (1987):**
Subdivision of idiopathic autoimmune chronic active hepatitis.
Hepatology, 7 : 1372.
- * **Madejon A, Castillo I and Bartolome J (1990):**
Detection of HDV-RNA by PCR in serum of patients with chronic HDV infection.
J Hepatol, 11 : 381.
- * **Madusur M A, Oshea J M, Skelton J A and Sommothill J F (1978):**
Cell mediated immune response in intestinal schistosomiasis.
Clin Exp Immunol, 34 : 354.
- * **Maggiore G, Bernard O and Hadchovel M (1984):**
Treatment of autoimmune chronic active hepatitis in childhood.
J Pediatr, 104 : 839.
- * **Maggiore G, Giacomo C D, Marzani D, Sessa F and Scotta M S (1983):**
Chronic viral hepatitis in infancy.
J Pediatr, 103 : 749.
- * **Maher J J, Friedman S I and Roll F J (1988):**
Immuno-localization of laminin in normal rat liver and biosynthesis of laminin by hepatic hepatocytes in primary culture.
Gastroenterology, 94 : 1053.
- * **Makris M, Preston F E and Triger D R (1990):**
Hepatitis C antibody and chronic liver disease in haemophilia.
Lancet, 335 : 1117.
- * **Mannel D N, Moore R N and Mergenhagen S E (1980):**
Macrophages as a source of tumoricidal activity (tumor necrosis factor).
Infect Immun, 30 : 523.
- * **Mansour M M (1982):**
Serum enzyme tests in hepatosplenic schistosomiasis.
Trans Roy Soc Trop Med Hyg, 76 : 120.
- * **Marcellin P, Boyer N and Giostra E (1991):**
Recombinant human alpha interferon in patients with chronic non-A, non-B hepatitis : a multicenter, randomized controlled trial from France.
Hepatology, 13 : 393

- * **Marmenout A, Fransen L, Tavernier J and Tizard R (1985):**
Molecular cloning and expression of human tumor necrosis factor and comparison with mouse tumor necrosis factor.
Eur J Biochem, 152 : 515.
- * **Martin P, Munoz S J and DiBisceglie A M (1991):**
Recurrence of hepatitis C virus infection after orthotopic liver transplantation.
Hepatology, 13 : 217.
- * **Martiner Y, Yamauchik and Crystal R G (1988):**
Differential expression of the tumor necrosis factor/cachectin gene by blood and lung mononuclear phagocytes.
Am Rev Respir Dis, 138 : 659.
- * **Matsubara O, Nakamura T, Vehara T and Kasuga T (1984):**
Investigations of the pulmonary artery in severe hepatic disease.
J Pathol, 143 : 31.
- * **Matthews N (1981):**
Tumor necrosis factor from the rabbit. Synthesis in vitro by mononuclear phagocytes from various tissues of normal and BCG-injected rabbits.
Br J Cancer, 44 : 418.
- * **Matthews N (1983):**
Effect on human monocyte killing of tumor cells of antibody raised against an extracellular monocyte cytotoxin.
Immunol, 48 : 321.
- * **Matthews N and Watkins J F (1984):**
Tumor necrosis factor from the rabbit. Mode of action, specificity and physicochemical properties.
Br J cancer, 38 : 302.
- * **Maury C P, Salo E and Pelkonen P (1988):**
Circulating interleukin 1 in patients with Kawasaki disease.
N Engl J Med, 319 : 1670.
- * **Maury CP, Salo E and Pelkonen P (1989):**
Elevated circulating tumor necrosis factor- α in patients with Kawasaki disease.
J Lab Clin Med, 113 : 651

- * **Maury C P and Teppo A M (1987):**
 Raised serum levels of cachectin/tumor necrosis factor in renal allograft rejection
 J Exp Med, 166 : 1132.
- * **May L T, Heifgott D C and Sehgal P B (1986) :**
 Anti- β interferon antibodies inhibit increased expression of HLA-B7 in tumor necrosis factor-treated human fibroblast. Structural studies of the β_2 interferon involved.
 Proc Nati Acad Sci USA, 83 : 8957.
- * **Maynard J E (1980):**
 In Maxcy -Rosenau Public Health and Preventive Medicine 11th ed
 Appleton-Century-Crofts/New york, P 152.
 Quoted from Mackay I R (1983):
 Immunological aspects of chronic active hepatitis.
 Hepatology, 3 : 724.
- * **McDonald C and Barbara J (1988):**
 Med Lab Sci, 45 : 277.
 Quoted from pamphlet of immuno/ hepa-quik test, immunostics co.,inc
- * **McIntosh R M, Koss Mn and Gocke D J (1976):**
 The nature and incidence of cryoproteins in hepatitis B antigen (HBs Ag) positive patients.
 Quart J Med, 45 : 23.
- * **McLaren D J and Hockley D F (1977):**
 Blood flukes have a double outer membrane.
 Nature, 269 : 147.
- * **McLaughlin P J, Davies H M and Aikawa A (1990):**
 Tumor necrosis factor in normal plasma.
 Lancet, 336 : 1014.
- * **McMahon B J, Rhoades E R and Heyward W L (1987):**
 A comprehensive programme to reduce the incidence of hepatitis B virus infection and its sequelae in Alaskan natives
 Lancet, ii : 1134.
- * **Melbye M, Biggar R J and Wantzin P (1990):**
 Sexual transmission of hepatitis C virus: A study among European homosexual men.
 Br Med J, 401 : 210.

- * **Meliconi R, Uguccioni M, Lalli E, Nesci S and Delfini C (1992):**
Increased serum concentrations of tumor necrosis factor in β thalassaemia: Effect of bone marrow transplantation.
J Clin Path, 45 : 61.
- * **Mestan J, Digeel W and Mitnachts S (1986):**
Antiviral effects of recombinant tumor necrosis factor in vitro.
Nature, 323 : 816.
- * **Michalek S M, Moore R N, Mc Ghee J R, Rosenstreich D L and Mergonhagen S E (1980):**
The primary role of lymphoreticular cells in the mediation of host responses to bacterial endotoxin.
J Infect Dis, 141 : 55.
- * **Michel M L and Tiollais P (1987):**
Structure and expression of the hepatitis B virus genome.
Hepatology, 7 : 615.
- * **Mieli G, Vergani D, and Jenkins P J (1979):**
Lymphocyte cytotoxicity to autologous hepatocytes in HBs Ag negative chronic active hepatitis.
Clin Exp Immunol 38 : 16.
- * **Milich D R, Leroux-Roels G G, Louie R E and Chisari F V (1984):**
Genetic regulation of the immune response to hepatitis B surface antigen.
J Exp Med, 159 : 41.
- * **Miller R H and Purcell R H (1990):**
Hepatitis C virus shares aminoacid sequence similarity with pestiviruses and flaviviruses as well as members of two plant virus subgroups.
Proc Natl Acad Sci, 87 : 2057.
- * **Millward-Sadler G H, Hahn E G and Wright R (1986):**
Cirrhosis: an appraisal. In: Liver and biliary disease. Wright R, Millward-Sadler GA, Albertk G and Karran S (eds). Bailliere Tindall, London, P 821.
- * **Miossec P, Cavender D and Ziff M (1989):**
Production of interleukin 1 by human endothelial cells.
J Immunol, 136 : 2486.

- * **Mock D M, Perman J A and Thaler M M (1983):**
Chronic fructose intoxication after infancy in children with hereditary fructose intolerance: a cause of growth retardation.
N Engl J Med, 309: 764.
- * **Mondelli M and Eddleston A L F (1984):**
Mechanisms of liver cell injury in acute and chronic hepatitis B.
Semin Liver Dis, 4 : 47, 1984.
- * **Mondelli M, Mell-Vergani G and Alberti A (1982):**
Specificity of T lymphocyte cytotoxicity to autologous hepatocytes in chronic hepatitis B virus infection. Evidence that T cells are directed against HBV core antigen expressed on hepatocytes.
J Immunol, 129 : 2773.
- * **Montano L, Aranguibel F and Boffill M (1983):**
An analysis of the composition of the inflammatory infiltrate in autoimmune and hepatitis B virus-induced chronic liver disease.
hepatology, 3 : 292.
- * **Moss B, Smith G L and Gerin J L (1984):**
Live recombinant Vaccinia virus protects chimpanzees against hepatitis B .
Nature, 311 : 67.
- * **Mousa H A, El-Rauby A and El-Garem A (1960):**
Tropical medicine and infectious disease.
Modern Cairo Bookshop, Cairo,P4.
Quoted from Ibrahim Ay (1991):
Immunological assessment of children with chronic liver disease.
MD Thesis, Pediatrics, Benha Faculty of Medicine, Zagazig University.
- * **Mowat A P (1987):**
Chronic hepatitis .In:Liver Disorders in Childhood. Mowat AP (ed),
2nd ed., Butterworths, London and Boston, P 225.
- * **Murch T J and Mac Donald A L (1990):**
Specific assays for cytokine production by T cells.
Lancet, 336 : 687
- * **Murray H W, Rubin By, Masur H and Roberts R B (1988):**
Impaired production of lymphokines and immune (gamma) interferon in acquired immunodeficiency syndrome.
N Eng J Med, 310 : 883.

- * *Muto Y, Ciasson J and Ogawa M (1988):*
Enhanced tumor necrosis factor and interleukin in fulminant hepatic failure.
Lancet, ii : 72.
- * *Nash T E, Cheever A W, Ott esen E A and Cook J A (1982):*
Schistosome infections in humans: Perspective and recent findings
Ann Inter Med, 97 : 740.
- * *Natus H C (1980):*
The beneficial effects of bacterial infections on host resistance to cancer: end results in 449 cases.
Cancer Res, 10 : 535.
- * *Naumov N V, Mandelli M and Alexander G J M (1984):*
Relationship between expression of hepatitis B virus antigen in isolated hepatocytes and autologous lymphocyte cytotoxicity in patients with chronic hepatitis B virus infection.
Hepatology, 4 : 63.
- * *Nawroth P P and Stern D M (1986):*
Modulation of endothelial cell hemostatic properties by tumor necrosis factor.
J Exp Med, 163 : 740
- * *Nedwin G E, Svedersky L P, Bringman T S, Palladino M S and Goeddel D V (1985):*
Effect of interleukin 2, interferon- γ and mitogens on the production of tumor necrosis factor α and β .
J Immunol, 135 : 2492.
- * *Neurath A, Kent S B H and Strick N (1984):*
Location and chemical synthesis of a pre-s coded immunodominant epitope of hepatitis B virus.
Science, 224 : 392.
- * *Nishioka K, Watanabe J and Furuta S (1991):*
A high prevalence of antibody to the hepatitis C virus in patients with hepatocellular carcinoma in Japan.
Cancer, 67 : 429.
- * *Odiever M, Maggiore G and Homberg J C (1983):*
Seroimmunologic classification of chronic hepatitis in 57 children.
Hepatology, 3 : 407.

- * **Ogata N, Aiter H J and Miller R H (1991) :**
Nucleotide sequence and mutation rate of the H strain of hepatitis C virus.
Proc Natl Acad Sci, 88 : 3392.
- * **Ohto H, Lin H H and Kawana T (1987):**
Intrauterine transmission of hepatitis B virus is closely related to placental leakage.
J Med virol, 21 : 1.
- * **Old LJ (1985):**
Tumor necrosis factor (TNF).
Scienc, 230 : 630.
- * **O'Malley W E, Achinstein B and Shear M J (1962):**
Action of bacterial polysaccharide on tumors. Damage of sarcoma 37 by serum of mice treated with *Serratia marcescens* polysaccharide, and induced tolerance.
J NCI, 29 : 1169.
Quoted from Jones A, Selby P J, Viner C, Hobbs S, Gore M E and McElwain T J (1990):
Tumor necrosis factor, cholestatic jaundice, and chronic liver disease.
Gut, 31 : 938.
- * **Omata M (1990):**
Significance of extrahepatic replication of hepatitis B virus.
Hepatology, 12 : 364.
- * **Omata M, Ehata T and Yokosuka O (1991):**
Mutations in the pre-core region of hepatitis B virus DNA in patients with fulminant and severe hepatitis.
N Engl J Med, 324 : 1699.
- * **Omata M, Imazeki F, Y, Uchimi K, Mori J and Okuda K (1985):**
Recombinant leukocyte A interferon treatment in patients with chronic hepatitis B virus infection. Pharmacokinetics, tolerance and biologic effects.
Gastroenterology, 88 : 870.
- * **Oren I, Hershow R C and Ben-Porath E (1989):**
A common source outbreak of fulminant hepatitis B in a hospital.
Ann Intern Med, 110 : 691.

- * **Ottesen K (1979):**
The host response in human schistosomiasis: proliferative responses to parasite antigens.
J Immunol, 123 : 1683.
- * **Pape G R, Rieder E p and Eisembarg J (1983):**
Involvement of the cytotoxic suppressor T-cell subset in liver tissue injury of patients with acute and chronic liver diseases.
Gastroenterology, 85 : 657.
- * **Patel A, Sher Look S and Dusheiko G (1991):**
Clinical course and histological correlations in post-transfusion hepatitis C.
Eur J Gastroenterol, 3 : 491.
- * **Pelley RP, Pelley RJ, Hamburger J, Peters P A and Warren K S (1976):**
Schistosoma mansoni soluble egg antigens: Identification and purification of three major antigens and the employment of radioimmune assay for their further characterization .
J Immunol, 117 : 1553.
- * **Pennica D, Nedwin G E, Hayflick J S, Seeburg P H, Derynck P H, Derynck R and Goeddel D V (1984):**
Human tumor necrosis factor: Precursor structure, expression and homology to lymphotoxin.
Nature, 312 : 724.
- * **Perlmutter D H, Dinarello C A, Pumsol PI and Colter H R (1986):**
Cachectin/ tumor necrosis factor regulates hepatic acute-phase gene expression.
J Clin Invest, 78 : 1379.
- * **Peters P A, El-Alamy M., Warren K S and Mahmoud A A F (1980):**
Quick kato smear for quantification of Schistosoma mansoni eggs.
Am J Trop Med Hyg, 29 (2) : 217.
- * **Phillips S M, Reid W A, Daughy B L and Bently G A (1980):**
The immunologic modulation of morbidity in schistosomiasis.
Am J Trop Med Hyg, 29 : 829.

- * **Purcell R H and Ticehurs J R (1988):**
Enterically transmitted non-A, non-B hepatitis: epidemiology and clinical characteristics. In: Viral hepatitis and liver disease. Zucherman A J, ed. New York, Alan R Liss, P 131.
- * **Quiroga J A, Campillo M L and Catillo I (1991):**
IgM antibody to hepatitis C virus in acute and chronic infections. Hepatology, 14 : 38.
- * **Regenstein F G, Roodman S T and Perrillo R P (1983):**
Immunoregulatory T cell subsets in chronic hepatitis B virus infection
The influence of homosexuality.
Hepatology, 3 : 951.
- * **Reichard O, Andersson J and Schvarcz R (1991):**
Ribavirin treatment for chronic hepatitis C.
Lancet, 337 : 1058.
- * **Reinus J, Lelkin E Z and Alter H (1991):**
Vertical transmission of hepatitis C virus.
Gastroenterology, A : 789.
- * **Reitman S and Frankel S (1957):**
Am J Clin Path, 28 : 56.
Quoted from pamphlet of Test-Combination
GpT& GOT, Boehringer Mannheim GmbH Diagnostica, 1990.
- * **Reyes G R, Purdy M A and Kim J P (1990):**
Isolation of a cDNA from the virus responsible for enterically transmitted non-A,non-B hepatitis
Science,247 : 1335.
- * **Ribeirs M A G and Nelto C F (1981):**
T lymphocyte functions in schistosomiasis.
Rev Inst Med Trop, 23 (3) : 111
- * **Rieder H, Ramadori G and Dienes H P (1987):**
Sinusoidal endothelial cells from guinea pig liver synthesize and secrete cellular fibronectin in vitro.
Hepatology, 7 : 856.
- * **Rimola A, Soto R and Bory F (1984):**
Reticuloendothelial system phagocytic activity in cirrhosis and its relation to bacterial infections and prognosis.
Hepatology, 4 : 53.

- * **Rizzetto M (1983):**
The delta agent.
Hepatology, 3 : 729.
- * **Rizzetto M, Shih J w and Gocke D J (1979):**
Incidence and significance of antibodies to delta antigen in hepatitis B virus infetion.
Lancet, ii : 986.
- * **Rizzetto M, Verme G and Recchia S (1983):**
Chronic hepatitis in carriers of hepatitis B surface antigen with intrahepatic expression of delta antigen: An active and progressive disease unrsponsive to immunosuppressive treatment.
Ann Intern Med, 98 : 436.
- * **Robinson W S, Miller R H and Marion P L (1987):**
Hepadnaviruses and retroviruses share genome homology and features of replication.
Hepatology, 7 : 645.
- * **Rocklin R E, Brown A P and Warren K S (1980):**
Factors that modify the cellular-immune response in patients infected by Schistosoma mansoni.
J Immunol, 125 : 1916.
- * **Rojkind M and Dunn M A (1979):**
Hepatic fibrosis.
Gastroenterology, 76 : 849.
- * **Rojkind M, Giambone M A and Biempica L (1979):**
Collagen types in normal and cirrhotic liver.
Gastroenterology, 76 : 710.
- * **Roodman G D, Lin L, Bird A and Montgomery W (1986):**
Effects of tumor necrosis factor on hematopoietic cells.
Blood, 68 : 168.
- * **Rosenau W, Goldberg M L and Burke G C (1973):**
Early biochemical alterations inducrd by lymphotoxin in target cells.
J Immunol, 111 : 1128.

- * ***Rosina F, Pintus C and Meshievtz C (1991):***
A randomized controlled trial of a 12-month course of recombinant human interferon-alpha in chronic delta (type D) hepatitis:
a multicenter Italian study.
Hepatology, 13 : 1052.
- * ***Rouzer C A and Cerami A (1980):***
Hypertriglyceridemia associated with *Trypanosoma brucei* infection in rabbits : role of defective triglyceride removal.
Mol Biochem Parasitol, 2 : 31.
- * ***Rubin B Y, Anderson S L and Sullivan S A (1986).***
Non hematopoietic cells selected for resistance to tumor necrosis factor produce tumor necrosis factor.
J Exp Med, 164 : 1350.
- * ***Rudolph R, McClure W J and Woodward M (1979):***
Contractile fibroblasts in chronic alcoholic cirrhosis.
Gastroenterology, 76 : 704.
- * ***Sadun E H, Von Lichtenberg F and Cheever A W (1970):***
Schistosomiasis mansoni in the chimpanzee. the natural history of chronic infections after single and multiple exposures.
Am J Trop Med Hyg, 19 : 258.
- * ***Saez Royuela F, Porres J C and Moreno A (1991):***
High doses of recombinant alpha-interferon or gamma-interferon for chronic hepatitis C : a randomized, controlled trial.
Hepatology, 13 : 327.
- * ***Sagnelli E, Thomas H C and Vades M A (1978):***
Dane particles associated with hepatitis B core antigen in patients with HBs Ag positive chronic hepatitis.
Gastroenterology, 75 : 864.
- * ***Saklatvala J (1986):***
Tumor necrosis factor alpha stimulates resorption and inhibits synthesis of proteoglycan in cartilage.
Nature, 22 : 547.
- * ***Sanders G E and Perrillo R P (1985):***
Suppression of T helper function : an immunoregulatory effect of rosette inhibitory factor in hepatitis B virus infection.
Hepatology, 5 : 392.

- * **Sato N, Goto T and Harana K (1986):**
 Actions of tumor necrosis factor on cultured vascular endothelial cells :
 morphologic modulation, growth inhibition and cytotoxicity.
 J NCI, 76 : 1113.
- * **Satoh M, Tnagawa H and Shimada L (1987):**
 Endogenous production of tumor necrosis factor in normal mice and human
 cancer patients by interferons and other cytokines combined with
 biological response modifiers of bacterial origin.
 J Biol Response Mod, 6 : 512.
- * **Schafer D F and Hoofnagle J H (1983):**
 Serological diagnosis of viral hepatitis.
 Viewpoints Digest Dis, 14 : 5.
- * **Schall T J, Lewis M and Koller K J (1990):**
 Molecular cloning and expression of a receptor for human tumor necrosis
 factor.
 Cell, 30 : 147.
- * **Schalm S W, Heytink R A, Van Burgen H R and De-Man R A (1986):**
 Lymphoblastoid alpha-interferon, weekly, daily and combined with
 acyclovir for chronic HBe Ag positive hepatitis.
 J Hepatol, 3 (2) : 189.
- * **Scheuer P J (1979):**
 Chronic hepatitis. In : Pathology of the liver.
 MacSwee R N, Anthony P P and Cheuer P J (eds). Churchill livingstone,
 Edinburgh, London, New York, P 248.
- * **Scheuer P J (1985):**
 Liver biopsy interpretation. 2nd ed. Bailliere, Tindall. London, P 117.
- * **Scheuer P J, Ashrafzadeh P and Sherlock S (1992):**
 The pathology of hepatitis C.
 Hepatology, 15 : 567.
- * **Scheuer P J, Texeira M R and Weller D (1981):**
 Patholgy of active hepatitis A,B and non-A, non-B.
 J Pathol, 134 : 323.

- * **Scheurich P, Thoma B and Ucer U (1987):**
Immunoregulatory activity of recombinant human tumor necrosis factor (TNF- α) : induction of TNF receptors on human T cell and TNF- α mediated enhancement of responses.
J Immunol, 138 : 1786.
- * **Schlichting P, Holund B and Poulson H (1983):**
Liver biopsy in chronic aggressive hepatitis.
Diagnostic reproducibility in relation to size of specimen.
Scand J Gastroenterol, 18 : 27.
- * **Schmidt J A, Mizel SB, Cohen D and Green I (1982):**
Interleukin 1 , a potential regulator of fibroblast proliferation.
J Immunol, 128 : 2177.
- * **Schneider J A, Poley J R and Millunchick E W (1982):**
Papular acrodermatitis (Gianotti-Crosti Syndrome) in a child with anicteric hepatitis B, virus subtype adw.
J Pediatr, 101 : 219.
- * **Scotto J, Ches S L and Houlund B (1983):**
Detection of hepatitis B virus DNA in serum by a simple spot hybridization technique: Comparison with results for other viral markers.
Hepatology, 3 : 279.
- * **Scuderi P, Sterling K E and Iam K S (1986):**
Raised serum levels of tumor necrosis factor in parasitic infections.
Lancet, ii : 1364.
- * **Scully L J, Shein R, Karayannis P, McDonald J A and Thomas H C (1987):**
Lymphoblastoid interferon therapy of chronic HBV infection. A comparison of 12 vs 24 weeks of thrice weekly treatment.
J Hepatol, 5 : 51.
- * **Seckinger P, Isaacs J and Dayer J M (1989):**
Purification and biological characterization of specific tumor necrosis factor alpha inhibitor.
J Biol Chem, 264 : 11966.
- * **Seef L B and Koff R S (1984):**
Passive and active immunoprophylaxis of hepatitis B.
Gastroenterology, 86 : 958.

- * **Selby P, Hobbs S and Viner C (1987):**
Tumor necrosis factor in man : Clinical and biological observations.
Br J Cancer, 56 : 803.
- * **Semb H, Peterson J, Tavernier J and Oliveona T (1987):**
Multiple effects of tumor necrosis factor on lipoprotein lipase in vivo.
J Biol Chem, 262 : 8390.
- * **Shafritz D A and Lieberman H M (1984):**
The molecular biology of hepatitis B virus.
Ann Rev Med, 35 : 2119.
- * **Shah G, Gavalier J S and Demetris A J (1991):**
The effect of the pre-transplant HCV serology and timing, frequency and clinical course of NANB hepatitis in liver transplant recipients.
Gastroenterology, A : 793.
- * **Shear M J and Turner F C (1943)**
Chemical treatment of tumors. Isolation of the hemorrhage-producing fraction from *Serratia marcescens* culture filtrate.
J NCI, 4 : 81
Quoted from Maury C P J, Salo E and Pelkonen P (1989):
Elevated circulating tumor necrosis factor- α in patients with Kawasaki disease.
J Lab Clin Med, 113: 651.
- * **Sher A, Hall B F and Vadas M A (1978):**
Acquisition of murine major histocompatibility complex gene products by schistosomula of *Schistosoma mansoni*.
J Exp Med, 148 : 46.
- * **Sher A and Moser G (1981):**
Immunologic properties of developing schistosmula.
Am J Path, 102 : 121.
- * **Sherlock S (1984) :**
Chronic hepatitis and cirrhosis.
Hepatology, 4 : 255.
- * **Sherlock S (1985):**
Diseases of the liver and biliary system.
7th (ed). Blackwell Scientific Publications. Oxford, London, P 384.

- * **Sherlock S (1989):**
Chronic hepatitis. In: Diseases of the liver and biliary system. Sherlock S (ed). 8th ed. Blackwell Scientific Publications, Oxford, P 339
- * **Sherlock S and Dooley J (1993):**
Diseases of the liver and biliary system. 9th ed., Blackwell Scientific Publications, London, Edinburgh, Boston, P 357.
- * **Sherman M L, Spriggs D R, Arthur K A and Kufe D W (1988):**
Recombinant human tumor necrosis factor administered as a five-day continuous infusion in cancer patients: Phase I toxicity and effects on lipid metabolism.
J Clin Oncology, 6 (2) : 344.
- * **Sheron N, Lau J, Daniels H M, Webster J and Eddleston A F (1990):**
Tumor necrosis factor to treat chronic hepatitis B virus infection.
Lancet, 336 : 321.
- * **Sherwin J W (1984):**
Liver function. In : Clinical chemistry, theory, analysis and correlation. Kaplan L A and Pesce A J (eds.) . Mosby Company , P 435.
- * **Shinazaki T, Saito K and Shirakik (1981):**
HBs Ag-positive giant cell hepatitis with cirrhosis in a 10-month-old infant.
Arch Dis Child , 56 : 64.
- * **Shirari T, Yamaguchi H, Ito H, Todd C W and Wallace R B (1985):**
Cloning and expression in Escherichia coli of the gene for human tumor necrosis factor.
Nature, 313 : 803.
- * **Silva M, Findor A and Roach K (1991):**
Prevalence of HCV infection in stable sexual partners of patients with chronic hepatitis C (CAH-C).
Gastroenterology, A:797.
- * **Silverberg M and Khan EI (1980):**
Chronic liver disease in children . In : Liver and biliary system in infants and children. Chandra RK (ed). Churchill Livingstone, Edinburgh, London and New York, P 177.
- * **Simmonds P, Zhang L Q and Watson H G (1990):**
Hepatitis C quantification and sequencing in blood products, haemophiliacs, and drug users.
Lancet, 336 : 1469.

- * **Smedile A, Rosina F and Saracco G (1991):**
Hepatitis B virus replication modulates pathogenesis of hepatitis D virus.
Hepatology, 13 : 413.
- * **Smetana H F and Olen E (1972):**
Hereditary galactose disease.
Am J Clin Pathol, 93 : 3.
- * **Smith M A, Clegg J A and Snary D (1984):**
Monoclonal antibodies demonstrate schistosomula.
Trans R Soc Trop Med Hyg, 78 : 187.
- * **Smith J L, Hoff R and Saitok (1976):**
Studies of the "e" antigen in acute and chronic hepatitis.
Gastroenterology, 71 : 208.
- * **Smith C I, Weissberg J, Bernhardt L, Gregory P B, Robinson W S and Merigon T C (1983):**
Acute Dane particle suppression with recombinant leukocyte A interferon in chronic type B virus infection.
J Infect Dis, 148 : 907.
- * **Sobhi F S, Safouh M and Aboul Hassan A (1981):**
Immune response in schistosomiasis.
J Cairo Univ, 49 (3) : 309.
- * **Soloway R D, Summerskill W J H and Baggenstoss A H (1972):**
Clinical, biochemical and histological remission of severe chronic active liver disease : a controlled study of treatment and early prognosis.
Gastroenterology, 68 : 820.
- * **Steffen M, Ottmann O G and Moore M A (1988):**
Simultaneous production of tumor necrosis factor- α and lymphotoxin by normal T cells after induction with IL-2 and anti-T3.
J Immunol, 140 : 2621
- * **Sternlieb I and Scheinberg I H (1972):**
Chronic hepatitis as a first manifestation of Wilson's disease.
Ann Intern Med, 76 : 59.
- * **Stevens C E, Taylor P E and Pindyck J (1990):**
Epidemiology of hepatitis C virus. A preliminary study in volunteer blood donors.
JAMA, 263 : 49.

- * ***Stevens C E, Taylor P E and Tong M J (1987):***
Yeast-recombinant hepatitis B vaccine. Efficacy with hepatitis B immune globulin in prevention of perinatal hepatitis B virus transmission.
J A M A, 257 : 2612.
- * ***Stevens C E, Toy P T and Tong M J (1985):***
Perinatal hepatitis B virus transmission in the United States. Prevention by passive-active immunization.
J A M A, 253 : 1740.
- * ***Suchy J F (1990):***
Chronic hepatitis. In : Liver biopsy interpretation . Zimmerman HJ and Mullick FG (eds), 4th ed , London, Baillier Tindall, P 237.
- * ***Sugarman B J, Aggarwal B B and Hass P E (1985):***
Recombinant tumor necrosis factor-alpha: Effects on proliferation of normal and transformed cells in vitro.
Science, 230 : 943.
- * ***Takahashi S, Dunn M A and Seifter S (1980):***
Liver collagenase in murine schistosomiasis.
Gastroenterology, 78 : 1825.
- * ***Takeda K, Akahane Y and Suzuki H (1990):***
Defects in the precore region of the HBV genome in patients with chronic hepatitis B after sustained seroconversion from HBe Ag to anti-HBe induced spontaneously or with interferon therapy.
Hepatology, 12 : 1284.
- * ***Tanner S (1989).***
Chronic hepatitis. In: Pediatric hepatology. 1st ed.
Churchill livingstone, Edinburgh, P 165.
- * ***Taverne J, Matthews N, Depledge P and Playfair J H L (1984):***
Malarial parasites and tumor cells are killed by the same component of tumor necrosis.
Clin Exp Immunol, 57 : 293.
- * ***Taverne J, Rayner D C and Van der Meide P H (1987):***
Cytotoxicity of tumor necrosis factor for thyroid epithelial cells and its regulation by interferon.
Eur J Immunol, 17 : 1855.

- * **Tedder R S, Gilson R J C and Briggs M (1991):**
Hepatitis C virus : evidence for sexual transmission.
Br Med J, 303 : 1299.
- * **Teppo A M and Maury S (1987):**
Radioimmunoassay of tumor necrosis factor in serum.
Clin Chem, 33 : 2024.
- * **Terashita Z, Imura Y, Nishikawa K and Sumida S (1985):**
Is platelet activating factor (PAF) a mediator of endotoxic shock ?
Eur J Pharmacol, 103 : 257.
- * **Thaler M M, Parkk C K and Landers D V (1991):**
Vertical transmission of hepatitis C virus.
Lancet, 338 : 17.
- * **Theofilopoulos A U and Dixon I J (1980):**
Immune complexes in human diseases.
Am J Pathol, 100 : 531.
- * **Theologides A (1986):**
Anorexins, asthenins and cachectins in cancer.
Am J Med, 81 : 696.
- * **Thomas H C (1987):**
non-A, non-B hepatitis.
Quarterly J Med, 65 : 793.
- * **Thomas S E, De cock K M and Raja R S (1984):**
Comparison of barium swallow and fiberoptic oesophagoscopy for
diagnosis of oesophageal varices in Nairobi, Kenya.
Trop Med, 14 : 76
- * **Thomas H C and Lok A S F (1984):**
The immunopathology of autoimmune and hepatitis B virus induced chronic
hepatitis.
Semin Liver Dis, 4 : 36.
- * **Thomas H C and Manjardino J (1984):**
The natural history of hepatitis B virus infection: Impact of molecular
biology.
Recent advances in Medicine, 19 : 1.

- * **Thomas H C, Pignate M, Goodall A, Waters J and Brown D (1986):**
Immunological mechanisms of cell lysis in hepatitis B virus infection. In:
"Viral hepatitis and liver disease ". Byas G N, Dienstag J L and Hoofnagle J
F (eds). Grune and Stratton, New York, P 167.
- * **Thomas H C, Ryan C J and Benjamin I S (1979):**
The immune response in cirrhotic rats: the induction of tolerance to orally
administered protein antigens
Gastroenterology, 71 : 114.
- * **Tong J M (1982):**
Chronic hepatitis. In: Hepatology text book of liver diseases. Zakim R and
Boyer M (eds). W.B. Saunders Company, Philadelphia,
London, Toronto, Mexico City, P 972.
- * **Tong M J, Sampliner R E and Govindarajan S (1987):**
Spontaneous reactivation of hepatitis B in Chinese patients with HBs
Ag-positive chronic active hepatitis.
Hepatology, 7 : 713.
- * **Tong M J, Thursby M and Rakela J (1981)**
Studies on the maternal-infant transmission of the viruses which cause
acute hepatitis.
Gastroenterology, 80 : 999.
- * **Torti F M, Diechmann B, Beutler B and Cerami A (1985):**
A macrophage factor inhibits adipocyte gene expression: an in vitro model
of cachexia.
Science, 229: 876.
- * **Tracey K J, Beutler B and Lowry S F (1986):**
Shock and tissue injury by recombinant human cachectin.
Science, 234 : 470.
- * **Tracey K J, Vlassara H and Cerami A (1989):**
Cachectin / tumor necrosis factor.
Lancet, i : 1122.
- * **Tracey K J, Wei H and Manogue K R (1988):**
Cachectin /tumor necrosis factor induces cachexia, anemia and
inflammation.
J Exp Med, 167 : 1211.

- * **Trepo C G, Pot KH and Hansson B G (1976):**
Detection of e-antigen and antibody: correlations with hepatitis B surface and hepatitis B core antigens, liver disease, and outcome in hepatitis B infections.
Gastroenterology, 71 : 804.
- * **Trevisan A, Realdi G and Alberti A (1982):**
Core antigen specific immunoglobulin G bound to the liver cell membrane in chronic hepatitis B.
- * **Triger D R and Wright R (1973):**
Hyperglobulinaemia in liver disease.
Lancet, i : 1464.
- * **Trinchieri G, Kobayashi M, Rosen M, Loudon R and Murphy M (1986):**
Tumor necrosis factor and lymphotoxin induce differentiation of human myeloid cell lines in synergy with immune interferon.
J Exp Med, 164 : 1206.
- * **Tsuda I, Naito S and Takar E (1985):**
Low molecular weight (7S) immunoglobulin M antibody against hepatitis B core antigen in the serum is differentiating acute from persistent hepatitis B infection.
Gastroenterology, 87 : 159.
- * **Tsujimoto M, Yip YK and Vilcek J (1985):**
Tumor necrosis factor specific binding and internalization in sensitive and resistant cells.
Proc Natl Acad Sci USA, 82 : 7626.
- * **Ueno A L, Alter H J, Wong D and Farci P (1992):**
Interferon therapy in chronic hepatitis type C.
Gastroenterology, 102 : 1306.
- * **Ulrich P P, Romeo J M and Lane P K (1990):**
Detection, semiquantitation, and genetic variation in hepatitis C virus sequences amplified from the plasma of blood donors with elevated alanine aminotransferase.
J Clin Invest, 82 : 1609.
- * **Urban J L, Shepard H M, Rothstein J L and Sugarman B J (1986):**
Tumor necrosis factor: a potent effector molecule for tumor cell Killing by activated macrophages.
Proc Natl Acad Sci USA, 83:5233.

- * **Van Damme J, De Ley M Opdenakker G and Billiau A (1985):**
Homogeneous interferon-inducing 22k factor is related to endogenous pyrogen and interleukin-1.
Nature, 314 : 266.
- * **Van Der Poel C L, Cuypers H T M and Reesink H W (1991):**
Confirmation of hepatitis C virus infection by new four-antigen recombinant immunoblot assay.
Lancet, 338 : 317.
- * **Vegnente A, Lancher V F and Mowat A P (1984):**
Duration of chronic active hepatitis and the development of cirrhosis.
Arch Dis Child, 59 : 330.
- * **Vento S, Hegarty J E and Bollazzo G (1984):**
Antigen specific suppression cell function in autoimmune chronic active hepatitis.
Lancet, I : 1200.
- * **Vergani H C, Mantanol, Good all A, De-Koning R and Widmen K H (1982):**
Immunological mechanisms in chronic hepatitis B Virus infection.
Hepatology, 2 : 116.
- * **Vergani G M and Mowat A P (1988):**
Infectious and drug induced acute liver damage. In: Harries pediatric gastroenterology. Milla P P and Muller D P (eds). 2nd ed.
Churchill livingstone, Edinburgh. P. 436.
- * **Verme G, Amoroso P and Lettieri G (1986):**
A histological study of hepatitis delta virus liver disease
Hepatology, 6 : 1303.
- * **Vilcek J, Palombella V J, Henriksen-Destefano D, Swenson C and Feinman R (1986):**
Fibroblast growth enhancing activity of tumor necrosis factor and its relationship to other polypeptide growth factors.
J Exp Med, 163 : 632.
- * **Viola L A, Barrison I G and Coleman J C (1981):**
Natural history of liver disease in chronic hepatitis B surface antigen carriers.
Lancet, ii : 1156.

- * *Vischer T L (1970):*
Australia antigen and autoantibodies in chronic hepatitis.
Br Med J, 2 : 695.
- * *Vogel S N, Moore R N, Sipe J D and Rosemstreich D L (1980):*
BCG- induced enhancement of endotoxin sensitivity in C3H/He J mice. In vivo studies.
J Immunol, 124 : 2004.
- * *Voget L A, Fawas K A, Johnston D E and Towell B L (1991):*
Cachectin and other hormonal factors.
Gastroenterology, 100 : 567.
- * *Voller A and De Savigny D (1988):*
Diagnostic serology of tropical parasitic diseases.
J Immunol Meth, 46 : 29.
- * *Waage A, Halstensen A and Espevik T (1987):*
Association between tumor necrosis factor in serum and fatal outcome in patients with meningococcal disease.
Lancet, 14 : 355.
- * *Wahl S M and Wahl L M (1981):*
Modulation of fibroblast growth and function by monokines and lymphokines. In: Lymphokine. Pick E (ed), Vol 2, New York.
Academic Press, P 179.
- * *Waked I, Amin M, Abd-EL Fattah M, Osman L and Sabbour I N (1988):*
Interferon in chronic active hepatitis B preliminary results.
Chemioterapia, 7 (3) : 198.
- * *Wands J R, Perrotto J L and Alperte (1985):*
Cell- mediated immune mechanisms in hepatitis.
J Clin Invest , 55 : 921.
- * *Wang K S, Choo Q L and Weiner A J (1986):*
Structure, sequence and expression of the hepatitis delta viral genome.
Nature, 323 : 508.
- * *Wang A M, Creasey A A, Lander M B, Lin L S Strickler J, Yamamoto and Mark D F (1985):*
Molecular cloning of the complementary DNA from human tumor necrosis factor.
Science, 228 : 149.

- * **Warren K S (1979):**
The pathogenesis of hepatosplenic schistosomiasis. In : Progress in liver disease. Schaffner F (ed), Vol VI, New York, Grune and Stratton, P 439.
- * **Warren K S (1983):**
Schistosomiasis. In: Oxford textbook of medicine. Weatherall D J, Ledingham J G G and Warrell D A (eds). Oxford University Press, P 449.
- * **Warren K S, Reboucas G and Baptitisa A G (1985):**
Ammonia metabolism and hepatic coma in hepatosplenic schistosomiasis patients studied before and after portocaval shunts. Ann Intern Med, 62 : 1113.
- * **Weinberg J B and Athens J W (1993):**
The mononuclear Phagocyte system. In : Wintrobe's clinical hematology. Lee G R, Bithe T C, Foerster J, Athens J W and Lukens J N (eds), 9th ed., volume 1, Lea and Febiger, Philadelphia, London, P 267.
- * **Weiner A J, Kuo G and Bradley D W (1990):**
Detection of hepatitis C viral sequences in non-A, non-B hepatitis. Lancet, 335 : 15.
- * **Weisfuse I B, Hadler S C and Fields H A (1989):**
Delta hepatitis in homosexual men in the United States. Hepatology, 9 : 872.
- * **Weissberg J I, Andres L L and Smith C I (1984):**
Survival in chronic hepatitis B: An analysis of 379 patients. Ann Intern Med, 101 : 613.
- * **Weller I V, Bassendine M F and Murray A (1982):**
The effects of prednisolone azathioprine in chronic hepatitis B viral infection . Gut, 23 : 650.
- * **Widemann K H, Bartholemew T C and Brown D J C (1984):**
Liver membrane antibodies detected by immunoradiometric assay in acute and chronic virus induced and autoimmune liver disease. Hepatology, 4 : 199.
- * **Wilkinson S P, Portmann B and Cochrane A M (1978):**
Clinical course of chronic lobular hepatitis. Quarterly J Med, 47 : 421.

- * **Wong G H W and Goeddel D V (1986):**
Tumor necrosis factor- α and β inhibit virus replication and synergize with interferons.
Nature, 323 : 819.
- * **Wong V C W, Ip H M A and Reesink H W (1984):**
Prevention of the HBs Ag carrier state in newborn infants of mothers who are chronic carriers of HBs Ag and HBe Ag by administration of hepatitis-B vaccine and hepatitis-B immunoglobulin.
Lancet, i : 921.
- * **Wonke B, Hoffbrand A V and Brown D (1990):**
Antibody to hepatitis C virus in multiple transfused patients with thalassemia major.
J Clin Pathol, 43 : 638.
- * **Wright R (1970):**
Australia antigen and smooth muscle antibody in acute and chronic hepatitis.
Lancet, i : 521.
- * **Wright R (1980):**
Type B hepatitis, progression to chronic hepatitis.
Clin Gastroenterol, 9 (1) : 97.
- * **Wright S C and Bonavida B (1987):**
Studies on the mechanism of natural killer cell-mediated cytotoxicity. Functional comparison of human natural killer cytotoxic factors with recombinant lymphotoxin and tumor necrosis factor.
J Immunol, 138 : 1791.
- * **Wu J S, Ko Y C and Lio W T (1988):**
Hepatitis B virus type 2.
Lancet, 1 : 990.
- * **Wu Tc, Tong M J and Hwang B (1987):**
Primary hepatocellular carcinoma and hepatitis B infection during childhood.
Hepatology, 7 : 46.
- * **Wyller D J, Standecker M J, Dinarello C A and O'Kea J F (1984):**
Fibroblast stimulation in schistosomiasis. Egg granuloma macrophages spontaneously secrete a fibroblast-stimulating factor.
J Immunol, 132 (6) : 3142.

- * ***Yamazaki S, Onishi E, Enamik and Natori K (1986):***
Japan J Med Sci Biol, 39 : 105.
Quoted from pamphlet of ELISA kit for TNF- α , Genzyme.
- * ***Yokota S, Geppert T and Lipsky P E (1988):***
Enhancement of antigen-and mitogen-induced human T lymphocyte proliferation by tumor necrosis factor- α .
J Immunol, 140 : 531.
- * ***Yonemaru M, Stephens K, Ishizaka A and Zheng H (1989):***
Effect of tumor necrosis factor on PMN chemotaxis, chemiluminescence, and elastase activity.
J Lab Clin Med, 114 (6) : 674.
- * ***Yoshine O, Kanamori T and Ono Y (1981):***
Quantitative analysis of specific B cells for sheep red blood cells, phosphoryl choline and hepatitis B surface antigen in human B cell populations by polyclonal transformation with Epstein-Barr virus.
Gastroenterology, 81 : 992.
- * ***Yoshioka K, Kakumu S and Arao M (1989):***
Tumor necrosis factor- α production by peripheral blood mononuclear cells of patients with chronic liver disease.
Hepatology, 10 (5) : 769.
- * ***Yoshioka K, Kumu S and Murami H (1984):***
Interleukin-2 activity in chronic active disease: response by T cells and in the autologous mixed lymphocyte reaction.
Clin Exp Immunol, 56 : 668.
- * ***Zaulek G, Lorbeer B and Jilg W (1984):***
Evaluation of a reduced dose of hepatitis B vaccine administered intradermally.
J Med Virol, 14 : 27.
- * ***Ziegler E J, Fisher C J and Sprung C L (1991):***
Treatment of Gram-negative bacteremia and septic shock with HLA-1A human monoclonal antibody against endotoxin.
N Engl J Med. 324 : 429.
- * ***Zuckerman A J (1992):***
Hepatitis E Virus: the main cause of enterically transmitted non-A, non-B hepatitis.
B M J, 300 : 1475.

- * *Zwingenberger K, Irschick E and Vergetti Siquerira A R (1990):*
Tumor necrosis factor in hepatosplenic schistosomiasis.
Scand J Immunol, 31 : 205.