

Addison, G.M., Beanish,, M.R. Hales, C.N., Hodgkins, M., Jacobs, A. and lewellin, p. (1972):

Animinuo-radiometric assay for firritin in the serum of normal subjects and patients with iron deficiency and iron overload. I Clin. Path., 25, 326.

Aisen, P. (1982):

Current Concepts in iron metabolism. Clin Haematol., 11, 241.

Aisen, P. and Brown, E.B. (1977):

The iron binding function of transferrin iron metabolism. Serum Haematol., 14, 31.

Akmenta (1985):

Intrauterine vit. D nutrition & postnatal growth in Asian infants. Brithish medical journal 283:1024.

Allen, C. Weereatne, H. Gale, R. Beverley, P.C.L and Huehns, E.R. (1987): The use of monclonal antibodies UCHB and UCH ϕ for the antenatal diagnosis of β thalassaemia. Br. J. Haematol., 65, 199.

Apte, S.V. and Iyengar, L. (1970):

Absorption of dietary iron in pregnancy. Am. J. Clin. Nutr., 23, 73.

Arbeter, A., Echeverri, L., Franca, D., vetez, H. and Vitale, j.j. (1971):

Nutrition and infection pedeyation proceeding, 30, 1421.

Armenta, R., Tranowski, T., Gibbons, I. and Ullman, E.F. (1985):

Improved sensitivity in homogeneous enzyme immunoassay using
fluorogenic macromolecule substrate: An assay for serum ferritin.
Am. Biochem., 146, 211.

***Aron, J., Baynse, R., Bothwell, T.H., Lyons, G., Graham, B. and
Trance, J.D. (1985):*** Does plasma transferrin regulate iron
absorption. Scan. J. Haematol., 35, 451.

Awai, R. and Brown (1963) The effect of anaemia upon cardiovascular
performance and acid base state of the fetal Rhesus Monkey. Ann. N.Y.
Acad. Sci. 162:225.

Axelsen, N.H. and Bock E (1983):

Scand. J. Immunol. Vol. 17 suppl. 10, 103-106.

Axelsen, N.H. and Bock E. and Larsen, P (1983):

Scand. J. Immunol. Vol. 17 suppl. 10, 87-96.

Babson, A.L. and Kieimmen N.M (1967):

A Source of error in an Auto analyzer determination of serum iron
clinical chemistry 13, 163.

Bain, B.J. (1988):

Screening of antenatal patients in a multiethnic community for B.
thalassaemia trait. J. Clin. Pathol., 41, 481.

Bainton, D.F. and Finch, C.A. (1964):

The diagnosis of iron deficiency anaemia. Am. J. Med., 37, 62.

Bentley, D.P. (1985):

Iron metabolism and anaemia in pregnancy. Clin. Haematol., 14, 613.

Bhargava M, Kumar R (1986): Estimation of ferritin by conventional ELISA and its avidin biotin modification. Indian J Med Res 1986, 84-445-47.

Black, AW, and Barkhan : E.A. (1974):

Errors in the assessment of hemolytic disease from amniotic fluid. Am. J. obstet. & Gynecol., 82:1359 (1974).

Boltan, F.G., Street, M.J. and Pace, A. J (1982):

Changes in erythrocyte volume and shape in pregnancy. Br, I, obstet gynaecol., 89, 1018.

Boothwell, T.H., Charlton, R.W., Look, J.D. and Finch, C.A. (1979):

Iron nutrition In iron metabolism in man. Oxford, London, Edinburg, Melbourne, Black well scientific publications. pp. 576.

Boothwell TH, Pribilla WF, Mebuat W, Finch CA. (1958): Iron metabolism in the pregnant rabbit iron transport across the placenta. Am J Physiol 1958, 193:615.

Briggs, M and Stamford, M., (1969):

Oral contraceptives and blood iron lancet ii, 742.

Britton, G.J.C (1969):

Whitby and Britton Disorders of the blood. J. and A. Churchill
Ltd. 104 Gloucester Place. London. pp. 690-791.

Brown, P.J., Johnaon., Ogbimi, A.O. and Tappin, J.A. (1979):

Characterization and localization of human placental ferritin
Biochem. I., 182, 763.

Browne, J.C. Mec. and Dixon, G. (1980):

Browne's Antenatal care 11 th edition churchill living stone, PP.
325-336.

Buffone, G.J. Lewis, S.A., Iosefsohn, M.and HICKES, J.M. (1978):

Chemical and immunochemical measurement of total iron binding
capacity compared. Clin. Chem. 24, 1988.

***Buhi, W.C., Ducsay, C.A., Baratol, F.F., Bazerand Roberts, R.M
(1983):***

A function of the allanotic sac in methobolism of utero ferrin and
maternal iron by the fetal pig. Placenta. 4. 455.

Bultere. J.L, (1975):

Humoral regulation of vit B12 absorption by pregnant mouse
small intestine Gastroenterology 72:881-885 1975.

Burman D (1974):

Iron metabolism in infancy and child hood iron in Biochemistry
and medicine P. 543 ED. by A. Jacobs and M woriwood Academic
press, London and New York.

Burrows, S. (1967):

Comparison of method designed to measure transferrin and iron binding capacity of serum. *Am. J. Clin Path.*, 47, 326.

Cantarow V.Y and Tramper P. (1962):

The influence of maternal iron deficiency anaemia on haemoglobin of the infant. *Archives of Disease in childhood* 36, 205-209.

Cao, A., Pirastu, M. and Rosatelli, C. (1986):

The Prenatal diagnosis of thalassaemia. *Br. J. Haematol.*, 63, 215.

Caraway W.T (1963):

Macro and micro methods for the determination of serum iron and iron binding capacity. *Clin. Chem.*, 9, 189.

Cartien, K. and Lewis, R.W. (1968):

Malabsorption of iron secondary to iron deficiency. *N. Eng. J. med.*, 279, 453.

Cartwright, G.E. (1966):

The anaemia of chronic disorders. *Semin. Haematol.*, 351.

Cartwright, G.E. Huguley, C.M., Ashenbrucker, H., Fay, J. and Wintrobe, M.M. (1948):

Studies on free Erythrocytes protoporphyrin, plasma iron and plasma copper in normal and anaemic subjects. *Blood.*, 3, 501.

Cavill, L., (1982):

Diagnostic methods. *Clin. Haematol.*, 11, 259.

Cazzola, M and Ascari, E. (1986):

Annotation: Red cell ferritin as a diagnostic tool. Br. I. Haematol., 62, 209.

Cazzola, M., Arosio, P., Barosi, G., Bergamaschi, G., Dezza, L. and Ascari, E., (1983 a):

Ferritin in the red cells of normal subjects and patients with the iron deficiency and iron over load. Br. J. Haematol., 53, 629.

Cazzola, M., Dezza, L. Bergamaschi, G., Barosi, Bellotti, V., Caldera, D., Ciriello, M.M., Quaglini, S., Arosio, P and Ascari, E. (1983 b):

Biological and clinical significance of red cells ferritin. Blood, 62, 1078.

Celada, A. (1982):

Macrocytosis in pregnancy Iron as limiting factor (latter). Br. J. Haematol., 51, 662.

Chamerjea, F.A. (1964):

Placental physiology concerning fetomaternal transport.
Acta obst. Gynecol 12.743 1964.

Charlton, R.W and both well, T.H. (1982):

Definition, prevalence and prevention of iron deficiency. Clin. Haematol., 11, 309.

Charoenlarp P. Dhanamitta, S., and Kaewvicir, R. (1988):

A WHO collaborative study on iron supplementation in Burma in thailand Am. J. Clin Nutr 47, 280.

Chaudhuri, S.K. (1970):

Correlation of toxæmia with anaemia of pregnancy Am. J. Obstet. gynaecol., 106-255.

Chesley, L.C. (1972):

Plasma and red cells volumes during pregnancy. Am J. obstet gynaecol., 112, 2440.

Clayton, S.G. Lewis, T.L.T. and pinker, G. (1982):

Obstetrics in intercurrent diseases during pregnancy, 13th edition. Edward Arnold. London, pp. 212.

Colomer, M., J., Colomer, C., Gutierrez, D., jubest, A., Nolasco, A and alvarez. Dariler, (1988):

Anaemia during pregnancy as a risk factor for infant iron deficiency. Int, J Epidemiol, 16,486.

Cook, J.D., Aluarado, J., Gutnisky, A., jamra, M., Labsrdini, J., Layrusse, M. Linares farje, C., Sanchez-Medal, L., Velez, H. and viteri, F. (1971): Nutritional deficiency and anaemia in Latin America: A cell laborative study. Blood, 38, 591.

Cook, J. D and Finch, C.A (1979):

Assessing iron status of population Am. J. Clin. Nutr, 32, 2115.

Cook, J.D., Hershjo, C., Finch C.A. (1973):

Storage iron Kinetics. V. Iron exchange in the rate. Br. J. Haematol. 25,695.

Cook, J.D., Lipschitz, D.A., Miles, L.E.M and finch, C.A. (1974):

Serum ferritin as a measure of iron stores in normal subjects. Am. J. Clin. Nutr., 27-681.

Crichton, R.R. (1973):

Annotation: The biochemistry of ferritin. Br. J. Haematol., 24, 677.

Dacie, J.V. and Lewis, S.M. (1985):

Practical haematology. 6th edition Churchill Livingstone. Edinburgh London Melbourne and New York, PP 24-49:329-336.

Dagg, J.H., Goldberg, A. and Lockhead, A. (1966):

Value of erythrocyte and protoporphyrin in the diagnosis of latent iron deficiency (sideropenia) Br. J. Haematol., 12. 326.

Dallman, P.R., Beutler, E. and Finch, C.A. (1978):

Annotation: effects of iron deficiency exclusive of anaemia-Br. J. Haematol., 40, 179.

Daniels, M. (1975):

Iron in biochemistry medicine New York Academic Press 543.

Davidsohn, I. and Henry, J.B. (1974):

Clinical diagnosis by laboratory methods. 15th edition. B. Saunders company. Philadelphia pp 652-556:1393.

Davidsohn, I. and Henry, J.B. (1974):

Clinical diagnosis by laboratory methods. 15 th edition. B.
Saunders company. Philadelphia pp 652-556:1394.

Davidshon, L.S.P., Fullerton, H.W. and campbell, R.M. (1935):

Nutritional iron deficiency aneemia with spesial reference to
provakence and age and sex incidence. Br. Med. J. pp. 195-198.

Day, R.S., De Salamance, R.E. and Eales, L. (1978):

Quantitation of red cells prophyrin by flourescence scanning after
thin layer chromatography. Chem. Acta, 89, 75.

Deimamn, L.G.J. Baadenhuij sen, H and jansen, A.P. (1985):

Modified assay for total iron binding capacity unaffected by
change in ph of lyophilized control sera (letter) clin. chem., 32,
1075.

Deleeuw, N.K.M., Lowenstein, la, Hsieh, Y.S. (1966):

Iron deficiency and hydraemia in normal pregnancy. Medicine., 45,
291.

Deppe, W.M., joubert, S. Mand Naidoo, P. (1978):

Radioimmunoassay of serum ferritin. Clin. Path., 31, 872.

Donald, I. (1979):

Practical obstertric problems 5th edition. Uoyd-Leke, pp, 198.

Dubach, R., Callender, S.T.E. and Moore, C.V. (1948):

Studies in iron transportation and metabolism. Blood., 3, 526.

Ducsay, C.A. Buhi, W.C., Bazer, F.W. and Roberts, R.M. (1986): Role of uteroferrin in placental iron transport in swine: Relationship between uteroferrin levels and iron deposition in the conceptus during gestation J Anim Sci., 62, 706.

Eijk HG, Kpoos MS, Hoogendon GR, wallenburg HCG (1978): Serum ferritin and iron stores during pregnancy. Clin Acta 83:81, 1978.

England, J.M., Walford, D.M. and waters D.A.W. (1972): Reassessment of the reliability of the haematocrit. Br. J. Haematol., 23, 247.

England, J.M., Ward, S.M. and Down, M.C. (1976): Microcytosis, anisocytosis and the red cells indices in iron deficiency Br. J. Haematol., 34, 589.

Entman, S.S and Richardson, L.D. (1983): Clinical applications of the altered iron kinetics of Toxaemia of pregnancy. Am. J. Obstet, Gynecol, 146-568.

Entman, S.S. Moore, R.M., Richardson L.D. and killam, A.P. (1982): Elevated serum iron in toxemia of pregnancy. Am. J. obstet. gynecol., 143, 4398.

Erslev, A.J. and Gabuzada T.G. (1979): pathophysiology of blood 2nd edition. W.B. saunders company, philadelphia, London Toronto, pp. 32-112.

Fair banks, V.F. (1971): Is the peripheral blood film reliable for the diagnosis of iron deficiency anaemia? Am. J. Clin path. 52,447.

- Farid E (1966):** Hemoglobin regeneration in severe iron deficiency anemia. JAMA 195:717. 1966.
- Fenton, V., Cavill, I, and fisher, J. (1977):** Iron stores in pregnancy. Br, J. Haematol., 37, 145.
- Fernandez, H, (1980):** Low serum iron in influenza. N. Eng. J. Med., 302, 865.
- Firch C.A (1959):** Body iron exchange in man. J. Clin Invest., 38:392. 1959.
- Finch, C.A. (1982):** Erythropoiesis erythropoietin and iron. Blood., 60, 1241.
- Finch, C.A. and Huebers, H. (1982):** Medical progress: perspectives in iron metabolism. N. Eng. J. Med., 306, 1520.
- Finch SC, Castro O, Cooper M, et al (1982):** Immunosuppressive therapy of chronic idiopathic thrombocytopenic purpura. Am J Med 56:4-12 dan 74.
- Fletcher, J. and Suter, P.E.N. (1969):** the transport of iron by the human placenta. Clin. sci, 36-209.
- Fontens, D.S. and Thivolle. J.M, (1925):**
Quoted from the role of transferrin & ferritin in the fetal maternal placental unit. Teruki okoyama & testse tawada Am. J. obsters & gynecol 152:344 540 1985.

Forman, D.T. and vye, M.V. (1980): Immunoradiometric serum ferritin concentration compared with stainable bone marrow iron as indices to iron stores. *clin. chem*, 26, 145.

Fortier, R.L., McGrath, W.P. and Twomey, S.L. (1979): Enzymelabelled immunosorbent assay for serum ferritin: methods evaluation and comparison with two radioassays. *Clin. Chem*, 25, 1466.

Fujion, V., Cavill, L. and Fisher, J. (1966):
British Journal of Haematology 36, 209.

Furuya H.(1965): *Studies of anemia in pregnant women. Acta obstet gynecol (1965):* 17: 683.

Galbraith GMP, Galbraith RM, Temple A, Faulk W.F. (1980):
Demonstration of transferrin receptors on human placental trophoblasts. blood 55:240.

Garby, L. (1970): The normal haemoglobin level. *Br. J. Haematol.* 19, 429.

Garby, L., Irnell, L and werener, I (1969): Iron deficiency in women of fertile age in swedish community. III. Estimation of prevalence based on response to iron supplementaion *Acta Med. Scand.*, 185, 113.

- Garby, L. and Vuille, J.C. (1961):** The amount of trapped plasma in a high speed micro capillary haematocrit centrifuge. Scand. J. Clin lab. Invest. 13, 642.
- Gardner, G.W., Edgerton, V.R., Barnard, R.J. and Bernauer, E.M. (1975):** Cardiorespiratory haematological and physical performance responses of anaemic subjects to iron treatment. Am. J. Clin. Nutr., 28, 982.
- Garn, S.M., Ryan, A.S., Abraham, S and Owen, G (1981):** Suggested sex and age appropriate values for low and deficient haemoglobin levels. Im. J. Clin, Nutr., 34, 1648.
- Goodwin, J.F., Murphy, B. and Guikkemette, M. (1966):** Direct measurement of serum iron and binding capacity. Clin. Chem., 12, 47.
- Goya, N., Miya Zaki, S., Kadat, Snd Ushio. (1972):** A Family of Congenital atransferrinaemia. Blood, 40, 239.
- Hahn, P.F., Caro thers, E.L., Darby, W.J. Martin, M., Sheppard, C.W., Cannon, R.O., Beam A.S., Dansen, P.M., Peterson, J.C. and McClellan, G.S. (1951):** Iron methabolism in human pregnancy as studied with the radioactive isotope FE. 59. Am. J. Obstet gynaecol., 61, 477.
- Hallberg L, Hagdahl AM, Nilsson L, Rybo G (1966):** Menstrual blood loss: A population study. Acta obstet Gynecol scand 45:320.

- Hamillton, L.D., Gubler, C.J. cartwriht G E. and wintrobe. M.M.(1950):** Diurnal variation in the plasma iron level of man. Soc Exp. Bio Med 75-65.
- Hammeler, A.R (1939):** Quated from observation of maternal fetal ferritin concentration at term of Anne M. Kelly, MaGdonald, D.J, Neil, A.M British Journal of obst & Gynaecal. 85, 338 343 1978.
- Harding C. Heuser J, Stahi P (1983):** Receptor mediated endocytosis of transferrin and recycling of the transferrin receptor in rate reticulocytes J.cell Biol 1983:97:329.
- Harju, E., pakarinen, A., and larni, T. (1984):**
Acomparison between serum ferritin cancentration and the anount of bone marrow stainable iron. Scand l.cakin lab.Invest, 44,555
- Harmoinen, A., Perko, M., Jokjela, Handkoivula,T. (1981):** technical note: Immunoassay foe transferrin using LKB 8600 reaction rate Analyzer. sland. l.clin.Lab.linvest., 41,517.
- Harrison, p.M. (1976):** ferritin.An iron storage molecule. Semin. Haematol. 14-55
- Haurani F.I Young K. and Ticantins, L.M. (1963):** Reutilization of iron in anaemia complicating malignant neoplasms. Blood. 22,73.
- Hazard, J.T., yokota, M., Arosio, P. and Drysdale, J.W. (1977):**
Immunologic difference in human isaoferitins: Implications for immunologic quantitation of serum ferrition. Blood, 49, 139.

- Heller, S.R., Labbe, R.F. and Nutter, J. (1971):** Asimplified assay for porphyrins in whole blood. Clin. Chem., 17, 525.
- Henry, J.B (1984):** Clinical diagnosis and management by laboratory mehtods: In Erythrocyte disorders. Nelson, D.A and Davey, F.R. (eds). 17 th edition. W.B. Saunders company, philadelphia, London, pp. 652-703.
- Hershko,C. (1987):** Annotation : Non transferrin plasma iron Br. I. Haematol, 66, 149.
- Hetacha. M.J and Huchns. S.R.(1968):** changes in blood volume during pregnancy & deliveyr. Anesthesiology 26; 393 1968.
- Hoffbrand, A.V., Ganeshaguru, K., Hooton, J.W.L. and Tattetsall, M.H.N. (1976):** Effect of iron defficiency and desferroxamine on DNA synthesis in human cells Br. J. Haematol., 33, 517.
- Hoffbrand, A.V. and lewis, S.M. (1983):** Post graduate Haematology: In Iron. Hoffvrant A.V. (ed) 2nd edition. William Heinemann Medical boocks Ltd., London. pp 35-71.
- Hoffman. M.J, Van liere F.A.T stuart JC (1976):** Platelets lifespan in normal pregnancy. Br J obster & Gynaecal 85:33 1976.
- Hoyer M.B. (1949):** Quated from low dose iron supplementation does not cover the need from iron during pregnancy Acta obster & Gynaecol scand 72:93-98 1993.

- Hubers, H.A., Eng, M.J., Josephson, B.M., Ekboom, N., Rettmer, R.L., Lobb, R.F., Pootrakul, P. and Finch, C.A. (1987):** Plasma iron and transferrin iron binding capacity evaluated by colorimetric and immunoprecipitation methods. Clin. Chem., 23, 273.
- Hussain MA, Gaafar TU, Larticht M, Haffbrand AV (1977):** Relation of maternal and cord blood serum ferritin. Arch Dis Child, 52: 782-84.
- Hussein, S., & Patwardhan A.V. (1959):** Serum ferritin levels in beta-thalassaemic trait, British Medical Journal 2: 920 1959.
- Iacobello, C., Ghielmi, S., Belloli, S., Arosio, P and Albertini, A (1984):** Use of reference standard to improve the accuracy and precision of seven kits for determination of ferritin in serum. Clin. Chem., 30, 298.
- Iacobellis, C., Ruggeri, G., Signorini, C., Di Cello, G.C. and al Albertini, A. (1986):** A semiautomated ELISA for serum ferritin determination. Clin. Chem., 32, 899.
- International Committee for Standardization in Haematology (1971):** Proposed recommendations for measurement of serum iron in human blood, 37, 598.
- International Committee for Standardization in Haematology (1978):** b: recommendations for measurement of serum iron in human blood, Br. J. Haematol., 38, 291.

- Isah, H.S., Fleming, A.F., Ujah, L.A.O. and Ekwempu, C.L. (1985):***
and Ekwempu, C.L. (1985): Anaemia and iron status of pregnant
and non pregnant women in Guinea Savanna of Nigeria. Ann. Trop.
Med. Parasit., 79, 485.
- Ishikawa, K., Narita, O., Salto, H. and Kato, K. (1982):*** Determination of
ferritin in urine and in serum of normal adults with a sensitive
enzyme immunoassay. Clin. Chem. Acta, 123, 73.
- Jacobs, A. (1969):*** Tissue changes in iron deficiency (Annotation). Br. J.
Haematol., 1611.
- Jacobs, A. (1977):*** Serum ferritin and iron stores. Federation proceedings.,
36, 2024.
- Jacobs, A. and Worwood, M (1974):*** Iron in biochemistry and medicine.
Academic, London and New York.
- Jacobs, A. and Worwood, M. (1975):*** Ferritin in serum. Clinical and
biochemical implications. N. Eng. J. Med., 292, 951.
- Jacobs, A. Petters, S.W., Bauminger, E.R., Eikelboom, J., Ofer, S. and
Rachmilewitz E.A.(1981):*** Ferritin Concentration in normal and
abnormal erythrocytes measured by immunoradiometric assay with
antibodies to heart and spleen ferritin and Mossbauer spectroscopy.
Br. J. Haematol., 42, 201.

- Jorn K.T Jens C & Prien, L (1993):*** Low dose iron Supplementation does not cover the need for iron during pregnancy Acta obstet gynecol scand 1993; 71: 93-98.
- Kaebanoff MA, Shiono PH, and Berendes HW (1989):*** Facts and Artifacts about anaemia & Preterm delivery JAMA 262:511-515.
- Kaneshige, E. (1981):*** Serum Ferritin as an assessment of iron stores and other haematologic parameters during pregnancy, obstet. Gynaecol., 57, 238.
- Karabus, C.D. and Fielding N, (1967):*** Desferrioxamine chelatable iron in haemolytic megaloblastic and sideroblastic anaemias Br. J. Haematol., 13, 924.
- Kelly, A.M., Macdonald, D.J. and McNay, M. (1977):*** ferritin as an assessment of iron stores in normal pregnancy. Br. J. obstet Gynaecol., 84, 434.
- Kelly, A.M., Macdonald, D.J. and McDougall, A.N. (1978):*** observations on maternal and foetal ferritin concentrations at term. Br. J. obstet Gynaecol., 85, 338.
- Kilay, J.D. (1970):*** Serum ferritin as a measure of iron stores in normal subjects Am. Clin. Nutr, 27:681-7.
- Kingsley, G.R. and Getchell G (1956):*** Serum iron determination. Clin. Chem 2,175.

Kivijarvi, A., Timonen, H., Rajamaki, A. and Gronroos, M. (1986): Iron deficiency in women using modern copper intrauterine devices obstet, gynaecol., 67, 95.

Klein Gebbink, J.A.G., Hoeke, J.D.O and Marx, J.J.M (1982): Influence of iron saturation as possible source of error in the immunoturbidimetric determination of serum transferrin. Clin. Chem. Acta. 21,117.

Koller, M.E. Romslo, I., Finne, P.H., Brockmerier, F. and Tyssebotn, L.(1978): The diagnosis of iron deficiency by erythrocytes protoporphyrin and serum ferritin analysis. Acta paediatr. scand., 67-361.

Krause, J.R. and Stole, V. (1979): Serum Ferritin and bone marrow iron stores. correlation with absence of iron in biopsy specimens. Am. J. Clin Path. 72, 817.

Krause, J.R. and Stole, V. (1980): Serum ferritin and bone marrow biopsy iron stores II correlation with low serum iron and Fe/TIBC ratio less than 159. Am J Clin path., 74, 461.

Langer, E.E Haining R.G Labbe, R.F., Jacobs, P., Crosby, E.F and Finch, G.A. (1972): Erythrocytes protoporphyrin. Blood 40, 112.

Laurell C.B. (1966):

Quantitative estimation of Proteins by electrophoresis in agarose gel containing antibodies Anal Biochem 1966; 15:45-52.

Laurell, C.B. (1972): scand. J. Clin. Lab Invest. 30,233.

Leeder R.G. (1962): The iron & iron binding capacity of serum and the erythrocyte protoporphyrin in Pregnancy. obstet. Gynecol 2:119, 1962.

Levy, A.C. and Vitaccia, P.(1961): Direct determination and binding Capacity of serum iron. Clin. Chem., 7, 241.

Liley, A.W. (1970): Clinical and laboratory significance of variations in maternal plasma volume in pregnancy. Int J gynaecol. obstet., 8, 358.

Lipschitz, D.A., Cook, J.D. and Finch, C.A (1974): Aclinical evaluation of serum ferritin as an index of iron stores. N. Eng. J. Med., 290, 1213.

Long, R., Delany, K.K. and Siegel, L. (1978): Diurnal variation of serum iron in normal individuals (letter) clin. Chem., 24, 842.

Luken JN (1983): Klinische betekenis van degeneratieve afwijkingen van de lumbale wervelkolom en consequenties van het atonen ervan verzeker ingsgeneeskunding aspecten risicoschatting Ned Tijdschr Geneesk 1983 Jul 30; 127 (31) 1383 (Dut)

Luxton, A.W., Walker, W.L.C., Gauldie, J. Ali, M.A.M and pelletier, C. (1977): Ardiommuonoassay for serum ferritin. Clin. Chem., 23,683.

- Macara, L.G., Hoy, T.G. and Harrison, P.M. (1972):** The formation of ferritin from apo ferritin. *Biochem. J.* 126,151.
- MacDougall, L.G., Anderson, R., McNab, G.M. and Katz, J. (1975):** The immune response in iron deficient children: Impaired cellular defence mechanisms with altered humoral components. *J. Paediatr.*, 86, 833.
- MacGregor, M.W(1962):** Maternal aneamia as factor in prematurity and perinatal mortality. *Scot.M.J.*, 7:134.
- Mandel, E.E. (1959):** Serum iron and iron binding capacity in clinical diagnosis *clin. chem.*, 5,1.
- Mardell P. Zilvo, N, (1967):** Trensfer of iron across the placenta & fetal membranes in the rate *Am. J. Physial* 215:205 1967.
- Marx, J.J.M. (1979):** Mucosal uptake mucosal transfer and retention of iron measured by whole body counting scan. *J.Haematol.*, 23, 293.
- Mazur. M.J (1961):** Studies of iron requirment in infants *Br.J. Haematol* 5:45. 1961
- McClure, S., Custer, E. and Bessman, J.D. (1985):** Improved detection of early iron defficiency in non anaemic subjects *JAMA*, 253.1021.
- McClure., S., Custer, E. and Bessman, J.D. (1985B):** Improved dectection of early iron deficiey (letter). *J AMA*, 254, 1174.

- McKnight, A, Young, D.S. and Nadler S.B (1980):*** characterization & localization of human placental Ferritin Biochem J 182:763.
- Mcfee. J.G. (1973):*** Anaemia, a high risk complication of pregnancy. Clin. Obstet gynaecol 16, 153.
- McFee, J.G (1979):*** Iron metabolism and iron deficiency during pregnancy. Clin obstet Gynaecol., 22, 799.
- Melaren, G.D., Carpenter, J.T and Nino, II. V. (1975):*** Erythrocyte protoporphyrin in the detection of iron deficiency clin. Chem., 21, 1121.
- Miles, L.E.M., lipschitz, D.A., Bieber, C.P and cook, J.D. (1974):*** Measurement of serum ferritin by a z site immunoradiometric assay. Anal. Bioch., 61-209.
- Milman, N., Andersen, H.C. and pedersen, S. (1986):*** Serum ferritin and iron status in healthy elderly individuals. Scan. J. Clin Lab Invest., 46, 19.
- Milaman, N. and ibsen, K.K. (1984):*** Serum ferritin in Danish children and adolescents, Scand. J. Haematol., 33,260.
- Mirchell, J. Lipschitz, D.A & Cook, J.D (1960):*** Relationship of maternal & infants iron stores as assessed by determination of plasma ferritin Pediatrics 55, 694 1960.

- Monsen, E.R., Hallberg, L., Layrisse, M., Hegsted D.M., Cook, J.D., Merts, W. and Finch, C.A. (1978):** Estimation of available dietary iron. *Am. J. Clin Nutr.* 31, 134.
- Moore, C.V. (1955):** The importance of nutritional factors in the pathogenesis of iron deficiency anaemia. *Am. J. Clin Nutr.*, 3,3.
- Moore, C.V. (1965):** Iron nutrition and requirements. *Scand. J. Haematol. Suppl.* 6,1.
- Morgan, D.L. and peck, S.D. (1988):** The use of red cells distribution width in the detection of iron deficiency in chronic haemodialysis patients *Am, J. Clin. Path* 89, 513.
- Morgan, E.H. (1966):** Transferrin and albumin distribution and turn over in the role. *Am. J. Physiol.*, 211, 1486.
- Ng, R.H., Porter, A., Altaffer, M. and Statland, B.E. (1984):** Measurement of iron and total iron binding capacity with the RA-100 analyzer *Clin. Chem.*, 30, 1725.
- Nhonali AM, Kihama FE, Ramyi BD (1975):** The relation between maternal and cord serum iron deficient mothers without malarial infection . *Br J obstetr gynaecol* 82:467.
- Niharika, Singh, H., Mehta, H.C., Aggarwal, V.P. and Aggarwal, S.K. (1985):** Diagnosis of iron deficiency by desferrioxamine induceal sideriuria. *Ind. Paediatr*, 22, 523.

- Noyes, W.D., Bothwell, T.H. and Finch, C.A. (1960):** The role of reticulo endothelial cell in iron metabolism. Br. J. Haematol., 6, 43.
- Nutrition Reviews (1986):** Effects of meals on iron absorption. The type of meal fed before and after Fe 59 test meal affects whole body retention of iron. Nutrition Reviews 44-22.
- Obi, G.O. and Chukudebelu, W.O.(1981):** The iron status of anaemic pregnant Igbo women in Nigeria. Trop. geogr. Med., 33, 129.
- Okuyama T, Tauada T, Furuya H and Villee CA (1985):** The role of transferrin and ferritin in the fetal maternal placental unit. American Journal of obst and gynecol 152:344-450.
- Olson, A.D. and Hamlin, W.B (1969):** A new method for serum iron and total iron binding by atomic absorption spectrophotometry clin. Chem., 15, 438.
- Oluboyede, O.A. (1980):** Iron studies in pregnant and non pregnant women with haemoglobin SS or SC disease. Br. J. obstet gynaecol., 87, 989.
- Oluboyede, O.A., Topley, E. and Dgunbode, O (1977):** Iron deficiency in pregnant women in Ibrarapa District of western Nigeria. Br. J. Haematol., 36, 527.
- O'Malley, J. A., Hasson, A., Shiley, J. and Traynor, H. (1970):** Simplified determination of serum iron total iron binding Capacity. Clin. Chem, 16, 92.

Oski, F.A. and Honig, A.S. (1978): The effects of therapy on the developmental scores of iron deficient infants J. Paediatr., 92, 21.

Oski FA, Naiman JL. (1972): Hematologic Problem in the new born.
Clin Pediatr 4:1.

Page, M., Theriault, L., and Nilsson, M. (1980): Solid phase ELISA for serum ferritin. Scand. J. Clin. Lab. Invest. 40-641.

Palmer YS. (1952): Hematological problems in the newborn volume 4
W.B. Saunders and Co. New York P 8.

Paton, T.J. and Cembrowski, G.S. (1982): Fluorimetric assay of erythrocyte protoporphyrin simple screening test for lead poisoning and iron deficiency. Canad. Med. Ass. J., 127, 860.

Peter, F. and Wang, S. (1981): Serum iron and total binding capacity compared with serum ferritin in assessment of iron deficiency. Clin. Chem., 27, 276.

Peters, T., Giovanniello, T.J. Apt, L. and Ross, J.E. (1956a): Laboratory methods: A new method for the determination of serum iron binding capacity. I.J. Lab. Clin. Med., 48, 274.

Peter, T., Giovanniello, T.J., Apt, Land Ross, J.E (1956b): A simple improved method for the determination of serum iron II J. Lab Clin Med 48, 280.

Pilon V.A., Baum. J.D, and Harris D (1984): Demonstration of transferrin receptors on human placental trophoblasts blood 55-240.

Pilon, V.A., Howantiz, P.J. Howanitz, J.H. and Donres, N. (1981): Day to day variation in serum ferritin concentration in healthy subjects. Clin. Chem, 27, 78.

Piomelli, S., Brickman, A. and Carlos E. (1976): Rapid diagnosis of iron deficiency by measurements and haemoglobins the FEP/Haemoglobin ratio paediatr., 57, 136.

Pommerenke WT (1942): Transmission of radioactive iron to the human fetus Am J physiol 1942; 137:164.

Powell, P.R. (1944): Quoted from effects of iron deficiency exclusive of anaemia Br. J. Haematol 40:179-84. 1978.

Prema, K., Ramala Kshmi, B., A., Madhavapeddi, R. and Babu, S. (1982): Effect of intramuscular iron therapy in anaemic pregnant women. Ind. J. Med. Res., 75, 534.

Puolakka, J. (1980a): Serum ferritin as a measure of iron during pregnancy Acta. obstet gynaecol. Scand. (Suppl), 95,8.

Puolakka, J. (1980b): Serum ferritin in the evaluation of iron status in young healthy women. Acta. Obstet. gynaecol. Scand (Suppl), 95, 35.

- Puolkka, J., Janne, O., Pakarinen, A. and Vihjo, R. (1980c):*** Serum ferritin in the diagnosis of anemia during pregnancy Acta. Obstet. gynaecol. Scand (suppl.) 95, 57.
- Puolakka, J., Janne, O., Pakarinen, A., Jarvinen, P.A. and Vihko, R, (1980d):*** Serum ferritin as a measure of iron stores during and after normal pregnancy with and without iron supplements. Acta. Obstet. gynaecol. Scand. Suppl, 95, 43.
- Qvist, J., Abdulla, M., Jaserstas, M., Svensson, S. (1986):*** Iron, zinc and folate status during pregnancy and two months after delivery. Acta obstet. gynaecol. Scand., 65, 15.
- Ramsay, W.N.M. Campbell, A (1956):*** Iron deficiency and hydremia in normal pregnancy. Medicine 45:291, 1956.
- Ramsay, W.N.M (1957):*** The determination of the total iron binding capacity of serum clin. Chem. Acta., 2, 221.
- Rao, K.R.P., Ray, V.H. and Patel, A.R. (1983):*** Serum ferritin and sequestered stores of body iron. Am. J. Clin. Pathol., 80, 743.
- Reece, J., Donovan, P.R., and Pelett, A.Y. (1987):*** Iron supplementation in pregnancy testing a new clinic protocol. J. Am. Diet. Ass. 87-1682.
- Reissmann, K.R. and Dietrich, M.R. (1956):*** on the presence of ferritin in the peripheral blood of patients with hepatocellular disease. J. Clin. Invest., 35, 588.

- Reventant, M.C.Gouldable, J., Beaudonnet, A., Mailliavin, A., Pichot. J and Monner, L. (1985):** Detetmenation of serum ferritin by a one step immuns assay and comparsion of faur liver ferritin standards. Clin. Chem. 31, 640.
- Rifai, N., King, M., Malekpour, A., Smith J. and Lawson, J. (1986):** Immunotulbidimetric assay of transferrin: Effect of iron and need for serum blanks. Clin. Biochem, 19,31.
- Rigler, R.L (1961):** Studies on the mitochondrial & glycer phosphates dehydrogenase .
II. Extraction and partial purification of the dehydrognase from pig brain J. biol. Chem, 236, 1192.
- Rios, E., Lipschitz, D.A., Cook, J.D. and Mith, N. J. (1975):** Relation ship of maternal and infant iron stores as assessed by determination of plasma ferritin. Paediater., 55, 694.
- Roch.H.G, & Layrisse, U.M. (1966):** Iron neutriton of garils & women J. Am Dier Assoc, . 53:563:1966.
- Rodgerson, Doand Helfer, R.E. (1966):** Determination of iron in serum or plasma by atomic absorpition spectrophotometry. Clin. Chem, 12, 338.
- Roger E. Stecenson. M.D, (1973):** The Fetus Newly Born infants Medical school at Hoyston pediatriaian, Hermann Hospital, Houston, Texas.

- Saab. G.A., Green, R. and Grosby, W.H. (1978):** Rapid assay for measurement of serum ferritin. Am. J. Clin. Path., 70, 275.
- Saarine um, Siimes MA. (1977):** Developmental changes in serum iron, total iron binding capacity and transferrin saturation in infancy. J. pediatri 91:875, 1977.
- Saarinen un: (1978):** Need for iron supplementation in infants on prolonged breast feeding J. Peediatri 93:177, 1978.
- Schade, A.L. and Caroline, L. (1946):** An iron binding component in human blood plasma science, 104, 340.
- Schafer. P. (1964):** Studies of iron requirements in infants. British J. of Haematal 5,312-44.
- Schifman, R.B., Thomasson, J.E. and Evers, J.M. (1987):** Red cell zinc protoporphyrin testing for iron deficiency anaemia in pregnancy Am. J. obstet. Gynaecol 157, 304.
- Schlosnagle, D.C., Sander, EW.G., Bazer, F.W. and Robsrts, R.M. (1976):** Requirement of an essential thiol group and ferric iron for the activity of the progesterone induced porcine uterine purple phosphate. J. Biol. Chem, 251, 4680.
- Segal L.P & Oski.A.W.(1990):** Routine testing & propylas clicical abst & gynecel volume 4;1 1990

Shah, Band Belonje, B. (1976): liver storage iron in Canadians. Am.J. clin. Nutr., 29, 66.

shepp, m., Toft, H., Yamada, H. and Gabuzda, T.G. (1972):

Heterogenous metabolism of marrow during erythroid cell maturation, Br.J Haematol., 22, 3 77.

Sheridan, B.L. and pearce, L.C. (1984):

serum tests to detect iron deficiency (letter). clin. chem., 30., 1271.

soltys. M.R. and Brady. J.H (1970): An immuno-radiometric assay for ferritin in serum of normal subjects & patients with iron deficiency. Journal of clinical pathology 25, 326-329, 1970

Srikantaia, S.G., prasad, j. S/, Bhaskaram C. and krishnamachario, K.A. V.R. (1979): Anaemia and immune responses. lancet 1, 1307.

Stathand, B.E. and Winkel, P (1977): Relation of day to day variation of serum iron concentrations to iron binding capacity in healthy young women. Am. J. Clin Path., 67, 64.

Stevenson, J.T, (1973): Percutaneous umbilical blood sampling in fetal hemolytic disease Am J. obst. & Gynecol 86, 485-94. 1973.

Stookey, L.L. (1970): Ferrozine-A new spectrophotometric reagent for iron. Anal. Chem. 42, 779.

Sturgeon, P. (1959): Studies of iron requirements in infants. III. Influence of supplemental iron during normal pregnancy on mothers and infants. J. The mother B. The infant. Br. J. Haematol., 5, 31.

Svamberg, B., Arvidsson, B., Norrby, A., Rybo, G. and Solvell, L. (1975): Absorption of supplemental iron during pregnancy. Acta. Obstet, gynaecol. Scand. (suppl), 48, 87.

Taylor, D.J. and Lind, T. (1976): Haematological changes during normal pregnancy: iron induced macrocytosis, Br. J obstet gynaecol., 83,760.

Taylor, D.J. Mallen, C., McDougall, Nand Lind, T. (1982): Effect of iron supplementation on serum ferritin levels during and after pregnancy, Br.J obstet gynaceol., 89, 1011.

Terruki Okuyama, M.D, Tetsuo Tawada, M.D., Horsihi Furuya. M.D, and Claude Villee, ph. D. (1985): The role of transferrin and ferritin in the fetal maternal placental unit Am. J. obstet gynecol 152:344. 50.

Thavaj, V.K., Iyengar, B and Gupta, S.(1985): serum ferritin in diagnosis of anaemia. Ind. paediatr., 22,51.

Theriault, L. and Page, m. (1977): A solid phase enzyme immunoassay for serum ferritin. Clin. Chem., 23,2142.

Thorbecke. M.J, Fullerton, H.W. and Fenton V (1973): prediction of blood volume in normal human adults. Surgery 51,224-232.

- Tizard, I.R. (1984): Immunology: An introduction CBC college publishing saunders college publishing, PP. 122.***
- Tsung, S.H., Rosenthal, W.A. (1975): Immunological measurments of transferrin compared with chemical measurement of total iron biniding capacity, clin, chem, 21, 1063.***
- Valdes, J & Esteban, O. (1955): Preventive iron & folic acid therapy in pregnancy. Ann chir Gynaecol Fenn 57:436 1955.***
- Van der Heul, C., Kross, M.J., Van Noort W. and Van Eijk, H.G. (1981): No functional difference of the two iron binding sites of human transferrine in Vitro. Clin Sci. 60, 185.***
- Van Eijk, H.G., Kross, MJ., Hoogendoorn, G.A. and Wallenburg, H.C.S (1978): Serum ferritin and iron stores during pregnancy. clin chem Acta, 83-81.***
- Van Oost, B.A., Van den Beld, B., Cloin, L.G. L.M. and marx, J.J.M. (1984): Measurements of ferritin in serum: Application in diagnostic use. Clin Biochem., 17, 163.***
- Van Oost, B.A., Willekens, F.L.A., Van Neebos, B.R. and Van den Beld, B. (1982): Implications of using differnet tissue ferritin as antigens for ferritin in serum; Four radioimmunoassay kits compared. Clin. Chem., 28, 2429.***

- Varley, H., Gowenlock, A.H. and Bell, M. (1980):** Practical clinical biochemistry In Iron capper and zinc 5th edition william Harmenamn Medical nbooks Ltd, london, pp. 927-951.
- Ventura, S, (1952):** Determination of the unsaturated iron binding capacity of serum. J. Clin. Path. 5, 271.
- Ventura, S. and Klopper, A. (1951):** iron metabolism in pregnancy. J. obstet gynacol Br. Emp., 58, 173.
- Wallenburg, H.C. and Van Eijk, H.G. (1984):** Effect of oral iron supplementatin during pregnancy on maternal and foetal iron status. J. Premat. Med. (germany west) 12,7.
- Walters, G.D., Miller, F.M. and Worwood, M (1973):** Serum ferritin concentration and iron stores in normal subjects J. Clin Path., 26-770.
- Weatherall, D.J.Ledingham, J.G.E. and Warrell, D.A. (1983):** Oxford Textbook of medicine :In iron methabolism, deficiency and over load.Oxford university press, 19,19.
- Weinberg E.D.(1974):** Iron an suceptibility to infctions disease. Science, 184, 952.
- Wein feld, A., Lundin, P. and Lundvall, O. (1968):** Significance for the diagnosis of iron over load of histochemical and chemical iron in the liver of control subjects. J. Cli Path., 21,35.

Weintraub, L.R. Conrad, M.E. and crosby, W.H. (1964a): the significance of iron in the control of iron absorption blood, 24, 19.

Weintrub, L.R. Conrad, M.E. and Crosby, w.h. (1964b): Role of hepatic iron stores in the control of iron absorption J.Clin. Invest., 43,40.

Wheby, M.S. (1980): Effect of iron therapy on serum ferritin levels in iron deficiency anemia. Blood, 56, 138.

Wheby, M.S. and Crosby, W.H (1963): The gastrointestinal tract and iron absorption. blood, 22, 416.

White, J.M., Richards, R., Byrne, M., Buchanan T., White, Y.S. and Jelenski, G (1985): Thalassemia trait and pregnancy. J. Clin. Pathol, 38, 810.

Widdowsan, T.H and McCance, M.H Hypoferric anaemia in (1948): infancy Nutritional anaemia Robert eruld research foundation volume 1, p 414.

Widdowsan, T.H and McCance, M.A (1948):

Hypoferric anaemia in infancy. Nutritional anaemia Robert eruld research foundation volume 1, P 144.

Winkel, P., Statland, B.E. and Bokelund, H. (1975): The effects of time of venipuncture on variation of serum constituents. Am. J. Clin. Path. 64, 433.

Williams, H.L and Johnson, (1985): Effect of long term storage on the assay of iron and iron binding Capacity in serum (letter).

Clin chem ., 31, 790.

Willourhby, M.L.N. (1977): Haematological disorders. Clin. obstet gynaecd 4, 371.

Wintrobe, M.M. (1929): A simple and accurate haematocrit. J. Lab. Clin. Med., 15, 287.

Wintrobe, M.M., Lee, G.R., Bogys, D.R., Bithell, T.C., Foerster, J., Athens, J.W. and lukens, J.N. (1981): Clinical Haematology: In: Anaemias characterized deficient haemoglobin synthesis and impaired iron methabolism. Lea and Febiger. Philadelphia, pp. 605-645.

Wisdom, G.B. (1976): Enzyne immuno assay. Clin. Chem., 22, 1243.

Woehter F. (1964):

Intermediary iron metabolism of the placenta with special conbsideration of the transport this organ. Curr ther Res 1964; 6 : 464.

World Health Organization (Who) (1970): Requirements of ascorbic acid, Vitamin D, Vitamin B12, fotate and iron. WHO Tech. Rep. Ser., 452.

Worwood M. (1976): amaemia of infancy from maternal iron deficeincy in pregnancy J. of clinical investigations 12, 345, 353. 1976.

Worwood, M. (1977): The clinical biochemistry of iron. *Semin. Haematol.*, 14,3.

Worwood, M. (1982): Ferritin in human tissues and serum. *Clin. Haematol.*, 11, 275.

Wrigglesworth, J.M. and Baum H. (1980): The biochemical function of iron: In iron in biochemistry and medicine II Jacobs, A and Worwood, M (eds) London, Academic Press, pp. 29-86.

Yamaguchi R. (1963):

Studies of Placental Physiology Concerning fetomaternal transport and metabolism *Acta Obstet Gynecol* 1963, 15:743.

Yee, Y. and Zin, A. (1971): An automated procedure for serum iron and total iron binding capacity with use of ferrozine. *Clin. Chem.*, 17, 950.

Yip, R., Schwartz, S. and Dienard, A.S. (1983): Screening for iron deficiency with the erythrocytes protoporphyrin test *paediatr.*, 72, 214.

Zak, B. and Epstein, E. (1965): Automated determination of serum iron. *Clin. Chem.*, 11, 641.

Zdravkovic, D. (1987): Changes in serum ferritin following surgical trauma *Eur. J. Haematol.*, 38, 60.

Zuspan, F.P. and Quilligan, E.J. (1982): Practical manual of obstetric care: In physiological changes. Cotton, D.B. (ed). C.V. Mosby Company. St. Louis. Toronto, London pp. 11-53.