

References

- **Abeyta, M.J.; Clark, A.T.; Rodriguez, R.T.; Bodnar, M.S.; Pera, R.A. & Firpo, M.T. (2004):** Unique gene expression signatures of independently-derived human embryonic stem cell lines. *Human Molecular Genetics*. 3: 601-608.
- **Adams, K.M.; Lambert, N.C.; Heinfeld, S.; et al. (2003):** Male DNA in female donor apheresis and CD34-enriched products. *Blood*. 102 (10): 3845-3847.
- **Ainsworth, C. (2005):** Bone cells linked to creation of fresh eggs in mammals. *Nature*. 436: 609.
- **Allen, J.E.; Henshaw, D.L.; Lokkialson; et al. (2001):** An in situ study of CD34 (+) cells in human fetal bone marrow. *British journal of haematology*. 114 (1): 201-210.
- **Amanet Alftwa. (2005):** Dar Al-Efta Almasria, Amanet Alftwa. Ftwa no. 4179.
- **Amit, M.; Carpenter, M.K.; Inokuma, M.S.; Chiu, C.P.; Harris, C.P.; Waknitz, M.A.; Itskovitz-Eldor, J. & Thomson, J.A. (2000):** Clonally derived human embryonic stem cell lines maintain pluripotency and proliferative potential for prolonged periods of culture. *Developmental Biology*. 227: 271-278.
- **Amit, M. and Itskovitz-Eldor, J. (2002):** Derivation and spontaneous differentiation of human embryonic stem cells. *Journal of Anatomy*. 200: 225-232.

-
-
- **Amit, M.; Margulets, V.; Segev, H.; Shariki, K.; Laevsky, I.; Coleman, R. & Itskovitz-Eldor, J. (2003):** Human feeder layers for human embryonic stem cells. *Biology of Reproduction*. 68: 2150-2156.

 - **Anderson, J. and Akkina, R. (2005):** CxCR4 and CCR5 siRNA transgenic CD34+ cell derived macrophages are functionally normal and resist HIV-1 infection. *Retrovirology*, 2: 53.

 - **Ando, T. and Davies, T.F. (2004):** Self-recognition and the role of fetal microchimerism. *Best Pract. Res. Clin. Endocrinol. Metab.* 18 (2): 197-211.

 - **Aractingi S.; Berkane, N.; Bertheau, P.; et al. (1998):** Fetal DNA in skin of polymorphic eruptions of pregnancy. *Lancet*. 352 (9144): 1898-1901.

 - **Artlett, C.M. (2005):** Pathophysiology of fetal microchimeric cells. *Clin. Chim. Acta*. 360 (1-2): 1-8.

 - **Barberi, T.; Klivenyi, P.; Calingasan, N.Y.; Lee, H.; Kawamata, H.; Loonam, K.; Perrier, A.L.; Bruses, J.; Rubio, M.E.; Topf, N.; Tabar, V.; Harrison, N.L.; Beal, M.F.; Moore, M.A. & Studer, L. (2003):** Neural subtype specification of fertilization and nuclear transfer embryonic stem cells and application in parkinsonian mice. *Nature Biotechnology*. 21: 1200-1207.

 - **Barker, J.N.; Krepski, T.P.; Defore, T. E.; Davies, S.M. & Wanger, J.E. (2002):** Searching for unrelated donor hematopoietic stem cells; availability and speed of umbilical cord blood

-
- versus bone marrow. *Biol. Blood Marrow Transplant.* 8: 257 – 260.
- **Becker, A.J.; Mc Cullough, E.A. & Jill, J.E. (1963).** Cytological demonstration of the clonal nature of spleen colonies derived from transplanted mouse marrow cells. *Nature.* 197, 452 – 454.
 - **Bianchi, D.W. (2004):** Fetomaternal cell traffic, pregnancy-associated progenitor cells, and autoimmune disease. *Best Pract. Res. Clin. Obstet. Gynaecol.* 18 (6): 959-975.
 - **Bjorklund, L.M.; Sanchez- Pernaute, R.; Chung, S.; Andersson, T.; Chen, I.Y.; McNaught, K.S.; Brownell, A.L.; Jenkins, B.G.; Wahlestedt, C.; Kim, K.S. & Isacson, O. (2002):** Embryonic stem cells develop into functional dopaminergic neurons after transplantation in a Parkinson rat model. *Proc. Natl. Acad. Sci. USA.* 99: 2344 – 2349.
 - **Blau, H.M.; Brazelton, T.R. & Weissman, J.M. (2001):** The evolving concept of a stem cell: entity or function? *Cell.* 105: 829-841.
 - **Blszczuk, P.; Asbrand, C., Rozzo, A.; Kania, G.; Stonge, L.; Rupnik, M. & Wobus, A.M. (2004):** Embryonic stem cells differentiate into insulin – producing cells without selection of nestin – expressing cells, *Int. J. Dev. Biol.* 48: 1095 – 1104.
 - **Boheler, K.R.; Czyz, J.; Tweedie, D.; Yang, H.T.; Anisimov, S.V. & Wobus, A.M. (2002):** Differentiation of pluripotent
-

- embryonic stem cells into cardiomyocytes. *Circ. Res.* 91: 189 – 201.
- **Bongso, A.; Fong, C.Y.; Ng, S.C. & Ratnam S. (1994):** Isolation and culture of inner cell mass cells from human blastocysts. *Human Reproduction.* 9: 2110-2117.
 - **Brazelton, I.R.; Rossi, F.M.; Keshel, G.I. & Blau, H.M. (2000):** From marrow to brain: expression of neuronal phenotypes in adult mice. *Science.* 290: 1775 – 1779.
 - **Bukovsky, A.; Caudle, M.R.; Svetlikova, M. & Upadhyaya, N.B. (2004):** Origin of germ cells and formation of new primary follicles in adult human ovaries. *Reprod. Biol. Endocrinol.* 2: 20.
 - **Bukovsky, A.; Svetlikova, M. & Caudle, M.R. (2005):** Oogenesis in cultures derived from adult human ovaries. *Reprod. Biol. Endocrinol.* 3: 17.
 - **Bukovsky, A.; Copas P. & Virant-Klun, I. (2006):** Potential new strategies for the treatment of ovarian infertility and degenerative diseases with autologous ovarian stem cells. *Expert Opin. Biol. Thero.* 6 (4): 341-365.
 - **Campagnoli, C.; Roberts, I.A.; Kumar, S.; Bennelt, P.R.; Bellantuono, I. & Fisk, N.M. (2001):** Identification of mesenchymal stem progenitor cells in human first-trimester fetal blood, liver and bone marrow. *Blood.* 98 (8): 2396-2402.

-
- **Campagnoli, C.; Roberts, I.A.G.; Kumar, S.; Choolani, M.; Bennett, P.R.; Letsky, E.L.; et al. (2002):** Expandability of haemopoietic progenitors in first trimester fetal and maternal blood: Implications for non-invasive prenatal diagnosis. *Prenatal Diagnosis*. 22 (6): 463-469.

 - **Cavazzana-Calvo, M.; Hacein-Bey, S.; De Saint, B.G.; Gross, F.; Yvon, E.; Nusbaum, P.; Selz, F.; Hue, C.; Certain, S.; Casanova, J.L.; Bousso, P.; Deist, F.L. & Fischer, A. (2000):** Gene therapy of human severe combined immuno – deficiency (SCID) – X1 disease . *Science*. 288: 669 – 672.

 - **Chan, J.; O'Donoghue, K.; de la Fuente, J.; et al. (2005):** Human fetal mesenchymal stem cells as vehicles for gene delivery. *Stem cells*. 23 (1): 93-102.

 - **Chandross, K.D.; Mattson. M.P. & Mezey, E. (2001):** Plasticity of adult bone marrow stem cells. Greenwich, CT: JAI Press.

 - **Chao, N.J.; Emerson, S.G. & Weinberg, K.I. (2004):** Stem cell transplantation (cord blood transplants), *Hematology (Am. Soc. Hematol. Educ. Program)*, pp. 354 – 371.

 - **Cherry, S.R.; Biniszkiewicz, D.; van Parijs, L.; Baltimore, D. & Jaenisch, R. (2000):** Retroviral expression in embryonic stem cells and hematopoietic stem cells *Mol. Cell Biol*. 20: 7419 – 7426.

 - **Clarke, D.L.; Johansson, C.B.; Wilbertz, J.; Veress, B.; Nilsson, K.; Karlstrom, H.; Lendahl, U. & Frisen, J. (2000):** Generalized potential of adult neural stem cells. *Science*. 288: 1660-1663.
-

- **Clift, R.A.; Thomas, E.D. & Seattle marrow transplant team (2004):** Follow – up 26 years after treatment of acute myelogenous leukemia. N. Engl. J. Med. 351: 2456 – 2457.
- **Cooper, S.; Pera, M.F.; Bennett, W. & Finch, J.T. (1992):** A novel keratin sulfate proteoglycan from a human embryonal carcinoma cell – line. Biochem. J. 286: 959 – 966.
- **Corrigan, E.C.; Raygada, M.J.; Vanderhoof, V.H. & Nelson, L.M. (2005):** A woman with spontaneous premature ovarian failure gives birth to a child with fragile x syndrome. Fertil. Steril. 8: 1508.
- **Corrigan, O.; Liddell, K.; McMillan, J.; Stewart, A.; and Wallace, S. (2006):** Ethical, legal and social issues in stem cell research and therapy. A briefing paper from Cambridge Genetics Knowledge Park. 1-31.
- **Cowan, C.A.; Klimanskaya, I.; McMahon, J.; Atienza, J.; Witmyer, J.; Zucker, J.P.; Wang, S.; Morton, C.C.; McMahon, A.P.; Powers, D. & Melton, D.A. (2004):** Derivation of embryonic stem-cell lines from human blastocysts. N. Engl. J. Med. 350 (13): 1353-1356.
- **Crosby, H. A. and Strain, A.J. (2001):** Adult liver stem cells: bone marrow, blood or liver derived? Gut. 48: 153 – 154.
- **Cutler, C. and Antin, J.H. (2001):** Peripheral blood stem cells for allogeneic transplantation. Stem Cells. 19: 108 – 117.

-
-
- **De Angelis, L.; Berghella, L.; Coletta, M.; Lattanzi, L.; Zanchi, M.; Cusella- De Angelis, M.G.; Ponzetto, C. & Cossu, G. (1999):** Skeletal myogenic progenitors originating from embryonic dorsal aorta coexpress endothelial and myogenic markers and contribute to postnatal muscle growth and regeneration. *J. Cell Biol.* 147: 869 – 877.

 - **Dean, W.; Santos, F.; Stojkovic, M.; Zakhartchenko, V.; Walter, J.; Wolf, & Reik W. (2001):** Conservation of methylation reprogramming in mammalian embryos: aberrant reprogramming in cloned embryos. *PNAS.* 98: 13734-13738.

 - **Deutsch, G.; Jung, J.; Zheng, M.; Lora, J. & Zaret, K.S. (2001):** A biopotential precursor population for pancreas and liver within the embryonic endoderm. *Development.* 128: 871 – 881.

 - **Doherty, P.C.; Topham, D.J.; Tripp, R.A.; Cardin, R.D.; Brooks, J.W. & Stevenson, P.G. (1997):** Effector CD4 + and CD8+ T- cell mechanisms in the control of respiratory virus infections. *Immunol. Rev.* 159: 105 – 117.

 - **Draper, J.S.; Pigott, C.; Thomson, J.A.; & Andrews, P.W. (2002):** Surface antigens of human embryonic stem cells: changes upon differentiation in culture. *Journal of Anatomy.* 200: 249-258.

 - **Drukker, M. and Benvenisty, N. (2004):** The immunogenicity of human embryonic stem-derived cells. *Trends in Biochnology.* 22: 136-141.

-
- **Evan, M.J. and Kaufman, M. (1981):** Establishment in culture of pluripotential cells from mouse embryos. *Nature*. 292: 154 – 156.
 - **Ferrari, G.; Cusella-De Angelis, G.; Coletta, M.; Paolucci, E.; Stomaiuolo, A.; Cossu, G. & Mavilio, F. (1998):** Muscle regeneration by bone marrow – derived myogenic progenitors. *Science*. 279: 1528 – 1530.
 - **Fishbach, G.D.; Fishbach, R.L. & Kong, M. (2004):** Stem cells: Science, policy and ethics. *J. clin. Invest.* 114: 1364-1370.
 - **Folkman, J. (1998):** Therapeutic angiogenesis in ischemic limbs. *Circulation*. 97: 1108 – 1110.
 - **Fong, C.Y.; Bongso, A.; Sathananthan, H. & Ho, J. (2001):** Ultrastructural observations of enzymatically treated human blastocysts: zona-free blastocyst transfer and rescue of blastocysts with hatching difficulties. *Human Reproduction*. 16: 540-546.
 - **Furuya, M.; Yasuchika, K.; Mizutani, K.; Yoshimura, Y.; Nakatsuji, N.; & Suemori, H. (2003):** Electroporation of cynomolgus monkey embryonic stem cells. *Genesis*. 37: 180-187.
 - **Gardner, D.K. (1998):** Development of serum – free medium for the culture and transfer of human blastocysts. *Human Reproduction*. 13 (Supplement 4), 218 – 255.
 - **Gardner, D.K.; Surrey, E.; Minjarez, D.; Leitz, A.; Stevens, J. & Schoolcraft, W.B. (2004):** Single blastocyst transfer:

-
-
- a prospective randomized trial. *Fertility and Sterility*. 81: 551-555.
- **Gearhart, J. (1998):** New potential for human embryonic stem cells. *Science*. 282: 1061 – 1062.
 - **Gearhart, J. (2004):** New human embryonic stem cell lines – more is better. *N. Engl. J. Med.* 350: 1275-1276.
 - **Gersak, K.; Meden-Vrtovec, H. & Peterlin, B. (2003):** Fragile x permutation in women with sporadic premature ovarian failure in Slovenia. *Hum. Reprod.* 18: 1637 – 1640.
 - **Gilboa, E.; Nair, S.K. & Lyster, H.K. (1998):** Immunotherapy of cancer with dendritic cell – based vaccines. *Cancer Immunother.* 46: 82 – 7.
 - **Gluckman, E.; Broxmeyer, H.A.; Auerbach, A.D.; Friedman, H.S.; Douglas, G.W.; Devergie, A.; et al. (1989):** Hematopoietic reconstitution in a patient with Fanconi's anemia by means of umbilical – cord blood from an HLA- identical sibling. *N Engl. J. Med.* 321: 1174 – 1178.
 - **Gotherstrom, C.; Ringden, O.; Tammik, C.; Zetterberg, E.; Westgren, M. & Le Blanc, K. (2004):** Immunologic properties of human fetal mesenchymal stem cells. *Am. J. Obst. Gyn.* 190 (1): 239-245.
 - **Gougeon, A.; Echochard, R. & Thalabard, J.C. (1994):** Age – related changes of the population of human ovarian follicles: increase in the disappearance rate of non – growing and

-
-
- early – growing follicles in aging women. *Biol. Reprod.* 50: 653 – 663.
- **Gratwohl, A. (2004):** Overview of transplant activity in Europe. *Hematol. J.* 5: 29-33.
 - **Grishchenko, V.I.; Prokopywk, O.S. & Yurchenko, T.N. (2003):** Basic principles and the direction of the work of the low-temperature bank of the biological subjects. *Transplantology.* 4 (1): 23-25.
 - **Guillaume, T.; Rubinstein, D.B. & Symann, M. (1998):** Immune reconstitution and immunotherapy after autologous hematopoietic stem cell transplantation. *Blood.* 92: 1471–1490.
 - **Gussin, H.A.; Bischoff, F.Z.; Hoffman, R.; & Elias, S.K. (2002):** Endothelial precursor cells in the peripheral blood of pregnant women. *Journal of Society for Gynecology Investigation.* 9 (6): 357-361.
 - **Hansson, M.; Tonning, A.; Frandsen, U.; Petri, A.; Rajagopal, J.; Englund, M.C.; Heller, R.S.; Hakansson, J.; Fleckner, J.; Skold, H.N.; Melton, D.; Demb, H. & Serup, P. (2004):** Artifactual insulin release from differentiated embryonic stem cells. *Diabetes.* 53: 2603-2609.
 - **Hayflick, L. (2000):** The illusion of cell immortality. *British journal of cancer.* 83 (7): 841-846.
 - **He, J.Q.; Ma, Y.; Lee, Y.; Thomson, J.A. & Kamp, T.J. (2003):** Human embryonic stem cells develop into multiple types of

- cardiac myocytes; action potential characterization. *Circ. Res.* 93: 32 - 39.
- **Henderson, J.K.; Draper, J.S.; Baillie, H.S.; Fishel, S.; Thomson, J.A.; Moore, H. & Andrews, P.W. (2002):** Perimplantation human embryos and embryonic stem cells show comparable expression of stage-specific embryonic antigens. *Stem Cells.* 20: 329-337.
 - **Hogan, B.L. (1999):** Morphogenesis. *Cell.* 96: 225-233.
 - **Holyoake, T.L.; Nicolini, F.E. & Eaves, C.J. (1999):** Functional differences between transplantable human hematopoietic stem cells from fetal liver, cord blood, and adult marrow. *Experimental hematology.* 27 (9): 1418-1427.
 - **Hori, Y.; Rulifson, I.C.; Tsai, B.C.; Heit, J.J.; Cahoy, J.D. & Kim, S.K. (2002):** Growth inhibitors promote differentiation of insulin – producing tissue from embryonic stem cells. *Proc. Natl. Acad. Sci. USA.* 99: 16105-16110.
 - **Hug, K. (2006):** Therapeutic perspectives of human embryonic stem cell research versus the moral status of a human embryo - does one have to be compromised for the other? *Medicina (Kaunas)* 42 (2): 107-114.
 - **Hurlbut, W.B. (2005):** Altered nuclear transfer as a morally acceptable means for the procurement of human embryonic stem cells. *Biol. Med.* 48: 211-28.
 - **Hwang, W.S.; Ryu, Y.J.; Park, J.H.; Park, E.S.; Lee, E.G.; Koo, J.M.; Jeon, H.Y.; Lee, B.C.; Kang, S.K.; Kim, S.J.; Ahn,**

-
-
- C.; Hwang, J.H.; Park, K.Y.; Cibelli, J.B. & Moon, S.Y. (2004):** Evidence of a pluripotent human embryonic stem cells line derived from a cloned blastocyst. *Science*. 303: 1669-1674.
- **In't Anker, P.S.; Noort, W.A.; Scherjon, S.A.; Kleijburg-Van Der Keur, C.; Kruisselbrink, A.B.; Van Bezooijen, R.L.; et al. (2003):** Mesenchymal stem cells in human second-trimester bone marrow, liver, lung, and spleen exhibit a similar immunophenotype but a heterogeneous multilineage differentiation potential. *Haematologica*. 88 (8): 845-852.
- **Jackson, K.; Majka, S.M.; Wang, H.; Pocius, J.; Harrtey, C.J.; Majesky, M.W.; Entman, M.L.; Michael, L.H.; Hirschi, K.K. & Goodell, M.A. (2001):** Regeneration of ischemic cardiac muscle and vascular endothelium by adult stem cells. *J. Clin. Invest.* 107: 1- 8.
- **Jay, K.E.; Rouleau, A.; Underhill, T.M.; and Bhatia, M. (2004):** Identification of a novel population of human cord blood cells with hematopoietic and chondrocytic potential. *Cell Res.* 14: 268 – 282.
- **Johnson, J.; Canning, J.; Kaneko, T.; I'RU, J.K. & Tilly, J.L. (2004):** Germline stem cells and follicular renewal in the postnatal mammalian ovary. *Nature*. 428: 145 – 150.
- **Johnson, J.; Bagleyj, C.; Skaznik-Wikiel, M.; et al. (2005):** Oocyte generation in adult mammalian ovaries by putative germ cells in bone marrow and peripheral blood. *Cell*. 122: 303 – 315.
-
-

-
-
- **Jokimaa, V.; Oksjoki, S.; Kujari, H.; Vuorio, E. & Anttila, L. (2002):** Altered expression of genes involved in the production of degradation of endometrial extracellular matrix in patients with unexplained infertility and recurrent miscarriages. *Mol. Hum. Reprod.* 8: 1111-1116.

 - **Jorgenesen, N.; Meyts, E.R.; Graem, N.; Muller, J.; Giwercman, A. & Skakkebaek, N.E. (1995):** Expression of immunohistochemical markers for testicular carcinoma in situ by normal human fetal germ cells. *Lab. Invest.* 72: 223 – 231.

 - **Kauffman, D.S.; Hanson, E.T.; Lewis, R.L.; Auerbach, R. & Thomson, J.A. (2001):** Hematopoietic colony-forming cells derived from human embryonic stem cells. *PNAS.* 98: 10716-10721.

 - **Kehat, I.; Kenyagin-Karsenti, D.; Snir, M.; Segev, H.; Amit, M.; Gepstein, A.; Livne, E.; Binah, O.; Itskovitz- Eldor, J. & Gepstein, L. (2001):** Human embryonic stem cells can differentiate into myocytes with structural and functional properties of cardiomyocytes. *J. Clin. Invest.* 108: 407 – 414.

 - **Kennea, N.L. & Mehmet, H. (2002):** Neural stem cells. *Journal of pathology.* 197 (4): 536-550.

 - **Kennea, N.L.; Fisk, N.M.; Edwards, D. & Mehamet. (2003):** Neural cell differentiation of fetal mesenchymal stem cells. *Early. Human development.* 73: 121-122.

 - **Kim, J.H.; Auerbach, J.M.; Rodriguez-Gomes, J.A.; Velasco, I.; Gavin, D.; Lumelsky, N.; Lee, S.H.; Nguyenm J, Sanchez –**
-
-

-
-
- Pernaute, R.; Bankiewicz, K. & McKay, R. (2002):** Dopamine neurons derived from embryonic stem cells function in an animal model of parkinson's disease. *Nature*. 18: 50 – 56.
- **Knoepffler, N. (2004):** Stem cell research: an ethical evaluation of policy options. *Kennedy Institute Ethics*. J. 14 : 55 – 74.
 - **Koglar, G.S.; Sensken, J.A.; Airey, T.; Trapp, M.; Muschen, N.; Feldhahn, N.; et al. (2004):** A new human somatic stem cell from placental cord blood with intrinsic pluripotent differentiation potential, *J. Exp. Med.* 126: 410 – 417.
 - **Kuznetsov, S.A.; Mankani, M.H.; Gronthos, S.; Satomura, K.; Bianco, P. & Robey, P.G. (2001):** Circulating skeletal stem cells. *J. Cell Biol.* 153: 1133 – 1140.
 - **Lampman, J. (2001):** Different faiths, different views on stem cells. *Christ. Sci. Monitor*. 93: 1.
 - **Landis, S.H.; Murray, T.; Bolden, S. & Wingo, P.A. (1999):** Cancer statistics, 1999. *CA. Cancer. J. Clin.* 49: 8 – 31.
 - **Lanzendorf, S.E.; Boyd, C.A.; Wright, D.L.; Muasher, S.; Oehninger, S. & Hodgen, G.D. (2001):** Use of human gametes obtained from anonymous donors for the production of human embryonic stem cells lines. *Fertility and Sterility*. 76: 132-137.
 - **Laughlin, M.J.; Eapin, M.; Rubenstein, P.; Wagner, J.F.; Zhang M.J.; Chaplin, R.E.; et al. (2004):** Outcomes after transplantation of cord blood or bone marrow from unrelated

-
- donors in adults with leukemia. N. Engl. J. Med. 351: 2265 – 2275.
- **Le Blanc, K.; Gotherstrom, C.; Ringden, O.; et al. (2005):** Fetal mesenchymal stem-cell engraftment in bone after in utero transplantation in a patient with severe osteogenesis imperfecta. Transplantation. 79 (11): 1607-1614.
 - **Li, M.J.; Kim, J.; Li, S.; Zaiz, J.; Anderson, J.; Akkina, R. & Rossi, J.J. (2005):** Long – term inhibition of HIV-1 infection in Primary Hematopoietic Cells by Lentiviral Vector Delivery of a Triple Combination of Anti – HIV siRNA, Anti – CCR5 Ribozyme, and a Nucleolar – Localizing TAR Decoy. Mol. Ther. 12: 900- 909.
 - **Lim, J.W. and Bodnar, A. (2002):** Proteome analysis of conditioned medium from mouse embryonic fibroblast feeder layers which support the growth of human embryonic stem cells. Proteomics. 2: 1187-1203.
 - **Lindvall, O. (2003):** Stem cells for cell therapy in Parkinson’s disease. Pharmacology. 47 (4): 279-287.
 - **Lu, J.; Mou, R.; Booth, C.J.; Yong, S.M. & Snyder, M. (2006):** Defined culture conditions of human embryonic stem cells. PNAS. 103(15): 5688-5693.
 - **Luo, X.; Xu, J. & Chegini, N. (2003):** The expression of Smads in human endometrium and regulation and induction in endometrial epithelial and stromal cells by transforming growth factor-beta. J. Clin. Endocrinol. Metab. 88: 4967-4976.
-

- **Lumelsky, N.; Blondel, O.; Laeng, P.; Velasco, I.; Ravin, R. & McKay, R. (2001):** Differentiation of embryonic stem cells to insulin – secreting structures similar to pancreatic islets. *Science*. 292: 1389 – 1394.
- **Ma, J.; Ge, J.; Zhang, S.; Sun, A.; Shen, J.; Chen, L.; Wang, K. & Zou, Y. (2005):** Time course of myocardial stromal cell – derived factor 1 expression and beneficial effects of intravenously administered bone marrow stem cells in rats with experimental myocardial infarction. *Basic Res. Cardiol.* 100: 217 – 223.
- **Martin-Rendon, R. and Watt, S.M. (2003):** Stem cells plasticity. *Br. J. Haematol.* 122: 877-891.
- **Martin, C.H. and Kaufman, D.S. (2005):** Synergistic use of adult and embryonic stem cells to study human hematopoiesis. *Curr. Opin. Biotechnol.* 16: 1 – 6.
- **Martin, F.P.; Renbinoff, B. & Trounson, A. (2000):** Human embryonic stem cells. *Journal of cell science*. 133: 5-10.
- **Martin, G.R. (1980):** Teratocarcinoma and mammalian embryogenesis. *Science*. 209: 768 – 776.
- **Martin, G.R. (1981):** Isolation of a pluripotent cell line from early mouse embryos cultured in medium conditioned by teratocarcinoma stem cells. *Proc. Nat. Acad. Sci. USA*. 78: 7634 – 7638.

-
-
- **Martin, M.J.; Muotri, A.; Gage, F. & Varki, A. (2005):** Human embryonic stem cells express an immunogenic nonhuman sialic acid. *Nat. Med.* 11: 228 – 232.
 - **Matsui, Y.; Zsebo, K. & Hogan, B.L. (1992):** Derivation of pluripotential embryonic stem cells from murine primordial germ cells in culture. *Cell.* 70: 941 – 847.
 - **Meissner, A. and Jaenisch, R. (2005):** Generation of nuclear transfer – derived pluripotent ES cells from cloned Cdx2 – deficient blastocysts. *Nature.* 439(7073): 212-215.
 - **Mezey, E.; Chandross, K.J.; Hartz, G.; Maki, R.A. & McKercher, S.R. (2000):** Turning blood into brain cells bearing neuronal antigens generated in vivo from bone marrow science. 290: 1779 – 1782.
 - **Michejda, M. (2004):** Which stem cells should be used for transplantation? *Fetal Diagnosis and Therapy.* 19 (1): 2-8.
 - **Michienzi, A.; Castanotto, D.; Lee, N.; Li, S.; Zaia, J.A. & Rossi, J.J. (2003):** RNA- mediated inhibition of HIV in a gene therapy setting. *Ann. NY. Acad. Sci.* 102: 63-71.
 - **Mitalipova, M.; Calhoun, J.; Shin, S.; Winger, D.; Schulz, T.; Noggle, S.; Venable, A.; Lyons, I.; Robins, A.; & Stice, S. (2003):** Human embryonic stem cells lines derived from discarded embryos. *Stem Cells.* 21: 521-526.
 - **Momma, S.; Johansson, C.B. & Frisen, J. (2000):** Get to know your stem cells. *Curr. Opin. Neurobiol.* 10: 45 – 49.

-
-
- **Morrison, S.J.; White, P.M.; Zock, C. & Anderson, D.J. (1999):** Prospective identification, isolation by flow cytometry and in vivo self – renewal of multipotent mammalian neural crest stem cells. *Cell*. 96: 737 – 749.

 - **Mossman, H.W. and Duke, E.L. (1973):** Some comparative aspects of the mammalian ovary, In: *Handbook of physiology*. Sect. 7 : Endocrinology, Greep RO (Ed.) American Physiology Society, Washington, USA: 389 – 402.

 - **Mummery, C.; Ward-Van Oostwaard, D.; Doevendams, P.; Spijker, R.; Van den Bruijck, S.; Massink, R.; Van der Heyden, M.; Opthof, T.; Pera, M.; De la Riviere, A.B.; Passier, R. & Tertoolen, L. (2003):** Differentiation of human embryonic stem cells to cardiomyocytes: role of coculture with visceral endoderm-like cells. *Circulation*. 107: 2733-2740.

 - **Munne, S. (2002):** Perimplantation genetic diagnosis of numerical and structural chromosome abnormalities. *Reproductive BioMedicine Online*. 4: 186-196.

 - **Murry, C.E.; Soonpaa, M.H.; Reinecke, H.; Nakajima, H.; Nakajima, H.O.; Rubart, M.; Pasumarthi, K.B.; Virag, J.I.; Barelmez, S.H.; Poppa, V.; Bradford, G.; Dowell, J.D.; Williams, D.A. & Field, L.J. (2004):** Haematopoietic stem cells do not transdifferentiate into cardiac myocytes in myocardial infarcts. *Nature*. 428 : 664 – 668.

 - **Nelson, J.L. (2002):** Pregnancy and microchimerism in autoimmune disease: protector or insurgent? *Arthritis Rheumatism*. 46 (2): 291-297.

-
-
- **Nistor, G.I.; Totolu, M.O.; Hagne, N.; Carpenter, M.K. & Keristead, H.S. (2005):** Human embryonic stem cells differentiate into oligodendrocytes in high parity and myelinate after spinal cord transplantation. *Glia*. 49: 385-396.

 - **O'Donoghue, K.; Chan, J.; de la Fuente, J.; et al. (2004):** Microchimerism in female bone marrow and bone decades after fetal mesenchymal stem cells trafficking in pregnancy. *Lancet*. 364: 179-182.

 - **O'Donoghue, K. and Fisk, N.M. (2004):** Fetal stem cells. *Best Pract. Res. Clin. Obstet. Gynaecol.* 18 (6): 853-875.

 - **O'Donoghue, K. (2006):** Reviews in Gynaecological and Perinatal Practice. 6: 87-98.

 - **Orlandi, F.; Damiani, G.; Jakil, C.; Leuricella, S.; Bertolino, O. & Maggio, A. (1990):** The risks of early cordocentesis (12-21 weeks): analysis of 500 procedures. *Prenat. Diagn.* 10 (7): 425-428.

 - **Orlic, D.; Kajstura, J.; Chimenti, S.; Jakoniuk, K.; Anderson, S.M.; Li, B.; Pickel, J.; Mckay, R.; Nadal – Ginard, B.; Bodine, D.M.; Leri, A. & Anversa, P. (2001):** Bone marrow cells regenerate infarcted myocardium. *Nature*. 410: 701 – 705

 - **Owen, M. (1988):** Marrow derived stromal stem cells. *J. Cell Science Supp.* 10: 63 – 76 .

 - **Panicker, M. and Roa, M. (2001):** Stem cells and neurogenesis. Cold spring harbor lab. Press. 399-438.

-
- **Park, F.; Ohashi, K.; Chiu, W.; Nadini, L. & Kay, M.A. (2000):** Efficient lentiviral transduction of liver requires cell cycling in vivo. *Nat. Genet.* 24: 49 – 52.

 - **Park, J.H.; Kim, S.J.; Oh, E.J.; Moon, S.Y.; Roh, S.I.; Kim, C.G. & Yoon, H.S. (2003):** Establishment and maintenance of human embryonic stem cells on STO, a permanently growing cell line. *Biology of Reproduction.* 69: 2007-2014.

 - **Park, S.; Lee, K.S.; Lee, Y.J.; Shin, H.A.; Cho, H.Y.; Wang, K.C.; Kim, Y.S.; Lee, H.T.; Chung, K.S.; Kim, E.Y.; & Lim, J. (2004):** Generation of dopaminergic neurons in vitro from human embryonic stem cells treated with neurotrophic factors. *Neuroscience Letters.* 359: 99-103.

 - **Pederson, R.A. (2005):** Developments in human embryonic stem cells. *Reproct. Biomed. Online.* 10: 60-62.

 - **Pelton, T.A.; Beltest, M.D.; Lake J.; Rathjen, J. & Rathyien, P.D. (1998):** Developmental complexity of early mammalian pluripotent cell populations in vivo and in vitro. *Rep. Fertil. Dev.* 10: 539-549.

 - **Pera, M.F.; Cooper, S.; Mills, J. & Parrington, J.M. (1989):** Isolation and characterization of a multipotent clone of human embryonal carcinoma cells. *Differentiation.* 42: 10 – 23.

 - **Perillo, A.; Bonanns, G.; Pierelli, L.; Rutella, S.; Scambia, G. & Mancuss, S. (2004):** Stem cells in gynecology and obstetrics. *Panminerva Med.* 46: 49-59.

- **Phinney, DG. (2002):** Building a consensus regarding the nature and origin of mesenchymal stem cells. *Journal of Cell Biochemistry*. 38: 7-12.
- **Pickering, S.J.; Braude, P.R.; Patel, M.; Burns, C.J.; Trussler, J.; Bolton, V.; & Minger, S. (2003):** Preimplantation genetic diagnosis as a novel source of embryos for stem cell research. *Reproductive BioMedicine Online*. 7: 353-364.
- **Pierelli, L.; Perillo, A.; Greggi, S.; Salerno, G.; Benedetti- Panici, P.; Menichella, G.; et al. (1999):** Erythropoietin addition to granulocyte colony – stimulating factor abrogates life – threatening neutropenia and increases peripheral – blood progenitor – cell mobilization after epirubicin, paclitaxel, and cisplatin combination chemotherapy; results of a randomized companion. *J. Clin. Oncol.* 17: 1288 – 1295.
- **Pittenger, M.F. and Marshak, D.R. (2001):** Mesenchymal stem cells of human adult bone marrow: Satellite cell proliferative compartments in growing skeletal muscles. *Dev. Biol.* 175: 84 – 94.
- **Powel, K. (2005):** Sceptics demand duplication of controversial fertility claim. *Nat. Med.* 11: 911.
- **Reubinoff, B.E.; Pera, M.F.; Fong, C.Y.; Trounson, A.; & Bongso, A. (2000):** Embryonic stem cell lines from human blastocysts: somatic differentiation in vitro. *Nature Biotechnology*. 18: 399 – 404.

-
-
- **Rhind, S.M.; Taylor, J.E.; De Sousa, P.A.; King, T.J.; McGarry, M. & Wilmot, I. (2003):** Human cloning: can it be made safe? Nature Review Genetics. 4: 855 – 864.

 - **Richards, M.; Fong, C.Y.; Chan, W.K.; Wong, P.C.; Bongso, A. (2002):** Human feeders support prolonged differentiated growth of human inner cell masses and embryonic stem cell lines. Nature Biotechnology. 20: 933-936.

 - **Richards, M.; Tan, S.; Fong, C.Y.; Biswas, A.; Chan, W.K. & Bongso, A. (2003):** comparative evaluation of various human feeders for prolonged undifferentiated growth of human embryonic stem cells. Stem cells. 21: 546 – 556.

 - **Rinkevich, B. (2001):** Human natural chimerism: an acquired character or a vestige of evolution? Hum. Immunol. 62 (6): 651-657.

 - **Rocha, V.; Labopin, M.; Sanz, G.; Arcese, W.; Schwedtfeger, A.; Bosi, R.; et al. and for the Acute Leukemia Working party of the European Blood and Marrow Transplant Group and the Europcord – netcord Registry (2004):** Transplants of umbilical – cord blood or bone marrow from unrelated donors in adults with acute leukemia, N. Engl. J. Med. 351: 2376 – 2385.

 - **Rollini, P.; Kaiser, S.; Faes-Vanlt Hull, E.; Kapp, U. & Leyvra, A.S. (2004):** Long-term expansion of transplantable human fetal liver hematopoietic stem cells. Blood. 103: 1166-1170.

 - **Rosenthal, N. (2003):** Prometheus's vulture and the stem cell promise. N. Engl. J. Med. 349: 267 – 274.

-
-
- **Rosler, E.S.; Fisk, G.J.; Ares, X.; Irving, J.; Miura, T.; Rao, M.S.; Carpenter, M.K. (2004):** Long-term culture of human embryonic stem cells in feeder-free conditions. *Dev. Dyn.* 229: 259-274.

 - **Sandel, MJ. (2004):** Embryo ethics – the moral logic of stem – cell research. *N. Engl. J. Med.* 351. 207 –209.

 - **Schuldiner, M.; Eiges, R.; Eden, A.; Yanka, O.; Itskovitz – Eldor, J.; Goldstein, R.S.; & Benvenisty, N. (2001):** Induced neuronal differentiation of human embryonic stem cells. *Brain Research.* 913: 201 – 205.

 - **Schulz, T.S.; Palmarini, G.M.; Noggle, S.A.; Weiler, A.; Mitalipova, M.M.; & Condie, B.G. (2003):** Directed neuronal differentiation of human embryonic stem cells. *BMC Neuroscience.* 4: 27 – 41.

 - **Seale, P. and Rudnicki, M.A. (2000):** A new look at the origin, function, and "stem – cell" status of muscle satellite cells. *Dev. Biol.* 218: 115 – 124.

 - **Segev, H.; Fishman, B.; Ziskind, A.; Shulman, M. & Itskovitz – Eldor, J. (2004):** Differentiation of human embryonic stem cells into insulin – producing clusters. *Stem cells.* 22: 265–274.

 - **Shamblott, M.J.; Axelman, J.; Wang, S.; Bugg, E.M.; Utlefield, J.W.; Donoran, P.J.; et al. (1998):** Derivation of pluripotent stem cells from cultured human primordial germ cells. *Proc. Natl. Acad. Sci. USA.* 95 (23): 13726-13731.

-
-
- **Shamblott, M.J.; Axelman, J.; Littlefield, J.W.; Blumenthal, P.D.; Huggins, G.R.; Cui, Y.; Cheng, L. & Gearhart, J.D. (2001):** Human embryonic germ cell derivatives express a broad range of developmentally distinct markers and proliferate extensively in vitro. *Proc. Natl. Acad. Sci. U.S.A.* 98: 113-118.

 - **Sharp, J.G.; Kessinger, A.; Lynch, J.C.; Pavletic, Z.S. & Joshi, S.S. (2000):** Blood stem cell transplantation: factors influencing cellular immunological reconstitution. *J. Hematother. Stem Cell Res.* 9: 971 – 981.

 - **Shi, Q.; Rafii, S.; Wu, M.H.; Wijelath, E.S.; Yu, C.; Ishida, A.; Fujita, Y.; Kothari, S.; Mohle, R.; Sauvage, L.R.; Moore, M.A.; Storb, R.F. & Hammond, W.P. (1998):** Evidence for circulating bone marrow – derived endothelial cells. *Blood.* 92: 362 – 367.

 - **Shi, Y.; Hou, L.; Tang, F.; Jian, W.; Wang, P.; Ding, M. & Deng, H. (2003):** Inducing embryonic stem cells to differentiate into pancreatic beta cells by a novel three – step approach with activin a and all – trans retinoic acid. *Stem cells* 23: 656 – 662.

 - **Shields, L.E.; Kiem, H.P. & Andrews, R.G. (2000):** Highly efficient gene transfer into preterm CD34 hematopoietic progenitor cells. *Am. J. Obstet. Gynecol.* 183: 732-737.

 - **Shufaro, Y.; Reubinoff & Thomson, M. (2004):** Therapeutic applications of embryonic stem cells. *Best pract. Res. Clin. Obstet.* 18: 909-927.

-
-
- **Simerly, C.; Dominko, T.; Navara, C.; Payne, C.; Capuno, S.; Gosman, G.; Chong, K.Y.; Takahashi, D.; Chace, D.; Compton, D.; Hewitson, L. & Schatten, G. (2003):** Molecular correlates of primate nuclear transfer failures. *Science*. 300: 297.

 - **Slack, J.M. (2000):** Stem Cells in Epithelial tissues. *Science*. 287: 1411 – 1433.

 - **Smith, AG. (2001):** Embryo-derived stem cells: of mice and men. *Annual review of cell and developmental biology*. 17: 435-462.

 - **Sorapop, K.; Yuen, T. & Pramuan, V. (2006):** Introduction to stem cell medicine. *J. Med. Assoc.* 89 (1): 111-117.

 - **Soria, B.; Skoundy, A. & Martin, F. (2001):** From stem cells to beta cells: new strategies in cell therapy of diabetes mellitus. *Diabetologia*. 44: 407 – 415.

 - **Staba, S.L.; Escolar, M.L.; Poe, M.; Kim, Y.; Martin, P.L.; Szabo, P.; et al. (2004):** Cord-blood transplants from unrelated donors in patients with hurler's syndrome. *N. Engl. J. Med.* 351: 1960-1969.

 - **Stevens, L.C. (1989):** Testicular, ovarian and embryo – derived teratomas. *Cancer surveys*. 2: 75 – 91.

 - **Stojkovic, M.; Wolf, E.; Buttner, M.; Berg, U.; Charpigny, G.; Schmitt, A. & Brem, G. (1995):** Secretion of biologically active interferon tau by in vitro – derived bovine

-
- trophoblastic tissue. *Biology of Reproduction*. 53: 1500 – 1507.
- **Stojkovic, M.; Kolle, S.; Peinl, S.; Stojkovic, P.; Zakhartchenko, V.; Thompson, J.G.; Wenigerkind, H.; Reichenbach, H.D.; Sinowatz, F. & Wolf, E. (2002):** Effects of high concentration of hyaluronan in culture medium on development and survival rates of fresh and frozen / thawed in vitro produced bovine embryos. *Reproduction*. 124 141 – 153.
 - **Stojkovic, M.; Lako Majlinda, Strachan T.; and Murdoch, A. (2004):** Derivation, growth and applications of human embryonic stem cells. *Reproduction*. 128: 259-267.
 - **Strain, A.J.; Crosby, H.A.; Nijjar, S.; Kelly, D.A.; & Hubscher, S.G. (2003):** Human liver-derived stem cells. *Seminars in liver disease*. 23 (4): 373-384.
 - **Street, C.N.; Rajotte, R.V.; & Korbitt, G.S. (2003):** Stem cells: A promising source of pancreatic islets for transplantation in type 1 diabetes. *Current topics in Developmental Biology*. 58: 111 – 136.
 - **Sudhanshu, P.R.; Mueller, T.; Zavazava, N. (2006):** Strategies for developing therapeutic application of human embryonic stem cells. *Physiology*. 21: 19-28.
 - **Surbek, D.V.; Steinmann, C.; Burk, M.; Mahn, S.; Tichelli, A. & Holzgrene, W. (2000):** Developmental changes in adhesion molecule expansions in umbilical cord stem cells. *Am. J. Obstet. Gynecol*. 183: 1152-1157.
-

-
-
- **Surbek, D.V. and Holzgrene, W. (2001):** Fetal cells from cord blood as stem cell source: current status and possible implications in gynaecologic oneology. Eur. J. Gyna. Oncol. 22 (1): 6-12.
 - **Surbek, D.V.; Young, A.; Danzer, E.; Schoeberlein, A.; Dudler, L. & Holzgreve, W. (2002):** Ultrasound-guided stem cells sampling from the early ovine fetus for prenatal ex vivo gene therapy. Am. J. Obstet. Gynecol. 187 (4): 960-963.
 - **Suss-Toby, E.; Gerecht –Nir, S.; Amit, M.; Manor, D.; & Itskovitz-Eldor, J. (2004):** Derivation of a diploid human embryonic stem cell line from a mononuclear zygote. Human Reproduction. 19: 670 – 675
 - **Suzuki, A.; Zheng, Y.W.; Kaneko, S.; Onodera, M.; Fukao, K.; Nakauchi, H.; et al. (2002):** Clonal identification and characterization of self-renewing pluripotent stem cells in the developing liver. Journal of cell biology. 156 (1): 173-184.
 - **Tabibzadeh, S. (2002):** Homeostasis of extracellular matrix by TGF-beta and lefty. Front Biosci. 7: 1231-1246.
 - **Taylor, G.; Lehrer, M.S.; Jensen, P.J.; Sun, I.I. & Lavker, R.M. (2000):** Involvement of follicular stem cells in forming not only the follicle but also the epidermis. Cell. 102, 451 – 461.
 - **Telfer, E.E.; Gosden, R.G.; Byskov, A.G.; et al. (2005):** On regenerating the ovary and generating controversy. Cell. 122: 821 – 822.

-
-
- **Terami, H.; Hidaka, K.; Katsumata, T.; Lio, A. & Morisaki, T. (2004):** Wnt11 facilitates embryonic stem cell differentiation to Nkx 2.5 positive cardiomyocytes. *Biochem. Biophys. Res. Commun.* 325: 968 – 975.

 - **Thompson, S.; Stern, P.L.; Webb, M.; Walsh, F.S.; Engstrom, W.; Evans, E.P.; Shi, W.K.; Hopkins, B. & Graham, C.F. (1984):** Cloned human teratoma cells differentiate into neuron-like cells and other cell types in retinoic acid. *J. Cell Sci.* 72: 37-64.

 - **Thomson, J.A.; Kalishman, J.; Golos, T.G.; Durning, M.; Harris, C.P.; Becker, R.A. & Hearn, J.P. (1995):** Isolation of a primate embryonic stem cell line. *Proc. Natl. Acad. Sci. USA.* 92: 7844-7848.

 - **Thomson, J. A. and Marshall, V.S. (1998):** Primate embryonic stem cells. *Curr. Topics Dev. Biol.* 38: 133 – 165.

 - **Thomson, J.A.; Itskovitz-Eldor, J.; Shapiro, S.S.; Waknitz, M.A.; Swiergiel, J.J.; Marshall, V.S. & Jones, J.M. (1998):** Embryonic stem cell lines derived from human blastocysts. *Science.* 282: 1145-1147.

 - **Thomson, J.A. and odorico, J.S. (2000):** Human embryonic stem cell and embryonic germ cell lines. *Travels. Biotechnol.* 19: 53 – 57.

 - **Touraine, J.L. (1999):** Intrauterine transplantation of fetal liver stem cells for the treatment of β -thalassemia and immunodeficiency diseases. *Rev. Clin. Exp. Hematol.* 9: 33 – 48.

-
-
- **Trounson, A.O.; Gardner, D.K.; Baker, G.; Barnes, F.L.; Bongso, A.; Bourne, H.; Calderon, I.; Cohen, J.; Dawson, K.; Eldar-Geve, T.; Gardner, D.K.; Graves, G.; Healy, D.; Lane, M.; Leese, H.J.; Leeton, J.; Levron, J.; Liu, D.Y.; Maclachlan, V.; Munne, S.; Oranratnachai, A.; Rogers, P.; Rombauts, L.; Sakkas, D.; Sathananthan, A.H.; Willadsen, S. & Wood, C. (2000):** Handbook of in vitro fertilization. (Boca Raton, London, New York, Washington, D.C.: CRC Press).

 - **Tzukerman, M.; Rosenberg, T.; Ravel, Y.; Reiter, I.; Coleman, R.; Skorecki, K. (2003):** An experimental platform for studying growth and invasiveness of tumor cells within derived from human embryonic stem cells. Proc. Natl. Acad. Sci. USA. 100 (23): 13507-13512.

 - **UNESCO Universal declaration on the human genome and human rights (1999):** Article 12, Part b.

 - **Vallier, L.; Rugg-Gunn, P.J.; Bouhon, I.A.; Andersson, F.K.; Sadler, A.J. & Pederson, R.A. (2004):** Enhancing and diminishing gene function in human embryonic stem cells. Stem Cells. 22: 2 -11.

 - **Van Zant, G. and Liang, Y. (2003):** The role of stem cells in aging. Experimental Hematology. J. 31(8): 659-672.

 - **Verfaillie, C.M. (2002):** Adult stem cells: assessing the case for pluripotency. Trend in Cell Biology. 12 (11): 502-508.

-
- **Verfaillie, C.M.; Pera, M.F. & Lansdorp, P.M. (2002):** Stem cells: hype and reality. Hematology (American Society Hematology Education Program); 369-391.
 - **Vodyanik, M.A.; Bork, J.A.; Thomson, J.A. & Slukvin, I.I. (2005):** Human embryonic stem cell derived CD34+ cells: Efficient production in the coculture with OP9 stromal cells and analysis of lymphohematopoietic potential. Blood. 105: 617 – 626.
 - **Vogel, W.; Grunebach, F.; Messam, C.A.; Kanz, L.; Brugger, W. & Buhring, H.J. (2003):** Heterogeneity among human bone marrow-derived mesenchymal stem cells and neural progenitor cells. Haematologica; 88 (2): 126-133.
 - **Walters, L. (2004):** Human embryonic stem cell research: an intercultural perspective. Kennedy Institute Ethics J. 14: 3-38.
 - **Wang, L.; Menendez, P.; Shojaei, F.; Mazurier, F.; Dick, J.E.; Cerdan, C.; et al. (2005):** Generation of hematopoietic repopulating cells from human embryonic stem cells independent of ectopic HOXB4 expression. J. Exp. Med. 201: 1603-1614.
 - **Watt, S.M. and Contreras, M. (2005):** Umbilical cord blood and its stem cell potential. Seminars in fetal and neonatal medicine. 10 (3): 209-220.
 - **Weiss, R.A. (2003):** HIV and AIDS: Looking ahead. Nat. Med. 9: 887-891.

- **Woll, P.S.; Martin, C.H.; Miller, J.S. & Kaufman, D.S. (2005):** Human embryonic stem cell – derived NK cells acquire functional receptors and cytolytic activity. *J. Immunol.* 175: 5095 – 5103.
- **Xu, C.; Inokuma, M.S.; Denham, J.; Golds, K.; Kundu, P.; Gold, J.D.; & Carpenter, M.K. (2001):** Feeder – free growth of undifferentiated human embryonic stem cells. *Nature Biotechnology.* 19: 971 – 974.
- **Ying, Q.L.; Nichols, J.; Evans, E.P. & Smith, A.G. (2002):** Changing potency by spontaneous fusion. *Nature.* 416 (680): 545-548.
- **Zhao, J.; Hao, H.N.; Thomas, R.L. & Lyman, W.D. (2001):** An efficient method for the cryopreservation of fetal human liver hematopoietic progenitor cells. *Stem cells.* 19: 210-218.
- **Zwaka, T.P. and Thomson, J.A. (2003):** Homologous recombination in human embryonic stem cells. *Nature Biotechnology.* 21: 319 – 321.