

REFERENCES

Andrews WW; Goldenberg RL. Hauth JC . Preterm labor: emerging role of genital tract infections (Review). *Infect Agents Dis.*1995; 4 : 196 – 211.

Beato M, Sanchez PA . Interaction of steroid hormone receptors with the transcription initiation complex. *Endocr Rev* 1996; 17 : 587.

Besinger RE and Iannucci TA . Tocolytic therapy. In : Elder M.G. Lamont RF, Romero, R. (eds) *preterm Labor*. New York; Churchill Livingstone 1997; 243 – 97.

Black RS, Less S, Thompson C, Pickles A Campbells .Maternal and fetal cardiovascular effects of transdermal glyceryl trinitrate and intravenous ritodrine. *Obstet-Gynecol* oct 1999; 94 : 572 – 6.

Blondel B, Breart G, Berthoux Y. Home uterine activity monitoring in France : Randomized, controlled trial. *Am J Obstet Gynecol* 1992; 167 : 424 – 29.

Boehm FH, Glass CA , Reed GW .Prevention of preterm birth. Role of daily telephone contact. *J. Reprod Med* 1996; 41 : 595 – 601.

Bossmar T. Treatment of Preterm labor with the oxytocin and vasopressin antagonist Atosiban. *J perinat Med.* 1998; 26 (6) : 458-465.

Bootstaylor B, Roman C, Heymann MA, Parer JT. Fetal cardiorespiratory effects of nitroglycerin in the near term pregnant sheep. *Am J Obstet Gynecol* 1994; 170 (suppl): 281-6

- Bootstaylor BS, Roman C, Parer JT, Heymann MA** . Fetal and maternal hemodynamic and metabolic effects of maternal introglycerin infusions in sheep. Am J Obstet Gynecol 1997; 176: 644 – 50.
- Buekens P, Alexander S, Boutsen M** . Randomised controlled trial of routine cervical examinations in pregnancy. Lancet 1994; 344 : 841 –44.
- Chaim W, Mazor M**. The relationship between hormones and human parturition. Arch Gynecol Obstet. 1998; 262 : 43-51
- Christoph L, Stuart C, Eric J** . Arrest of preterm labour and prolongation of gestation with glyceryl trinitrate, anitric oxide donor. Lancet 1994; 343 : 1325 – 26.
- Ciray HN, Guner H, Hakansson H**. Morphometric analysis of gap junction in nonpregnant and term prgnant human myometrium. Acta Obstet Gynecol Scand 1995; 74 : 497.
- Colton T, Kayne HL, Zhang Y, Heeren T** . A meta-analysis of home uterine activity monitoring. Am J Obstet Gynecol 1995; 173 : 1499 – 505.
- Copper RL, Goldenberg RL, Das A** . The preterm prediction study. Maternal stress is associated with spontaneous preterm birth at less than thirty – five weeks gestation. Am J obstet Gynecol 1996; 175 : 1286.
- Cox SM, Bohman VR, Sherman ML, Leveno KJ** . Randomized investigation of antimicrobials for the prevention of preterm birth. Am J Obstet Gynecol 1996; 174 : 206 – 10.

- Creasy RK** . Preterm birth prevention : where are we? Am J obstet Gynecol 1993; 168 : 1223.
- Daniel V**. Endocrinology of preterm labour, clinical obstetrics and gynecology 2000; 43 : 717 – 26.
- Dawes G, Serra V, Moulden M, Redman CWG** . Dexamethasone and fetal heart rate variation. Br J Obstet Gynaecol 1994; 101 : 675 – 9.
- Elnashar AM, Assaf A, Fouad H**. Glyceryl trinitrate and nifedipine in management of preterm labour: a comparative study. J of Egyptian society of Obstet & Gynecol 1998; 24 : 7-9.
- El- Sayed YY, Riley ET, Holbrook KH, et al**. Randomized comparison of intravenous nitroglycerin and magnesium sulfate for treatment of preterm labour. Obstet-Gynecol Jan 1999 ; 93 (1) : 79 – 83.
- Fuchs AR**. Plasma membrane receptors regulating myometrial contractility and their hormonal modulation. Semin Perinatol 1995; 19:15.
- Gallagher PJ, Herring BP, Stull JT** . Myosin light chain kinases. J Muscle Res Cell Motil 1997; 18 : 1.
- Garcia – Velasco JA, Gonzalez GA**. A Prospective randomized trial of nifedipine vs. ritodrine in threatened preterm labor. Int J Gynaecol Obstet. 1998; 61:239-244.
- Garfield RE, Ali M, Yallampalli C**. Role of gap junctions and nitric oxide in control of myometrial contractility. Semin Perinatol 1995; 19:41.

- Giles WB, McLean M, Davies JJ, Smith R** . Abnormal umbilical artery Doppler waveforms and cord blood corticotropin – releasing hormone. *Obstet Gynecol* 1996; 87 : 107 – 11.
- Glock JL, Morales WJ** . Efficacy and safety of nifedipine versus magnesium sulfate in the management of preterm labor : a randomized study. *Am J Obstet Gynecol* 1993; 169 : 960 – 4.
- Goepfert AR, Goldenberg RL**. Prediction of prematurity [Review]. *Curr Opin Obstet Gynecol* 1996; 8 : 417 – 27.
- Goodwin TM, Valenzuela G, Silver H, et al**. Treatment of preterm labor with the oxytocin antagonist atosiban. *Am J Perinatol*. 1996; 13:143-146.
- Goodwin TM, Paul R, Silver H** .The effect of the oxytocin antagonist atosiban on preterm uterine activity in the human. *Am J obstet. Gynecol* 1994; 170 : 474 –8.
- Grady JP, Parker RK, Patel SS** . Nitroglycerin for rapid tocolysis: development of a protocol and a literature review. *J Perinatol* Jan – Feb 2000; 20 (1) : 27 – 33.
- Graeme N, Mark CW, Michael JM** . Randomised, double – blind placebo controlled pilot study assessing nitroglycerin as a tocolytic. *Br J of obstet and Gynaecol* July 1999; 106 : 736 –9.
- Grant A, Oenn ZJ, Steer PJ** . Elective or selective caesarean delivery of the small baby? A systematic review of the controlled trials. *Br J Obstet Gynaecol* 1996; 103, 1197 – 200.
- Gravett MG, Haluska GJ, Cook MJ, Novy MJ** . Fetal and maternal endocrine response to experimental intra-uterine infection in rhesus monkeys. *Am J Obstet Gynecol* 1996; 174 : 1725 – 31.

Greenspoon JS, Kovacic A . A breech extraction facilitated by glyceryl trinitrate spray. *Lancet* 1999; 338 : 124 – 5.

Guyetvai K, Hannah ME, Hodnett ED., et al. Tocolytics for preterm labor: A systematic review. *Obstet Gynecol.* 1999; 94 : 869-877.

Guzman ER, Benito C, Hanley M . Sonography in the evaluation of the cervix during pregnancy. *Curr Opin Obstet Gynecol* 1996; 8 : 99 – 105.

Hauth JC, Goldenberg RL, Andrews WW, et al. . Reduced incidence of preterm delivery with metronidazole and erythromycin in women with bacterial vaginosis. *N Engl J Med* 1995; 333 : 1732 – 6.

Hill JA . Immunotherapy for recurrent pregnancy loss, “Standard of Care or buyer beware”. *J Soc Gynecol invest* 1997; 4 : 267 – 73.

Hillier SL, Nugent RP, Eschenbach DA . Association between bacterial vaginosis and preterm delivery of a low – birth weight infant. The vaginal Infections and Prematurity Study Group *N Engl J Med* 1995; 333 : 1737 – 42.

Hollebeom CAG, Merkus JM, Van Elferen LW, Keirse MJ . Double – blind evaluation of ritodrine sustained release for oral maintenance of tocolysis after active preterm labor. *Br J Obstet Gynaecol* 1996; 103 : 702.

Holst E, Goffeng AR, Andersch B . Bacterial vaginosis and vaginal microorganisms in idiopathic premature labor and association with pregnancy outcome. *J Clin Microbiol* 1994; 32 : 176 – 86.

Iams JD, Goldenberg RL, Mercer BM . The preterm Prediction study: Recurrence risk of spontaneous preterm birth. Am J Obstet Gynecol 1998; 178 (in press).

Imseis HM, Albert TA, Iams JD . Identifying twin gestations at low risk for preterm birth with a transvaginal ultrasonographic cervical measurement at 24 to 26 weeks gestation. Am J Obstet Gynecol 1997; 177 : 1149.

Jackson WF, Busse R .Elevated guanosine 3':5' - cyclic monophosphate mediates the depression of nitrovasodilator reactivity in endothelium – intact blood vessels. Arch Pharmacol 1996; 344: 345 – 350.

Jams JD, Johnson FF, Sonek J, Sachs L, Gebauer C, Samuels P . Cervical incompetence as a continuum : a study of ultrasonographic cervical length and obstetric performance. Am J Obstet Gynecol 1995; 172 : 1097 – 106.

Katz VL . Management of group B streptococcal disease in pregnancy. Clin Obstet Gynecol 1993; 36 : 832 – 42.

Keirse M . β mimetics in preterm labour. In : Keirse, M, Renfrew M, Neilson, J and Crowther C. The Cochrane Pregnancy and Chidbirth Database Oxford: Update Software 1995.

Kilarski WM, Rezapour M, Backstrom T . Morphometric analysis of gap Junction density in human myomertium at term. Acta Obstet Gynecol Scand 1994; 73:377.

Kosasa TS, Busee R, Wahl N . Long term tocolysis with combined terbutaline and magnesium sulfate : A ten year study of 1000 patients Obstet Gynecol 1994; 84 : 369.

Kosasa TS, Abou – Sayf FK, Li-Ma G, Hale RW . Evaluation of the cost – effectiveness of home monitoring of uterine contractions. Obstet Gynecol 1990; 76 : 715 – 55.

Kramer WB, Saade GR, Belfort M, et al., A randomized double-blind study comparing the fetal effects of sulindae to terbutaline during the management of preterm labor. Am. J. Obstet Gynecol. 1999; 180 (2-1): 396-401.

Ku Cy Qian A, Wen Y . Oxytocin stimulates myometrial GTPase and phospholipase C activities via coupling to G α Q/11. Endocrinology 1995; 136 : 1509.

Lam F, Elliot, J, Jones JS, et al. 1998. Clinical issues surrounding the use of terbutaline sulfate for Preterm labor. Obstet Gynecol Surv. 1998; 53 (11) : S85 – S95.

Lamont RF, Fisk NM . The role of infection in the pathogenesis of preterm labour Prog Obstet Gynaecol., 1993; 10 : 135 – 158.

Lees CC, Lojacono A, Thompson C, et al. Glyceryl trinitrate and ritodrine in tocolysis: an international multicenter randomized study. GTN preterm labour investigation group. Obstet. Gynecol. 1999 Sep; 94 (3): 403 –8.

Lees C, Campbell S, Jauniaux E . Arrest of preterm labour and prolongation of gestation with glyceryl trinitrate, a nitric oxide donor Lancet 1994; 343 : 1325 – 26.

Levav AL, Chan L, Wapner R . Long-term magnesium sulfate tocolysis and maternal osteoporosis in a triplet pregnancy :A Case report. Am J perinatol 1998; 15 : 43.

- Macones GA, Robinson CA** . Is there justification for using indomethacin in preterm labor? An analysis of neonatal risk and benefits. *Am J Obstet Gynecol* 1997; 177 : 819.
- Matorras R, Garcia – Perea Madero R, Usandizaga JA** . Maternal colonization by group B streptococci and puerperal infection; analysis of intrapartum hemoprophylaxis. *Eur. J Obstet. Gynecol. Reprod. Biol* 1990; 38 : 203 – 207.
- Mazor M, Chaim W, Horowitz S, Leiberman JR, Glezerman M** . Successful treatment of preterm labor by eradication of *Ureaplasma urealyticum* with erythromycin. *Arch Gynecol. Obstet.*, 1993; 253 : 215 – 18.
- McDonald HM, O’Loughlin JA, Vigneswaran R** . Impact of metronidazole therapy on preterm birth in women with bacterial diagnosis flora. (*Gardnerella vaginalis*): a randomised placebo controlled trial. *Br. J. Obstet. Gynaecol* 1997; 104 : 1391 – 97.
- McGregor JA, French JJ, Parker R** . Prevention of premature birth by screening and treatment for common genital tract infections : results of a prospective controlled evaluation. *Am J Obstet Gynecol* 1995; 173 : 157 – 167.
- McLean M, Bisits A, Davies JJ, et al.** Placental clock controlling the length of human pregnancy. *Nat Med* 1996; 1 : 460 – 3.
- Meis PJ, Goldenberg RL, Mercer B** . The preterm prediction study : significance of vaginal infections. National Institute of Child Health and Human Development Maternal – Fetal Medicine Units Network. *Am J Obstet. Gynecol* 1995; 173 : 1231 – 35.

- Mercer B, Miodovnik M, Thurnau G .** The NichD-MFMU Network: a multicenter randomised mass trial of antibiotic versus placebo therapy after preterm premature rupture of the membranes Am J Obstet Gynecol., 1996; 196 : 174 : 304.
- Moncada S. and Higgs E.A.** Nitric oxide: Physiology, pathophysiology and pharmacology. Pharmacol. Rev. 1991, 43 : 109 – 142.
- Morales WJ, Schorr S, Albritton J .** Effect of metronidazole in patients with preterm birth in preceding pregnancy and bacterial vaginosis : a placebo – controlled, double – blind, study. Am J Obstet Gynecol 1994; 171 : 345 – 9.
- Moutquin JM, Sherman D, Cohen H, et al.,** Double blind, randomized, controlled trial of atosiban and ritodrine in treatment of preterm labour: a multicenter effectiveness and safety study. Am J obstet – Gynecol May 2000; 182 (5) : 1191 - 9
- Norman K, Pattinson RC, De Souza J, et al.,** Ampicillin and metronidazole treatment in preterm labour: a multicentre randomised controlled trial. Br J Obsetet. Gynaecol 1994; 101 : 404 – 8.
- Ozaki H, Blondfield DP, Hori M, et al.** Spontaneous release of nitric oxide inhibits electrical, Ca^{+2} and mechanical transients in canine gastric smooth muscle. J Physiol 1992; 445 : 231 – 47.
- Paneth N, Jetton J. Pinto-Martin J, et al.** Magnesium sulfate in labor and risk of neonatal brain lesions and cerebral palsy in low birth weight infants. The Neonatal Brain Hemorrhage Study Analysis Group. Pediatrics. 1997; 99 (5) : El.

- Patel FA, Chwalishz K, Challis JRG .** Regulation of prostaglandin dehydrogenase (PGDH) activity by cortisol and progesterone may involve paracrine/outocrine interaction and effects on levels of PGDH mRNA.(Abstract No. 136). Atlanta, Proceedings of the Society for Gynecologic Investigation 1998.
- Penn ZJ, Steer PJ .** Preterm labour. In : The Scientific. Basis of obstetrics and Gynecology. London : Saunders 1997.
- Ramsay B, De Belder A, Campbell S, Moncada S, Martin JF.** A nitric oxide donor improves uterine artery diastolic blood flow in normal early pregnancy and in women at high risk of pre-eclampsia. Eur J Clin Invest 1994; 24 : 76 – 8.
- Rees DD, Palmer RMJ, Monada S .** Role of endothelium – derived nitric oxide in the regulation of blood pressure. Proc Natl Acad Sci USA 1998; 86: 3375 – 8.
- Richard SR, and Klingelberger CE.** Intravenous ritodrine as a possible provocative predictive test in gestational diabetes : a case report.J. Reprod. Med 1987; 32: 798-800.
- Robertson PA, McGregor JA, Varner M, et al.** The role of salivary estriol in predicting symptomatic patients (Abstract). Presented at the the 68th Annual Clinical Meeting of 68th American Clinical Meeting of the American college of obstetricians and Gynecologists; April 1998; Atlanta, GA.
- Romero R, Fayek S, Avila C .** The prevalence and microbiology of intraamniotic infection in twin gestation with pterm labor. Am J Obstet Gynecol 1990; 163 : 757 – 61.

- Romero R, Sirtori M, Oyarzun E** . Infection and labor : V. Prevalence, microbiology, and clinical significance of intraamniotic infection in women with preterm labor and intact membranes. Am J Obstet Gynecol 1986; 161 : 817 – 24.
- Rowlands S, Trudinger B, Visva, Lingam, S** . Treatment of preterm cervical dilatation with glyceryl trinitrate, a nitric oxide donor. Aust N Z J Obstet Gynecol 1996; 36 : 377 – 81.
- Sanborn BM** . Ion channels and the control of myometrial electrical activity. Semin Perinatol 1995; 19:31.
- Sanchez-Ramos L, Kaunitz AM, Gaudier FL, et al.** Efficacy of maintenance therapy after acute tocolysis: a meta-analysis. Am J Obstet Gynecol. 1999; 181 (2) : 484 –490.
- Schieve LA, Handler A, Hershow R** . Urinary tract infection during pregnancy : its association with maternal morbidity and perinatal outcome. Am J Public Health 1994; 84 : 405 – 10.
- Schorr SJ, Ascarelli MH, Rust OA, et al.** Comparative study of ketorolac (Toradol) and magnesium sulfate for arrest of preterm labor. South Med J. 1998; 91 : 1028-1032.
- Schmidt HHHW, Nau H, Wittfoht W, et al.** Arginine is a physiological precursor of endothelium – derived nitric oxide. Europ J of Pharmacol. 1990; 154 : 213 – 6.
- Smith GN, Brien JF** . The use of nitroglycerin for uterine relaxation. Obstet Gynecol Surv 1998; 53 : 559 – 66.
- Steer PJ.** Preterm labour, in : Edmonds DK . Ed. Dewharst's textbook of obstetrics and Gynaecology for Postgraduates 6th edition, Blackwell Science, London 1999; 291 – 7.

- Sun K, Smith R, Robinson PJ** . Basal and KCL stimulated corticotropin releasing hormone release from human placental syncytiotrophoblasts is inhibited by sodium nitroprusside. J Clin Endocrinol Metab 1994; 79 : 519 – 24.
- Svigos JM, Robinson JS , Vigneswaran R** . Threatened and actual preterm labour including mode of delivery. In: James Dk, Steer, PJ, Weiner CP and Gonik B (eds) High Risk Pregnancy-Management Options (2nd edn). London : Saunders, 1999; 999 – 1014.
- Tare M, Parkington HC, Coleman HA, Neild TO, Dusting GJ**. Hyperpolarization and relaxation of arterial smooth muscle caused by nitric oxide derived from the endothelium. Nature, 1996; 346 : 69 – 71.
- Word RM**. Myosin phosphorylation and the control of myometrial contraction/ relaxation. Semin perinatol 1995; 19:3.
- Zeeman GG. Khan , Dawood FS, Dawood MY**. Oxytocin and its receptor in pregnancy and parturition : Current concepts and clinical implications. Obstet Gynecol 1997; 89 : 874.