

REFERENCES

Abildgaard U. (1993) : Heparin/Low molecular weight heparin and tissue factor pathway inhibitor. Haemostasis 1 : 103-106.

Andress Koster, Maria Kukacka, Friedhelin Bach, et al, (2001) :

Anticoagulation during Cardiopulmonary Bypass in Patients with Heparin-induced Thrombocytopenia Type II and Renal Impairment Using Heparin and the Platelet Glycoprotein IIb-IIIa Antagonist Tirofiban. *Anesthesiology*, 94 : 245-51.

Baron H.C., LaRaja R.d. and Rossi G. (1987) :

Continuous epidural analgesia in the heparinized vascular surgical patients. A retrospective review of 912 patients. *J Vas Surg* 6 : 144.

Bick R.L. (1994):

Laboratory work up of bleeding. *Med Clin North America*, 78 : 511-543.

Bottner F.; Sculco T.P. and Sharrock N.E. (2001) :

Prevention of thrombosis in hip prosthesis implantation. *Orthopade*; 30 (11) : 890-6.

Breddin H.K. (2000) :

Prophylaxis and treatment of deep-vein thrombosis.
Semin Thromb Hemost; 26; 1 : 47-52.

Brummel K.E.; Paradis S.G. and Branda R.F. (2001) :

Oral anticoagulation thresholds.
Circulation 6; 104 (19) : 2311-7.

Bullingham A. and Struning L. (1995) :

Prevention of postoperative venous thromboembolism,
British Journal of Anesthesia 75; 622-630.

Bussey H.I.; Force R.W.; Bianco T.M. and Leonard A.D. (1992) :

Coagulation pathway and anticoagulant therapy. Arch.
Intern Med. 152 : 278-282.

Dalen J.E.; Hirsh J.; Deykin D. (1999):

Drugs acting on the haemostatic system. In : J.G. Bovill,
M.B. Howie (eds). Clinical pharmacology for Anesthesia.
W.B. Saunders Hong Kong. 26 : 351-364. Quoted from:
Heparin: mechanism of action, pharmacokinetics, dosing
considerations, monitoring, efficacy, and safety. Chest
1992;102:337-35.

Davidson Churchill H.C. (1993) :

Physiology of the extra corporeal circulation. In : H.C.
churchil Davidson (ed). A practice of Anaesthesia; Lloyd-
Luke (Medical Books) LTD, Fifth edition , 553 – 602.

DeGaetano G. and Cerlettic C. (1982):

New anti-platelet strategies.

Ital Haert J.; 2 (1 suppl) : 7-9.

DiGiovanni C.W. Restrepo A.; Gonzalez Della and Valle A.G. (2000) :

The safety and efficacy of intraoperative heparin in total hip arthroplasty. Clin. Orthop; 379; 178-85.

Dong L.; Shi Y. and Tian Z. (2001) :

The follow-up of 12 pregnant women with anticoagulation therapy after mechanical heart valve replacement. Zhonghua Fu Chan Ke Za Zhi 36 (8) : 465-7.

Duxbury B.M. and Poller L. (2001) :

The oral anticoagulant saga : past, present and future Clin. Appl Thromb Hemost; 7 (4) : 269-75.

Enneking K.F. and Benzon H.T. (1998) :

Oral anticoagulants and regional anesthesia; Reg Anesth Pain Med. 23 : 140.

Eriksson B.L. (2000) :

New therapeutic options in deep vein thrombosis prophylaxis, Semin Hematol; 37 (3) : 7-9.

Esmon C.T. (1987) :

The regulation of natural anticoagulant pathways Science 235: 134.

Fischbach F. (1996) :

Hemostasis. In: Jhon J. Shan (ed). Illustrated Guide to Diagnostic Test 2nd ed, Springhouse Corporation, USA: 42-67. Quoted from: A manual of Laboratory and Diagnostic Tests, 5th ed. Philadelphia. Lippincott Raven Pub. 1997.

Gerhard Meisenberg and William H. Simman (eds) (1998):

Plasma proteins, In : Medical Biochemistry.
Missouri; Mosby, Inc. 25; 511-546.

Gravlee G.P.; Whitaker C.L. Mark L.J. (1990) :

Baseline activated coagulation time should be measured after surgical incision. Anes Analg, 71 : 549-53.

Greaves M. and Taberner D.A. (2000) :

Thrombotic disease. In : Ledingham JGG and Warrel DA; (eds). Concise Oxford Textbook of Medicine. New York; Oxford University Press, 2000; 3.39 : 321 – 332.

Guyton A.C. (2000) :

Hemostasis and Blood Coagulation. In Guyton AC and Hall JE; (eds). Text Book of Medical physiology.
Philadelphia : W.B. Saunders Company, 36 : 390-399.

Hague W.M.; North R.A. and Gallus A.S. (2001) :

Anticoagulation in pregnancy and the puerperium.
Med. J. Aust; 3, 175 (5) : 258-63.

Hanania G. and Nassivera L. (2001) :

Anticoagulation therapy during pregnancy in patients with mechanical valve prostheses.

Arch Mal Coeur Vaiss. 94 (10) : 1073-6.

Hanley S.P.; Bevan J. and Cockbil S.R. (1982) :

A regimen for low-dose aspirin?

Br. Med. J. 6; 285 (651) : 1299-302.

Harmening D.M. (ed) (1996) :

Hemostasis. In: Jhon J. Shan(ed). Illustrated Guide to Diagnostic Test 2nd ed. USA, Springhous Corporation, USA: 1996, 42-67. Quoted from: Clinical Hematology and fundamentals of hemostasis, 3rd ed. Philadelphia. F.A. Davis Co.

Henry J.B. (1996) :

Hemostasis. In: Jhon J. Shan(ed). Illustrated Guide to Diagnostic Test 2nd ed, Springhous Corporation, USA: 42-67. Quoted from: Clinical Diagnosis and Management by Laboratory Methods, 19th ed philadelphai; W.B. Saunders Co. 1996.

Hernigou P. and Charpentier P. (2001) :

Routine use of adjusted low-dose oral anticoagulants during the first three postoperative months after hip fracture in patients without comorbidity factors,

J. Orthop-Trauma 15 (8) : 535-41.

Hirsh J.(1999):

Drugs acting on the haemostatic system.In : J.G. Bovill,
M.B. Howie (eds). Clinical pharmacology for Anesthesia.
W.B. Saunder Hong Kong. 26 : 351-364. Quoted from:
Heparin. N England J Med 1991;324:1565-1574.

Hirsh J. and Levin M.N. (1994) :

Low molecular weight heparin :Laboratory properties and
clinical evaluation. A review. Eur. J. Surg. Suppl. 571 : 9-22.

Horlocker T.T. (2001) :

Low molecular heparin and neuraxial anesthesia.
Thromb Res; 101 (1) : 141-54.

Horlocker T.T. and Wedel D.J. (1998) :

Neuroaxial block and low molecular weight heparin,
Balancing preoperative analgesia and thrombo prophylaxis,
Reg Anesth Pain Med. 29 : 164.

Horlocker T.T. , Wedel D.J.,Scilichting J.L.(1994):

Post operative epidural analgesia and oral anticoagulant
therapy. Anesth Analg 79:89.

Hull R.D.et al. (1996) :

Drugs and homeostasis. In D.R. Laurance, P.N. Bennett,
M.J. Brown (eds), Clinical pharmacology 8th ed. Churchl
Livingston, Singapore, 298 : 519-533. Quoted from: New
England Journal of Medicine,1992, 326:975.

Joist J.H. (1999) :

Laboratory control; prevention and management of complications of anticoagulant therapy. In : Jout JH, Sherman LA (eds). : Venous and arterial thrombosis : Diagnosis, prevention, and therapy.
New York, Grane and Stratton. p. 173.

Kearon C. (2001) :

Duration of anticoagulation for venous thromboembolism.
J. Thromb Thrombolysis; 12 (1) : 59-65.

Kee J.L. (1995) :

Hemostasis.In:Jhon J. Shan (ed). Illustrated Guide to Diagnostic Test 2nded. USA, Springhous Corporation, USA: 1996, 42-67.Qooted from: Laboratory and Diagnostic Tests, 4th ed. Stamford, Conn; Appleton & Lang, 1995.

Khamashto M.; Gadrado M.I.; Mujic F.; Taub N.; Hunt B.J. and Hughes G.R.V. (1995):

Principels of hemostosis and pathophysiology of thrombo. N England. J. Med. 3312; 993-997.

Kharchafi A.M.; Taloune, Mikdame F. (2002) :

What is new in anti thrombotic treatment?
Annales de Biologic Clinique vol. 60, Jssue 2, 131-41.

Kumar Parveen and Michael Clarck (eds) (1998) :

Bleeding disorders In : Clinical Medicine. 4th ed. Italy, W.B. Sounders, 8, 6 : 411-414.

Laurent P.; Dussarat G.V. and Bonal J. (2002) :

Low molecular weight heparins : a guide to their optimum use in pregnancy. *Drugs* 62 (3) : 463-77.

Larrance D.R; P.N. Bennett and M.J. Brown(eds) (1996): Drugs and haemostasis. In: *Clinical pharmacology* 8th ed Churchill Livingstone, Singapore; 29: 519-533.

Ledingham J.G.G.and Weatherall D.J.(2000):

Pulmonary embolism. In : Ledingham JGG and Warrel DA; (eds). *Concise Oxford Textbook of Medicine*. New York; Oxford University Press;2000,2.30:148-152.

Levi M.; deBrun T.A. and Vander Meer F.J. (2001) :

Self-monitiring and self dosing of oral anticoagulant therapy with vitamin K antagonists.

Ned. Tijdschr Geneeskd, 145 (48). 2313-7.

Lindhoff-Last E.; Sohn C. and Ehrly A.M. (2000) :

Current management of thromboembolism in pregnancy and perperium. *Zantralbl Gynakol*; 122 (1) : 4-17.

Liu S.S. and Muloroy (1998) :

Neuraxial Anesthesia and Analgesia in the presence of standard Heparin. *Reg Anesth pain Med*. 23.

Lotspeich-Steininger C.A.; Stiene-Martin E.A. ; Koepke J.A. (1996):

Assessment of Hemostasis. In : Michael L. Bishop, Janet L, Edward P. (eds). Clinical chemistry principles, procedures, correlations 3rd ed. Philadelphia, New York Lippincott-Raven.519-537. Quoted from: Lotspeich-Steininger C.A.; Stiene-Martin E.A. ; Koepke J.A. Clinical hematology, Philadelphia, JB. Lippincott, 1992;593.

Lowson S.M. and Good Child C.D. (1989) :

Heparin therapy and spinal anaesthesia.
Anaesthesia 44 : 67.

Mackie I.J. (2000) :

The biology of hemostasis and thrombosis. In : Ledingham JGG and Warrel DA; (eds). Concise Oxford Textbook of Medicine. New York : Oxford University Press, 3, 33 : 29-301.

Margaret L. Rand and Murray R.K. (2000) :

Plasma proteins, immunoglobulins and blood coagulation. In Robert K. Murray, Darly K. Granner, Peter M. Mayers, et al., (eds). Harpers Biochemistry.25th ed. California : Appleton & Lange, 59 : 737 –763.

Mertzlufft F. (2000):

Reliability of the heparin management test for monitoring high level of Unfractionated Heparin.
Anesthesiology, 29 : 1594 – 1602.

Michael Sobel and Edwin W. Salzman (1995) :

Hemorrhagic and thrombotic complications of cardiac surgery. In : Arthur E. Baue, Alexander S. Geha, Graema L. Hammond, et al., (eds) : Glenn's thoracic and cardiovascular surgery. San Mateo, California : Appleton & lange, 107: 1547-1560.

Miric A.; Lombard P. Sculco T.P. (2000) :

Deep vein thrombosis prophylaxis: a comprehensive approach for total hip and total knee arthroplasty patient populations. Am J Orthop, 29 (4) : 269-74.

Montebugnoli M.; Bugamelli S. and Bonfatti M.et al, (1998):

Thromboembolic complications and pharmacological prophylaxis in orthopaedic surgery. Anesthesia; 53 (suppl. 2) 55-57.

Parker R.I. and Farmer J.C. (1992):

Coagulation; Essential physiologic concerns In: Civetta JM. Taylor R.W., Kirby RR., eds. Critical care, 2nd ed. Philadelphia, JB Lippincott Co., 1705.

Patricia Hudson, (1996) :

Assessment of Hemostasis. In : Michael L. Bishop, Janet L, Edward P. (eds). Clinical chemistry principles, procedures, correlations 3rd ed. Philadelphia, New York Lippincott-Raven. 519.

Pinede L. (2001) :

Duration of oral anticoagulant therapy in venous thromboembolism. Rev Med. Intern; 22 (12) : 1225-36.

Preston F.E.; Laidlaw S.T.; Sampson B. and Kitchen S. (2002) :

Rapid reversal of oral anticoagulation with warfarin by a prothrombin complex concentrate (Beriplex) efficacy and safety in 42. patients. Br. J. Hematol, 116 (3) : 619-24.

Rodak R.F. (1995) :

Hemostasis. In: Jhon J .Shan(ed). Illustrated Guide to Diagnostic Test 2nded, Springhouse Corporation, USA: 42-67. Qooted from: Diagnostic Hematology. Philadelphia W.B. Saunders Co., 1995.

Rodgers R.B.C. and Levin J. (1990) :

Coagulation disorders : Semin Thromb Hemost. 16 : 1-20.

Royston D. (1999) :

Drugs Acting on the hemostatic system. In : Bovill JG and Howie MB (eds). Clinical pharmacology for anesthetists. Philadelphia : W.B. Saunders Company, 26 : 351-364.

Ruff R L and Dougherty J H .(1991):

Coplication of lumbar puncture followed by anticoagulants. Stroke 12:897.

Samama M.M. (2001) :

Advances and perspectives in the prevention of venous thromboembolic discuses.

Arch Mal Coeur Vaiss, 94 : 1313-7.

Samuel Z.; Goldhaber Kelly, Dunn Regina C. (2000) :

New onset of venous thromboembolism Among Hospitalized patients at Brigham Amd Woman's Hospital is caused more often by prophylaxis failure than by with holding treatment. Chest; 118 : 1680 – 1684.

Santoro S.A. (1991):

Laboratory evaluation of hemostatic disorders. In Hoffman R. (eds). Hematology, basic principles and practice : New York : Churchill Livingston, 1267.

Schwander D. and Bachmann F. (1991) :

Heparin et anesthesies meduallaires; Analyse decisio. Ann Fr. Anesth Reanim 10 : 284.

Sebastian J.L. and Tresch D.D. (2000):

Use of oral anticoagulants in older patients. Drugs Aging, 16 (6) : 409-35.

Shenaq S.A. and Saleem A. (1988) :

Viscoelastic measurement of clot formation. The sonoclot. In : Ellison N. Jobes, DR. (eds). Effective Homeostasis in Cardiac Surgery. Philadelphia; WB saunders, 183-193.

Slaughter T.F.; Grocott H. and Greenblo K. (1996) :

The heparin management test (HMT); An improved method for monitoring anticoagulation during cardiac surgery Anesthesiology; 85, 3A, Sep.

Spannagl M. and Frey L. (2001) :

New platelet inhibitors.

Anesthetist; 50 (3) : 142-9.

Spector S.A. (2000) :

Hematology and Coagulation Management. In : Spector SA, Coppola CP and Bell RL (eds). Critical Care-clinical companion. Philadelphia : Lippincott Williams & Wilkins; 10 : 255-282.

Staffard-Smith M. (1996) :

Impaired haemostasis and regional anesthesia.

Can J Anaesth 43 : R. 129.

Stephen M.; Ayres Ake Gren V.K. and Peter R. Holbrock(1995) :

Drug Monitoring In : Textbook of critical care 3rd ed., Philadelphia, W.b. saunders Company; 1156.

Stirrup C.A.; Lucas D.N. and Cox M.L. (2001) :

Maternal anti-factor Xa activity following subcutaneous unfractionated heparin after caesarian section. Anaesthesia; 56 (9) : 855-8.

Tuman K.J.; Spiess B.D.; McGerthy R.J. and Ivanovich A.D. (1989):

Preoperative assessment of coagulation process. Anesth Analg. 69 : 69-75.

Turkoski B. (2000) :

Preventing D.V.T. In orthopaedic patients.

Orthop Nurs, 19 (3) : 93-9.

Van der meulen E.P.; Van Aken H. and Vermylen J. (1998) :

Anticoagulants and Spinal-epidural anesthesia.

Anesthesia, Analgesia; 1170.

Verstraeten L. and Francois P. (1991):

Platelet antiaggregants.

J Pharm Bel; 46 (4) : 261-5.

Walenga J. (1983):

Automated instrumentation and the laboratory diagnosis of bleed and thrombotic disorders. Semin Thromb Hemost, 9 (3) : 172.

Westrich G.H.; Menezes A. and Sharrock N. (1999) :

Thromboembolic disease prophylaxis in total knee arthroplasty using intraoperative heparin and postoperative pneumatic foot compression. J Arthroplasty, 14 (6) : 651-6.

Wille-Jorgensen P. (2000):

Therapeutic options in DVT prophylaxis.

Orthopedics, 23 (6) : 639-42.

Williame F Ganong (ed). (2000) :

Circulating body fluids. In : Review of Medical physiology.

Canada. Appelton & Lang : 27, 493.

Winkler M.; Marker E. and Hetz H. (1998) :

The peri-operative management of major orthopaedic procedures. Anesthesia, 53 (2), 37-41.