

- Balint,J.;Cochran,S. and Jones, F.(1995) :**
Modulation of idiotypic and antiidiotypic IgG response in an ITP patient.
Artif.Organs,19:496.
- Barrie, A.; Jamesl ,B.and Daniel, M. (1990) :**
Platelet. In: Platelets in human. Barrie, A.; Jamesl ,B.and Daniel, M.,1.
Philadelphia, London , Toronto and Tokyo.
- Bauer, K.D. and Dugue, R.E. (1993):**
Principle of Flow Cytometric. In: Clinical Flow Cytometry. Principle and
Applicatyion. Bauer ,K.D. and Dugue,R.E., 103.
Baltimore and Maryland.
- Bellucci , S. (1989) :**
Autoimmune thrombocytopenias.
Baillier's Clinical Haematology, 2: 695 .
- Bellucci , S. ; Charpak, Y. ; Chastang , G. and Tobelem , G. (1988) :**
Low doses versus conventional doses of corticoids in ITP.
Blood , 71:1165 .
- Bentfeld, M. E. and Bainton , D. E. (1982) :**
Indentification of primary lysosomes in human megakaryocytes and
platelets .
Blood, 56 : 472 .
- Berchtold, P. and McMillan , R. (1989) :**
Therapy of chronic idiopathic thrombocytopenia in adults .
Blood , 74:2309 .
- Berchtold, P. ; McMillan , R. and Tani, P. (1989) :**
Antibodies against platelet GP in children with acute and chronic ITP.
Blood, 74 : 1600 .
- Bessmann, J. D. ; Williams , C. J. and Gilman , P. R. (1982) :**
Platelet size in health and haematologic diseases.
Am. J. Clin.Pathol. , 78:150 .
- Bevers, E.M.; Galli, M. and Barbui, T. (1991) :**
Lupus anticoagulant IgG (LA) are not directed to phospholipids only ,
but to a complex of lipid-bound prothrombin.
Thromb. Haemost., 66: 629.

Bick, R.L. and Baker, W.F. (1994) :

The antiphospholipid and thrombosis syndromes.
Med. Clinics North . Am., 78 : 667.

Bithell, T.C. (1993) :

Acquired Coagulation Disorders. In : Wintrobe's Clinical Haematology.
Lee, J.R. ; Bithell, T.C.; Forester,J.and Febiger, A., (9th) ed.,1473.
Philadelphia and London.

Blanchette , V. S. ; Hogan , V. A. and McCombie , N. E. (1984) :

Intensive plasma exchange therapy in ten patients with ITP .
Transfusion , 24:388 .

Blanchette, V.; Kirby, M. and Turner, C.(1992):

Role of intravenous IgG in autoimmune haematologic disorders.
Semin.Haematol., 29:72.

Bloom,A.L. (1987):

Inherited disorders of blood coagulation.In:Haemostasis and Thrombosis.
Bloom, A. L., 393.
Churchill,Livingstone.

Bockenstedt , P. ; Groom, A. C. and Ballem , P. J. (1986) :

Structural basis of von Willebrand factor binding to platelet
glycoprotein Ib and collagen.
J. Clin. Invest., 77 : 743 .

Borne , A. E. (1987) :

Autoimmune thrombocytopenia .
Clinical Immunology and Allergy, 1:269 .

Born,G.V.R. (1962):

Aggregation of blood platelets by adenosine diphosphate and its reversal.
Nature., 194: 927.

Borne , A. E. and Dalin , C. M. Plasvan (1986) :

Bak^a and Lek^a are identical antigens .
Br. J. Haematol , 26:404 .

Borne, A. E.;van Leewvan, E.; Elly,V. and Engelfriet, C.(1981) :

Neonatal alloimmune thrombocytopenia.
Blood , 57:649 .

- Borne , A. E. ; Verheugt , F. W. A. and Engelfriet , C. P. (1978) :**
A simplified immunofluorescence test for the detection of platelet antibodies .
Br. J. Haematol. , 39:195.
- Borne,A.E.;Vos, J.; Lelie, J.; Bossers,B. and van Dalin,C. (1986):**
Clinical significance of positive immunofluorescence test in thrombocytopenia .
Br.J. Haematol. , 64:767 .
- Breton, J. ; Vainchenker, W. and Nurden , A. (1981):**
Defective and granule production in megakaryocytes from grey platelet syndrome.
Am. J. pathol., 102 : 10 .
- Briddell. , R. A. ; Brandt , J. E. and Hoffman , R. (1988) :**
Megakaryocyte progenitor cell does not express major MHC class II.
Exp. Hematal., 16 : 365 .
- Brighton, T.A. and Chesterman, N.C. (1994) :**
Antiphospholipid antibodies and thrombosis.
Bailliere's Clinical Haematology, 7 : 541.
- Buchanan, G.R. (1995):**
ITP: How much treatment is enough.
Contemp. Paediatr., 12:23.
- Buchanan, N.;Khamashta,M.A. and Morton, K.E.,(1992):**
A study of 100 high risk lupus pregnancies .
Am. J . Repord . Immunol., 28 : 192 .
- Buchanan, R.; Wardlaw, J. and Riglar, A.(1989):**
Antiphospholipid antibodies in connective tissue diseases.
J.Reumatol., 16: 757.
- Burstein, S.; Downs,T. and Friese, P.(1992):**
Thrombocytopoiesis in normal and sublethally irradiated dogs.
Blood, 80:420.
- Bussel , J. B. (1990) :**
Autoimmune thrombocytopenic purpura .
Haematology / Oncology Clinics of North America , 4:179 .

El-Mahgoub, I.; El-Dein, A. and Kamel, M.(1992):

Haematological and immune studies in ITP.

Thesis submitted for partial fulfilment of M.D. in Clinical Pathology,
Cairo Faculty of Medicine.

Escobar, G.; Front J. and Reverter, J.C. (1991) :

Plasma from SLE patients with antiphospholipid antibodies promotes
platelet aggregation.

Arterioscl. Throm., 12: 196 .

Faig, D. and Karpatkin, S.(1982):

Cumulative experience with a simplified solid-phase radioimmunoassay
for the detection of bound antiplatelet IgG; serum auto-, allo- and drug-
dependent antibodies.

Blood , 60 : 807.

Falcini, F.; Taccetti, G.; Trapani, S. and Tafi, L. (1991) :

Primary antiphospholipid syndrome, a report of two pediatric cases.

Rheumatol., 18 : 107.

Farah, R. ; Rogers, Z. and Hicks, B. (1995):

Laparoscopic splenectomy in children with haematologic disorders.

Blood, 86: 135.

Fields, R.; Sibben, W.; Toubeh. and Bankhurst, A. (1990):

Neuropsychiatric lupus erythematosus, cerebral infarction and ACA

Ann. Rheum. Dis., 49: 117.

Fujisawa, K.; Tani, P. and McMillan, R. (1992):

Different specificities of platelet-associated and plasma autoantibodies
to GPIIb-IIIa in patients with ITP.

Blood, 73: 1441.

Fujisawa, K. ; Tani, P. and McMillan, R. (1993):

Platelet associated antibody to GP IIb/IIIa from chronic ITP patients.

Blood., 81: 1284.

Furuhata, K.; Hunter, J.; Aster, F.R.; Koewing, G.; Shulman, N.R.

and Kunicki, T.Y. (1988):

Human anti-PL^{IIb} antibody recognizes epitopes associated with the alpha
subunit of platelet glycoprotein Ib.

Br. J. Haematol., 63:103.

Galli, M. and Bevers, E.M. (1994) :

Inhibition of phospholipid-dependant coagulation reactions by APA.
Lupus, 3 : 223.

Galli, M.; Comfurius, P. and Maasen, C. (1990) :

Anticardiolipin antibodies (ACA) directed not to cardiolipin but to a plasma co-factor.
Lancet, 335:1544.

Galli, M.; Cortelazzo, S. and Viero, P. (1988):

Interaction between platelet and lupus anticoagulant.
Eur. J. Haematol., 41: 88.

Gear, A.R.L.(1986):

In vitro platelet responses. In : Platelet Responses and Metabolism .
Holmsen, H.97.
C.R.C. Press .

George, J.N. (1991) :

Platelet IgG : measurement, interpretation, and clinical significance .
Prog. Haemost. Thromb., 10:97.

George, J.N. and Ast r, R. (1991):

Thrombocytopenia due to enhanced platelet destruction by immunologic mechanisms. In : Williams Haematology. Beutler,E.; Lichtman, M. and Collier, B., (4th) ed.,1370.
McGraw-Hill,Inc., New York, St. Louis and Tokyo.

George, J. and Saucerman, S.(1988):

Platelet associated IgG, IgA, IgM and albumin.
Blood,72:362.

George, J. ; El-Harake, M.and Aster, R.(1995):

Thrombocytopenia due to enhanced platelet destruction by immunologic mechanisms. In : Williams Haematology. Beutler, E.; Lichtman, M. and Collier, B., (5th) ed, 1315.
McGraw-Hill, Inc., New York, St. Louis and Tokyo.

Gewirtz, A.; Calabretta, B.and Runcinski, B. (1989):

Inhibition of human megakaryocytopoiesis in vitro by platelet factor 4 (PF4) and a synthetic C-terminal PF4 peptide.
J. Clin. Invest., 83: 1477 .

REFERENCES

157

Gladman, D.D.; Murray, B. and Urowitz, B. (1983) :

Haemostatic abnormalities in SLE .

Quart. J. Med., 207: 424.

Gorgi, Y.; Ksouri, H. and Ayed, K. (1996):

Value of the search for anticardiolipin antibodies during the course of SLE.

Ann. Med. Interne. Paris, 147: 531.

Grattan, C.E. and Burton, J.L. (1991) :

Antiphospholipid syndrome and cutaneous vasculoocclusive disorders.

Semin. Dermatol., 10 : 152.

Greaves, M. and Preston, F.E. (1985):

The laboratory investigation of acquired and congenital platelet disorder .

In : Blood Coagulation and Hemostasis: A Practical Guide. Thomson, J.M., 54.

Churchill Livingstone.

Green, D.M. and Scott, S.S. (1989):

Microscopy. In : Practical Medical Microbiology. Colee, J.G. ; De-guid,

J.P.; Fraser, A.G. and Marmion, B.P., 11.

New York .

Handin, R.I. and Stossel T.P. (1978):

Effect of corticosteroid therapy on phagocytosis of antibody coated platelets by human leucocytes.

Blood, 51: 771.

Harris, E.N. (1990):

Antiphospholipid antibodies

Br. J. Haematol., 74: 1.

Harrison, P. and Cramer, E.M. (1993) :

Platelet alpha-granules.

Blood Rev., 7 : 52.

Hashimoto, Y. ; Tanabe, J. and Ohkubo, T. (1994) :

Autoimmune antibody in patients with ITP reacted to the platelet low molecular weight glycoproteins and activated platelets.

Am. J. Clin. Pathol., 101: 370.

Hayslett, J.P. (1992) :

The effect of SLE on pregnancy and pregnancy outcome.
Am. J. Reprod. Immunol., 28: 199.

Hedge, U.M.; Ball, S.; Zuiable, H. and Roter, B.L.T.(1985a);

PAIgs (PAIgG and PAIgM) in autoimmune thrombocytopenia.
Br. J. Haematol., 59 : 221.

Hedge, U.M. ; Bowes, a. and Roter, B.L.T.(1985b):

PA complement components in patients with ITP.
Br. J. Haematol., 60:49.

Helmerhorst,F.M.; van Leewvan, E.F. and Egels, J.G.(1982):

Primary and secondary autoimmune thrombocytopenia.
Scand. J. Haematol, 28: 319.

Hill, A.B. (1979):

Statistical analysis. In : A short Textbook of Medical Statistics.
Hills A.B. (10th) ed., 1.
The English language Book Society, London.

Hoffman, R.(1985):

Purification and partial characterization of megakaryocyte colony-stimulating factor from human plasma.
J. Clin Invest., 75: 1174.

Holme, S.; Heaton, A.; Kunchuba, A.and Kartman, P.(1988):

Increased levels of PAIgG in patients with thrombocytopenia are not confined to any particular size class of platelets.
Br. J. Haematol., 68: 431.

Holmsen, H. (1990) :

Composition of Platelets. In Haematology., Eds. Williams, W.J. ; Beutler, E. ; Erslev, A.J. and Lichtman, M.A. (4th.) ed., 1182 .
McGraw Hill Book., Co., New York .

Hopper, A.H.; Tindal, H. and Davies, J.A. (1986):

B-Thromboglobulin (B-TG).
Thromb. Haemost., 56 : 229.

Horn, A. ; Avenarius, H.J. and Deicher, H. (1990) :

Thrombocyte function and thrombocyte associated immunoglobulins in

- Imbach, P.; Kuhne, T. and Hollander, G.(1997):**
Immunological aspects in the pathogenesis and treatment of ITP in children.
Curr. Opin. Paediatr., 9: 35.
- Isenberg, W.M. and Bainton, D.F. (1991):**
Megakaryocyte and platelet structure. In : Hematology , Basic Principle and Practice. Hoffman.R.; Benz.E.J.; Shattil. S.J.; Furie, B. and Cohen. H.J., 1157.
Churchill Livingstone Inc.
- Ishaak, S.; Nour, S. ; Moustafa, A.; Kaddah, N.; Arnout, H.; Soliman, M. and Maalawir, M. (1988):**
Some immunoregulatory abnormalities in children with ITP.
Egyptian J. Haematol.; 13: 67.
- Jackson, S.R. and Carter. J.M. (1993):**
Platelet Volume : Laboratory measurement and clinical application .
Blood Rev. 7 : 104.
- Jandl, J.A. (1987):**
Blood. In : Textbook of Haematology: Jandl, J.A.,80.
Little Brown Company. Boston and Toronto.
- Janes, S.; Wilson, D.; Cox,A.; Chronos,N. and Goodall, A. (1994):**
ADP causes partial degranulation of platelets in the absence of aggregation.
Br. J. Haemat., 86 : 568.
- Kandiah , D. nad Krilis, S. (1996):**
Laboratory detection of antiphospholipid antibodies.
Lupus, 5:160.
- Kang, J. ; Cabrel, C. and Salzman, E.W. (1993) :**
Membrane glycoproteins and platelet cytoskeleton in immune complex induced platelet activation.
Blood, 81: 1513.
- Kaplan, C.; Morinet, F. and Cartron, J. (1992):**
Virus- induced ITP and neutropenia.
Semin. Haematol. , 29: 34.

REFERENCES

Karpafkin, S.(1985):

Autoimmune thrombocytopenic purpura .
Seminars in Haematology, 22:260.

Kawaguchi, R. ; Haruna, S. and Tsukuda, Y. (1992) :

Elevation of platelet associated IgG in aplastic anaemia.
J.Lab. Clin. Med. Anal., 6 : 130.

Kelton, J.G.; Sheridan, D.; Naeme, P.B. and Simon, G.T.(1985):

Platelet fragments do not contribute to elevated levels of platelet associated IgG .
Br. J. Haematol. , 61: 707.

Khalifa, A.; Lusher, J.; Cejak, J. and Zuelzer, W.(1976);

Igs in idiopathic thrombocytopenic purpura in childhood .
Acta Haematologica, 56: 205.

Kirata, Y. (1993):

Anti-platelet antibodies in patients with auto-immune disorders.
Rinsho-Ketsueki., 34 : 593.

Kokawa, T.; Nomura, S. and Yanabu, M.(1993):

Detection of platelet antigen for antiplatelet antibodies in ITP by flow cytometry.
Eur. J. Haematol., 50:74.

Kunicki, T.J. and Newman, P.J. (1992):

The molecular immunology of human platelet proteins.
Blood, 80:1386.

Kurata, Y.; Tomiyama, Y. and Kanayama, Y. (1994):

High titre ANA, anti-SSA/Ro and anti-n RNP antibodies in patients with ITP.
Thromb. Haemost., 71:184.

Lauper, M.; Castelli, D. and Buchs, J. (1988):

PA-IgG and CIC in HIV- seropositive patients.
Eur. J. Haematol, 41:462.

Lamy, T., Moisan, A. and Dauriac, C.(1993):

Splenectomy in ITP.
J.Nucl.Med., 34:182.

- Lee, L.G.; Chen, L.H. and Chiu, L.A. (1986):**
Thiazole orange, a new dye for reticulocyte analysis.
Cytometry, 7: 508.
- Leeuwen, E.F.; Engelfriet, C.P. and von dem Borne, A.E. Gkr. (1982):**
Specificity of autoantibodies in autoimmune thrombocytopenia.
Blood, 59:23.
- Lellouche, F.; Martinuzzo, M. and Said P. (1991) :**
Imbalance of thromboxane/prostacyclin biosynthesis in patients with LA.
Blood , 78 : 2894.
- Leporrier, M.; Dighiero, G.; Auzemery, M. and Binet, J. (1979) :**
Detection and quantification of platelet bound antibodies with immunoperoxidase.
Br. J. Haematol., 42:605.
- Lockshin, M.D. (1994) :**
Antiphospholipid antibody syndrome.
Rheum. Dis clinc. North . Am., 20: 45.
- Lohmann, R.C.; Crawford, L.N. and Wood ,D.E. (1992):**
Proficiency Testing of Platelet Counting in Ontario.
Am. J. Clin. Pathol., 98:231.
- Long, M.W.; Gragowski, L.L. and Heffner, C.H.(1985):**
Phorbol diesters stimulate the development of an early murine progenitor cell : The burst forming unit megakaryocyte (BFU-MK).
J. Clin. Invest., 76: 431.
- Lusher, J.M. and Iyer, R.(1977):**
ITP in childhood.
Seminars in Thrombosis and Haemostasis, 3 : 3.
- Lynch, D.M. and Howe, S.W.(1986):**
Antigenic determinants in ITP.
Br. J. Haematol. , 63: 30.
- Mancini, G. ; Carbonara, A. and Heremans, J. (1965):**
Immunochemical quantitation of antigens by single radial immune diffusion.
Immunochemistry , 2:235.

Manson, D. and McMillan, R.(1984):

Platelet antigens in chronic ITP.

British Journal of Haematology, 56: 529.

Marx,G.;Korner, G.; Nou, X. and Gorodetsky, R. (1993):

Packaging zink, fibrinogen and factor XIII in platelet alpha granules.

Cell. Physiol., 156 : 437.

McIntoch, S.; Johnson, G.; Harrington, P.; Baumgarten, A. and Dwyer. J.M.(1981):

Idiopathic thrombocytopenia.

Clin. Haematol., 12: 69.

Mc Neil, H.P.; Simpson, R.J. and Krillis, S.A. (1990):

Antiphospholipid antibodies are directed against a complex antigen that includes a lipid-binding inhibitor of coagulation; B2- Glycoprotein I (apolipoprotein H) .

Proc. Nat . Acad . Sci . U.S.A, 87: 4120.

McNicol, A. ; Israel's, S.J. and Gerrard, J.M. (1993) :

Platelets. In :Recent Advances in Blood Coagulation.Poller, S. (6th). Ed., Churchill Livingstone. Edinburg, London , Madrid, New York and Tokyo.

Medeiros, D. and Buchana, G. (1996):

Current controversies in the management of ITP during childhood.

Paediatr. Clin . Nor. Am., 43:757.

Meyer, M. ; Kirchmaier, C. ; Schirmer, A. and Breddin, K. (1991) :

Acquired disorders of platelet function associated with auto-antibodies against membrane glycoprotein IIb/IIIa complex-I Glycoprotein analysis.

Thromb. Haemost. 65:491.

Miller, D.; Behaner, R.; McMillan, C. and Miller, L. (1984):

Blood Diseases of Infancy and Childhood.

Little Brown Company. St. Louis, Toronto, Princeton.

Mizutani, K. ;Azuma, E.and Komada, Y.(1995):

An infantile case of CMV induced ITP.

Acta Paediatr. Jpn., 37:71.

Modderman,P.;Admiraal, L. and von dem Borne, A. (1991):

Glycoproteins GPIb/IX and GPV form a non-covalent complex in the

platelet membrane.

Thromb. Haemost., 65: 1352.

Modderman, P.;Admirraal,L. and von dem Borne,A.(1992):

GP V and Ib-IX form a non-covalent complex in platelet membrane.

J.Biol. Chem., 267: 364.

Mollicone, R.; CaiHard, T. and Le Pendu, J.(1988):

Expression of ABH and X (Le x) antigens on platelets and lymphocytes.

Blood, 71:1113.

Monroy, R. ;Davis, T.;Denahue, R. and Macittic, T. (1991):

In vivo stimulation of platelet production in primate model using IL-1 and IL-3.

Exp. Haematol., 19 : 629.

Montalban,J.;Codila, A.; Ordi, J. and Hughes, G. (1991):

APA in cerebral ischaemia.

Stroke., 22: 751.

Morimoto, C.T.; Hara, M. and Hama, M. (1977):

Cell-mediated immune response in ITP.

Clinical Immunology and Immunopathology, 8:81.

Morse , B.S. ; Giuliani, D. and Nussbaum , M. (1981):

Quantitation of platelet-associated IgG by radial immune diffusion .

Blood, 57: 809.

Muller-Eckhardt, C.(1977):

ITP : Clinical and immunological considerations.

Seminars in Thrombosis and Haemostasis, 3:125.

Muller-Eckhardt,C.;Muller-Eckhardt,G.W. and Kuenzlen , E.(1982):

Platelet associated IgG, platelet survival and platelet sequestration in thrombocytopenic states.

Br. J. Haematol., 52:49.

Murata, M. ; Furihata, K. ; Ishida, F. and Ruggeri , Z. (1992):

Genetic and structural charactrization of an amino acid dimorphism in glucoproteins Ib alpha involved in platelet transfusion refractorines.

Blood , 79: 3086.

REFERENCES

115

Murphy, M.F. and Waters, A.H. (1985):
Immunological aspects of platelet transfusions.
Br. J. Haematol., 60: 409.

Nomura, S. ; Miyazaki, Y. ; Miyake, I. and Yanabu, M. (1993):
IgG inhibits the increase of platelet associated C3 stimulated by anti-platelet antibodies.
Clin. Exp. Immunol., 93 : 452.

Orlando, E.; Cortelaago, S. and Marchetti, M. (1992) :
Polonged bleeding time in patients with LA.
Thromb. Haemost., 6:495.

Paulus, J.M. and Aster, R.H. (1990) :
Clinical evaluation of thrombokinetics. In : Haematology. Williams, W.J.; Beutler, E.; Erlev, A.J. and Lichtman, M.A. (4th) ed., 1200.
McGraw-Hill Publishing Company. New york.

Pearson, H.A.(1993):
The spleen and disturbances of splenic function. In: Haematology of Infancy and Childhood. Nathan,D. and Oski, F., 1058.
Saunders, Philadelphia.

Pelletier, S.; Landi, B. and Piette, J.C. (1992) :
The antiphospholipid syndrome as the second cause of non-malignant Budd-chiari syndrome.
Arth.Rheum., 35 : 238.

Petri, M. (1992) :
Antiphospholipid antibodies: L A and A C A
Curr. Probl, Dermatol., 4: 171.

Petri, M. (1994):
Diagnosis of antiphospholipid antibodies.
Rheum. Dis. Clin . North . Am., 20 : 443.

Pfueller, S.L. ; Chesterman, C.; Hussein, S. and Martin, J.F. (1986):
Relationship of platelet-associated IgG and platelet protein to platelet size and density in normal individuals and patients with thrombocytopenia.
J.Lab. Clin.Med., 107:299.

REFERENCES

- Phillips, D. R. (1980):**
An evaluation of membrane glycoproteins in platelet adhesion and aggregation.
Prog. Hemost. Thomb., 5:81.
- Phillips, D.; Fitzgerald, L.; Parise, L. and Steiner, B.(1992):**
Platelet membrane glycoprotein IIb/IIIa complex.
Methods Enzymol., 215:244.
- Qingxue, C., Xing, L. and Jianbin, L.(1992):**
Clinical study on determination of serum oestradiol in chronic ITP.
Br. J. Haematol., 81:626.
- Ramos, R.; Curtis, B. and Chaplin, H. (1992):**
A latex particle assay for platelet associated IgG.
Transfusion, 32: 235.
- Reid, D.; Jones, C. and Luo, C.(1993):**
Igs from normal sera bind platelet vinculin and talin and their proteolytic fragments.
Blood, 81: 745.
- Robb, L. and Tiedeman, K.(1990):**
ITP: Predictors of chronic disease.
Arch. Dis. child., 65:502.
- Roubey, R.A.S. (1994):**
Autoantibodies to phospholipid-binding plasma proteins.
Blood, 84: 2854.
- Ruffatti, A.; De Silvestro, G. and Ghiardello, A. (1994):**
Catastrophic antiphospholipid syndrome .
J. Int.Med., 235 : 81.
- Salmassi, S.; Yokoyama, M.; Maples, J. and Yoshiki, M. (1980):**
Detection of platelet antibody using rosette technique with anti-IgG antibody coated polyacrylamide gel.
Vox Sanguinis, 39 : 246.
- Sanal, O.; Ersoy, F. and Metin, A.(1995) :**
Selective IgA deficiency with unusual features.
Acta Paediatr. Jpn., 37:526.

- Santoso, S.; Kiefel, V. and Muller-Eckhardt, C.(1989):**
Immunochemical characterization of the new platelet alloantigen system Br^a / Br^b.
Br. J. Haematol., 72:191.
- Santoso, S.; Muller-Eckhardt, G. and Muller-Eckhardt, C. (1986):**
III.A antigens on platelet membranes.
Vox Sanguinis, 51:327.
- Semple, J.; Milev, Y. and Mody, M. (1996):**
Differences in serum cytokine levels in acute and chronic ITP.
Blood, 87:4245.
- Shattil, S. J. and Bennett, J.S. (1980):**
Platelets and their membranes in hemostasis (physiology and pathophysiology).
Ann. intern. Med., 94:108.
- Shi, W.; Chong, B.H. and Chesterman, C.N. (1993) :**
B2 GPI is a requirement for ACA bidnign to activated platelets: differences with LA.
Blood, 81: 1255 .
- Shulman, N.; Leissinger, C.; Hotchkiss, A.; Kautz, C.(1982):**
The non specific nature of PAlG.
Transactions of the association of American Physicians. 14:213.
- Sixma, J.J.(1991):**
Estimation of the bleeding time. In: Hematology , Basic Principle and Practice. Hoffman, R.; Benz, E.J. ; Shattill, S.J. and Cohen HJ 1810.
Churchill Living stone Inc.
- Smith, G.A. and Herron, R. (1989):**
Detection and quantitation of platelet associated IgG in thrombocytopenia : a comparison of immunofluorescence and immunoenzyme techniques.
Med. Lab. Sci., 46 : 45.
- Staatz, W.; Rajpara, S.; Wayner, E. and Carter, W. (1989):**
The membrane glycoprotein Ia - IIa (VLA-2) complex mediates the Mg⁺⁺ dependent adhesion of platelets to collagen.
J.Cell. Biol., 108:1917. ◦

- Stahl, C.; Winton, E.; Monroe, M. and Hloman, R. (1992) :**
Differential effects of sequential, simultaneous and single agent interleukin-3 and granulocyte macrophage colony-stimulating factor on megakaryocyte maturation and platelet response in primates.
Blood, 80 : 2479.
- Stahl, C.; Zucker - Franklin, D. and McDonald, T. (1986):**
Incomplete antigenic cross-reactivity between platelets and megakaryocytes.
Blood, 67: 421.
- Stites, D.P. and Rodgers, C. (1991):**
Clinical laboratory methods for detection of antigens and antibodies. In: Basic and Clinical Immunology. Stites, D.P. and Terr, A.I. , 217.
Appleton and Lange publication.
- Stockelberg, D.; Hou, M. and Kutti, J. (1996):**
Detection of platelet antibodies in chronic ITP.
Eur. J. Haematol., 56:72.
- Szatkowski, N.S.; Kunicki, T.J. and Aster, P.H. (1986):**
Identification of GP Ib as a target for autoantibodies in ITP.
Blood, 67: 310.
- Tan, E.M. (1982):**
Autoantibodies to nuclear antigens: Their immunobiology and medicine.
Advances in Immunology, 33:167.
- Tandon, N.N.; Kralix, U. and Jamieson, G.A. (1989):**
Identification of glycoprotein IV (CD36) as a primary receptor for platelet-collagen adhesion.
J. Biol. Chem., 264:7576.
- Tomiyama, ; Take, H. and Hoda, S. (1990):**
Demonstration of platelet antigens that bind platelet-associated autoantibodies in chronic ITP by direct immunoprecipitation procedure .
Br. J. Haematol., 75:92.
- Trent, R.J.; Clancy, R.L. ; Davis, V. and Besten, A. (1980):**
Immune complexes in thrombocytopenic patients : Causes or effect .
British Journal of Haematology, 44:645.

Triplett, D.A. (1993) :

Lupus Anticoagulants.

Recent advances in blood coagulation, 5 : 91.

Triplett, D.A. (1995) :

Developments in antiphospholipid-protein antibodies.

Recent advances in blood coagulation, 7: 19.

Tsubaskio,T.;Tani,P. ;Curd, J.G. and McMillan, R. (1987):

Complement activation in vitro by antibodies in chronic ITP.

Br. J. Haematol., 63: 293.

Vasquez, J. and Lewis, J.(1980):

Immunocytochemical studies on platelets.

Blood, 16:986.

Vermynen ,J.;Bodenhorst,P.;Deckmyen,H. and Arnout,J .(1983):

Normal mechanisms of platelet function.

Clin. Hematol., 12: 107.

Viard, J.P.; Amoura, Z. and Back, J.F. (1991) :

Anti-B2GP antibodies is a marker of thrombosis associated with LA activity.

Acad. Sci.,313:607.

Vicente, V.; Houghten, R.A. and Ruggeri, Z.M.(1990) : Identification

of a site in the alpha chain of platelet glycoprotein that participates in von Willebrand factor binding.

J.Biol. Chem., 265:274.

von dem Borne, A. and Decary, F. (1990):

Nomenclature of platelet specific antigens.

Transfusion, 30 :477.

Ware R. and Howard, T.(1992):

Elevated numbers of $(\gamma \delta)^+$ lymphocytes in children with ITP.

Blood, 80 : 479.

Waters, A.H.(1992):

Autoimmune thrombocytopenia : Clinical aspects.

Semin. Haemat., 29:18.

REFERENCES

- Zucker- Franklin ,D. (1988) :**
Blood platelets.In: Atlas of blood cells, function and pathology. Zucker-
Franklin,D.; Greaves,M.F.;Grossi, G.E.and Mormont, A.M.(eds). Lea and
Febiger, Philadelphia. P : 36 .
- Zwall,R.andHemker,H.(1982):**
Blood cell membranes and haemostasis.
Thromb.Haemast.,11:12.