

Abdullah, A. (1946):

Bacteriological flora in urinary schistosomiasis: A report on 150 cases. J.Eng. Med. Ass. 29: 33.

Abdel-Halim, R.e. (1984):

Bilharzial Uropathies and a scheme for primary medical care.Br. J. Urol. 56:15.

Aboul-Nasr, A.L. (1962):

Bilharziasis and the cancer problem in Egypt. Proceed. Int. symp. Bilharz. Part I :681.

Armstrong, D., Young, L.S., Mayer, R.D. and Belvins, A.H. (1974):

Infectious complications of neoplastic diseases. Med. clin. North Am. Vol. 55 ,No. 3:729.

Arpi, M. and Renneberg, J. (1984):

The clinical significance of staph. aureus bacteruria. J. Urol. 132: 697.

Ashour, M.A. (1953):

Med. d'Egypte, 2:123. Cited from, proceed. Int. Symp. Bilh. Part I : 681, 1962.

Bauer, A.W., Kirby, W.M.M., Sherris, J.C. and Truck, M. (1966):

Antibiotic susceptibility testing by a stander-dized disc method. Am. J. Clin. Path. 36, No. 3 :444.

Beeson, P.B. (1955):

Factors in pathogenesis of pyelonephritis.
The Yale J. Biol and Med. 85.

Blandy, J. (1979):

The bladder inflammation. Lecturer notes on
Urology. 18:164.

Bran, J.L., Levison, M.E. and Kaye, D. (1972):

Enterance of bacteria into the female
urinary bladder.
The New Eng. J. Med. 286: 626.

Brumfitt, W. and Hamilton- Miller, J.M.T. (1981):

The susceptibility of nosocomial pathogens
to ceftazidime. J. Antimicrob. Chemoth. 8:15.

Brumfitt, W. , Davies, B.I. and Rosser, E. (1961):

Urethral catheter as a cause of urinary
tract infection in pregnancy and puerperium.
The Lancet. 2:1061.

Bryan C.S. and Reynolds, K.L. (1984):

Community acquired bacteraemic urinary
tract infection: Epidemiology and outcome.
J. Urol. 132:490.

Bryan, C.S. and Reynods, K.L. (1984):

Hospital-acquired bacteraemic urinary tract
infection: Epidemiology and outcome. J.
Urol. 132:444.

Bumpus, H.C.Jr. (1924):

Urinary reflux. J.Urol. 12: 341.

Burbige, K.A., Retik, A.B., Colodny, A.H., Bauer, S.B. and
Lebowitz, R. (1984):

Urinary tract infection in boys. J. Urol.
132: 541.

Burnet, Sir Macfarlane (1970):

Cited from (Immunology, Simplified), Bowery,
T.R. (1979: Oxford University Press, Chapter 6.

Campbell, M.F. and Lyttle, J.D. (1929):

Urethral obstruction in infancy.
J. Am. Med. Ass. 92:544.

Carel, R.S., Schey, G., Malayan, M. and Brudenman, I.
(1977):

Salmonella empyema as a complication in
malignant pleural effusion. Resp. 34 (4):232.

Chernick, N.L., Armstrong, D. and Posner, J.B. (1973):

Central nervous system infections in patients
with cancer.
Medicine. 52, No. 6:850.

Charlton, C.A., Crowther, A., Davies, J.G., Dinies, J.,
Jackson, G.E., Mann, P.G., Rye, S., Valentine,
J.P. and White, D.G. (1981):

Three-day and one-day chemotherapy for
urinary tract infection in general practice.
J. Antimicrob. Chemoth. 8:409.

- Cluff, L.E., Reynolds, R.C. Pag , D.L. and Breckenridge,
J.L. (1968):
Staphylococcal bacteraemia and altered host
resistance . Ann. Int. Med. 69:859.
- Cox, C.E. (1970):
Gentamicin. Med. Clin. North.Am.54 (No.4):1305.
- Cruickshank , R., Duguid, J.P., Marmion, B.P. and Swain,
R.H.A. (1982):
Tests for identification of bacteria, Medical
Microbiology. Vol. II, Chapter 7:176.
- Dolby, R.V. and Mooro, A.W. (1924):
The incidence of cancer in Egypt. The
Lancet, I : 587.
- Dionigi, R., Dominioni, L. and Carmpans, M. (1980):
Infection in cancer patients . Surg. clin.
North. Am. 60, No. 1:145.
- El-Aaser, A.A., El-Marzabani, M.M., Higgi, N.A. and
Abdel-Kader, M.M. (1979):
A study on the aetiological factors of
bilharzial bladder cancer in Egypt. 3-
Urinary B-glycourinidase, 15:573.
- El-Boulkany, M.N.;, Ghoneim, M.A. and Mansour, M.A. (1972):
Carcinoma of the bilharzial bladder in Egypt.
Br. J. Urol. 44: 561.

Elem, B. and Purohit, R. (1983):

Carcinoma of the urinary bladder in Zambia:
A quantitative estimation of Schistosoma
Haematobium infection. Br.J. Urol. 55:275.

El-Gazayerli, M. (1962):

Pathology of cancer bladder in relation to
bilharziasis. Proceed. Int. Symp. on Bilharz.
1:691.

El-Sebai, I. (1961):

Cancer of the bladder in Egypt. Kasr El-Ini
J.Surg. 2:183.

Eykyn, S. and Baltitude, M.I. (1974):

Coagulase -ve staph. in the urinary tract.
The Lancet II: 299.

Fader, R.C. and Davis, C.P. (1982):

Klebseilla Pneumoniae induced experimental
Pyelitis: The effect of piliation on
infectivity. J. Urol. 128:197.

Fair, W.R., Crane, D.W., Peterson, L.J., Dahmer, C.,

Tague, B. and Amos, W. (1980):

Three - day treatment of urinary tract
infection. J. Urol. 123: 717.

Fairley, K.F., Grounds, A.D., Carson, N.E., Laird,

E.C. et.al. (1971):

The site of infection in acute urinary
tract infection in general practice.
The Lancet, 2: 616.

Ferguson, A.R. (1911):

Associated bilharziasis with primary malignant disease of the urinary bladder with obstruction on a series of forty cases. J. Path. and Bact. 16:76.

Fishman, L.S. and Armstrong, D. (1977):

Pseudomonas aeruginosa bacteraemia in patients with neoplastic disease. Cancer, 30:764.

Freedman, L.R. Phair, J.P., Seki, M., Hamilton, H.B.,

Nefzer, M.D. and Hirata, M. (1955):

The epidemiology of Urinary tract infection in Hiroshima. Yale J; Biol. and Med. 37: 262.

Gallagher, D.J.A., Montgomerie, J.Z. and North, J.D.K.

(1965):

Acute infections of the urinary tract and the urethral syndrome in general practice. Br. Med. J.I:623.

Garrod, P. and O'Grady, F. (1972):

Antibiotic and Chemotherapy. 3rd . Edition: 368.

Gillen water, J.Y. (1983):

Use of B-lactam antibiotics in Urinary tract infections. J. Urol. 129:460.

- Gillespie, W.A., Lennon, G.G., Linton, K.B. and Phippen, G.A. (1967):
Prevention of Urinary infections by means of closed drainage into a sterile plastic bag. Br. Med. J. 3:90.
- Glauser, M.P. Lyons, J.M. and Brande, A.I. (1979):
Synergism of Ampicillin and Geatamicin against obstructive pyelonephritis due to E.coli in rats. J. Inf. Dis. 139, No.2: 133.
- Gleason, D. M., Bottaccini, M.R., Reilly, R.J. and Mcneill, J. (1974):
A technique for collection of uncontaminated urine for culture. J.Urol. 112:383.
- Gleckman, R. Blaagy, N. Hibert, D., Hall, A., Crowley, M. Pritchard, A. and Warren, W. (1982):
Community acquired bacteraemic urosepsis in the elderly patients: A prospective study of 34 consecutive episodes. J.Urol. 128:79.
- Gohar, M.A. (1962):
Urinary sepsis in Bilharziasis. Proceed. Int. Symp. on Bilh. 1:369.
- Gray, L.A. and Pingleton, W.B. (1956):
J.Am. Med. Ass. 162:1361. Cited from the Lancet, 1:515.

Gruneberg, R.N. (1980):

Antibiotic sensetivity of urinary pathogens,
J. Clin. Path. 33:853.

Gutman, L.T., Schaller, J. and Wedgwood, R.J. (1967):

Bacterial L. forms in relapsing urnary
tract infections. Lancet, 2:464.

Hablas, R.A. (1977):

Secondary bacterial infection in bilharzial
urological patients with special reference
to the effect of tarter Emetic on the
causative microorganisms. J.Egypt. Pub.
Heal. Ass. III, No. 4:287.

Hahn, F.E. and Sarre, S.G. (1969):

Mechanism of action of Gentamicin J.Inf.
Dis. 119:364.

Hand, W.L., Smith, J.W., Miller, T.E., Barnett, J.A.
and Sanford, J.P. (1970):

Ig. Synsthesis in lower urinary tract
infection. J. Lab. Clin. Med. 75, 1:19.

Handley, J.M., Diegel, I.A., Hachtel, F.W. and Dumler,
J.C. (1938):

Some physiological and pathological observ-
ations on the urinary tract during pregnancy.
J. Surg. Gynae. Obstet. 66:360.

Hashem, M. (1961):

The aetiölogy and Pathogenesis of bilharzial bladder cancer. J. Egypt Med. Ass. 44:12.

Hashem, M. (1962):

The general pathology of Schistosomaiasis. Proceed. Int. Symp. on Bilh. I:319.

Helmholz, F. (1950):

Determination of the bacterial contents of urethera. A new method with results in a study of 82 men. J. Urol. 64:158.

Helmholz, H.F. and Millikin, F. (1972):

The bacteriology of the normal infant urine. Am. J. Dis. Child, 23:309.

Hinder, R.A. and Shamaman, A. (1969):

Bilharziasis and squamous carcinoma of the bladder S. Afr. Med. J. 43:617.

Hirshfeld, J.W., Leary, D.C. and Foote, W.R. (1941):

The bacteria and the formed elements in urine in normal pregnancy. Yale J. Biol. Med. 42:141.

Hutch, J.A. , Miller, E.R. and Hinman, F. Jr. (1963):

Prepetuation of infection in unobstructed urinary tracts by vesico-ureteral reflux. J. Urol. 130: 486.

- Iravani, A., Pryor, N.D. and Richard, G.A. :
Treatment of urinary tract infections with
varying regimens of sulphisoxazole. J.
Urol. 130:486.
- Jackman, E.R. and Chishlom, G.D. (1975):
Urinary infection and prostectomy Br.J.
Urol. 47 : 548.
- Jensen, H.B. (1952):
Treatment with chemotherapeutics in compli-
cated infections of the urinary tract in
patients with surgical disorders of the
urinary tract. Acta Path. Microb. Scand.
31:530.
- Kagan, B. M., Molander, C.W., Zolla, S., Heimlich,
E.M., Weinberger, H.J., Busser, R. and
Liejsmies, S. (1963):
Antibiotic sensetivity and pathogenicity
of L- Phase variants of Staph. Antimic.
Agents and Chemth. 517.
- Kaijser, B., Hanson, L.A., Jodal, U., Liden-Janson, G.
and Robbins, J.B. (1977):
Frequency of E.coli K- antigens in urinary
tract infections in children. Lancet,
I: 663.
- Kaitz, A.L. and Williams, E. (1960):
Bacteruria and urinary tract infection in
hospitalized patients. N. Eng. J. Med.
262, No. 9:425.

Kass, E.H. (1962):

Pyelonephritis and Bacteruria, A major problem in preventive medicine, Ann. Int. Med. 56:46.

Kass, E.H., Savage, W. and Santamaria, B.A.G.(1965):

The significance of bacteraemia in preventive medicine. Prog. Pyel 3.

Kastriotis, J. and Dimopoulos, C. (1983):

Once a day amikacin in uncomplicated urinary tract infection. Curr. Ther. Res. 33, No.3: 445.

Kerr, W.K., Backin, M., Levers, P.E. et.al., (1965):

The effect of cigarette smoking on bladder carcinogens in man. Can. Med. Ass. J. 93:1.

Khalil, H.M., Arafa, M.S., El-Nahhal, H.S., Azab, M. et.al. (1977):

A sero-parasitologic study of schistosomiasis among males from various regions in Egypt. J. Egypt. Pub. Heal. Ass. Vol. L II, No. I:22.

Kudinoff, Z., Finegold, S.M., Kalmanson, G.M. and Guze, L.B. (1966):

Use of Kanamycin or urinary acidification for prophylactic chemotherapy in transurethral prostatectomy. Am.J.Med.Scie. 251:73.

Kunin, C.M. (1969):

Epidemiology of bacteruria and its relation
to pyelonephritis. J. Inf. Dis. 120, No. I:2.

Kunin, C.M., Dentscher, R. and Paquin, Jr. A. (1969):

Urinary tract infection in school children:
An Epidemiologic, clinical and laboratory
study. Medicine, 43:91.

Kunin, C.M. and MacCormack, R.C. (1969):

An Epidemiologic study of bacteruria and
blood pressure among nuns and working women.
New Eng. J. Med. 278: 635.

Kunin, C.M. (1980):

Urinary tract infections. Symposium of
surgical infections. Surg. clin. Nor. Am.
60, No. 1:230.

Laughlin, L.W., Farid, Z., Mansour, N., Edman, D.C.
and Higashi, G.I. (1978):

Bacteruria in urinary schistosomiasis in
Egypt: A prevalence survey. Am. J. Trop.
Med. Hyg. 27 (5):916.

Lehman, S.S., Farid, Z., Bossily, S. (1970):

Mortality in urinary schistosomiasis.
Lancet, 2:822.

- Lehman, J.S., Farid, Z., Smith, J.H., Bassily, S. and El-Masry, N.A. (1973):
Urinary schistosomiasis in Egypt: Clinical, radiological, bacteriological and parasitological correlations. Tran. R. Soc. Trop. Med. Hyg. 67:384.
- Leishman, A.W. D. (1939):
Bacillus coli infection of the urinary tract. Its relation to bowel function. Lancet, 2:971.
- Light, R.B., Ronald, A.R., Herding, G.K.M., Dikkema, J., Thompson, L. and Buckwold, F.J. (1981):
Trimethoprim alone in the treatment and prophylaxis of urinary tract infection. Arch. Int. Med. 141:1807.
- Makar, N. (1942):
A preliminary note on bilharzial cancer of the bladder. J. Eng. Med. Ass. 25:61.
- Marple, C.D. (1941):
The frequency and character of urinary tract infections in an unselected group of women. Ann. Int. Med. 14:2220.
- McGeachia, J. (1966):
Quantitative bacteriology of urinary infection. Br. J. Urol. 38:294.

Morrison, A.S. and Cole, P. (1976):

Epidemiology of bladder cancer. urol. Clin.
N. Am. 3, No. 1 :13.

O'Grady, F., Gauci, L.L., Watsen, B.W. and Hammond, B.
(1968):

Urinary tract infection. Cited from, Garrod,
L.P. and O'Grady, F. (1972). Antibiotic and
chemotherapy. 3rd. edition:368.

O'Loughlin, J.M. (1972):

Symposium on malignant disease. Infections
in the immunosuppressed patients. Med. clin.
N. Am. 59: 501.

Onsey, A. (1938):

Rare tumour formation associated with
bilharzial infection. La semaine de L'
Egypte pour la Lutte Centre le Cancer
Le Caire, Schindler. Cited from El-Gazayerli,
M. (1962): Pathology of Cancer of the
bladder in relation to bilharziasis. Proceed.
Int. Symp. on bilh. Vol. I:691.

Parsons, C.L., Pallen, J.J., Anwar, H., Stauffer, C.
an Schmidt, J.D. (1980):

Antimicrobial activity of bladder surface
mucin duplicated in the rabbit bladder by
exogenous glycosamine glycan (Sod. pentosan
polysulphate). Inf. Imm. 27, No. 3: 876.

Pometta, D. Rees, S.B., Younger, D. and Kass, E.H.

(1967):

Asymptomatic bacteruria in diabetes mellitus.
New. Eng. J. Med. 276:1118.

Powers, J.H. (1936):

Bacteruria following instrumentation of the
infected urinary bladder. N.Y.St.J.Med., 36:
323.

Primodt - MQ ller, P.C. and Madsen, P.O. (1983):

Ceftazidine, A new Cephalosporin in the treat-
ment of Complicated urinary tract infection.
Acomparative study with tobramycin. J. Urol.
130: 796.

Ries, K. and Kaye, D. (1976): Oncologic Medicine,
clinical topics and pratical managment.
University Park Press, Baltimore,
London, Tokyo, 271.

Rifaat, M.A., Khalil, K. and Khaled, M.L.(1966):

The incidence of helminthic infections
among Nabarough inhabitants, Dakahlia,
Governorate. Egypte, U.A.R. J. Egypt. Pub.
Heal. Ass. Vol. XLI, 3: 147.

Roberts, J.A. (1983):

Pathogenesis of pyelonephritis. J. Urol.
129: 1103.

Rocha, H. and Santos, L.C.S. (1969):

Relapse of urinary tract infection in the presence of urinary tract calculi: The role of bacteria within the colculi, J.Med. Microb. 2:372.

Sacks, T.G. and Abramson, J.H. (1967):

Screening tests for bacteruria. J. Am. Med. Ass. 201:80.

Salem, H.H. (1962):

The morphology and life cycle of schistosoma worms in U.A.R. Proceed. Int. Symp. Bilh. I:244.

Schulte, T.L. (1939): Newer methods in the study of bacteriology of urinary tract. Proceed. Mayo Clin. 14:249.

Schackman, R. and Messent, D. (1954):

The effect of an indwelling Catheter on the bacteriology of the male urethra and bladder. Br. Med. J. 2:1009.

Shaheen, Y., Maged, Z. and Maged, A. (1963):

A bacteriological and urological study on urological Egyptian cases. J. Egypt. Pub. Heal. Ass. 38, No. 3:140.

Shand, D.C., O'Grady, F., Nimmon, C.C. and Cattell, W.R. (1970):

Relation between residual urine volume and response to treatment of urinary infection. Lancet I:1305.

Shapiro, E.D. and Wald, E.R. (1981):

Single dose Amoxicillin treatment of urinary tract infection. J. Ped. 99:989.

Sharifi, R., Lee, M., OJeda, L. and Tabib, M. (1982):

Preliminary report comparing piperacillin and carbenicillin for complicated urinary tract infection. J. Urol. 128:755.

Shokeir, A.A., Ibrahim, A.M., Hamid, M.Y., Shalaby, M.A. et.al. (1972):

Urinary bilharziasis in Upper Egypt: II A bacteriological study. E. Af. Med. J. 49, No. 4: 318.

Slade, N. and Linton, K.B. (1965):

Problems in the treatment of pseudomonas pyocyaneas infections. Brit. J. Urol. 37:73.

Stam, T.A., Govon, D.E., Pulmer, J.M; (1965):

The localization and treatment of urinary tract infections: The role of bactericidal urine levels as opposed to serum levels. Medicine 44:1.

Story, P. (1954):

Proteus infections in hospital. J. Path. Bact. 68:55.

Sullivan, N.M., Sutter, V.L., Carter, W.T. et.al. (1972):

Bacteraemia after urinary tract manipulations: Bacteriological aspects and elevation of various blood cultures systems. App. Microb., 23:110.

Talbot, H.S. and Bunts, R.C. (1949):

Late renal changes in paraplegia: hydronephrosis due to Vesico-Ureteral reflux. J. Urol. 61:870.

Tanagho, E.A. (1981):

Non-specific infections of the urinary tract. Gen. Urol. 10 th edition, 153.

Teles, E.E. and Rocha, H. (1969):

Bacteruria in apparently healthy young adults. J. urol., 102:342.

Truck, M., Coffe, B. and Petersdor, R.G. (1962):

The urethral catheter and urinary tract infection J. Urol., 88:834.

Turner, G. C. (1961):

Bacilluria in pregnancy. Lancet, 2:1063.

Vivaldi, E., Cotron, R., Zangwill, D.P. and Kass, E.H. (1959):

Ascending infection as a mechanism in the pathogenesis of Experimental non-obstructive pyelonephritis. Proceed. Exp. Biol. Med. 102:244.

Younes, R.P. (1975):

Relevance of "Significant Bacteruria" to aetiology and diagnosis of urinary tract infection. Lancet, 2:1217.

Young, S.W., Farid, Z. and Bassily, S. (1973):
Urinary Schistosomiasis: A 5 year clinical,
Radiological evaluation. Trans. R. Socie.,
Trop. Med. Hyg. 67:374.