

References

- Abbott NJ (2005):** Dynamics of CNS barriers: evolution, differentiation, and modulation, *Cell. Mol. Neurobiol.* 25 pp. 5–23.
- AbdEI-Fattah MF; Abu Zaid AM; Gaffar MM and El-Derh (1993):** Intrmittent and continous phototherapy, in neonatal hyperbilirubinemia. *The Gaz. Egypt. Ped As.* Vol. 41 No. 1-2
- Abrol P and Sankarasubramanian R (1998):** Effect of phototherapy on behaviour of jaundiced neonates. *Indian J Pediatr*; 65(4): 603-7
- Agarwal R and Deorari AK (2002):** unconjugated hyperbilirubinemia in newborns: Current Perspective. *Indian Pediatrics*: 93: 30- 42.
- Ahdab-Barmada M (2000):** The neuropathology of kernicterus: definitions and debate. In: Maisels MJ, Watchko JF, eds. *Neonatal jaundice*. London: Harwood Academic, 75-88.
- Ahlfors CE (2001):** Bilirubin-Albumin binding and free bilirubin. *J Perinatal*; 21 suppl 1:s40-2: Discussion s59-62.
- American Academy of Pediatrics (2004):** Steering Committee on Quality Improvement and Management. Classification of recommendations for clinical practice guidelines. *Pediatrics*; in press

- American Academy of Pediatrics (1995):** Practice parameter: management of hyperbilirubinemia in the healthy term newborn. Provisional Committee for Quality Improvement and Subcommittee on Hyperbilirubinemia. Pediatrics;95(3):458-61
- Amiel-Tison C (2002):** Update of the Amiel-Tison neurologic assessment for the term neonate or at 40 weeks corrected age. Pediatr Neurol 27(3): 196-212.
- Amin SB (2004):** Clinical assessment of bilirubin-induced neurotoxicity in premature infants. Seminars in Perinatology Volume 28, Issue 5, 340-347.
- Ayyash H; Hadjigeorgiou E and Sofatzis I (1987):** Green or blue light phototherapy for neonates with hyperbilirubinemia. Arch Dis Child; 62(8): 843-5
- Balistreri WF (2000):** The liver and biliary system. In: Nelson Textbook of Pediatrics. (Eds.) by Behrman RE, Kliegman RM and Jason HB. 16th Ed. Philadelphia: Saunders. Pp 1194-1203
- Ballard JL (1991):** New ballard score, expanded to include extremely premature infants. J Pediatr; 119:417
- Bandera MJ; Van Bell F and Van De Bor M (1999):** Hemolytic consequence of phototherapy in term infants: Eur J Ped Apr; 158(4): 323-8
- Banks WA (2005):** Blood–brain barrier transport of cytokines: a mechanism for neuropathology, Curr. Pharm., pp. 973–984

- Bantam (1999):** Developmental Milestones by the End of 3 Months in *Caring for Baby and Young Child: Birth to Age 5*, 4th Ed.
- Barostti M (1999):** Hyperbilirubinemia. In: a Lange clinical manual *Neonatology : management, procedures, on-call problems, diseases and drugs* (Eds.) by Gomella TL. 4th Ed. Appleton & Lange: Stamford Pp 230-236
- Basler K; Edlund T and Jessell TM (1993):** Control of cell pattern in the neural tube: regulation of cell differential by dorsalin-1, a novel TGF β family member. *Cell*; 73:687–702.
- Berg CL, Crawford JM, Gollan JL (1999):** bilirubin metabolism and the pathophysiology of jaundice. In: *Schiff's Diseases of the liver*. In: Schiff ER, Sorrell MF and Maddrey WC eds. 8th Ed. Lippicott-rover. Philadelphia. Pp 147- 160.
- Berlin CI; Morlet T and Hood LJ (2003):** Auditory neuropathy/dyssynchrony its diagnosis and management, *Pediatr Clin North Am* 50, pp. 331–340
- Bhutani VK and Johnson LH (2003):** Newborn jaundice and kernicterus—health and societal perspectives, *Indian J Pediatr* 70, pp. 407–416.
- Bhutani VK; Crossely GR and Adler S (2001):** Non invasive measurement of total serum bilirubin in a multiracial predischage newborn to assess the risk of sever hyperbilirubinemia. *Pediatrics*; 106(2): e17
- Bhutani VK; Johnson LH and Shaprio SM (2004):** Kernicterus in sick and preterm infants (1999–2002): a need for an effective preventive approach, *Semin Perinatol* 28 (5) 3129–5 .

- Black JE; Jones TA and Nelson CA (1998):** Neuronal plasticity and the developing brain. In: Handbook of Child and Adolescent Psychiatry. Vol. 6. Basic Psychiatric Science and Treatment In: Noshpitz JD; Alessi N and Harrison S eds. New York, John Wiley. Pp 31–53
- Briscoe L; Clark S and Yoxall CW (2002):** Can transcutaneous bilirubinometry reduce the need for blood tests in jaundiced full term babies? Arch Dis Child Fetus. Neonatal Ed. May; 86(3) F190-2
- Brodersen R and Stern L (1990):** Deposition of bilirubin acid in the central nervous system- a hypothesis for the development of kernicterus. Acta Pediatr Scand 79:12
- Brown AK and Johnson L (1996):** Loss of concern about jaundice and the reemergence of kernicterus in full term infants in the era of managed care. In: Fanaroff AA, Klaus M, eds. Yearbook of neonatal and perinatal medicine. St. Louis, MO: Mosby Yearbook.
- Calabria, A.R and Shusta, E.V (2006):** Blood–brain barrier genomics and proteomics: elucidating phenotype, identifying disease targets and enabling brain drug delivery in: Drug Discovery Today Vol 11, Issues 17-18, Pp 792-799.
- Cole JL and Goldberg G (2005):** Central Nervous System Electrophysiology in: Physical Medicine & Rehabilitation: Principles and Practice. In: Joel DA; Bruce GM and Nicolas WE eds. Lippincott Williams & Wilkins. Ch4 Pp 106-135.

-
- Compston A (2001):** Development, degeneration, and regeneration of the central nervous system: neuroimmunology in: Brain's Diseases of the Nervous System. In: Michael D eds. Oxford University Press, ch: 7.1 pp212-260.
- Croen LA; Yoshida CK; Odouli R; and Newman TB(2005):** Neonatal Hyperbilirubinemia and Risk of Autism Spectrum Disorders. Pediatrics, vol. 115 No. pp. 135-138.
- Dallasta LM; Pisarov LA; Esplen JE; Werley JV; Moses AV; Nelson JA and Achim CL (1999):** Blood–brain barrier tight junction disruption in human immunodeficiency virus-1 encephalitis, Am. J. Pathol. 155, pp. 1915–1927
- De Boer AB; De Lange EL; Van der Sandt IC and Breimer DD (1998):** Transporters and the blood–brain barrier (BBB), Int. J. Clin. Pharmacol. Ther. 36, pp. 14–15.
- DeCarvalho M; DeCarvalho D; Trzmielina Slopes JM and Hansen TW (1999):** Intensified phototherapy using daylight fluorescent lamps. Acta Pediatr Jul; 88(7): 768-71.
- Deli MA; Abraham CS; Kataoka Y and Niwa M (2005):** Permeability studies on in vitro blood–brain barrier models: physiology, pathology, and pharmacology, Cell. Mol. Neurobiol. 25, pp. 59–127.
- Dennery PA; Seidman DS and Stevenson DK (2001):** Neonatal hyperbilirubinemia. N Engl. J Med; 344: 581-90

-
- Dubowitz LMS; Dubowitz V and Mercuri E (1999):** The neurological assessment of the preterm and full-term newborn infant, Textbook of clinics in developmental medicine (2nd Eds.), Mc Keith Press, Cambridge Publication No. 148
- Ebbesen F and Fnuksen A (1992):** The possible risk of bilirubin encephalopathy as predicted by plasma parameters neonates with previous sever asphyxia. Eur. Pediatr. Dec. 151(12): 910-2
- Fletcher MA (1998):** Neuromotor evaluation: In; Physical diagnosis in neonatology. Mary AF(Ed). Lippincott-Raven Philadelphia. New York; ch. 11: 441-521.
- Gale R; Dranitzki Z; Dollberg S and Stevenson DK (1990):** A randomized controlled application of the wallaby of phototherapy system compared to standard phototherapy. J Perinatal; 10-239
- Gathwala G and Sharma S (2002):** Phototherapy induces an oxidative stress in premature neonates. Indian J Gastroenterology; 21(4): 153-4 abstract.
- Gourley GR (1997):** Bilirubin metabolism and kernicterus. Adv Pediatr; 44: 173-229
- Gourley GR (2002):** Breast-feeding, neonatal jaundice and kernicterus. Semin Neonatol; 7:137-141
- Gourley GR; Kreamer B; Cohnen M and Kosorok MR (1999):** Neonatal jaundice and diet. Arch Pediatr Adolesc Med 153, pp. 1002–1003.

- Grant GA; Abbott NJ and Janigro D (1998):** Understanding the physiology of the blood–brain barrier: in vitro models, *News Physiol. Sci.* 13, pp. 287–293.
- Grobler JM and Mercer MJ (1997):** Kernicterus associated with elevated predominantly direct-reacting bilirubin. *S Afr Med J*;87:146.
- Gurses D; Kilic I and Sahiner T (2005):** The effects of hyperbilirubinemia on sleep-spindle characteristics in infants. *Sleep*. 28(10):1211–1216.
- Halamek LP and Stevenson DK (1997):** Neonatal jaundice and liver disease. In: *Neonatal- Perinatal Medicine: Diseases of the fetus and infant* (Eds.) by Fanaroff AA and Marti RT, 6th Ed. Vol.2. St. Louis: Mosby-yearbook: 1345-8
- Hamill PV; Drizd TA and Johnson CL (1979):** Physical growth. National centre for health statistics percentiles. *Am Clin Nutr.* Mar. 32(3): 607-29
- Hanko E, Lindemann R, Hansen TWR (2001):** Spectrum and outcome in infants with extreme neonatal jaundice. *Acta paediatr*; 90(7): 782-5
- Hansen TW (1996):** Therapeutic approaches to neonatal jaundice. an international survey, *Clin Pediatr* 35, pp. 309–316.
- Hansen TWR (2001):** Bilirubin brain toxicity. *J Perinatal*; Dec; 21 suppl. 1: S48-51; Discussion: S59-62
- Hansen TWR (a) (2000):** Kernicterus in term and near-term infant: The spectre walks again. *Acta paediatr*; 89(10); 1155-7

-
- Hansen TWR (b) (2000):** Pioneers in the Scientific Study of Neonatal Jaundice and Kernicterus. Pediatrics Vol. 106 No. 2 Aug. E: 15
- Harris MC; Bernbaum JC; Polin JR; Zimmerman R and Polin RA (2001):** Developmental follow-up of breastfed term and near-term infants with marked hyperbilirubinemia, Pediatrics 107, pp. 1075–1080.
- Hawkins BT and Davis TP (2005):** The blood–brain barrier/neurovascular unit in health and disease, Pharmacol. Rev. 57, pp. 173–185.
- Hoffman DJ; Zanelli SA and Kibin J (1996):** The in vivo effect of bilirubin on the N-methyl-D-aspartate receptor/ion channel complex in the brains of newborn piglets. Pediatr Res. Dec. 40(6): 804-8
- Hoon AH; Reinhardt EM and Kelley RI (1997):** Brain magnetic resonance imaging in suspected extrapyramidal cerebral palsy: observations in distinguishing genetic-metabolic from acquired causes. J Pediatr;131:240-245.
- Hyman CG, Keaster J, Hanson V, Harris I, Sedgwick R and Wursten H (1969):** CNS abnormalities after neonatal hemolytic disease or hyperbilirubinemia. A prospective study of 405 patients. Amer J Dis Child; 117: 395-405.
- Jackson JC, (1997):** Adverse events associated with exchange transfusion in healthy and ill newborns: pediatrics May; 99(5) E7.

-
- Johnson L; Brown AK and Bhutani VK (2002):** System-based approach to management of neonatal jaundice and prevention of kernicterus, *J Pediatr* 93, pp. 396–494
- Kaplan M and Hammerman C (2005):** Understanding severe hyperbilirubinemia and preventing kernicterus: Adjuncts in the interpretation of neonatal serum bilirubin *Clinica Chimica Acta* Volume 356, Issues 1-2, Pages 9-21
- Kaplan M; Muraca M; Hammerman C; Rubaltelli FF; Vilei MT; Verman HJ and Stevenson DK (2002):** Imbalance between production and conjugation of bilirubin: a fundamental concept in the mechanism of neonatal jaundice. *Pediatrics*;4:110.
- Kim MH; Yoon JJ; Sheri J and Brown AK (1980):** Lack of predictive indices in kernicterus: a comparison of clinical and pathologic factors in infant with or without kernicterus. *Pediatrics* Dec; 66(6): 852-8
- Kinoshita M; McDannold N; Jolesz FA and Hynynen K(2006):** Targeted delivery of antibodies through the blood–brain barrier by MRI-guided focused ultrasound, *Biochem. Biophys. Res. Commun.* 340, pp. 1085–1090.
- Kolb B; Forgie M; Gibb R; Gorny G and Rowntree S (1998):** Age, experience, and the changing brain. *Neurosci Biobehav Rev* 22:143–159.
- Larsen PD and Stensaas SS (2005):** *PediNeuroLogic Exam. A Neurodevelopmental Approach.* The University of Utah, the Department of Pediatrics and the Office of Education at the University of Nebraska Medical Center.

-
- Liberto CM; Albrecht PJ; Herx LM; Yong VW and Levison SW (2004):** Pro-regenerative properties of cytokine-activated astrocytes, *J. Neurochem.* 89, Pp. 1092–1100.
- MacDonald MG; Seshia MM and Mullett MD (2005):** Bilirubin Toxicity. In *Avery's Neonatology*. In: Mhairi MG; Mary SM and Martha MD. Lippincott Williams & Wilkins: pp769-787
- MacMahon JR, Stevenson DK, Oski FA (1998):** Bilirubin metabolism. In: *Avery's Disease of the newborn*. Edited by Taeusch HW and Ballard RA. 7th Ed. Philadelphia: Saunders co. Pp 995-1044
- Maegaki Y; Najm I and Terada K (2000):** Somatosensory evoked high-frequency oscillations recorded directly from the human cerebral cortex. *Clin Neurophysiol.* 111(11): 1916–1926
- Maisles MJ (1999):** Jaundice In: *neonatology, Pathophysiology and Management of the Newborn*. (Eds) by Avery GB, Fletcher MA, and McDonald MG, 5th Ed. Philadelphia. Saunders co. pp765- 818.
- McDonough AF (2001):** Phototherapy: from ancient Egypt to the new millennium. *J. Perinatal.* Dec; 21 suppl. 1:S7-S12
- Meairs S and Alonso A (2006):** Ultrasound, microbubbles and the blood–brain barrier. *Progress in Biophysics and Molecular Biology*; 10: 1016.
- Melton K and Akinbi HT (1999):** Neonatal jaundice: Strategies to reduce bilirubin-induced complications: *Postgraduate medicine* Vol 106. No 6:167-178

-
- Menkes JH; Sarnat HB and Moser FG (2006):** Introduction: Neurological examination of the child and infant. In: John MH and Harvey SB, Editors, Textbook of child neurology, 6th Ed, Lippincott-Williams & Wilkins, Philadelphia pp. 1–32.
- Mercuri E; Guzzetta A and Laroche S (2003):** Neurologic examination of preterm infants at term age: comparison with term infants, J Pediatr 142, pp. 647–655.
- Mercuria E; Riccia D; Panea M and Baranelloa G (2005):** The neurological examination of the newborn baby Early Human Development Volume 81, Issue 12 , December, Pages 947-956
- Mills JF and Tudehope D (2001):** Fiberoptic phototherapy for neonatal jaundice. Cochrane Database Syst Rev; (1) CD002060 abstract.
- Moore LK; Persaud NT and Shiota k (2000):** The nervous system in: clinical embryology, 2nd Ed. W.B. Saunders, Philadelphia, ch 13 pp 232-258.
- Mukhopadhyay K; Murki S; Narang A and Dutta S (2003):** Intravenous immunoglobulin in rhesus haemolytic disease Indian J Pediatr. Sep. 70(9): 697-9. Abstract.
- Murki S; Kumar P; Majumdar S (2001):** Risk factors for kernicterus in Term Babies with Non-Hemolytic Jaundice. Indian Pediatrics 38: 757-762
- Nakamura H; Takada S and Shimabuku R (1985):** Auditory nerve and brainstem response in newborn infants with hyperbilirubinemia. Pediatrics Apr; 75(4): 703-8

- Nelson CA (2003):** Brain development and behavior in: Rudolph's Pediatrics. In: Colin RD; Abraham RM and Margaret HK eds. McGraw-Hill. Ch 5.2 pp 407-411.
- Nelson CA and Bloom FE (1997):** Child development and neuroscience. Child Dev 68:970
- Nelson CA and Bosquet M (2000):** Neurobiology of fetal and infant development: implications for infant mental health. In: Handbook of Infant Mental Health, 2nd ed. In: Zeanah CH eds. New York, Guilford Press.
- Newman TB; Jeremy RJ; Ferriero DM; Wu YW; Hudes ES and Escobar GJ (2006):** Outcomes among Newborns with Total Serum Bilirubin Levels of 25 mg per Deciliter or More. In: NEJM, Vol. 354:1889-1900.
- Newman TB; Xiong B; Gonzales VM and Escobar GJ (2000):** prediction and prevention of extreme hyperbilirubinemia in a mature health maintenance organization. Arch Pediatr Adolesc Med.; 154: 1140-1147.
- Newman TB and Maisels MJ (1990):** Does hyperbilirubinemia damage the brain of healthy full-term infants? Clin Perinatol. 17 :331 –35
- Noonan KJ; Reiter RS and Kurriger GL (1998):** Spatial and temporal expression of CD44 isoforms in the developing and growing joints of the rat limb. J Orthop Res. 16:100–103.
- Notorianni (1990):** Plasma protein binding of the drugs in pregnancy and in neonates. Clin Pharmacokinet; 18(1): 20-36

-
- Osama GM; Ibrahim MM and Salem AS (2001):** High dose intravenous immunoglobulin therapy in neonatal immune haemolytic jaundice. The Egypt. J of Neonatal. Vol. 2 No.3
- Pardridge MW (2005):** The blood–brain barrier: bottleneck in brain drug development, NeuroRx 2, pp. 3–14
- Penn AA; Enzman DR and Hahn JS (1994):** Kernicterus in a full-term infant. Pediatrics; 93:1003-1006.
- Perlman JM; Rogers B and Burns D (1997):** Kernicterus findings at autopsy in 2 sick near-term infants. Pediatrics; 99 :612 – 615
- Petty MA and Lo LH (2002):** Junctional complexes of the blood–brain barrier: permeability changes in neuroinflammation, Prog. Neurobiol. 68, pp. 311–323.
- Porter ML and Dennis MC (2002):** Hyperbilirubinemia in the term newborn. Am Fam Physician.
- Rance G; Beer DE; Cone-Wesson B; Shepherd RK; Dowell RC and King AM (1999):** Clinical findings for a group of infants and young children with auditory neuropathy, Ear Hear 20, pp. 238–252.
- Rice AC and Shapiro SM (2006):** Biliverdin-induced brainstem auditory evoked potential abnormalities in the jaundiced Gunn rat. In: Brain Research. 06.005
- Robertson AF; Karp WB and Brodersen R (1998):** Comparison of the bilirubin concentration and the bilirubin/albumin ratio with the bilirubin-binding ability in neonatal serum. J Pediatr: 132(2): 343-344

- Roseth S; Hansen TWR; Fonnum F and Walaas SI (1998):** Bilirubin inhibits transport of neurotransmitters in synaptic vesicles. *Pediatr Res.* Sep; 44(3): 312-6
- Sadler TW (2006):** Central Nervous System in: *Langman's Medical Embryology* 10th Ed. In: Thomas WS Lippincott Williams & Wilkins. Ch 19 pp 431-481.
- Sarici SU; Alpay F and Unay B (2002):** Double versus single phototherapy in term newborns with significant hyperbilirubinemia. *J Trop Pediatr Feb*; 46(1): 36-9
- Sarnat BS (2006):** The new neuroembryology in: *Child neurology.* In: John MH; Harvey SB and Maria BL eds. Lippincott Williams & Wilkins. Pp 260-284.
- Satar M; Atici A and Oktaby R (1996):** The influence of clinical status on total bilirubin-binding capacity in newborn infants. *J Tropp Pediatr Feb*; 46(1); 36-9
- Scher MS; Sun M; Steppe DA; Guthrie RD anf Sclabassi RJ (1994):** Comparisons of EEG spectral and correlation measures between healthy term and preterm infants. *Pediatr Neurol* 10: 104–108
- Shapiro SM (2005):** Definition of the clinical spectrum of kernicterus and bilirubin-induced neurologic dysfunction (BIND), *J. Perinatol.* 25, pp. 54–59 (Review).
- Shapiro SM., (2003):** Bilirubin toxicity in the developing nervous system. *Pediatric neurology* 29 (5):410-421.

-
- Shatla HM; Abd El-Raman MH and Hussain LM (1995):** A randomized controlled study to compare between the fiberoptic phototherapy delivery system and the conventional phototherapy system in the treatment of neonatal non-hemolytic indirect hyperbilirubinemia. Egypt. J. Of Pediatr Vol. 12 No. 3-4: 393-401.
- Simmons JL and Beauchaine KL (2000):** Auditory neuropathy: case study with hyperbilirubinemia, J Am Acad Audiol 11, pp. 337–347.
- Soorani-Lunsing I; Woltil HA and Hadders-Algra M (2001):** Are moderate degrees of hyperbilirubinemia in healthy term neonates really safe for the brain?. Pediatr Res 50 6, pp. 701–705.
- Stein L; Tremblay K and Pasternak J (1996):** Brainstem abnormalities in neonates with normal otoacoustic emissions, Semin Hear 17, pp. 197–213
- Stevenson DK, Fanaroff AA and Maisels JM (2001):** Prediction of hyperbilirubinemia in near term and term infants. Pediatrics; 108(1): 31-39
- Stevenson DK; Wong RJ; DeSandre GH and Vreman HJ (2004):** A primer on neonatal jaundice, Adv Pediatr 51, pp. 263–288.
- Stobie PE; Hansen CT and Harley JR (1991):** A difference in mortality between two strains of jaundiced rats. Pediatrics; 87:5918.

-
- Stoll BJ, Kliegman RM (2000):** Jaundice and hyperbilirubinemia in the newborn. In: Behrman RE, Kliegman RM, Jenson HB, Eds. Nelson Textbook of Pediatrics. 16th Ed. Philadelphia: Saunders: Pp 11-28
- Sugama S; Soeda A and Eto Y (2001):** Magnetic resonance imaging in three children with kernicterus. *Pediatr Neurol*; 25:328-331.
- Szeto H (1990):** Spectral edge frequency as a simple quantitative measure of the maturation of electrocortical activity. *Pediatr Res* 27: 289–292
- Tan KL (1989):** Efficacy of fluorescent daylight, blue, and green lamps in the management of nonhemolytic hyperbilirubinemia. *J Pediatr*; 114(1): 132-7
- Tan KL (1991):** Phototherapy for neonatal jaundice. *Clin Perinatal Sep*; 18(3):423-39.
- Tan KL and Jacob E (1982):** The bronze baby syndrome. *Acta Pediatr Scand May* 71(3): 409-14.
- Tan KL; Lim GC and Boey KW (1992):** Efficacy of “high intensity” blue-light and “standard daylight” phototherapy for non-hemolytic hyperbilirubinemia. *Acta Pediatr Nov*; 8(11): 870-4
- Valaes TN and Harvey-Wilkes K (1990):** Pharmacological approach to prevention and treatment of neonatal hyperbilirubinemia. *Clin Perinatal*; 17:245-73
- Volpe JJ (a) (2001):** The neurological examination: Normal and abnormal features. In: *Neurology of the newborn*, 4th Ed., WB Saunders, Philadelphia (2001), pp. 103–133.

-
- Volpe JJ (b) (2001):** Bilirubin and brain injury. In: Neurology of the newborn, 4th Ed. Philadelphia: WB Saunders: pp521-46.
- Watchko JF; Daood MJ and Biniwale M (2001):** P-glycoprotein and bilirubin disposition. J Perinatal; Dec; 21 suppl. 1: S43-7; Discussion: S59-62
- Wennberg RB; Ahlfors CE; Bhutani VK; Johnson LH and Shapiro SM (2006):** Toward understanding kernicterus: a challenge to improve the management of jaundiced newborns, Pediatrics 117, pp. 474–485
- Wennberg RP (2000):** The blood-brain barrier and bilirubin encephalopathy. Cell Mol Neurobiology. Feb. 20(1): 97-109
- Wennberg RP and Hance J (1986):** Experimental bilirubin encephalopathy: importance of total bilirubin, protein binding, and blood-brain barrier. Pediatr Res 20: 789–792
- Wilkinson AR; Charlton VE; Phibbs RH and Amiel-Tison C (2003):** Examination of the newborn infant in Rudolph's Pediatrics (ed) by Colin RD; Abraham RM; Margaret HK., Lister, George, Siegel, Norman J. McGraw-Hill, ch2.8 pp 84-96.
- Wolf MJ; Beunen G; Casaer P and Wolf B (1997):** Extreme hyperbilirubinemia in Zimbabwean neonates: neurodevelopmental outcome at 4 months. Eur J Pediatr, 156: 803-807
- Yilmaz Y; Karadeniz L; Yildiz F; Degirmenci SY and Say A (2001):** Neurological Prognosis in Term Newborns with Neonatal Indirect Hyperbilirubinemia Indian Pediatrics; 38: 165-168

Zaghlol H and Schulze KF (2001): Neonatal Jaundice. In:
Textbook of Clinical Pediatrics. Edited by Elzouki AY; Harfi
HA and Nazar H. Lippincott Williams & Wilkins.
Philadelphia. Pp 207-214