

REFERENCES

Abdel-Wahab MF, Zakaria S, Kamel M et al (1994). High seroprevalence of hepatitis C infection among risk groups in Egypt. *Am. J. Trop. Med. Hyg.* 51: 563.

Agnello V, Chung RT, Kaplan LM (1992). A role for hepatitis C viral infection in type 11 cryoglobulinemia. *N. Engl. J. Med.* 327:1490.

Amiel JL, Curtoni ES, Mattiuz PL, Tosi RM (1967). Histocompatibility Testing. Munksgaard, Copenhagen; pp. 79 – 81.

Ajayeb Almarri, Nazeh El Dwick, Saad EL kabi, Khalid Sleem, Awad Rashed, Mary A. Ritter and Richard Batchelor (1998). Interferon alpha Therapy in HCV Hepatitis : HLA Phenotype and Cirrhosis are Independet Peridectors of Clinical Outcome. *Human Immunology*; 59: 239-242.

Alric L, Abbal M, Izopet J, et al (1997). Genes of the major histocompitaibility complex class II influence the outcome of hepatitis C virus. The 1997 Digestive Disease Week (DDW) Meeting. *Digest* Vol. 2,;15.

Anand BS, Valez M (1997). Does chronic alcohol abuse influence hepatitis C virus replication? Department of Medicine , VA Medical Center and Baylor College of Medicine, Houston, TX, Poster 1413.

Anderson M, Paabo S, Nilsson T et al (1985).
Impaired intracellular transport of class I MHC antigens as a possible means for adenoviruses to evade immune surveillance. *Cell*; 43: 215 – 222.

Andreoli TE, Bennett C, Carpenter CCJ, Plum F (1997). Diseases of the Liver and Biliary system. *Cecil Essentials of Medicine*; Section VI: 319- 352.

Arenzana-SciSEMedos F, Mogensen SC, Vuillier F,et al (1988). Autocrine secretion of tumor necrosis factor under the influence of interferon-gamma amplifies HLA-DR gene induction in human monocytes. *Proc. Natl. Acad. Sci. USA.*; 85:6087 – 6091.

B

Bach P, Hirschhorn k (1964).
Lymphocyte interaction: a potential histocompatibility test in vitro. *Science*; 143: 813-815.

Bain BV, Magdalene R, Lowenstein L et al (1964).
The development of large immature mononuclear cells in mixed leukocyte culture. *Blood*; 23: 108.

Bassily S, Hyams KC, El-Masry NA (1992).
Hepatitis C virus infection and hepatosplenic schistosomiasis. *Scand J Infec Dis*; 24: 687 – 8.

Baur MP and Danilovs JA (1980).
Population analysis of HLA-A, -B, -C, -DR and other genetic markers. In *Histocompatibility Testing 1980* (ed. P.I. Terasaki), pp. 955 – 993, UCLA Tissue Typing Lab, Los Angeles.

Beasley RP, Hwang LYU, Lin CC, Chien CC (1981). Hepatocellular carcinoma and hepatitis B virus. *Lancet* 1129-33.

Beatty PG, Mickelson EM, PeterSE Morf EW, et al (1991). Histocompatibility. *Transfusion*; 31: 847 – 856.

Bender K, Bissbort S, Hiller C, et al (1983). On regional mapping of human chromosome 6. Review and own findings. *Acta Anthropogen*; 7: 85 – 105.

Bjorkman PJ, Saper MA, Samraoui BA, et al (1987a). Structure of the human class I histocompatibility, HLA-A2. *Nature*; 329: 506 – 512.

Bjorkman PJ, Saper MA, Samraoui BA, et al (1987b). The foreign antigen binding site and T cell recognition regions of class I histocompatibility antigens. *Nature (Lond)*; 329: 512 – 518.

Bodmer J, Bodmer WF, Heyes J, et al (1987). Identification of HLA-DP polymorphism with Dpa and DP β probes and monoclonal antibodies: correlation with primed lymphocyte typing. *Proc.Natl Acad Sci. USA*; 84: 4596 – 4600.

Bodmer JG. Marsh SGE, Ekkehard DA, et al (1992a). Nomenclature for factors of the HLA system, 1991, *Vox Sang*; 63:142 – 157.

Bodmer J, Marsh SGE, Albert ED et al (1992b). Nomenclature for factors of the HLA system. *Eur. J. Immunogenetics*; 19: 327 – 344.

Bonkovsky et al (1997). Iron and chronic viral hepatitis. *Hepatology*; 25:759 – 768.

Bonkovsky H (1997). Therapy of hepatitis C: Other options. *Hepatology*; 26 (Suppl): 143 – 51.

Bottazzo GF, Tood I, Mirakian R et al (1986). Organ-specific autoimmunity : a 1986 overview. *Immunol. Rev*; 94: 137 – 169.

Brewerton DA, Caffrey M, Hart FD, et al (1973). Ankylosing spondylitis and HLA-A27. *Lancet I*; 904 – 907.

C

Ceppellini R, Curtoni ES, Mattiuz PL et al (1967). Genetics of leukocyte antigens. A family study of segregation and linkage. In Cutonu PL, Mattiuz RM (eds): *Histocompatibility Testing 1967*; Copenhagen, Munksgarad, pp 149 – 187.

Chemello L, Alberti A, Rose K, Simmonds P (1994). Hepatitis C serotype and response to interferon therapy. *N Engl J Med*; 330: 143.

Chen DS (1993). From hepatitis to hepatoma: lessons learned from type B hepatitis. *Science*, 262:367-70.

Chen M, Mott K, Wang F and Kane M (1993) . Hepatitis B and schistosomiasis: interaction or no interaction? *Trop. Dis. Bull.*, 90, 10, 97:115.

Choo Q, Kuo G, Weiner AJ, Overby LR (1989). Isolation of a cDNA clone derived from a blood-borne non-A, non-B viral hepatitis. *Science*; 244: 359 – 62.

Clark PT, et al (1985). Differential white cell count on the Coulter Model S Plus IV (three population) and the Technicon H 6000: a comparison by simple and multiple regression. Clinical and Laboratory Hematology; 7: 335.

Congia M, Clemente MG, Dessi C, Cucca F, Mazzoleni AP, Frau F, Lampis R, Cao A, Lai ME, De Virgilis (1996). HLA class II genes in chronic hepatitis C virus infection and associated immunological disorders. Hepatol; 24: 1338.

Cooksley WPE (1986). The prognosis of chronic active hepatitis without cirrhosis in relation to bridging necrosis. Hepatology; 6: 345 – 348.

Cramp ME, Carucci P, Donaldson PT, Underhill J, Naoumov NV, Rogers Williams (1997).

HLA class II alleles and spontaneous Clearance of hepatitis C virus. Journal of Hepatology No.1 Vol. 26.; 81.

D

Daar AS, Fuggle SV, Fabre JW et al (1984a).

The detailed distribution of HLA-A, B, C antigens in normal human organs. Transplantation; 38: 287 – 292.

Daar AS, Fuggle SV, Fabre JW et al (1984b).

The detailed distribution of MHC class II antigens in normal human organs. Transplantation; 38: 293 – 298.

Dalglish A, Beverley P, Clapham P, et al (1984).

The CD4(T4) antigen is an essential component of the receptor for AIDS retrovirus. Nature; 312:763 – 767.

Das HK, Lawrence SK and Weissman SM (1983).
Structure and nucleotide sequence of the heavy chain
gene of HLA-DR. Proc. Natl Acad Sci. USA; 80: 3543
– 3457.

Dausset H (1954). Leukoagglutinins. IV.
Leukoagglutinins and blood transfusion. Vox Sang;
4:190.

Dausset H (1958). Iso-Leuko-anti-corps. Acta
Haematol; 20:156-166.

Dawson GJ, Lesniewski RR, Stewart JL (1991).
Detection of antibodies to hepatitis C virus in US
blood donors. J Clin Microbiol; 29: 551 – 556.

**Davenport MP, Quinn CL, Chicz RM, Green BN,
WILLIS AC, Lane WS, et al (1995).**
Naturally processed peptides from two disease
resistance associated HLA-DR13 alleles show related
sequences motifs and the effects of the dimorphism at
position 86 of the HLA-DR beta chain, Proc Natl Acad
Sci; 92: 6567 – 71.

Degos F, Maisonhaure P, Thlors V (1991).
Neonatal transmission of HCV from mother with
chronic hepatitis (letter). Lancet; 338 : 758.

DiBisceglie AM, et al (1991). Ribavirin therapy for 6
months in patients with chronic hepatitis C.
Gastroenterology: 100 (suppl.):A 734.

Dourakis S (1992). Serological response and
detection of viraemia in acute hepatitis C viral
infection. Journal of Hepatology; 14: 370 – 376.

E

Ebringer A (1979). Ankylosing spondylitis, immune-response- genes and molecular mimicry. *Lancet*; 1: 1186 (letter).

El-Sahly AM, Nour El-Din MAB, Abdel Rahman H (1991). Prevalence of antibodies to hepatitis C virus in Egyptian patients with schistosomiasis. 9th Annual Meeting of Egypt Soc Hepatol April Cairo.

El-Zayadi A, Simmonds P, Dabbous H, Ossima S (1994). Hepatitis C virus genotypes among HCV-chronic liver disease patients in Egypt: A leading trial .The Journal of the Egyptian Public Health Association; Vol. LXIX; NO. 5,6.

Emmet BK, et al (1993). Hepatitis A through E: Distinguishing the etiologic agents. *Modern Medicine*; 10: 48 – 62.

Enomoto et al (1995). *J Clin Invest*; 96: 224 – 230.

Everhart JE, et al (1990). Risk for non-A, non-B (type C) hepatitis through sexual or household contact with chronic carriers. *Ann Intern Med*; 112: 544 – 550.

F

Falk K, Rotzschke O, Rammensee HG (1990). Cellular peptide composition governed by the major histocompatibility complex class I molecules. *Nature* 348:248-251.

Farci P, et al (1991). A long term study of hepatitis C virus replication in non-A, non-B hepatitis. *New England Journal of Medicine*; 325:98 – 104.

Fuller AA, Rodey GE, Parham P, Fuller TC (1990). Topographic map of the HLA-A2 CREG epitopes using human alloantibody probes. *Hum Immunol*; 28: 284 – 305.

G

Garretti TPJ, Saper MA, Bjorkman PJ et al (1989). Specificity pockets for the side chains of peptide antigens in HLA-0Aw68. *Nature (Lond)*. *Nature*; 342: 692 – 696.

Gassner M, et al (1974). *Schweiz Med Wschrn*; 104: 557.

Glenn ER (1991). HLA beyond tears: Clinical applications of HLA testing; 10: 110 – 130.

Goodfellow PW, Jones EA, Van Hegeringen J, et al (1975). The *B2* microglobulin gene is in chromosome 15 and not in the HLA-region. *Nature*; 254: 267- 269.

Gretch OR, DelaRosa C, Carithers RL (1995). Assessment of hepatitis C viraemia using molecular amplification technologies: Correlations and clinical implication. *Ann Intern Med*; 123: 321 – 9.

Guagliardi LE, Koppelman B, Blum JS, et al (1990). Co-localization of molecules involved in antigen processing and presentation in an early endocytic compartement. *Nature*; 343: 133 – 139.

H

Hardy DA, Bell JI, Long EO et al (1986).
Mapping of the class II region of the human major histocompatibility complex by pulsed-field gel electrophoresis. *Nature*; 323: 453 – 455.

Harrison's Principle of Medicine (1997). Genetics And Disease: The Major Histocompatibility Gene Complex 13th Ed. Part 3.

Hashem AM, Kamel MA, Salama HM, Abdel-Wahab MF (1992). The frequency of Anti-HCV among Egyptian school children in a rural area endemic of schistosomiasis. M Sc Thesis 32 – 4.

Helenius A, Morein B, Fries E, et al (1982).
Human (HLA-A and HLA-B) and murine (H-2K and H-2C) histocompatibility antigens are cell surface receptors for Semliki Forest virus. *Proc. Natl. Acad. Sci. USA*; 75: 3846 – 3850.

Houghton M, Weiner A, KuoG, Choo QL (1991).
Molecular biology of the hepatitis C viruses: implication for diagnosis, development and control. *Hepatology*; 14: 381 – 388.

J

Johnson AH, Rosen RD, Butler WT (1972).
Detection of alloantibodies using a sensitive antiglobulin microtoxicity test: Identification of low levels of preformed antibodies in accelerated allograft rejection. *Tissue Antigens*; 2: 215 – 226.

Jonsson V, Wells A, and Klein G (1982).

Receptors for the complement and the Epstein-Barr virus are quantitatively co-expressed on a series of B cell lines and their derived somatic cell hybrids. *Cell Immunol*; 72: 263 – 276.

K

Kamel M (1993). Sited in *Epidemiology Of antibody to hepatitis C in Egypt. J Inf Dis* , 168: 789 – 90.

Kaufmann SH, Schoel B, Van ED, et al (1991).

Heat-shock protein 60: implication for pathogenesis of and protection against bacterial infections. *Immunol Rev*; 121: 67 – 90.

Kin JP, Linnen J, Wages J (1995).

Identification of a new hepatitis virus (HGV) and its implication in post-transfusion hepatitis. *Hepatology*; 22: 218A.

Klareskog L and Forsum U (1986).

Tissue distribution of class II antigens: presence on normal cells. In *HLA Class II Antigens* (ed. B. Solheim E, Moller and S. Ferrone), pp, 339 – 348. Springer verlag. New York.

Klouda PT, Bradley BA (1983). The interface between HLA genes and immunological disease. In: Thompson RA, Rose NR, eds. *Recent Adv Clin Immunol*; 3: 91–110.

Kurokochi K, Akatsuka T, Pendleton CD, Takamizawa A, Nishioka M, Battegay M (1996).

Use of recombinant protein to identify a motif-negative human cytotoxic T-cell epitope presented by HLA-A2

in the hepatitis C virus NS3 region. J Virol; 70: 232 – 40.

L

Lasate JJ, Garcia-Granero M, Sarobe P, Aranburu E, Riezu-Boj JL, Garcia N, Civveira MP, Borrascueta F, Prieto J (1997). Association of HLA-DR molecules with chronic HCV infection and the response to interferon therapy. Journal of Hepatology No. 1 Vol. 26, 80.

Long EO (1989). Intracellular traffic and antigen processing. Immunol Today; 10: 232.

M

Madden DR, Gorga JC, Strominger JL et al (1991). The structure of HLA-B27 reveals nonamer self-peptides bound in an extended conformation. Nature (Lond); 352: 321 – 325.

Maged Z, Shobe SM, Habib MA, Basmy K, El-Mehary MM, El-Tarabishi MM, Nabih AE (1971). Study on the immune response in schistosomal patients. Proc Afro Asian Symp Schisto; 557- 7.

Margin S, et al (1994). Hepatitis C viraemia in chronic liver disease. Relationship to interferon-alpha or corticosteroid treatment. Hepatology; 19: 273 – 279.

Marshall M Kaplan (1995). Evaluation of Hepatobiliary Diseases. Mosby's Internal Medicine 4th edition Chapter 53.

McHutchison JG, Person JL, Govindarajan S (1992). Improvement detection of hepatitis C virus

antibodies in high- risk populations. Hepatology; 15: 1925.

McOmish H, Chan SW, Dow BC et al (1993).

Detection of type- specific differences in serologic reactivity and rate of alanine aminotransferase abnormalities. Transfusion; 33(1) : 7 – 13.

Menghini G (1958). One-second needle biopsy of the liver. Gaastroenterology; 35: 190.

Milner CM and Campbell RD (1990).

Structure and expression of the three MHC-linked HSP70 gene. Immunogenetics; 32: 242- 251.

Myron J Tong, Neveen S El Farra, Andrew R Reikes, Ruth L (1995). Clinical outcomes after transfusion-associated hepatitis C. The New England Journal of Medicine. Vol.332, No. 22.

N

Nagamine T, Ohtuka T, Takenhara K et al (1996). Thrombocytopenia associated with hepatitis C viral infection. J. Hepatol 24:135.

Nooman ZM, El-Gohary A, Hassan A (1991).

Antibodies to hepatitis virus in blood donors in Suez. Egypt. The 9th National Congress of the Egyptian Society of Hepatology, Cairo.

P

Parham P, Lawlor DA, Salter RD et al (1989).

HLA-A, B, C: Patterns of polymorphism in peptide-binding proteins. In. Immunobiology of HLA. Vol.

11(ed.B.Dupont).pp. 10 -33 , Springer- Verlag, New York.

Parham P. (1990). Transporters of delight. *Nature* 348: 674-675.

Payen R, Rolfs MR (1958). Fetomaternal leukocyte incompatibility. *J Clin Inves*; 37:1756- 1763.

Peano G, Menadi G, Ponzetto A, Fenoglio LM (1994). HLA-DR5 antigen. A genetic factor influencing the outcome of hepatitis C virus infection? *Arch Intern Med*; 154; 23: 2733 - 6.

Piperno et al (1992). Liver damage in Italian patients with hereditary hemochromatosis is highly influenced by hepatitis B and C virus infection. *J Hepatol* ; 16: 364 - 386.

Pirisi M, Fabris C, Toniutto PL, Falleti E, Tisminetzky SG, Gerotto M, et al (1995). Resistance to interferon treatment in chronic hepatitis C predicted by pretreatment interferon levels. *Congress Abstract Review, (AASLD) Chicago, USA; 2.*

Porto G, Alves H, Rodrigues P, Casbeda JM, Portal c, Ruivo A, Justica B, Wolff R and Sousa M De (1998). MHC class I association in iron overload - New link between the H63D mutation, HLA-A29 and non-classical hemochromatosis. *Journal of Hepatology*, NO.1 VOL.28.

R

Ray RA (1996). Epidemiology of HCV infection in Egypt. *Medicine and the community*. Numbers 6 -7, February-May.

Robert Lechler (1994). HLA and Disease. Genetics, Polymorphism and regulation of expression of HLA region genes, 1:1-34.

Roitt I, Brostoff J, Male D (1996).
Antigen recognition. Immunology, 4th edition 7.1 : 7.13.

Rudensky AY, Preston HP, Hong SC (1991).
Sequence analysis of peptides bound to MHC class II molecules. Nature 353: 622-627.

S

Salter RD, Benjamin RJ, Wesley PK et al (1990).
A binding site for the T-cell Co-receptor CD8 on the alpha 3 domain of HLA-A2. Nature; 345: 41- 46.

Scheuer PJ (1988).
Chronic hepatitis In: Schewer PJ, Liver biopsy interpretation. 4th ed. London Bailliere- Tindall.

Seager K, Bashir HV, Geezy AF, et al (1979).
Evidence for a specific B27-associated cell surface marker on lymphocytes of patients with ankylosing spondylitis. Nature; 277: 68 – 70.

Servenius B, Gustafsson K, Widmark E, et al (1984). Molecular map of the human HLA-SB (HLA-DP) region and sequence of an SB-alpha (DP- alpha) pseudogene. EMBO J. 3:3209-3214.

Sheraj J, Deborah B, Elizabeth J, Lizhe XU, Andrew M, Fredric R, Robert PP (1997).
Comparison of Quantitative HCV RNA Assays in Chronic Hepatitis C. American Journal Of Clinical Pathology; 362 – 367.

Sherlock S, Dooley JS (1993).

Viral hepatitis. Diseases of the liver and biliary system. 9th ed. Oxford, London, Edinburgh, Melbourne. Blackwell Scientific Publication, 269.

Sherlock S, Dooley JS (1997).

Chronic viral hepatitis. Diseases of the liver and biliary system. Oxford, London, Edinburgh, Melbourne. Blackwell Scientific Publication. 10th ed.

Signas C, Katze M, Persson H, et al (1982).

An adenovirus glycoprotein binds heavy chains of class I transplantation antigens from man and mouse. Nature; 299: 175 – 178.

Spielman R, Lee J, Bodmer WF, et al (1984).

HLA-D region alpha-chain genes on human chromosome 6: polymorphism and association of DC-alpha related sequences with DR types. Proc. Natl. Acad. Sci. USA 81:3461-3465.

Spies T, Morton CC, Nedospasov SA (1986).

Genes for the tumor necrosis factors alpha and beta are linked to the human major histocompatibility complex. Proc. Natl Acad. Sci. USA; 83: 8699 – 87602.

Stern LJ, Wiley DC (1994). Antigenic peptide binding by class I and class II histocompatibility proteins. Structure, 2: 245 – 251.

Stites D, Terr AI, Parslow TG (1997). Immunologic laboratory tests. Medical Immunology : 14: 211-253.

Svejaard A, Hauge M, Jersild C et al (1975).

The HLA system. An introductory survey. Monogr. Hum. Genet; 7: 1 – 100.

T

Takanizawa A, Mori C, Fuke I (1991).
Structure and organization of the hepatitis C virus genome isolated from human carriers. *Journal of Virology*; 65: 1105 – 1113.

Terasaki PI, McClelland JD (1964).
Microdroplet assay of human serum cytotoxins. *Nature*; 204: 998.

Terasaki PI, Bernoco D, Park MS, Ozturk G, Ivaki Y (1978). Microdroplet testing for HLA-A, -B, -C and -D antigens. *Am J Clin Pathol*; 69(2): 103 – 19.

Tietz NW (1996). *Fundamental of Clinical Chemistry*.
4th ed.

Tiwari JL, and Terasaki PI (1985).
HLA and Disease Association. Springer-Verlag, New York.

Tsai SL, Chen MH, Yeh CT, Chu CM, Lin AN, Chiou FH et al (1996). Purification and characterization of a naturally processed hepatitis B virus peptide recognized by CD8⁺ cytotoxic T lymphocytes. *J Clin Invest*; 97: 577- 84.

V

Van Rood JJ, Ernisse JG (1968).
The detection of the transplantation antigens in leukocytes. *Semin Hemat*; 5:2.

World Health Organization (1968).

Nomenclature for factors of the HLA system. Bull WHO; 39: 483.

WHO Nomenclature Committee (1989).

Nomenclature for factors of the HLA system, Immunogenetics 1990; 31: 131 – 140.

WHO Library Cataloguing in Publication Data (1991). Health education in the control of schistosomiasis. Non serial publication;p1.

William F, Balistreri, Robert Rej (1996).

Fundamentals of Clinical Chemistry: Liver Function; 31: 539 – 568.

Y

Yoshiaki Sato, keisuke Nakata, Yuji Kati et al (1993). Early detection of hepatocellular carcinoma based on profiles of Alpha-Fetoprotein. The New England Journal of Medicine. Vol.338, No. 25.

Z

Zeldis JE, et al (1983).

Aplastic anemia and non-A, non-B hepatitis. Am J Med; 74

Zemmour J, Parham P (1991).

HLA class I nucleotide sequences. Hum Immunol; 31: 195