




REFERENCES

REFERENCES

- **Alderman MH, Madhavan S, Oo WL, Cohen H, Sealey JE, Laragh JH (1991)** : association of the renin sodium profile with the risk of Myocardial infarction in patients with hypertension. N Engl J Med. 324 : 1098-1104.

- **Amaro A, Gonzalez - Juanatey- JR, Iglesias -C, Martinez-Sande L, Trillo - R; Garcia- Acuna- J, Gil-de la-pena- M (1993)** : Leucocytic count as a predictor of the severity IHD as evaluated by coronary angiography. Rev-Port. Cardiol, Nov., 12(11) : 913-7, 899.

- **Ambrose J, Hjemdahl, Monsen C, Borrico S, Gorlin R, Fuster V (1988)** : Angiographic demonstration of a common link between unstable angina pectoris and non Q wave acute myocardial infarction. J Am. Coll cardiol 12 : 244-247.

- **Antonaccio MJ, Kerwin L (1981)** : Pre and postjunctional inhibition of vascular sympathetic function by captopril in SHR; implication of vascular angiotensin II in hypertension and antihypertensive actions of captopril. Hypertension , 3 (Suppl 1) : 1-54-I-62.

- **Auerback O, Carter C, Garfinkel L and Hammond EC (1976) :**
" Cigarette smoking and coronary artery disease : A
macroscopic and microscopic study". Chest 70 : 697,
1976.
- **Benditt EP, Benditt JM (1973) :** Evidence for a monoclonal
origin of human atherosclerosis plaques. Proc. Natl
Acad Sci USA ; 70 : 1753-1756.
- **Bierman El, Ross R (1977) :** Aging and atherosclerosis
(Atherosclerosis Rev. 2 : 19-111).
- **Blaufarb IS, Sonnenblick EH (1996) :** The renin- angiotensin
system in left ventricular remodeling. Am- J-Cardio.
May 30; 77(13) : 8c-16c
- **Bradley WA, Gotto AM Jr (1978) :** Structure of intact human
plasma lipoproteins, New York, American
Physiological Society.111.
- **Brand FN, McGee DL, Kannel WB, Stokes J and Castelli WP
(1985) :** " Hyperuricemia as a risk factor of coronary
heart disease" . The Frammingham Study. Am J
Epidemiol, 121 : 11.
- **Brown B, Bolson E, Dodge H (1984) :** Dynamic mechanisms
in human coronary stenosis, circulation, 70 : 917-
922.

- **Brunner HR, Gavras H, Waeber W (1979)** : Oral angiotensin-converting enzyme inhibitor in long term treatment of hypertensive patients. *Ann. Intern Med*, 2 : 1317.
- **Brunner HR, Laragh JH, Baer L, et al. (1972)** : Essential hypertension : renin and aldosterone, heart attack and stroke. *N Engl Med* , 286 : 441-9.
- **Brunner HR, Sealey JE, Laragh JH (1973)** : Renin as a risk factor in essential hypertension : more evidence. *Am J Med* ; 55 : 295-302.
- **Brunzell JD, Albers JJ, Chait A, Grundy SM, Groszek E and Mc Donald GB (1983)** : " Plasma lipoproteins in familial combined hyperlipidemia and monogenic familial hypertriglyceridemia." *J Lipid Res* 24 : 147.
- **Bulgar HA, Johns HE (1941)** : The determination of plasma uric acid, *J Biol Chem*; 140 : 427.
- **Burstein M, Scholnick HR, Morin R (1970)** : Rapid method for isolation of lipoproteins from human serum by precipitation by polyanions, *J Lipid Res*, 11 : 583-595.
- **Cabin HS & Roberts WC (1982)** : " Relation of serum total cholesterol and triglyceride levels to the amount and extent of coronary arterial narrowing by atherosclerotic plaque in coronary heart disease. *Am J Med* 73 : 227.

- **Campbell DJ, Kladis A, Duncan A-M(1993)** : Bradykinin peptides in kidney, blood and other tissues of the rat. Hypertension; 21 : 155-165.
- **Campbell MJ and Machin D (1993)** : Medical statistics. A common sense approach. 2nd Ed. John Wiley & Sons New York; Chishester; Brisbane; Toronto and Singapore. To show the relationship between variables and order of importance of the related variables to the studied variable.
- **Campbell OJ (1987)** : Circulating and tissue angotensin system. J Clin Invest, 79 : 1-6.
- **Captanio AM, Niewiarowski S, Tuszynski GP, Kornecki E (1983)** : Evidence that platelet factor 4 binds to specific receptors on human platelet membranes and it potentiates platelet responses to various stimuli. Thrombosis and Haemostasis, 50 : 367.
- **Caralis DG, Deligonul U, Keim MJ, Cohen JD (1992)** : "Smoking is a risk factor for coronary spasm in young women" Circulation , 85(3) : 905.
- **Carew TE, Schwenke DC, Steinberg D (1987)** : Antiatherogenic effect of probucol unrelated to its hypocholesterolaemic effect. Proc. Natl Acad Sci USA 84 : 7725-7729.

- **Carlson LA & Bottiger LC (1985)** : Risk factors for ischaemic heart disease in men and women. Acta Med Scand 218 : 207.
- **Case DB, Wallace JM and Keim HJ (1977)** : Possible role of renin in hypertension. N. Engl. J Med. 296: 641-646.
- **Castelli P. (1986)** : Frammingham heart study update, cholesterol, triglycerides, lipoproteins and the risk of coronary heart disease. Prespect Lipid Dis. 3 : 20.
- **Castro- Beiras-A, Muniz- J, Fernandez- Fuertes- I, Lado- Canosa- A, Juane- R (1993)** : Family history as an independent risk factor for ischaemic heart disease in a low incidence area. Eur- Heart-J.14(11):1445-50.
- **Caughin SR, Moskowitz MA, Zetter BR, Antoniadis HN, Levine I (1980)** : Platelet dependent stimulation of prostacyclin synthesis by platelet derived growth factor. Nature, 288.
- **Chait A, Maneini M, February AW and Lewis B (1972)** : Clinical and metabolic study of alcoholic hyperlipidemia. Lancet 2 : 62.
- **Constandinides P (1976)** : Importance of the endothelium and blood platelets in the pathogenesis of atherosclerosis. Triangle, 15 : 53.

- **Crawford MD, Clayton DG, Stanly F and Shoper AG (1977) :**
On epidemiological study of sudden death in hard
and soft water areas. J Chron Dis 30 : 69.
- **Daniel WW (1987) :** Biostatistics, A foundation for analysis in
the health sciences. 4th. Ed. John Wiley & Sons.
New-York, Chichester, Brisbane, Toronto and
Singabore.
- **Dargie HJ, Byrne J (1995) :** Pathophysiological aspects of the
renin angiotensin aldosterone system in acute
myocardial infarction. J- Cardiovasc- Risk. Oct.; 2(5)
: 389-95.
- **Das UW (1971) :** Atherosclerosis and prostaglandins. Int J
Tissue React, 4(2) : 127.
- **Davidson DM (1984) :** Cardiovascular disease and occupation.
Cardiovasc Rev Res 5 : 503.
- **Deanfield JE, Maseri A, Selwyn AP, Ribeiro P, Chierchia S,
Krikler S, et al. (1983):** Myocardial ischaemia during
daily life in patients with stable angina. Lancet 2 :
753-758.
- **Derkx FM, Bouma BN, Schalckamp MH (1984) :** Prorenin-
renin conversion by the contact activation system in
human plasma Role of plasma protease inhibitors, W
Lab Clin Med, 103(4) : 560-73.

- **Derkx FH, Schalekamp MA (1988)** : Human prorenin : pathophysiology and clinical implications. Clin. Exp Hypertens, (6) : 1213-25.
- **Derkx FM, Stuenkel C, Visser W, Huisveld IH and Schalekamp MH (1986)**: Immunoreactive renin, prorenin and enzymatically active renin in plasma during pregnancy and in women taking oral contraceptives. Journal of Clinical Endocrinology and Metabolism. Vol. 63, No.4, p. 1008-15.
- **Diatzel J (1977)** : Diabetic vascular disease. Acta Pediatr Scand, 270(Suppl) : 112.
- **Dietschy JM, Gotto AM Jr, Ontka TA (eds) (1978)** : Disturbances in lipid and lipoprotein Metabolism, New York , American Physiological Society, 111.
- **Dostal DE, Rothblum KN, Conraal KM, et al (1992)** : Detection of angiotensin I and II in cultured rat cardiac myocytes and fibroblasts. Am J Physiol, 263 : C 851-C863.
- **Drayer JL, Weber MA, Sealey JE, Laragh JH (1981)** : Low and high renin essential hypertension : a comparison of clinical and biochemical characteristics. Am J Med Sci 281 : 135-42.

- **Dzau VJ (1987):** Implications of local angiotensin production in cardiovascular physiology and pharmacology. *Am J Cardiol*, 59 : 59A.
- **Dzau VJ, RE RN (1987) :** Evidence for the existence of renin in the heart. *Circulation*, 75 : 1-134.
- **Ehlers- MRW, Riordan JF (1989):** ACE new concepts concerning its biological role *Biochemistry*, 28 : 5311-5318.
- **Emanuel RL, et al. (1973) :** Double antibody radioimmunoassay of renin activity and angiotensin II in human peripheral plasma. *J Lab Clin Med*, 81 : 632 - 640.
- **Endo- Y (1993) :** Synthesis of renin and angiotensin-converting enzyme in human heart. *Hokkaido-Igaku- Zasshi*, Nov., 68(6) : 827-35.
- **Falk E (1985) :** Unstable angina with fatal outcome. Dynamic coronary thrombosis leading to infarction and /or sudden death. *Circulation* ; 71 : 699-708.
- **Farhy RD, Carretero OA, HOF-L, Scicli AG (1993) :** Role of kinins and nitric oxide in the effects of Angiotensin converting enzyme inhibitors on neointima formation. *Circ Res* ; 72 : 1202 -1210.

- **Fischer- Dzoga K, Fraser R, Wessler R** : Stimulation or proliferation in stationary primate cultures of monkey and rabbit aortic smooth muscle cells. *Exp Mol Pathol*, 24 : 346.
- **Flegg, HM (1973)** : An investigation of the determination of serum cholesterol by an enzymatic method, *Ann Clin Biochem*; 10 : 79-84
- **Forman MB and Virmani R (1989)** : Non atherosclerotic IHD, *Am J Cardiol* , 64 : 410.
- **Fraser GE, Anderson JT, Foster N, Goldberg R, Jacobs D and Blackburn H (1983)** : The effect of alcohol on serum high- density lipoproteins. *Atherosclerosis*, 46 : 275.
- **Fredrickson DS and Lees RS (1965)** : System for phenotyping hyperlipoproteinemia. *Circulation*, 31 : 321.
- **Fredrickson DS, Morganrothy S and Levy RI (1975)** : Type III hyperlipoproteinemia. *Ann Int Med*, 82 : 150.
- **Friedewald WT, Levy RI and Fredrickson DS (1972)** : Estimation of the concentration of LDL-c in plasma without use of the preparative ultracentrifuge. *Clin Chem*, 18 : 499.
- **Friedman GD, Dales LS and Ury HK (1979)**: Mortality in middle aged smokers and nonsmokers. *N Engl J Med*. 300 : 213.

- **Fry DL (1976)** : Hemodynamic forces in atherogenesis, In :
Pscheinbergced, New York, Raven; 77-95.
- **Gagene C, Moorjan S, Brun D, Toussamt M and Lupien PJ (1979)** : Heterozygous familial hypercholesy-
terolaemia : Relationship between plasma lipids,
lipoproteins, clinical manifestations and ischameic
heart disease in men and women. Atherosclerosis
34 : 13.
- **Garcia MI, McNamara PM, and Gordon T (1976)** : Morbidity
and mortality in the Framingham population.
Diabetes 23 : 105.
- **Garcia - Palmieri MB, Sole P and Tilotson J (1980)** : Dletary
intake and the risk of coronary heart disease
incidence. Am J Clin Nutr, 33:1618.
- **Geer JC, Haust MD(1972)** : Smooth Muscle cell in
atherosclerosis, Monogr Atherosclerosis , 2 : 1-88.
- **Geisterfer ATT, Peach MJ, Owens G (1988)** : Angiotensin II
induces hypertrophy, of cultured rat aortic smooth
muscle cells. Circ Res, 62 : 749- 56.
- **Glomset JA (1968)** : The plasma lecithins : cholesterol
acyltransferase reaction : J Lipid Res , 9 : 155-167.

- **Goldberg ID, Stemerman MB, Handin RI (1980) :** Vascular permeation of platelet factor 4 after endothelial injury, *Science* , 209 : 611.
- **Goldstein, JL (1972) :** The cardiac manifestations of homozygous and heterozygous forms of type II hyperbetalipoproteinaemia. *Birth Defects*, 8 : 202.
- **Goldstein, JL (1973) :** Hyperlipidaemia in coronary heart disease : Lipid levels in survivors of myocardial infarction. *J Clin Invest*, 52 : 1533.
- **Goldstein, JL and Brown MS (1977) :** Atherosclerosis : The LDL-receptor hypothesis. *Metabolism*, 26 : 1257.
- **Goldstein JL, Schrott HG, Hazzard WR, Bierman EL and Motulsky AG (1973) :** Hyperlipidaemia in coronary heart disease : Genetic analysis of lipid levels in 176 families and delineation of a new inherited disorder, combined hyperlipidaemia. *J Clin Invest*, 52 : 1544.
- **Good Friend TL, Peach MJ (1975):** Angiotensin III (des-aspartic acid-1)-angiotensin II Evidence and speculation for its role as an important agonist in the renin angiotensin system, *Circ Res* : 36 : 38.
- **Gordon T, Castelli WP, Hjortland MC, Mannel WB and Dawber TR (1970) :** High density lipoprotein as a protective factor against coronary heart disease : The Framingham Study. *Am J Med*, 62 : 7070.

- **Gotto AM and Framer JA (1988)** : Risk factors for coronary artery disease : Hurt's Textbook of Cardiology. p. 1153.
- **Green D, Ruth KJ, Folsom RA and Liu K (1994)** : Haemostatic factors in the Coronary Artery Risk Development In Young Adults (CARDIA) Study. Arterioscler. Throbm. 14(5) :686-93.
- **Grossarth- Mathicek R and Eysenck HJ (1991)** : Personality, stress and motivational factors in drinking and determinants of risk for coronary artery disease. Psychol Res, 69(3) : 1027.
- **Gove TH (1979)** : Effect of reagent pH on determination of high - density lipoprotein cholesterol by precipitation with sodium phosphotungstate-magnesium, Clin Chem ; 25 : 560- 564.
- **Haber E (1976)**: The role of renin in normal and pathological cardiovascular hemostasis Circulation, 54 : 849.
- **Haber E, Zusman R, Burton J (1983)**: Is renin a factor in the etiology of essential hypertension? Hypertension 5 (Suppl V)-8.
- **Hageman A, Nielsen AH, Poulsen K (1994)** : The uteroplacental renin- angiotensin system, Exp- Clin- Endocrinol , 102 (3) : 252-61.

- **Hahn AW, Kern F, Buhler FR, Resink TJ (1993) :** The renin-angiotensin system and extracellular matrix. Clin. Investig. 71(5 suppl), 57-12.
- **Havel, R.J. (1982) :** Treatment of hyperlipidaemia : where do we stand? Am J Med 73 : 301.
- **Hazzard, WR : Primary type III hyperlipidaemia. In Rifkind, B.M. and Levy, R.I. (1977.) : Hyperlipidaemia : Diagnosis and theory. N.Y., Grune and Stratton, p. 137.**
- **Helmark, R.L., Twardzk, DR. and Schwartz, SM (1986) :** Inhibition of endothelial regeneration of type-beta transforming growth factor from platelets. Science 233 : 1078.
- **Holtz J, Goetz RM (1994) :** The endothelium and the renin-angiotensin system Arzneimittelforschung. Mar., 94(3A); 3 : 97-402.
- **Hope W, Martin JJ, Chesterman CW, Morgan FJ (1979) :** Human β -thromboglobulin inhibits PGI_2 production and binds to a specific site in bovine aortic endothelial cells. Nature, 282 : 210.
- **Howard BV, Savage PJ, Benjamin LJ (1978) :** Lipoprotein composition in diabetes mellitus. Atherosclerosis, 30 : 153.

- **Hubert HB, Feleib M and McNamara, PM (1983)** : Obesity as an independent risk factor for cardiovascular disease. *Circulation*, 67 : 958.
- **Hypertension Detection and Follow-Up Program Cooperative Group (1979)** : Five year findings of the hypertension detection and follow up program. *JAMA*, 242 : 2562.
- **Ibarra Rubio ME, Pedraza Chaverri J (1993)** : The current concept of the renin- angiotensin system *Rev Invest Clin*, Mar Apr, 45(2) : 165-77.
- **Inagami T, Mizuno K, Kawamura H, Okamura T, Clemens DL, Higashimori K (1992)** : Localization of components of the renin- angiotensin system within the kidney and sustained release of angiotensins from isolated and perfused kidney. *Tohoku J Exp Med*. Jan;166 (1) : 17-26.
- **Ingelfinger JR, Pratt RE & Ellisonk (19)** : Sodium regulation of angiotensinogen mRNA expression in rat kidney cortex and medulla, *J Clin Invest*. 78 : 1311-1315.
- **Janus ED, Nicoll AM, Turner PR, Magill P and Lewis B (1980)** : Kinetic basis of the primary hyperlipoproteinaemia. *Eur. J Clin Invest*. 10 : 161.

- **Jauhiainen M, Koskinen P, Ehnlin C and Frick MH (1991) :**
Lipoprotein (a) and coronary heart disease risk : a
Nested case control study of the Helsinki Heart
Study Participants, *Atherosclerosis*, 89(1) : 59.
- **Jenkins CD, Williams RB, (1983) :** Psychological aspects of
myocardial infarction and coronary care. 2nd St
Louis CV Mosby.
- **Johnson AL, Cornoi JC and Cassel JC (1975) :** Influence of
race, sex and weight on blood pressure behavior in
young adults. *Am J Cardiol* , 35 : 523.
- **Johnston CL , Fabris B, Yoshida K (1993) :** The cardiac renin
angiotensin system in heart failure. *Am heart J Sep*
126 (3 PT2), 756-60.
- **Kalckan HM (1947) :** Differential spectrophotometry of purine
compounds by means of specific enzymes, *J Biol*
Chem . 167 : 429.
- **Kannel WB (1981) :** Update on the role of cigarette smoking in
coronary artery disease. *Am Heart J*. 101 : 319.
- **Kaplan NM (1977) :** Renin profil , the unfulfilled promises
JAMA; 238 : 611-613.
- **Kelvey, LM (1984) :** Copper and ischaemic heart disease. *Bio*
Trace Element Res. 5 : 145.

- **Kim-S, Yammamoto- K (1994)** : Pharmacology of the renin-angiotensin system. Nippon-Yakurigaku-Zasshi. Oct; 104(4) : 275-84.
- **Klinman EW and Watkins AJ (1991)**: Screening for coronary heart disease risk in the elderly : total cholesterol versus HDL- cholesterol. Am J Prev Med 7(5) : 263.
- **Knuiman JT, West CE, Katan MB and Hautvast JG (1987)** : Total cholesterol and HDL- cholesterol levels in populations differing in fat and carbohydrate intake. Arteriosclerosis, 7 : 612-19.
- **Kottke BA, Zinmeistu AR, Holmes DRJ, Knelker RW, Hallaway BJ and Mao SJ (1986)** : Apolipoproteins and coronary artery disease. Mayo Clin. Proc 61 : 313.
- **Kromhout D and Coulander C (1984)** : Diet, prevalence and 10-year mortality from coronary heart disease in 871 middle-aged men. Am J Epidemiol 119 : 773.
- **Kunst A, Draeger B, Ziegenhorn J (1983)** : UV- methods with hexokinase and glucose-6- phosphate dehydrogenase, methods of enzymatic analysis. Vol VI. Bergmeyer, HU, Ed. Verlag Chemie, Deerfield, FL. pp163-172.

- **Kwiterovitch PO Jr, Coresh J, Smith HH, Bachorik PS, Derby CA and Pearson TA (1992)** : Comparison of the plasma levels of apolipoproteins B and A1 and other risk factors in men and women with premature coronary artery disease. *Am J Cardiol* 15, 69(12) : 1015-21.
- **Lapidus L, Bengtsson C and Larsson B (1984)** : Distribution of adipose tissue and risk of cardiovascular disease and death. *Br Med J* 289: 1257.
- **Laragh JH (1992)** : Role of Renin secretion and kidney function in hypertension and attendant heart attack and stroke. *Clin Exp-hypertens- A*. 14(1-2) : 285-305.
- **Laragh JH (1995)** : Renin- angiotensin- aldosterone system for blood pressure and electrolyte homeostasis and its involvement in hypertension, in congestive heart failure and in associated cardiovascular damage. *J-Hum-Hypertens*. Jun; 9(6) : 385-90.
- **Laragh JH, Bear JE and Niorchos (1982)** : The vasoconstriction- volume spectrum in hypertensive patients. *Fed Proc*. 41 : 2415- 23.
- **Larsen K (1972)** : Creatinine assay by a reaction - kinetic approach, *Clin Chem Acta*, 41 : 209-217.

- **Larsson B, Svadsudd K, Welin L and Wilhelmsen L (1984) :**
Abdominal adipose tissue distribution, obesity, and risk of cardiovascular disease and death. A 13-year follow-up of participants in the study of men born in 1913. Br Med J, 288 : 1400.
- **Law MR, Wald NJ, Thompson SG (1994) :** By how much and how quickly does reduction in serum cholesterol concentration lower risk of IHD ? BMJ, Feb.5, 308(6925) : 367-72.
- **Ledet T (1977) :** Growth hormone antiserum suppresses the growth effect of diabetic serum. Studies on rabbit aortic cell culture. Diabetes, 26 : 798.
- **Lee YA, Lidpainter K (1993) :** Role of the cardiac renin-angiotensin system in hypertensive cardiac hypertrophy. Eur Heart J Nov.14 , Suppl J 42-8.
- **Leoni V, Fabiani L and Ticchiero M L (1985) :** Water hardness and cardiovascular mortality rate in Abruzzo. Arch Environ Health, 40 : 274.
- **Levine PH (1973) :** An acute effect of cigarette smoking on platelet function. Circulation 48 : 619.
- **Levy D, Garrison RJ, Savage DD, et al. (1990) :** Prognostic implications of echocardiographically determined left ventricular mass in the framingham heart study. N Engl J Med. 322 : 1561-1566.

- **Lindpainter K , Ganen D (1991)** : The cardiac renin angiotensin system, an appraisal of present experimental and clinical evidence. *Circ Res* . 68 : 905-921.
- **Liu K, Cedres LB and Stamler J (1982)** : Relationship of education to major risk factors and deaths from coronary heart diseases and all causes. Findings of three Chicago epidemiologic studies. *Circulation*. 66 : 1308.
- **Lochen ML and Rasmussen K (1992)** : The tromso study : physical fitness, self- reported physical activity and their relationship to other risk factors. *J Epidemiol Community Health*, 46(2) : 103.
- **Lopes- Virella MF, Stone P, Ellis S, Colwell JA (1977)** : Cholesterol determination in high - density lipoproteins separated by three different methods. *Clin Chem*, 23 : 882-884.
- **Loscalzo J, Weinfeld M, Fless G and Scanu A (1990)** : Lipoprotein (a), Fibrin binding and plasminogen activation. *Arteriosclerosis*, 10 : 240-5.

- **Ludwig E, Corneli PS, Anderson JL, Marshall HW, Lalouel JM, Ward RH (1995)** : Angiotension converting enzyme gene polymorphism is associated with myocardial infarction but not with development of coronary stenosis. *Circulation*, Apr 15; 9(8) :2120-4.
- **Lufkin EG, Fass DN, O'Fallon VM (1979)** : Increased von willebrand factor in diabetes mellitus. *Metabolism*, 20 : 63.
- **Luoma H, Aromaa A and Helminen S (1983)** : Risk of myocardial infarction in finnish men in relation to fluoridem magnesium and calcium concentrations in drinking water. *Acta Med Scand*. 213 : 171.
- **Mac-Gregor GA, Markandu ND, Hayliss J et al. (1981)** : Non sulfhydryl- containing angiotensin- converting enzyme inhibitor (MK421) : evidence for role of renin system in normotensive subjects. *Br Med J*, 283 : 401-403.
- **Mahely RH (1981)** : Cellular and molecular biology of lipoprotein metabolism in atherosclerosis. *Diabetes*, 30(suppl.2) 60.
- **Mahler R (1971)** : The effect of diabetes and insulin on biochemical reaction of the arterial wall. *Acta Diabetol Lat*, 8 : 68.

- **Mantero F, Fallo R, Opocher G (1981)** : Effect of angiotensin II and converting enzyme inhibitor on blood pressure, plasma renin activity and aldosterone in primary aldosteronism. Clin Sci 61 : 289s.
- **Mac Gill HC JR (1977)** : Atherosclerosis : Problems in pathogenesis. Atherosclerosis, Rev, 2 : 27-65.
- **Meade TW (1982)** : Effects of progestogens on the cardiovascular system. Am J Obstet Gynecol, 142 : 776.
- **Meade TW, Cooper JA, Peart WS (1993)** : Plasma renin activity and ischaemic heart disease. N-Engl. J Med Aug 26 , 329(9) : 626-9.
- **Meade TW, Cooper JA, Stirling Y, Howarth DJ, Ruddock V, Miller GJ (1994)** : Factor VIII, ABO blood group and the incidence of ischaemic heart disease. Br J Haematol, Nov. 88(3) : 601-7.
- **Meade TW, Mellous S, Brozovic M, Miller GJ, Cekrabertic RR, North WR (1986)** : Haemostatic function and ischaemic heart disease : Principal results of the results of the Northwick Park Heart Study. Lancet, 2 : 533.

- **Mehta P, Mehta J, Lawson D, Krop I (1986)** : Leukotriens potentiate the effects of epinephrine and thrombin on human platelet aggregation. *Thromb Res*, 41 : 371.
- **Michaelis H, Menten ML (1913)** : *Biochem. Z*, 49 : 333.
- **Miller GJ, Mertin JC, Webster J, Wilkes H, Hiller NE, Wilkinson WH and Meade TW (1986)** : Association between dietary fat intake and plasma factor VII coagulant activity- a predictor of cardiovascular mortality. *Atherosclerosis* 60 : 269.
- **Miller NE (1982)** : Coronary atherosclerosis and plasma lipoproteins. *J Cardiovasc Pharmacol (Suppl2)* 4, 190
- **Mizuno K, Stomurak, Miyamoto A, Arakawa K, Shibuya T, Arai T et al. (1992)** : Angiostopic evaluation of coronary - artery thrombi in acute coronary syndromes. *N Engl J Med*, 326 : 287-291.
- **Moncada S, Higgs EA, Vane JR (1977)** : Human arterial and venous tissue generate prostacyclin, a potent inhibitor of platelet aggregation. *Lancet* , 2 : 18-20.
- **Moncada S, Vane JR (1979)** : Arachidonic acid metabolites and the interactions between platelets and blood vessel walls. *N Engl J Med*, 300 : 1142.

- **Morgan Kg (1990)** : The role of Ca^{++} in the control of vascular tone as assessed by Ca^{++} indicator aequorin
cardiovasc Drugs Ther, 4 : 1355-1362.
- **Morris JN, Marr JW and Clayton DG (1977)** : Diet and Heart.
A postscript. Br J Med 2 : 1307.
- **Naurath et al (1995)** : Lancet, Vol. 346, 8 July.
- **Newman WP, Fredman DS, Voochs AW, Gard DP, Srinivasen SR, Cresanta JL, Williamson GD, Webber LS and Berenson GS (1986)** : Relation of serum lipoprotein levels and systolic blood pressure to early atherosclerosis. The Bogalusa Heart Study. N Eng J Med 314 : 138.
- **Nichols WW, Mehta JL, Wargovich (1986)** : Synergistic detrimental effects of leukotrienes and thromboxane on coronary blood and regional myocardial function.
Clin Res, 34 : 631A.
- **Niendorf A, Rath M and Wolf K (1990)** : Morphological detection and quantification of lipoprotein (a) deposition in atheromatous lesions. Virchows Arch A Path Anat Histopathol, 417 : 105-11.
- **Oparil S, Haber E (1974)** : The renin angiotensin system. N. Eng J Med, 291 : 389.

- **Opsahi JA, Abraham PA, Keane AF (1990)** : Renal effects of angiotensin converting enzyme inhibitors in diabetic and non diabetic chronic renal diseases. *Cardiovascular Drugs*, 4 : 221-228.
- **Ortola J, Castineiras MJ, Functes- Arderiu X (1992)**: Biological variation data applied to the selection of serum lipid ratios used as risk markers of coronary heart disease. *Clin Chem* 38(1) : 56.
- **Palinski W, Rosenfeld ME, Yli Herttuala S, Gurtner GC, Socher SS, Butler SW et al. (1989)** : Low density lipoprotein undergoes oxidative modification in vivo. *Proc. Natl Acad Sci USA*, 86 : 1372-2376.
- **Patsch JR, Gotto AMJR (1987)** : Metabolism of high density lipoproteins. In : Gotto AM JR (ed) : Plasma lipoproteins. *New Comprehensive Biochemistry*, Vol.14 Amsterdam, Elsevier, 221 : 259.
- **Paul M, Bader M, Steckelings UM, Voigtlander T, Ganten D (1993)** : The renin- angiotensin system in the brain, localization and functional significance. *Arzneimittelforschung*. Feb. 43(2A) : 207-13.
- **Paul M, Wagner J, Dzau VJ (1993)** : Gene expression of the renin angiotensin system in human tissues. Quantitative analysis by the polymerase chain reaction. *J Clin Invest*. May, 91(5) : 2058-64.

- **Pepin JM, O'Neil JA and Hoff HF (1991)** : Quantification of apo (a) and apo B in human atherosclerotic lesions. *J Lipid Res*, 32 : 317-27.
- **Perley M, Kipinis DM (1966)** : Plasma insulin response to glucose and tolbutamide of normal weight and obese diabetic and non diabetic subjects. *Diabetes*, 15 : 887.
- **Peter J, Vidaurri J, Halfon ST, Eisenberg S and Zanberman H (1983)** : Association between corneal arcus and some of the risk factors for the coronary artery disease. *Br J Ophthalmol* 67 : 795.
- **Pfeffer MA, Braunwald E, Moye LA, et al (1992)** : Effect of captopril on mortality and morbidity in patients with left ventricular dysfunction after myocardial infarction. Results of the survival and ventricular Enlargement Trail. *N Engl J Med*. 327 : 669-677.
- **Pocock SJ, Shaper AG, Philips AN, Walker M and Whithead T (1986)** : High density lipoprotein cholesterol is not a major risk factor for IHD in British men. *Br Med J* 292 : 515.
- **Poplawski A, Niewiarowski S (1965)** : Method for determining antiheparin activity of platelets and erythrocytes. *Thrombosis et Diathesis Haemorrhagica*, 13 : 149.

- **Puri VK, Charndra N, Millis I (1994)** : Study of platelet ultrastructure in ischemic heart disease, Indian Heart - J. May- June, 46(3) : 155-8.
- **Rader DJ, Hoeg JM and Brewer HB Jr (1994)** : Quantitation of plasma apolipoproteins in primary and secondary prevention of coronary artery disease. Ann Int Med 120(12) : 1012.
- **Rao AK, Mintz PD and Lavine SJ (1984)** : Coagulant activity of platelets in coronary artery disease. Circulation 69 : 15.
- **Rasseneu M, Fruchart JC, Bard JM, Nicaud V, Vinaimont N, Cambien F and de Baker G (1994)** : Plasma apolipoprotein concentrations in young adults with a parental history of premature coronary heart disease and in control subjects. The EARS study European Atherosclerosis Research Study. Circulation 89(5) : 1967.
- **Ratela GS, Liedtke RJ (1978)** : Automated enzymic measurement of total cholesterol in serum, Clin Chem, 24.
- **Rautela GS, Hall RG Jr, Bekiesz CL, Wermus GR (1974)** : A kinetic method for the rapid and automatic measurement of triglycerides in biological fluids, Clin Chem , 20 : 857.

- **Reaven GM, Steiner G (eds) (1981)** : Proceedings of a conference of diabetes and atherosclerosis. Diabetes, 30(suppl 2) 1 : 110.
- **Rehr R, Discuaschio G, Vetrovec G, Cowley M (1989)** : Angiographic morphology of coronary artery stenoses in prolonged rest angina : Evidence of intracoronary thrombosis J Am Coll Cardiol, 14 : 1429 -1437.
- **Reid IA (1985)** : The renin angiotensin system and body function. Arch Intern Med 145 : 1475.
- **Re RN (1984)** : Cellular biology of the renin- angiotensin systems. Arch Intern Med, 144 : 2037.
- **Re R, Novelline R, Escourrou MT (1978)** : Inhibition of angiotension converting enzyme for diagnosis of renal artery stenosis. N Eng J Med, 298 : 582.
- **Richard C, Pasternak MD, Eugene, Braunwald E and Burton E (1993)** : Acute Myocardial infarction, Am Heart J, 136 : 816.
- **Roberts W, andWeller BF (1983)** : Chronic hypercalcaemia as a risk factor for coronary atherosclerosis. Cardiovasc Res Rep 4 : 1275.

- **Roschlau P, Bernt EM, Gruber W (1974)** : Enzymatic Bestimmung des Gesamtcholesterins in serum, J Clin Chem Biochem, 12 : 403-407.
- **Rose HG, Kranz P, Weinstock M, Juliano J and Hft JI (1973)** : Inheritance of combined hyperlipoproteinaemia. Evidence for a new lipoprotein phenotype. Ann J Med 54 : 148.
- **Ross R, Glomset JA (1976)** : The pathogenesis of atherosclerosis. N Engl J Med, 295 : 420-425.
- **Ross R, Glomset J, Jariya B, Harker L (1974)** : A platelet - derived serum factor that stimulates the proliferation of arterial smooth muscle cells in vitro Proceeding of the National Academy of Sciences USA, 71 : 1207.
- **Ruberman W, Weinblatt E, Goldberg Jd (1974)** : Psychological influences on mortality after myocardial infarction. N Engl J Med 311 ; 522.
- **Ruiz J, Blanche H, Cohen N, Velho G, Cambien F, Cohen D, Passa P and Froguel P (1994)** : Insertion deletion polymorphism of the angiotensin- converting enzyme gene is strongly associated with coronary heart disease in man- insulin- dependent- diabetes mellitus. Proce Natl Acad Sci USA 91(9) : 3662,

- **Saner H, Gobel F, Salomonowitz E, Erlien D, Edwards J (1985)** : The disease free wall in coronary atherosclerosis, its relation to degree of obstruction, J Am Coll Cardiol, 6 : 1096 -1099.
- **Scanu AM (1992)** : Lipoprotein (a) : A genetic risk factor for premature coronary heart disease, JAMA, 267 (24) : 3326-29.
- **Scanu AM, Fless GM (1990)** : Lipoprotein (a) , Heterogeneity and biological relevance J Clin Invest, 85 : 1709-15.
- **Scanu AM, Lawn RM, Berg K (1991)** : Lipoprotein (a) and atherosclerosis. Ann Intern Med, 115 : 209-218.
- **Schaefer EJ and Levy RI (1985)** : Pathogenesis and management of lipoprotein disorders. N Engl J Med 312 : 1300.
- **Schmitz G, Robenek H, Lohmann U and Assmann G (1985)** : Interaction of HDL with cholesteryl ester-laden macrophages : Biochemical and morphological characterization of cell surface receptor binding, endocytosis and resecretion of HDL by macrophages EMBOJ 4 : 613.
- **Schorr K (1992)** : Role of prostaglandins in the cardiovascular effects of bradykinin and angiotensin-converting enzyme inhibitors. J Cardiovasc Pharmacol, 20 (Suppl 9) : 568-573.

- **Senior RM , Griffith GL, Huang J, Walz DA, Dueul TF (1983) :**
Chemotactic activity of platelet α -granule proteins for fibroblasts. J Cell Biol, 96 : 382.
- **Seppa H, Grotendorst G, Seppa S, Schiffman E, Martin GR (1982) :** Platelet- derived growth factor is chemotactic for fibroblasts. J Cell Biol, 92 : 584.
- **Shapiro JR, Fallet RW, Tsang RC and Glnck CJ (1974) :**
Achilles tendinitis and diagnostic manifestation of familial type II hyperlipoproteinaemia in children. Am J Dis Child. 128 : 486.
- **Shapiro S, Weinblatt E, Frank CW, and Sager RV (1969) :**
Incidence of coronary heart disease in a population insured for medical care. Am J Publ Health 59(Suppl) : 1.
- **Shepherd J, Betteridge DJ, Murringtonp et al (1987) :**
Strategies for reducing coronary heart disease and desirable limits for blood lipid concentrations : guidelines of the British Hyperlipidaemia Association. Br Med J , 295 : 1245-6.
- **Sherril BC, Innerarity TI, and Mahley RW (1980) :** Rapid hepatic clearance of the canine lipoproteins containing only the E apoprotein by a high affinity receptor. J Biol Chem 255 : 1804.

- **Sigurdsson A, Swedberg K (1966)** : The role of neurohormonal activation in chronic heart failure and postmyocardial infarction. *Am Heart J* Jul; 132 (1 pt 2 su) : 229-34.
- **Siltanen P, Romo M and Harpakoski J (1982)** : The influence of previous physical activity on survival and reinfarction after first myocardial infarction. *Acta Med Scand* 688 : 34.
- **Simons LA (1986)** : Interrelations of lipids and lipoproteins with coronary artery disease mortality in 19 countries. *Am J Cardiol* 57 : 5 G.
- **Sinzinger H, Clopath P, Silberbauer K, Winter M (1980)** : Is the variation in the susceptibility of various species to atherosclerosis due to inborn differences in PGI₂ formation ? *Experientia*, 36(3) : 321.
- **Smith E and Cochran S (1990)** : Factors influencing the accumulation in fibrous plaques of lipid derived from low density lipoprotein. Its preferential in mobilization of lipoprotein (a) . *Atherosclerosis*, 84 : 173-81.
- **Sniderman AD, Wolfson C, Tengo B, Franklin FA, Bachorik PS and Kwiterovich PCJ (1982)** : Association of hyperbetalipoproteinemia with endogenous hypertriglyceridaemia and atherosclerosis. *Ann Int Med* 97 : 893.

- **Stack J (1969)** : Risks of ischaemic heart disease in familial hypercholesterolaemic states. Lancet 2 : 1380.
- **Stadtman TC (1957)** : Methods in enzymology, Vol. III, colowick SP, and caplan, No (Eds.) Academy press, New York, NY, pp.392-394, 678-681.
- **Stamler R. Stamler J and Liu KJ, Connor WE and Bristow JD (eds) (1985)** : High blood pressure in Coronary heart disease, Philadelphia JB. Lippincott.
- **Stampfer MJ et al (1992)** : JAMA, 19 Vol. 268, No.7.
- **Stajszczyk M, Gminski J (1993)** : Renin angiotensin system and atherosclerosis post-epi- Hig Med Dosw, 47(6) : 475-85.
- **Stout RW, Bierman El, Ross R (1975)** : Effect of insulin on the proliferation of cultured primate arterial smooth muscle cells. Cir Res, 36 : 319.
- **Streja D, Streiner G and Kwitterovic PO (1978)** : Plasma HDL and ischaemic heart disease. Studies in a large kindred with familial hypercholesterolaemia. Ann Int Med 89 : 871.
- **Stuart MJ Elrad H, Graeber JE (1979)** : Increased synthesis of prostaglandins, endoperoxides and platelet hyperfunction in infants of mother with diabetes. J Lab Clin Med, 94 : 12.

- **Stumpe KO, (1993) :** Overlack A on behalf of the perindopril therapeutic safety study groups (PUTS) A New trial of the efficacy, tolerability, and safety of angiotensin- converting enzyme inhibition in mild systemic hypertension with concomitant disease and therapies. Am J Cardiol, 71 : 32E-37E.
- **Sutton MSTJ, Pfeffer MA, Plappert T, et al (1994) :** Quantitive two- dimensional echocardiographic measurements are major predictors of adverse cardiovascular events after acute myocardial infarction. The protective effects of captopril. Circulation, 89 : 68-75.
- **Talke H, Schubert GE (1965) :** Enzymatische harnstoffbestimmung in blut und serum in optischen test nach warburg, klin wscrh, 41 : 174.
- **Tatomi R, Mabuchi H and Veda A (1981) :** Intermediate density lipoprotein and cholesterol rich VLDL in angiographically determined coronary artery disease. Circulation 64 : 1174.
- **The Australian therapeutic trial** evaluation and treatment of high blood pressure. Arch Int Med 130 : 1280-1290.
- **The Expert Panel (1991) :** Report of the national cholesterol education program expert panel on detection, evaluation and treatment of high blood cholesterol in adults. Arch Int Med 151 : 36.

- **The Expert Panel (1993)** : Summary of the second report of the National Cholesterol Education Program (NCEP) Expert panel on detection, evaluation, and treatment of high blood cholesterol in adults (Adult Treatment Panel II) JAMA, 269 : 3015-3023.
- **The Joint National Committee on Detection, Evaluation and Treatment of High Blood Pressure (1980)** : The report of the joint national committee of detection, evaluation and treatment of high blood pressure. Arch Int Med, 140 : 1280.
- **Tietz NW and Finley PR, Eds (1983)** : Principle of flame photometry. Philadelphia, WB Saunders Co, P.66
- **Toronto Working Group (1990)** : Serum cholesterol and other risk factors of coronary heart disease. J Clin Epidemiol 43 : 1035.
- **Ubbink et al. (1995)** : Clin. Chem. 41/7; 1033-37.
- **Vega GL, Illingworth RP and Grundy SM (1963)** : Normocholesterolaemic tendon xanthomatosis with overproduction of apolipoprotein B. Metabolism 32 : 118.
- **Volpe M, Camargo MJF, Mueller FB, et al (1990)** : Relation of plasma renin to end organ damage and to protection of K⁺ feeding in stroke-prone hypertensive rats. Hypertension, 15 : 318-26.

- **Wang XL, Tam C, Mac Credie RM and Wilcken DE (1994):**
Determinants of severity of coronary artery disease
in Australian men and women. *Circulation* 89(5) :
1974, May.
- **Welborn TA, Wearne K (1979) :** Coronary heart disease and
cardiovascular mortality in Busselton with reference
to glucose and insulin concentration. *Diabetes Care*,
2,154 :60.
- **Willcosky TC and Tyroler HA (1983) :** Mortality from heart
disease among workers exposed to solvents. *J Occup
Med* 25 : 879.
- **Wilcox RJ, Bennet T, Brown AM, and McDonald IA (1982) :** Is
exercise good for high blood pressure? *Br Med J* 285.
- **Williams A, Freeman M, Chisholm R, Patt N , Armstrong P
(1988) :** Angiographic morphology in unstable
angina pectoris. *Am J Cardiol*, 62 : 1024-1027.
- **Williams GH and Hollenberg NE (1985) :** Abnormal adrenal
and renal responsiveness to angiotensin II in
essential hypertension. *Arch Intern Med*. 141 :
1015-1018.
- **Williams RS, Laue EE and Lewis JL (1980) :** Physical
conditioning augments fibrinolytic response to
venous occlusion in healthy adults. *N Engl J Med*
302 : 957.

- **Witztum JL (1983)** : The role of lipoprotein receptor on the regulation of plasma low density lipoprotein levels. In Haft J and Karlinger GS (eds.) : Receptor science in cardiology. Mt Kisco N.Y., Futura Publishing Co. p227.
- **Witztum HL, Mahoney EM, Brandt MJ (1982)** : Non enzymatic glycosylation of LDL alters its biological activity. Diabetes, 31(4 pt 1) 283 : 91.
- **Wood PD, Haskell WL, and Blair SM (1983)** : Increased exercise level and plasma lipoproteins. Metabolism 32 : 31.
- **Yang CY, Chen SH, Gianturco, Bradley WA, Sparrow JT, Tanimura M, et al (1986)** : Sequence structure, receptor- binding domains and internal repeats of human apolipoprotein B-100. Nature, 323 : 738-742.
- **Zilversmit DB (1979)** : Atherogenesis and postprandial phenomenon. Circulation 60 : 473.