

REFERENCES

- Abdel Ghaffar Y, Modward MA, Khalid A, Attia M and Abdel Fattah AA (1994): The effect of propranolol on portal hypertension and prevention of recurrent variceal bleeding in schistosomal and non-schistosomal patients. *Afro-Arab Liver Journal*; 1: 104-113.
- Abdel Razek S, El-Tabbakh H and Francis M (1989): Detection of HBV, persistence, and carcinogenesis. A histopathological study. *Egypt J Lab Med*; 1:829.
- Abelev GI, Perova SD, Khramkova NL, Postnikova ZA, Irlin IS (1963): production of embryonal alpha-globulin by transplanable mouse hepatomas. *Transplantation*; 1: 174.
- Abuaf N, Lunel F and Giral P (1993): Non-organ specific autoantibodies associated with chronic C virus hepatitis. *Journal of Hepatology*; 18: 359-364.
- Adams DH, Hubscher SG, Shaw J, Johnson GD, Babbs G, Rothlein R and Neuberger JM (1991): Increased expression of intercellular adhesion molecule-1 on bile ducts in primary biliary cirrhosis and primary sclerosing cholangitis. *Hepatology*; 14: 426-431.
- Albertsson P, Kim MH; Jonges LE, Kitson RP, Kuppen PJ; Johansson BR, Nannmark U and Goldfarb AG (2000): Matrix metalloproteinases of human NK cels; *In Vivo*; 14(10): 269-276.
- Alter HJ (1988): First decade. In: *Viral hepatitis and liver disease*. (ed. AJ Zuckerman). P. 537-542, Alan R Liss Inc., New York.
- Alter MJ, Margolis HS, Krawczynski K for the Sentinal Counties Chronic Non-A Non-B Hepatitis Study Team (1992): The natural history of community-acquired hepatitis C in the United States. *New England Journal of Medicine*; 327: 1899-1905.

- Avloff N, Staskus PW, Kishnani NS and Hawkes SP (1992): A new inhibitor of metalloproteinases from chicken: ChIMP-3. A third member of the TIMP family. *J Biol Chem*; 267: 17321-17326.
- Azuma A, Yagita H, Matsuda H, Okumura K and Niitani H (1992): Induction of intercellular adhesion molecule-1 on small cell lung carcinoma cell lines by interferon-gamma enhances spontaneous and bispecific anti-CD3X antitumor antibody-directed lymphokine-activated killer cell cytotoxicity. *Cancer Res*; 52: 489-4894.
- Babbs C, Smith A, Hunt LP and Rowan BP (1988): Type III procollagen propeptide: a marker of disease activity and prognosis in primary biliary cirrhosis. *Lancet*; 1: 1021-1024.
- Bach N, Thung SN, Schaffner F (1992): The histological features of chronic hepatitis C and autoimmune chronic hepatitis: a comparative analysis. *Hepatology*; 15: 572-577.
- Baggenstoss AH, Soloway RD, Summerskill WHJ, Elveback LR and Schoenfield LJ (1972): Chronic active liver disease. The range of histological lesions, their response to treatment, and evolution. *Human Pathology*; 3: 183-198.
- Bakowski B, Tschesche H (1992): Migration of polymorphonuclear leukocytes through human amnion membrane: a scanning electron microscopic study. *Biol Chem Hoppe Seyler*; 373: 529-546.
- Barsky SH, Gopalakrishna R (1988): High metalloproteinase inhibitor content of human cirrhosis and its possible conference of metastasis resistance. *J Natl Cancer Inst*; 80: 102-8.
- Beasley RP, Hwang LY, Lin CC (1981): Hepatocellular carcinoma and hepatitis B virus: a prospective study of 22, 707 men in Taiwan. *Lancet*; 2: 1129.

- Bissel DM and Roll J (1990): Connective tissue metabolism and hepatic fibrosis. *Hepatology*; 1: 424.
- Boag AH and Young ID (1993): Immunohistochemical analysis of type IV collagenase expression in prostatic hyperplasia and adenocarcinoma. *Mod Pathol*; 6: 65-68.
- Bochner BS, Luscinskas FW and Gimbrone MA (1991): Adhesion of human basophils, eosinophils, and neutrophils to interleukin-1-activated human vascular endothelial cells: Contributions of endothelial cell adhesion molecules. *J Exp Med*; 173: 1553-1556.
- Boniolo M, Davis M and Matte JA (1982): The use of an ELISA technique for screening hybridization antibodies against hepatitis B surface antigen. *J Immunol Meth*; 49: 1.
- Borzio M, Bruno S, Roncalli M, Mels GC, Ramella G and Borzio F (1995): Liver cell dysplasia is a major risk factor for hepatocellular carcinoma in cirrhosis. A prospective study. *Gastroenterology*; 108: 812-817.
- Bosch FX and Munoz N (1991): Hepatocellular carcinoma in the world. Epidemiologic questions. In: Tabor E, DiBisceglie Am, Purcell RH, eds. Etiology, pathology and treatment of hepatocellular carcinoma in America. *Advances in Applied Technology Series*, Vol. 13. Houston, Gulf. 35.
- Boyer TD and Goldman IS (1986): Treatment of cirrhotic ascites. *Adv. Intern. Med.*; 31: 359 - 77.
- Brechot C (1987): Hepatitis B virus (HBV) and hepatocellular carcinoma: HBV DNA status and its implications. *J Hepatol*; 4: 269.
- Bretraudier JP, Vassault L, Amsellem ML, Pourei H, Tbieuphong and Barilly M (1977): Criteria for establishing a standardized method

References

- for determining alkaline phosphatase activity in human serum. Clin Chem; 23: 2268.
- Bronstein P (1974): The biosynthesis of collagen. Ann Rev Biochem; 43: 567.
- Brown J, Dourakis S and Karayiannis P (1992): Seroprevalence of hepatitis C virus nucleocapsid antibodies in patients with cryptogenic chronic liver disease. Hepatology; 15: 175-179.
- Brown PD, Bloxidge RE, Stuart NSA, Gatter KC and Carmichael J (1993): Association between expression of activated 72-kilodalton gelatinase and tumor spread in non-small-cell lung carcinoma. J Natl Cancer Inst; 85: 574-578.
- Bruix J, Barrera JM, Calvet X (1989): Prevalence of antibodies to hepatitis C virus in Spanish patients with hepatocellular carcinoma and hepatic cirrhosis. Lancet 2: 1004.
- Buamah PK, Cornell C, James OFW, Skillen AW, Harris AL (1986): Serial serum AFP heterogeneity changes in patients with hepatocellular carcinoma during chemotherapy. Cancer Chemother Pharmacol; 17: 182.
- Burditt LJ, Johnson MM, Johnson PJ (1994): Detection of hepatocellular carcinoma-specific alpha-fetoprotein by isoelectric focusing. Cancer; 74: 25.
- Burgeson RE, El-Adli FA, Kaitila II and Hollister DW (1976): Fetal membrane collagens: Identification of two new collagen alpha chains. Proc Natl Acad Sci, USA; 73: 2579.
- Burk RD, Deloia JA, ElAwady MK, Gearhart JD (1995): Tissue preferential expression of the hepatitis B (HBV) surface antigen gene in two lines of HBV transgenic mice. J Virol; 62: 649-654.

- Butcher EC (1986): The regulation of lymphocyte traffic. *Curr Topics Microbiol Immunol*; 128: 85-122.
- Carman WF, Fagan EA, Hadziyannis S (1991): Association of a precore genomic variant of hepatitis B virus with fulminant hepatitis. *Hepatology*; 14: 219-222.
- Carman WF, Jacyna MR, Hadziyannis S (1989): Mutation preventing formation of hepatitis B e antigen in patients with chronic hepatitis B infection. *Lancet* 2: 588-591.
- Carr BI, Flickinger JC and Lotze MT (1997): Hepatobiliary cancers; Cancer of the liver. In: *Cancer, principles and practice of oncology*. DeVita VT, Hellman S and Rosenberg SA. 5th ed., Lippincott-Raven, New York, London, Paris, Berlin and Madrid; 5: 1087-1114.
- Carriaga MT, Henson DE (1995): Liver, gallbladder, extrahepatic bile ducts, and pancreas. *Cancer Res*; 75: 171.
- Cassani F, Muratori L and Manotti P (1992): Serum autoantibodies and the diagnosis of type-1 autoimmune hepatitis in Italy: a reappraisal at the light of hepatitis C virus infection. *Gut*; 33: 1260-1263.
- Castillo I, Bartolome J, Navas S, Gonzalez S, Herrero M and Carreno V (1994): Virological and biochemical long-term follow-up of patients with chronic hepatitis C treated with interferon. *Hepatology*; 19: 1342-6.
- Cawston TE (1986): Protein inhibitors of metalloproteinase. In: Barrett AJ, Salvesen G, eds. *Proteinase Inhibitors*. Amsterdam: Elsevier, 589-610.
- Chan DW and Sell S (1999): Tumor markers. In: *Tietz textbook of clinical chemistry*. Burtis CA and Ashwood ER. 3rd Ed., W.B. Saunders Company. Philadelphia, London, Toronto, Montreal, Sydney and Tokyo. 23: 722 - 749.

- Chieriegatti G (1990): The soluble sandwich approach for immunoassays: Methodological and instrumental implications. *Ann Biol Clin*; 48: 393-397.
- Chisari FV, Klopchin K, Moriyama T (1989): Molecular pathogenesis of hepatocellular carcinoma in hepatitis B virus transgenic mice. *Cell*; 59: 1145.
- Chua CC and Chua BHL (1990): Tumor necrosis factor-alpha induces mRNA for collagenase and TIMP in human skin fibroblasts. *Connect Tissue Res*; 25: 161-70.
- Clifford BD, Donahue D and Smith L (1995): High prevalence of serological markers of autoimmunity in patients with chronic hepatitis C. *Hepatology*; 21: 613-619.
- Collier IE, Wilhelm SM, Eisen AZ, Marmer BL, Grant CA, Selizer HK and Kronberger A (1988): H-ras oncogene transformed human bronchial epithelial cells (TBE-1) secrete a single metalloproteinase capable of degrading basement membrane collagen. *J Biol Chem*; 263: 6379-6388.
- Collier J and Sherman M (1998): Screening for hepatocellular carcinoma. *Hepatology*; 27: 273-278.
- Colombo M, Cambieri R, Rumi MG, Ronchi G, Del Ninno E, de Franchis R (1983): Long-term delta superinfection in hepatitis B surface antigen carriers and its relationship to the course of chronic hepatitis. *Gastroenterology*; 85: 235-239.
- Colombo M, De Franchis R, Del Ninno E (1991): Hepatocellular carcinoma in Italian patients with cirrhosis. *N Engl J Med*; 325: 675.
- Concepcion W, Esquivel CO and Terry A (1994): Liver transplantation in Langerhan's cell histiocytosis. *Semin Oncol*; 18: 24.
- Cooksley WGE, Bradbear RA, Robinson W (1986): The prognosis of chronic active hepatitis without cirrhosis in relation to bridging necrosis. *Hepatology*; 6: 345-348.

- Cottone M, Turri M, Caltagirone M, Parisi P and Orlando A (1994): Screening for hepatocellular carcinoma in patients with child's A cirrhosis: an 8-year prospective study by ultrasound and alpha-fetoprotein. *J Hepatol*; 21: 1029-1034.
- Czaja (1997): Chronic hepatitis. In: Diseases of the gastrointestinal tract and liver. Shearman DJC, Finlayson N, Camilleri M, and Carter D. 3rd Ed., Churchill Livingstone. New York, Edinburgh, London, Madrid and Tokyo. 32: 887-913.
- Czaja AJ (1981): Current problems in the diagnosis and management of chronic active hepatitis. *Mayo Clinic Proceedings*; 56: 311-323.
- Czaja AJ (1984a): Natural history, clinical features, and treatment of autoimmune hepatitis. *Seminars in Liver Diseases*; 4: 1-12.
- Czaja AJ (1984b): Diagnosis and treatment of chronic hepatitis. *Comprehensive Therapy*; 10: 58-63.
- Czaja AJ (1993): Chronic active hepatitis: The challenge for a new nomenclature. *Annals of Internal Medicine*; 119: 510-517.
- Czaja AJ (1994): Autoimmune hepatitis and viral infections. *Gastroenterology Clinics of North America*; 3: 547-566.
- Czaja AJ and Manns MP (1995): The validity and importance of subtypes in autoimmune hepatitis: A point of view. *American Journal of Gastroenterology*; 90: 1206-1211.
- Czaja AJ, Carpenter HA (1993): Sensitivity, specificity and predictability of biopsy interpretations in chronic hepatitis. *Gastroenterology*; 105: 1824-1832.
- Czaja AJ, Davis GL, Ludwig J, Baggenstoss AH, Taswell HF (1983): Autoimmune features as determinants of prognosis in steroid-treated chronic active hepatitis of uncertain etiology. *Gastroenterology*; 85: 713-717.

- Czaja AJ, Hay JE, Rakela J (1990): Clinical features and prognostic implications of severe corticosteroid-treated cryptogenic chronic active hepatitis. *Mayo Clinic Proceedings*; 65: 23-30.
- Czaja AJ, Magrin S, Fabiano C, Fiorentino G, Diquattro O, Craxi A and Pagliaro L (1995): Hepatitis C virus infections as a determinant of behavior in type 1 autoimmune hepatitis. *Digestive Diseases and Sciences*; 40: 33-40.
- Czaja AJ, Manns MP and Homburger HA (1992): Frequency and significance of antibodies to liver/kidney microsome type 1 in adults with chronic active hepatitis. *Gastroenterology*; 103: 1290-1295.
- Davies B, Miles DW, Happerfield LC, Naylor MS, Bobrow LG, Rubens RD and Balkwill FR (1993a): Activity of type IV collagenases in benign and malignant breast disease. *Br J Cancer*; 67: 1126-1131.
- Davies B, Waxman J, Wasan H, Abel P, Williams G, Krausz T, Neal D, Thomas D, Hanby A and Balkwill F (1993b): Levels of matrix metalloproteinases in bladder cancer correlate with tumor grade and invasion. *Cancer Res*; 53: 5365-5369.
- Davis GL, Czaja AJ (1981): Current concepts in the diagnosis and management of hepatitis B surface antigen-positive chronic active hepatitis. *Journal of Clinical Gastroenterology*; 3: 381-388.
- Dayer JM, Rossel RGG and Krane SM (1977): Collagenase production by rheumatoid synovial cells: stimulation by human lymphocyte factor. *Science*; 195: 181.
- De Fougerolles AR and Springer TA (1992): Intercellular adhesion molecule-3 (ICAM-3) a third adhesion counter receptor for LFA-1 on resting lymphocytes. *J Exp Med*; 175: 185.

- De Fougerolles AR, Stacker SA and Schwarting (1991): Characterization of ICAM-2 and evidence for third counter receptor for LFA-1. *J Exp Med*; 174: 253.
- De Medina M, Schiff ER (1995): Diagnostic assays. *Semin Liver Dis*; 15: 33-40.
- De Santis M, Romagnoli R, Cristani A (1992): MRI of small hepatocellular carcinoma: Comparison with US, CT, DSA, and lipiodol-CT. *J Comput Assist Tomogr*; 16: 189.
- Decrombrughe B and Pastan I (1982): Structure and regulation of a collagen gene. *Trends Biochem Sci*; 7: 11.
- Desmet VJ, Gerber M, Hoofnagle JH, Manns M, Scheuer PJ (1994): Classification of chronic hepatitis: Diagnosis, grading and staging. *Hepatology*; 19: 1513-1520.
- Deugnier YM, Charalambous P, Le Quilleue D (1993): Preneoplastic significance of hepatic iron-free foci in genetic hemochromatosis: a study of 185 patients. *Hepatology*; 18: 1363.
- Di Bisceglie AM, Goodman ZD, Ishak KG, Hoofnagle JH, Melpolder JJ, Alter HJ (1991): Long-term clinical and histopathological follow-up of chronic post-transfusion hepatitis. *Hepatology*; 14: 969-74.
- Di Mitri MS, Poussin K, Baccarini P (1995): HCV-associated liver cancer without cirrhosis. *Lancet* 345: 413.
- Diaz F, Collazos J and Genoll J (1993): Study of serum procollagen type III peptide in patients with hepatic cirrhosis from a clinical point of view. *Clin Investig*; 71 (5): 416-8.
- Dietrichson O (1975): Chronic active hepatitis. Aetiological considerations based on clinical and serological studies. *Scandinavian Journal of Gastroenterology*; 10: 617-624.

- Ding S and Habib NA (1995): Loss of heterozygosity in liver tumours. *J Hepatol*; 22: 230.
- Doud AC, Lim AG, Jazrawi RP, Finlayson C and Maxwell JD (1997): Serum intercellular adhesion molecule-1 in alcoholic liver disease and its relationship with histological disease severity. *J Hepatology*; Feb 26: 2280-6.
- Dunk AA, Novick D, Thomas HC (1987): Natural killer cell activity in hepatocellular carcinoma. *Scand J Gastroenterol*; 2: 1245.
- Durand F, Buffet C, Pelletier G (1995): Screening of hepatocellular carcinoma in French patients. *Dig Dis Sci*; 40: 706.
- Dustin ML and Springer TA (1986): A human intercellular adhesion molecule-1 (ICAM-1) distinct from LAF-1. *J Imm*; 137: 1270-1274.
- Dustin ML, Rothlein R, Bhan AK, Dinarello CA and Springer TA (1986): Induction by IL-1 and interferon- γ : Tissue distribution biochemistry, and function of a natural adherence molecule (ICAM-1). *J Immunol*; 137: 245-254.
- Ebisawa M, Yamada T, Tundklunk D (1993): Regulation of eosinophil and neutrophil transendothelial migration by cytokines and chemokines. *J Allergy Clin. Immunol*; 91: 313.
- Editorial (1991): Lipiodol Computed tomography for small hepatocellular carcinoma. *Lancet*; 337: 333.
- El-Gindy IM, Tharwat A, Fahim M and Zaki SS (1997): Circulating intercellular adhesion molecule-1 in endemic chronic liver disease. *J Egypt Soc Parasitol*, Apr 27: 1: 171-81.
- Ennis BW and Matrisian LM (1994): Matrix degrading metalloproteinases. *J Neuro-Oncol*; 18: 105-109.

- Epstein EH (1974): (Alpha I "III"). Human skin collagen: Release by pepsin digestin and preponderance in fetal life. *J Biol Chem*; 249: 3225.
- Eriksson S, Carlson J, Velez R (1986): Risk of cirrhosis and primary liver cancer in alpha-1-antitrypsin deficiency. *N Engl J Med*; 314: 736.
- Essani NA, Fisher MA, Farhood A, Manning AM, Smith CW and Jaeschke H (1995): Cytokine-induced upregulation of hepatic intercellular adhesion molecule-1 messenger RNA expression and its role in the pathophysiology of murine endotoxin shock and acute liver failure. *Hepatology*; 21: 1632-1639.
- Esteban JI, Lopez-Talavera JC, Genesca J, Madoz P, Viladomiu L and Muniz E (1991): High rate of infectivity and liver disease in blood donors with antibodies to hepatitis C virus. *Ann Intern Med*; 115: 443-9.
- Eyre OR (1980): Collagen molecular diversity in the body's protein scaffold. *Science*; 207: 1315.
- Fabris C, Falletti E, Federico E, Toniutto P and Pirisi M (1997): A comparison of four serum markers of fibrosis in the diagnosis of cirrhosis. *Ann Clin Biochem*; 34 (Pt2): 151-5.
- Fargion S, Mandelli C and Piperno A (1992): Survival and prognostic factors in 212 Italian patients with genetic hemochromatosis. *Hepatology*; 15: 655.
- Fargion S, Piperno A and Cappellini MD (1992): Hepatitis C virus and porphyria cutanea tarda: Evidence of a strong association. *Hepatology*; 16: 1322.
- Farhood A, McGuire GM, Manning AM, Miyasaka M, Smith CW, Jaeschke H (1995): Intercellular adhesion molecule 1 (ICAM-1) expression and its role in neutrophil-induced ischemia-reperfusion injury in rat liver. *J Leukoc Biol* 1995 Mar 57:3 368-74

- Fauerholdt L, Schlichting P and Christensen E (1983): Conversion of micronodular cirrhosis into macronodular cirrhosis. *Hepatology*; 3: 928.
- Fawcett J, Holness CLL and Needham LA (1992): Molecular cloning of ICAM-3, a third ligand for LFA-1 constitutively expressed on resting leukocytes. *Nature*; 360: 481.
- Fidler IJ and Nicolson GL (1987): The process of cancer invasion and metastatic. *Cancer Bull*; 39: 126-131.
- Filipiak CL, Gordon SC, Silverman AL, Neill JS and Wilber JC (1994): Low, normal or minimally raised ALT values do not predict viremic levels or histologic activity in patients with chronic hepatitis C [Abstract]. *Hepatology*; 20: 347A.
- Forns X, Gines A and Gines P (1994): Management of ascites and renal failure in cirrhosis. *Seminars in Liver Disease*; 14: 82-96.
- French DL, Ramos-Desimone N, Rozinski K, Nuovo GJ (1994): Matrix metalloproteinase-9 in tumor cell invasion. *Ann NY Acad Sci*; 732: 324-334.
- Fujimoto N, Hosokawa N, Iwata K, Shinya T, Okada Y, Hayukawa T (1994): A one step sandwich enzyme immunoassay for inactive precursor and complexed forms of human matrix metalloproteinase 9 (92 kDa gelatinase/type IV collagenase, gelatinase B) using monoclonal antibodies. *Clin Chim Acta*; 231: 79-88.
- Fujiyama S and Tanaka M (2000): Hepatitis C. Epidemiology and therapy with special reference to long-term prognosis after IFn therapy. *Rinosho Byori*; 48 (1): 5-13.
- Fujiyama S, Morishita T, Hashiguchi O, Sato I (1988): Plasma abnormal prothrombin (des-gamma-carboxy prothrombin) as a marker of hepatocellular carcinoma. *Cancer*; 61: 1621.

- Gerber MA, Shieh YSC, Shimk S (1992): Detection of replicative hepatitis C virus sequences in hepatocellular carcinoma. *Am J Pathol*; 141: 1271.
- Gerbes AL, Caselmann WH (1995): Point mutations of the p53 gene, human hepatocellular carcinoma and aflatoxins. *J Hepatol*; 19: 312.
- Goldberg GJ, Strongin A, Collier IE, Genrich T and Marmer BL (1992): Interaction of 92-KDa type IV collagenase with the tissue inhibitor of metalloproteinase prevents dimerization, complex formation with interstitial collagenase and activation of the proenzyme with stormelysin. *J. Biol. Chem.*, 267: 4583 - 4591.
- Goldstein GB, Lam KC, Mistillis SP (1973): Drug-induced active chronic hepatitis. *American Journal of Digestive Diseases*; 18: 177-184.
- Gomez DE, De Lorenzo MS, Alonso DF and Andrade ZM (1999): Expression of metalloproteinase (MMP-1, MMP-2 and MMP-9) and their inhibitors (TIMP-1 and TIMP-2) in schistosomal portal fibrosis. *am J Trop Med Hyg*, Jul; 61: 1: 9-93.
- Govindarajan S, Chin KP, Rodeker AG and Peters RL (1984): Fulminant B viral hepatitis: role of delta agent. *Gastroenterology*; 86: 1417-1420.
- Grinnell F (1994): Fibroblasts, myofibroblasts, and wound contraction. *J Cell Biol*; 124: 401.
- Gross J (1976): Aspects of animal collagenase in biochemistry of collagen. New York, Plenum Publishing Corp; p. 275.
- Hahn EG, Wick G, Pence VD and Timpl R (1980): Distribution of basement membrane proteins in normal and fibrotic human liver: Collagen type IV laminin and fibronectin. *GUT*; 21: 6371.
- Hamazaki KG, Ochi A, Shimamura H, Kaihara A, Maruo Y, Doi Y, Orita K and Lygidakis NJ (1996): Serum levels of circulating

- Henry RN, Chiamori OJ and Berkman SB (1960): Revised spectrophotometric methods for the determination of glutamic pyruvic transaminase and lactic acid dehydrogenase. *American J of Clin Path*; 4: 381.
- Herbs H, Wege T, Milani S, Pellegrini, Bechstein WO and Neuhaus P (1997): Tissue inhibitor of metalloproteinase-1 and 2 RNA expression in rat and human liver fibrosis. *Am J Pathol*; 150: 1647-1659.
- Hodges JR, Millward-Sadler GH, Wright R (1982): Chronic active hepatitis: the spectrum of disease. *Lancet* 1: 550-552.
- Hoefs JS (1990): Spontaneous bacterial peritonitis. Prevention and therapy. *Hepatology*; 12: 776-781.
- Homberg JC, Abuaf N, Bernard O (1987): Chronic active hepatitis associated with antiliver/kidney microsomy antibody type 1: a second type of "autommune" hepatitis. *Hepatology*; 7: 1333-1339.
- Hoofnagle JH (1981): Type B hepatitis: virology, serology and clinical course. *Seminars in Liver Disease*; 1: 7-14.
- Hoofnagle JH, Dusheiko GM, Seeff LB, Jones IA, Waggoner JG, Bales ZB (1981): Seroconversion from hepatitis B e antigen to antibody in chronic type B hepatitis. *Annals of Internal Medicine*; 94: 744-748.
- Horiike N, Onji M, Kumamoto I and Masumoto T (1994): Soluble intercellular adhesion molecule-1 in serum in chronic hepatitis B and C. *J Gastroenterol*, Aug; 29 (4): 455-9.
- Horwitz AL, Hance AJ and Crystol RG (1977): Granulocyte collagenase: Selective digestion of type I relative to type III collagen. *Proc Natl Acad Sci, USA*; 74: 897.

- Hyodo I, Jinno K, Tanimizu M, Hosokawa Y and Nishikawa Y (1993): Detection of circulating intercellular molecule-1 in hepatocellular carcinoma. *Int J Cancer*; 55: 775-779.
- Ikeda K, Saitoh S, Koida I, Arase Y, Tsubota and Kimada H (1993): A multivariate analysis of risk factors for hepatocellular carcinoma: a preoperative observation of 795 patients with viral and alcoholic cirrhosis. *Hepatology*; 18: 47-53.
- International Working Party Report (1995): Terminology of chronic hepatitis. *American Journal of Gastroenterology*; 90: 181-189.
- Inuzuka S, Ueno T, Torimura T, Tamaki S, Sakata R, Sata M, Yoshida H, Tanikawa K (1992): Vitronectin in liver disorders: biochemical and immunohistochemical studies. *Hepatology*; 15:4 629-36
- Iredale JP, Benyon RC, Arthur MJP, Winwood PJ and Clark N (1996): Tissue inhibitor of metalloproteinase-1 messenger RNA in experimental liver injury and fibrosis. *Hepatology*; 24: 176-184.
- Iredale JP, Goddard S, Murphy G, Benyon RC, Arthur MJP (1995): Tissue inhibitor of metalloproteinase-1 and interstitial collagenase expression in autoimmune chronic active hepatitis and activated human hepatic lipocytes. *Clin Sci*; 89: 75-81.
- Iredale JP, Murphy G, Hembry RM, Friedman SL, Arthur MJP (1992): Human hepatic lipocytes synthesize tissue inhibitor of metalloproteinases-1: Implications for regulation of matrix degradation in liver. *J Clin Invest*; 90: 282-7.
- Ishak K, Baptista A, Bianchi L (1995): Histological grading and staging of chronic hepatitis. *Journal of Hepatology*; 22: 696-699.
- Jackson AM, Alexandroff AB, McIntyre M, Esuvaranathan K, James K and Chisholm GD (1994): Induction of ICAM-1 expression on bladder tumours by GCG immunotherapy. *J Clin Pathol*; 47: 309-312.

- Janeway CA and Travers P (1996): T-cell mediated immunity. Immunology (the immune system in health and disease). Current Biology Ltd, London, San Francisco and Philadelphia, 2nd Ed., 7: 4-6.
- Jeffers LJ, Coelho-Little ME, Cheinquer H, Vargas C, Civantos F, Alvarez L and Reddy KR (1995): Procollagen III peptide and chronic viral C hepatitis. Am Gastroenterol; 90 (9): 1437-40.
- Jeffers LJ, Hasan F and de Medina M (1992): Prevalence of antibodies to hepatitis C virus among patients with cryptogenic chronic hepatitis and cirrhosis. Hepatology; 15: 187-190.
- Jeziorski M, White FJ, Wolf ME (1994): MK-801 prevents the development of behavioral sensitization during repeated morphine administration. Synapse; 16: 2 137-47
- John TG, Garden OJ (1993): Needle track seeding of primary and secondary liver carcinoma after percutaneous liver biopsy. HPB Surg; 6: 199.
- Johnson JP, Stade BG, Holtzman B, Schwable W and Riethmuller G (1989): De novo expression of intercellular adhesion molecule-1 in melanoma correlates with increased risk of metastasis. Proc Natl Acad Sci, USA; 86: 641-644.
- Johnson PJ, McFarlane IG (1993): Meeting report: International Autoimmune Hepatitis Group. Hepatology; 18: 998-1005.
- Johnson RJ, Gretch DR, Yamabe H, Hart J, Bacchi CE, Hartwell P (1993): Membranoproliferative glomerulonephritis associated with hepatitis C virus infection. N Engl J Med; 328: 465-70.
- Johnston GI, Cook RG and McEver RP (1989): Cloning of GMP-140, a granule membrane protein of platelets and endothelium: Sequence similarity to proteins involved in cell adhesion and inflammation. Cell; 56: 1033-44.

- Kivirikko KI, Shudo K and Prockop DJ (1976): Studies on procollagen lysine hydroxylase, hydroxylation of synthetic peptide and the stoichiometric decarboxylation of bichem; 11: 122.
- Kiyosawa K, Sodeyama T, Tanaka E, Gibo Y, Yoshizawa K, Nakano Y (1990): Interrelationship of blood transfusion, non-A, non-B hepatitis and hepatocellular carcinoma: analysis by detection of antibody to hepatitis C virus. *Hepatology*; 12 (4 Pt 1): 671-5.
- Kjeldsen L, Bjerrum OW, Hovgaard D, Johnsen AH, Sehested, Borregaard N (1992): Human neutrophil gelatinase: A marker for circulating blood neutrophils purification and quantitation by enzyme linked immunosorbent assay. *Eur J Haematol*; 49: 180-191.
- Knapp RG and Miller MC (1992): Clinical epidemiology and biostatistics, 1st ed, National Medical Series (NMS), Egyptian Edition, Mass Publishing Co.
- Knittel T, Schuppan D, Meyer zum B, schenfelde KH, Ramadori G (1992): Differential expression of collagen types I, III, and IV by fat-storing (Ito) cells in vitro. *Gastroenterology*; 102:5 1724-35
- Ko YC, Ho MS, Chiang TA, Chang SJ, Chang PY (1992): Tattooing as a risk of hepatitis C virus infection. *J Med Virol*; 38: 288-91.
- Kobayashi H, Miyano T, Horikoshi K and Tokita A (1998): Prognostic value of serum procollagen III peptide and type IV collagen in patients with biliary atresia. *Jan* 33: 1, 112-4.
- Kordula T, Güttgemann I, Rose-John S, Roeb E, Osthues A, Tschesche H, Koi A (1992): Synthesis of tissue inhibitor of metalloproteinase-1 (TIMP-1) in human hepatoma cells (HepG2). *FEBS*; 131: 143-7.
- Koyama S, Ebihara T and Fukao K (1992): Expression of intercellular adhesion molecule-1 (ICAM-1) during the development of invasion and/or metastasis of gastric carcinoma. *J Cancer Res Clin Oncol*; 118: 609-614.

- Krull NB and Gressner AM (1992): Differential expression of keratan sulphate proteoglycans fibromodulin, lumican and aggrecan in normal and fibrotic rat liver. *FEBS Lett*; 312: 47-52.
- Kuboki M, Shinzawa H, Ishibashi M, Yoshii E, Takahashi T, Inuma K (1993): Hepatitis C virus infection and liver disease in ALT normal individuals with anti-HCV positive [Abstract]. *Gastroenterology*; 104: A931.
- Kuettner KE, Sable L and Graxen RL (1977): Collagen enzyme inhibitors. *Science*; 196: 653.
- Kuo W, Chou F, Lu S, Chu S and Hsieh Y (2000): Significant difference in serum activities of matrix metalloproteinase-2 and -9 between HCV- and HBV-infected patients and carriers. *Clin Chim Acta*; 01; 294 (1-2): 157-168.
- Kvale D and Brandtzaeg P (1993): Immune modulation of adhesion molecules ICAM-1 (CD54) and LFA-3 (CD58) in human hepatocytic cell lines. *J Hepatol*; 17: 347-352.
- Lai CL, Lau JYN, Wu PC (1992): Subclinical hepatocellular carcinoma in Hong Kong Chinese. *Oncology (Basel)*, 49: 347.
- Landis JB and Pardue (1978): Kinetics of the reactions of conjugated and unconjugated bilirubin with P-diazobenzene sulfonic acid. *Clin Chem*; 24 (10).
- Larsen E, Celi A and Gilbert GE (1989): PADGEM protein: A receptor that mediates the interaction of activated platelets with neutrophils and monocytes. *Cell*; 59: 305-12.
- Larson RS and Springer TA (1989): Structure and function of leukocyte integrins. *Immunol Rev*; 114: 181-217.
- Le Bail B, Jouhanole H, Deugnier Y (1992): Liver adenomatosis with granulomas in two patients on long-term oral contraceptives. *Am J Surg Pathol*; 16: 982.

- Liou TC, Chang TT, Young KC, Lin XZ, Lin CY and Wu HL (1992): Detection of HCV RNA in saliva, urine, seminal fluid, and ascites. *J Med Virol*; 37: 197-202.
- Ljubicic N, Bilic A and Kopjar B (1994): Diuretics vs. paracentesis followed by diuretics in cirrhosis; effect on ascites opsonic activity and immunoglobulin and complement concentrations. *Hepatology*; 19: 346-353.
- Lo SK, Detmers PA, Levin SM and Wright SD (1989): Transient adhesion of neutrophils to endothelium. *J Exp Med*; 169: 1779-93.
- Lok ASF and Lai CL (1989): Alpha-fetoprotein monitoring in Chinese patients with hepatocellular carcinoma. *Hepatology*; 9: 110-115.
- Lotz M, Guerne PA (1991): Interleukin-6 induces the synthesis of tissue inhibitor of metalloproteinases-1/erythroid potentiating activity (TIMP-1/EPA). *J Biol Chem*; 266: 2017-20.
- Luis CJ (1980): *Basic Histology*; 3rd ed. Lange Medical Publication, California, p. 89.
- Luscinskas FW, Brock AF, Arnaout MA and Gimbrone MA (1989): Endothelial-leukocyte adhesion molecule-1 dependent and leucocyte (CD11/CD18)-dependent mechanism. Contribute to polymorphonuclear leucocyte adhesion to cytokine-activated human vascular endothelium. *J Immunol*; 142: 2257-63.
- Lyons JG, Birkedal-Hansen B, Moore WGI, O'Grady RL, Birkedal-Hansen H (1991): Characteristics of a 95kDa matrix metalloproteinase produced by mammary carcinoma cells. *Biochemistry*; 30: 1449-1456.
- Magrin S, Craxi A and Fabiano C (1994): Hepatitis C viremia in chronic liver disease: relationship to interferon-alpha or corticosteroid treatment. *Hepatology*; 19: 273-279.

References

- Matsumoto Y, Suzuki T, Asada I, Ozawa K, Tobe T, Honjo I (1982): Clinical classification of hepatoma in Japan according to serial changes in serum alpha-fetoprotein levels. *Cancer*; 49: 354.
- McGlynn KA, Rosvold EA, Lustbader ED (1995): Susceptibility to hepatocellular carcinoma is associated with genetic variation in the enzymatic detoxification of aflatoxin B1. *Proc. Natl Acad Sci, USA*; 92: 2384.
- McMahon BJ, Alberte SR, Wainwright RB, Bulkow L and Lonsler A (1990): Hepatitis B related sequelae. Prospective study of 1400 hepatitis B surface antigen-positive Alaska native carriers. *Arch Intern Med*; 150: 1051-1054.
- Melia W, Wilkinson M, Portmann B (1984): Hepatocellular carcinoma in the non-cirrhotic liver: A comparison with that complicating cirrhosis. *Q J Med*; 211: 391.
- Meller A, Krombholz B, Pott G, Machnik G and Vollandt (1991): Collagen peptidase and type III procollagen peptide serum levels in chronic liver diseases. *Clin Chim Acta*, Feb 28, 197: 1: 59-66.
- Meyer DH, Krull N, Dreher KL and Gressner AM (1992): Biglycan and decorin gene expression in normal and fibrotic rat liver: cellular localization and regulatory factor. *Hepatology*; 16: 204.
- Michel G, Ritter A, Gerken G, Meyer zum Buschenfelde KH, Decker R and Manns MP (1992): Anti-GOR and hepatitis C virus in autoimmune liver diseases. *Lancet*; 339: 267-9.
- Mignatti P, Rifkin DB (1993): Biology and biochemistry of proteinases in tumor invasion. *Physiol Rev*; 73:1 161-95
- Miller EJ and Gay S (1987): The collagens: An overview and update. *Methods Enzymol*; 144: 3.

- Miller EJ and Steffen G (1976): Types and forms of collagen. *Am J Pathol*; 98: 227.
- Minor RR (1980): A comparison of diseases of collagen. *Am J Pathol*; 98: 227.
- Miyabayashi C, Kojima T and Inoue K et al. (1987): Ultrastructural localization of type IV collagen, laminin and prolyl hydroxylase in biliary epithelial cells of rat liver following ligation of the common bile duct. *Gastroenterol Jpn*; 22: 354.
- Miyahara M, Hayashi K and Berger J (1984): Formation of collagen fibrils by enzymic cleavage of precursors of type I collagen in vitro. *J Biol Chem*; 259: 9891.
- Mokhtar N (1991): Cancer pathology, registry 1985 - 1987. National Cancer Institute, Department of Pathology.
- Momosaki S, Yano H, Ogasawara S, Higaki K, Hisaka and Kojiro M (1995): Expression of intercellular adhesion molecule-1 (ICAM-1) in human hepatocellular carcinoma. *Hepatology*; 22: 1708-1713.
- Montatto G, Soresi M, Aragona F, Tripi S, Carroccio A, Anastasi G, Mogliarisi C, Barresi E and Notarbartolo A (1996): Procollagen III and laminin in chronic viral hepatopathies. *Presse Med*; 20, 25: 2; 59-62.
- Morita M, Watanabe Y and Akaike T (1994): Inflammatory cytokines upregulate intercellular adhesion molecule-1 expression on primary cultured mouse hepatocytes and T-lymphocytes adhesion. *Hepatology*; 19: 426-431.
- Motohara K, Kuroki Y and Kan H (1985): Detection of vitamin K deficiency by use of an enzyme-linked immunosorbent assay for circulating abnormal prothrombin. *Pediatr Res*; 19: 354-7.

- Mowat AP (1994): Alpha 1-antitrypsin deficiency (PiZZ): features of liver involvement in childhood. *Acta Paediatr; Suppl* 393: 13-7
- Muir C; Waterhouse J and Mack T (1987): Cancer incidence in five continents. IARC Scientific Publications, Vol 5. No. 88, Lyon, France.
- Murakami T, Kim T, Oi H (1995): Detectability of hypervascular hepatocellular carcinoma by arterial phase images of MR and spiral CT. *Acta Radiol*; 36: 372.
- Murakami Y, Hayashi K, Hirohashi S (1991): Aberrations of the tumour suppressor p53 and Rb genes in human hepatocellular carcinoma. *Cancer Res*; 51: 5520.
- Murashinge M, Miyahara M, Shiraishi N, Saito T, Kohno K and Kobayashi M (1996): Enhanced expression of tissue inhibitors of metalloproteinases in human colorectal tumors. *Japanese Journal of Clinical Oncology*; 26(5): 303-309.
- Murawaki Y, Ikuta Y, Idobe Y, Kitamura Y and Kawasaki H (1997): Tissue inhibitor of metalloproteinase-1 in the liver of patients with chronic liver disease. *J Hepatol*; 26: 1213-1219.
- Murawaki Y, Ikuta Y, Koda M and Kawasaki H (1994): Serum type III procollagen peptide, type IV collagen 75 domain, central triple-helix of type IV collagen and tissue inhibitor of metalloproteinases in patients with chronic viral liver disease: Relationship to liver histology. *Hepatology*; 20: 780-7.
- Murawaki Y, Koda M, Yamada S, Kawasaki H, Shima H, Burkhardt H (1993): Serum collagenase activity in patients with chronic liver disease. *J Hepatol*; 18: 328-34.
- Murphy G, Docherty AJP (1992): The matrix metalloproteinases and their inhibitors. *Am J Respir Cell Mol Biol*; 7: 120-5.

- Murphy G, Reynold JJ and Werb Z (1985): Biosynthesis of tissue inhibitor of metalloproteinases by human fibroblasts in culture: Stimulation by 12-O-tetradecanoyl phorbol 13-acetate and interleukin-1 in parallel with collagenase. *J Biol Chem*; 260: 3079-83.
- Murphy G, Willenbrock F (1995): Tissue inhibitors of matrix metalloproteinases. *Method Enzymol*; 248: 496-510.
- Muzzillo DA, Imoto M, Fukuda Y, Koyama Y, Saga S, Nagai Y, Hayakawa T (1993): Clinical evaluation of serum tissue inhibitor of metalloproteinases-1 levels in patients with liver disease. *J Gastroenterol Hepatol*; 8: 437-41.
- Myers CL, Wertheimer SJ, Schembri-King J, Parks T and Wallace RW (1992): Induction of ICAM-1 by TNF-alpha, IL-1beta, and LPS in human endothelial cells after downregulation of PKC. *Am J Physiol*; 263: C767-C772.
- Nagano H (1990): Lipiodol computerized tomography: How sensitive and specific is the technique in the diagnosis of hepatocellular carcinoma? *Br J Radiol*; 63: 771.
- Nagy I and Mandi Y (1996): Serum and ascitic levels of soluble intercellular adhesion molecule-1 in patients with alcoholic liver cirrhosis: relation to biochemical markers of disease activity and alcohol intake. *Alcoholism, Clinical and Experimental Research*, Aug; 20 (5): 929-33.
- Naito M, Hayashi N, Hagiwara H, Hiramatsu N, Kasahara A, Fusamoto H (1994): Serum hepatitis C virus RNA quantity and histological features of hepatitis C virus carriers with persistently normal ALT levels. *Hepatology*; 19: 871-5.
- Nakajima M, Welch DR, Belloni PN and Nicolson GL (1987): Degradation of basement membrane type IV collagen and lung subendothelial

- tendon fibroblasts with ferritin-conjugated antibodies. *J Cell Biol*; 65: 75.
- Nompleggi DJ and Bonkovsky HL (1994): Nutritional supplementation in chronic liver disease: An analytical review. *Hepatology*; 19: 518-533.
- Nouri-Aria KT, Koskinas J and Tibbs CT (1995): Serum intercellular adhesion molecule-1 levels in chronic hepatitis C: Association with disease activity and response to interferon. *Gut*; 36: 599.
- Nousbaum JB, Pol S and Moroi K (1995): Hepatitis C virus type 16 (II) infection in France and Italy. *Ann Intern Med*; 122: 161.
- Ohtani O (1988): Three-dimensional organization of the collagen fibrillar framework of the human and rat livers. *Arch Histol Jpn*; 51: 473.
- Ohtomo K, Itai Y (1995): Imaging of hepatocellular carcinoma. *Dig Surg*; 12: 22.
- Okada Y, Gonoji Y, Naka K, Tomita K, Nakanishi I, Iwata K and Yamashita K (1992): Matrix metalloproteinase 9 (92-kDa gelatinase/type IV collagenase) from HT 1080 human fibrosarcoma cells. *J Biol Chem*; 267: 21712-21719.
- Okada Y, Katsuda S, Watanabe H, Nakanishi I (1993): Collagen synthesis of human arterial smooth muscle cells: effects of platelet-derived growth factor, transforming growth factor-beta 1 and interleukin-1. *Acta Pathol Jpn* ; 43:4 160-7
- Okada Y, Naka K, Kawanura K, Matsumoto T, Nakanishi I, Fujimoto N, Sato H (1995): Localization of matrix metalloproteinase 9 (92-kilodalton gelatinase/type IV collagenase-gelatinase B) in osteoclasts: Implications for bone resorption. *Lab Invest*; 72: 311-322.

- Okazaki I, Watanabe T, Hozawa S, Arai M and Maruyama K (2000): Molecular mechanism of the reversibility of hepatic fibrosis: With special reference to the role of matrix metalloproteinases; J. Gastroenterol Hepatol; 15 Suppl: D26-D32.
- Okuda H, Obata H, Nakanishi T, Furukawa R, Hashimoto E (1987): Production of abnormal prothrombin (des-gamma-carboxy prothrombin) by hepatocellular carcinoma. A clinical and experimental study. J Hepatol; 4:3 357-63
- Okuda K (1995): Hepatocellular carcinomas associated with hepatitis B and C virus infections: are they different? Hepatology; 22: 1883.
- Okuda K (2000): Hepatocellular carcinoma. J Hepatol, 32 Suppl. (1): 225-237.
- Okuda K, Fujimoto I, Hanai A, Urano Y (1987): Changing incidence of hepatocellular carcinoma in Japan. Cancer Res; 15 47:18 4967-72
- Okuda K, Ohtsuki T, Obata H (1985): Natural history of hepatocellular carcinoma and prognosis in relation to treatment: Study of 850 patients. Cancer; 56: 918.
- Omata M, Ehata T, Yokosuka O, Hosoda K, Ohto M (1991): Mutations in the precore region of hepatitis B virus DNA in patients with fulminant and severe hepatitis. New England Journal of Medicine; 324: 1699-1704.
- Overall CM, Wrana JL, Sodek J (1991): Transcriptional and post-transcriptional regulation of 72-kDa gelatinase/type IV collagenase by transforming growth factor-beta1 in human fibroblasts. J Biol Chem; 266: 14064-71.
- Ozturk M (1991): p53 mutation in hepatocellular carcinoma after aflatoxin exposure. Lancet 338: 1356.

- Pagani A, Zigliani P, Pranzo A and Galante T (1992): Determination of serum procollagen-III peptide in chronic liver diseases. Clinical usefulness. *Minerva Med*; 83 (11): 715-20.
- Palmiter RD, Davidson JM and Garnon J (1979): NH terminal sequence of the chick pro-alpha-1 chain synthesized in the reticulocyte lysate system. *J Biol Chem*; 254: 1433.
- Pandolfi F, Trentin L, Boyle LA, Stamenkovic I, Byers HR, Colvin RB and Kurnick JT (1992): Expression of cell adhesion molecules in human melanoma cell lines and their role in cytotoxicity mediated by tumor-infiltrating lymphocytes. *Cancer*; 69: 1165-1173.
- Papo T, Marcellin P, Bernuau J, Durand F, Poynard T and Benhamou JP (1992): Autoimmune chronic hepatitis exacerbated by alpha-interferon. *Annals of Internal Medicine*; 116: 51-53.
- Parker SL, Tong T, Baden S and Wingo PA (1996): Cancer statistics; *CA*, 46: 5.
- Pateron D, Ganne N and Trinchet JC (1994): Prospective study of screening for hepatocellular carcinoma in Caucasian patients with cirrhosis. *J Hepatol*; 20: 65.
- Patertini P, Peussin K and Kew M (1995): Selective accumulation of the X transcript of hepatitis B virus in patients negative for hepatitis B surface antigen with hepatocellular carcinoma. *Hepatology*; 21: 313.
- Pavloff N, Staskus PW, Kishnani NS, Hawkes SP (1992): A new inhibitor of metalloproteinases from chicken: ChIMP-3. A third member of the TIMP family. *J Biol Chem*; 267:24 17321-6
- Pawlotsky JM, Ben Yahia M, Andre C, Voisin MC, Intrator L, Roudot-Thoraval F (1994): Immunological disorders in C virus

- chronic active hepatitis: a prospective-case-control study. *Hepatology*; 19: 841-8.
- Pawlotsky JM, Roudot-Thoraval F, Simmonds P, Mellor J, Ben Yahia MB, Andre C (1995): Extrahepatic immunologic manifestations in chronic hepatitis C and hepatitis C virus serotypes. *Ann Intern Med*; 122: 169-73.
- Perdigoto R, Carpenter HA, Czaja AJ (1992): Frequency and significance of chronic ulcerative colitis in severe corticosteroid-treated autoimmune hepatitis. *Journal of Hepatology*; 14: 325-331.
- Pereira BJ, Milford EL, Kirkman RL, Levey AS (1991): Transmission of hepatitis C virus by organ transplantation. *N Engl J med*; 325: 454-60.
- Perez TR (1978): Pathology of collagen degradation. *Am J Pathol*; 92: 509.
- Perrillo RP, Aach RD (1981): The clinical course and chronic sequelae of hepatitis B virus infection. *Seminars in Liver Diseases*; 1: 15-25.
- Pirovino M, Linder R and Boss C (1988): Cutaneous spiders nevi in liver cirrhosis. *Klin Wochenschr*; 66: 298.
- Polish LB, Tong MJ, Co RL, Coleman PJ, Alter MJ (1993): Risk factors for hepatitis C virus infection among health care personnel in a community hospital. *Am J Infect Control*; 21: 196-200.
- Polley MJ, Phillips ML and Wayner E (1991): CD-62 and endothelial cell-leucocyte adhesion molecule-1 (ELAM-1) recognize the same carbohydrate ligand, sialyl-Lewis X. *Proc Natl Acad Sci (USA)*; 88: 6224-8.
- Popper H, Schaffner F (1971): The vocabulary of chronic hepatitis. *New England Journal of medicine*; 284: 1154-1156.

- Porta G, da Costa Gayotto LC, Alvarez F (1990): Anti-liver-kidney microsome antibody-positive autoimmune hepatitis presenting as fulminant liver failure. *Journal of Pediatric Gastroenterology and Nutrition*; 11: 138-140.
- Prates MD, and Torres FO (1985): A cancer survey in Lourenco Marques Portuguese East Africa. *J. Natl. Cancer Inst.*; 35: 729-737.
- Prieto M, Olaso V, Verdu C, Cordoba J, Gisbert C, Rayon M (1995): Does the healthy hepatitis C virus carrier state really exist? An analysis using polymerase chain reaction. *Hepatology*; 22: 413-7.
- Prockop DJ, Kivirikko I, Tuderman L and Guzman NA (1979): The biosynthesis of collagen and its disorders. *New Engl J of Med*; 1(1): 77.
- Pyke C, Ralkiaer E, Huhtala P, Hurskainen T, Dano K and Tryggvason K (1992): Localization of messenger RNA for Mr 72,000 and 92,000 type IV collagenases in human skin cancers by in situ hybridization. *Cancer Res*; 52: 1336-1341.
- Pyke C, Ralkiaer E, Tryggvason K and Dano K (1993): Messenger RNA for two type IV collagenases is located in stromal cells in human colon cancer. *Am J Pathol*; 142: 359-365.
- Rommel T, Rommel H and Salupere V (1996): Aminoterminal propeptide of type III procollagen and hyaluronan in patients with primary biliary cirrhosis - markers of fibrosis in primary biliary cirrhosis. *Journal of Gastroenterology & Hepatology*; 11 (11): 1016-1020.
- Renner M, Haniel A, Burgelt (1995): Transactivating function and expression of the x gene of hepatitis B virus. *J Hepatol*; 23: 53.
- Reponen P, Sahlberg G, Munaut C, Thesleff I and Tryggvason K (1994): High expression of 92-KD type IV collagenase (gelatinase B) in

- the osteoclast lineage during mouse development. *J. Biol. Chem.*, 124: 1091 - 1102.
- Rescan PY, LorÈal O, Hassell JR, Yamada Y, Guillouzo A, ClÈment B (1993): Distribution and origin of the basement membrane component perlecan in rat liver and primary hepatocyte culture. *Am J Pathol*; 142:1 199-208
- Risteli J, Niemi S, Trivedi P, Maentausta O, Mowat AP and Risteli L (1988): Rapid equilibrium radioimmunoassay for the aminoterminal propeptide of human type III procollagen; *Clin Chem*; 34/1: 715-718.
- Risteli J., Risteli L (1990): Markers of fibrogenesis and basement membrane formation in alcoholic liver disease. Relation to severity, presence of hepatitis, and alcohol intake. *Gastroenterology*; 98:6 1612-9
- Rizzetto M, Purcell RH, Gerin JL (1980): Epidemiology of HBV-associated delta agent: geographical distribution of anti-delta and prevalence in polytransfused HBsAg carriers. *Lancet* 1: 1215-1218.
- Rockey DC, Housset CN and Friedman SL (1993): Activation-dependent contractility of rat hepatic lipocytes in culture and in vivo. *J Clin Invest*; 92: 1795.
- Roeb E, Graeve L, Hoffmann R, Decker K, Edwards DR and Heinrich PC (1993): Regulation of tissue inhibitor of metalloproteinases-1 gene expression by cytokines and dexamethasone in rat hepatocyte primary cultures. *Hepatology*; 18: 1437-42.
- Roebuck KA, Rahman A, Lakshminaraynan Y, Janakideyi K and Malik AB (1995): H₂O₂ and tumor necrosis factor-alpha activate intercellular adhesion molecule-1 (ICAM-1) gene transcription through distinct cis-regulatory elements within the ICAM-1 promoter. *J Biol Chem*; 270: 18966-18974.

- Seeff LB (1981): Drug-induced chronic liver disease, with emphasis on chronic active hepatitis. *Seminars in Liver Diseases*; 1: 104-115.
- Seeff LB, Buskell-Bales Z, Wright EC, Durako SJ, Alter HJ and Iber FL (1992): Long-term mortality after transfusion-associated non-A, non-B hepatitis. The National Heart, Lung, and Blood Institute Study Group. *N Engl J Med*; 27: 1906-11.
- Seitz HK, Garro AJ, Lieber CS (1981): Sex dependent effect of chronic ethanol consumption in rats on hepatic microsome mediated mutagenicity of benzo(a)pyrene. *Cancer Lett*; 13: 97.
- Shakil AO, Conry-Cantilena C, Alter HJ, Hayashi P, Kleiner DE, Tedeschi V (1995): Volunteer blood donors with antibody to hepatitis C virus: clinical, biochemical, virologic and histologic features. The Hepatitis C Study Group. *Ann Intern Med*; 123: 330-7.
- Sharara AI, Hunt CM, Hamilton JD (1996): Hepatitis C. *Ann. Intern. Med.*; 125: 658 - 668.
- Sherlock S and Dooley J (1997): Chronic hepatitis and hepatic cirrhosis. In: *Diseases of the liver and biliary system*. Tenth Edition. Blackwell Scientific Publication. London, Edinburgh, Malden, Australia, Paris, Berlin and Wien; 17: 303-335 and 19: 371-384.
- Sherman M, Peltekian KM, Lee C (1995): Screening for hepatocellular carcinoma in chronic carriers of hepatitis B virus: Incidence and prevalence of hepatocellular carcinoma: a North American urban population. *Hepatology*; 22: 432.
- Sheu JC, Sung JL, Chen DS (1985): Early detection of hepatocellular carcinoma by real-time ultrasonography: A prospective study. *Cancer*; 56: 660.
- Shevach EM (1993): Accessory molecules: In Paul WE (ed): *Fundamental Immunology*. Raven Press, New York, Chap. 15, pp. 531.

- metalloproteinase inhibitor family. *J Biol Chem*; 264: 17374-17378.
- Stoolman LM (1989): Adhesion molecules controlling lymphocyte migration. *Cell*; 56: 907-10.
- Sun JJ, Zhou XD, Liu YK, Tang ZY, Feng JX and Zhou G (1999): Invasion and metastasis of liver cancer: expression of intercellular adhesion molecule-1. *Cancer Res Clin Oncol*; 125: 1: 28-34.
- Sung CP, Arleth AJ and Nambi P (1994): Evidence for involvement of protein kinase C in expression of intercellular adhesion molecule-1 (ICAM-1) by human vascular endothelial cells. *Pharmacology*; 48: 143-146.
- Suou T, Hosho K, Kishimoto Y and Horie Y (1995): Long-term decrease in serum N-terminal propeptide of type III procollagen in patients with chronic hepatitis C treated with interferon alpha. *Hepatology*; 22: 426-431.
- Suto Y, Kodama F, Kamba M (1995): Correlation between chondroitin sulfate, i.e. colloid-enhanced MR imaging and the histological grade of hepatocellular carcinoma. *Acta Radiol*; 36: 102.
- Tabor E, DiBisceglie AM and Purcell RH (1991): Etiology, pathology, and treatment of hepatocellular carcinoma in North America. *Adv Appl Biotechnol Ser*; 13.
- Takahara T, Kojima T, Miyabayashi C, Inoue K, Sasaki H, Muragaki Y and Ooshima A (1988): Collagen production in fat-storing cells after carbon tetrachloride intoxication in the rat. Immunoelectron microscopic observation of type I, type III collagens, and prolyl hydroxylase. *Lab Invest*; 59:4 509-21
- Takano S, Yokosuka O and Imazeki F (1995): Incidence of hepatocellular carcinoma in chronic hepatitis B and C: A prospective study of 251 patients. *Hepatology*; 21: 650.

- Tokino T and Matsubara K (1991): Chromosomal sites for hepatitis B virus integration in human hepatocellular carcinoma. *J Virol*; 65: 6761.
- Tortorella C, Sacco R, Orlando P, Salerno MT, Schiraldi O and Antonaci S (2000): sICAM-1, sCD95 and sCD95L levels in chronic liver diseases of different etiology. *Immunopharmacol Immunotoxicol*; 22(1): 19-33.
- Truant R, Antunovic J, Greenblatt J (1995): Direct interaction of the hepatitis B virus HBx protein with p53 leads to inhibition by HBx of p53 response element-directed transactivation. *J Virol*; 69: 1851.
- Tryggvason K, Hoyhtya M, Salo T (1987): Proteolytic degradation of extracellular matrix in tumor invasion. *Biochem Biophys Acta*; 970:191-217.
- Tsai SL, Huang GT and Yang PM (1990): Des-gamma-carboxy-prothrombin in the early stage of hepatocellular carcinoma. *Hepatology*; 11: 481-8.
- Tsujiaki M, Imai K and Hirata H (1991): Detection of circulating intercellular adhesion molecule-1 antigen in malignant diseases. *Clin Exp Immunol*; 85: 3-8.
- Tsukuma H, Hiyama T, Tanaka S (1993): Risk factors for hepatocellular carcinoma among patients with chronic liver disease. *N Engl J Med*; 328: 1797.
- Tsutsumi M, Urashima S, Nakase K, Takase S, Takada A (1993): Type IV collagen and laminin contents of livers from patients with alcoholic liver disease. *Alcohol; Suppl*; 1A: 45-52.
- Twu JS, Lai MY, Chen DS (1993): Activation of protooncogene c-jun by the X protein of hepatitis B virus. *Virology*; 192: 346.

- collagenase/gelatinase B: Characterization and expression in cultured cells. *Hepatology*; 22: 2: 304-315.
- Woessner JR JF (1994): The family of matrix metalloproteinases. *Ann NY Acad Sci*; 732: 11-21.
- Wright JK, Cawston TE, Hazleman BL (1991): Transforming growth factor beta stimulates the production of the tissue inhibitor of metalloproteinases (TIMP) by human synovial and skin fibroblasts. *Biochim Biophys Acta*; 1094: 207-10.
- Yamamoto H, Yamashita Y and Yoshimatsu S (1995): Hepatocellular carcinoma in patients with alcoholic cirrhosis and prior exposure to hepatitis C. *Am J Gastroenterol*; 88: 39.
- Yasumitsu H, Miyazaki K, Umenishi F, Koshikawa N, Umeda M (1992): Comparison of extracellular matrix degrading activities between 64-kDa and 99-kDa gelatinases purified from human schwannoma cells. *J Biochem*; 111:74-80.
- Young KC, Chang TT, Liou TC, Wu HL (1993): Detection of hepatitis C virus RNA in peripheral blood mononuclear cells and in saliva. *J Med Virol*; 41: 55-60.
- Yurcheneo PD, Schittny JC (1990): Molecular architecture of basement membranes. *FASEB J*; 4: 1577-1590.
- Zaman SN, Johnson PJ, Williams R (1990): Silent cirrhosis in patients with hepatocellular carcinoma: Implications for screening in high-incidence and low-incidence areas. *Cancer*; 65: 1607.
- Zein NN, Rakela J, Persing DH (1995): Genotype-dependent serologic reactivities in patients infected with hepatitis C virus in the United States. *Mayo Clin Proc*; 70: 449-52.
- Zerbey AL, Mueller PR, Dawson SL (1994): Pleural seeding from hepatocellular carcinoma: A complication of percutaneous alcohol ablation. *Radiology*; 193: 81.

References

- Zengzs and Guillem JG (1995): Distinct pattern of matrix metalloproteinase 9 and tissue inhibitor of metalloproteinase 1 mRNA expression in human colorectal cancer and liver metastasis in colorectal cancer. *Br. J. Cancer*; 72:3; 575-582.
- Zoli M, Magolotti D, Bianchi G, Gueli C, Marchenisi G and Pisa E (1996): Efficacy of a surveillance program for early detection of hepatocellular carcinoma. *cancer*; 78: 977 - 985.
- Zucker S, Lysik RM, Zarrabi MH, Moll U (1993): Mr 92,000 type IV collagenase is increased in plasma of patients with colon cancer and breast cancer. *Cancer Res*; 53: 140-146.