

REFERENCES

- Aarai, H., Hari, S., Armozi, I., Ohkubo, H. and Nakanishi, S. (1990):* Cloning and expression of a cDNA encoding an endothelin receptor. *Nature*, 348: 732 - 35.
- Abbayomi, E.A.; Milleer, E. and Paton, R.C. (1996):* von Willebrand factor in diabetic retinopathy. *Cent. Afr. J. med.*, 42 : 7, 205 - 206.
- Abraham EC (1987):* Clinical endocrinal Metab; diabetes, 27: 931.
- Albillos, A.; Rossi, I.; Cacho, G.; Martinez, M.V.; Millan, I.; Abreu, L.; Barrios, C. and Escartin, P. (1995):* Enhanced endothelium dependent vasodilation in patients with cirrhosis. *Am. J. Physiol.* 268: G459 - 64.
- Alkazawa Y.,(1994):* WHO collaborating center for DM treatment and education diabetes res. *Clin pract.*, 24; s331-3.
- American Diabetes Association (1997):* Standards of medical care for patients with D.M. (position statement): *Diabetes Care* (Suppl.1) S5-S13.
- American Diabetes Association (1999):* Report of the expert committee on the diagnosis and classification of D.M. (Committee Report) ; *Diabetes Care* 22, (Suppl.1): S5-9.
- Amiel SA and Gale EAH (1995):* Diagnostic tests in diabetes mellitus and hypoglycemia: Diagnostic tests in endocrinology and D.M.: Boulonx PMG & REES LH (eds) Chapman & Hall medical.
- Anber, V, Griffin BA, McConnell M (1996):* Influence of plasma lipid and LDL-subfraction profile on the interaction between low density lipoprotein with human arterial wall proteoglycans. *Atherosclerosis* ; 124 : 261 - 271.

- Anggard, E.E.; (1994):* Nitric oxide: Mediator, murder and medicine. Lancet, 343: 1199 - 1206.
- Arbogast, B.W., Leeper, S.C., Merrick, R.D., Olive, K.E. and Taylor, R.N.(1994):* Which plasma factors bring about disturbance of endothelial function in pre-eclampsia. Lancet, 1994 Feb. 5; 343 (8893): 340-1.
- Armbruster DA., (1987):* Degradation of matrix proteins in liver fibrosis : Path Res Pract; 190: 825-33.
- Aso, Y.; Inukai, T. and Takemura, Y. (1998):* Mechanisms of elevation of serum and urinary concentrations of soluble thrombomodulin in patients. Possible application as a marker for vascular endothelial injury. Metabolism, 47 : 3, 362 - 265.
- Atkinson MA and Maclean NK., (1994):* The pathogenesis of insulin dependent diabetes. N.ENGLND J.MED.331: 1428-1436.
- Atucha N.M. Lopez-Talevera, J.C., Garcia-Estan, J. and Gronszmann, R.J. (1994):* Chronic aminoguanidine treatment improves the in vitro vascular hyporeactivity of portal hypertensive rats (Abstract). Hepatology, 20: 100A.
- Avrameeas-S., (1992):* Amplification systems in immunoenzymatic techniques: Journal of Immunological Methods; 150: 23-32.
- Banaczek, Z., Wojcicka, and jagodzinska, J.(1995):* concentration of lipids and lipoproteins in serum of women with pregnancy induced hypertension. Ginekol-Pol, Feb., 66(2): 72-5.
- Bar, R.S. (1992):* Vascular endothelium and diabetes mellitus, in Endothelial Cell Dysfunction, edited by Simionscu, N., Simionescu, M., New York, Plenum Press, PP. 363 – 361.

- Barden, A., Beilin, L.J., Ritchie, J., Walter, B.N., Micheal, C.A.(1994):** Plasma and urinary endothelin-1, prostacyclin metabolites and platelet consumption in preeclampsia and essential hypertensive pregnancy. Blood press, Mar; 3(1-2) 38-64.
- Barkai, H., Reichman, B., Kokia, E., Segal, P., Lusky, A., Goldman, B., and Mashiach, S.(1994):** Fluorescence Polarization of serum lipids in pregnancy complicated by hypertensive disorder. J. Perinat, Med.; 22 (2): 107 - 11.
- Barnes, P.J. (1993):** Nitric oxide and airways. Eur. Res. J., 6: 163 - 65.
- Battistini, B.P. (1993):** Endothelins Circulating plasma levels and presence in other biological fluid laboratory investigation, 68:600.
- Battistini B., D Orleans P.J., Sirois P. (1993):** Endothelins: Circulating plasma levels and presence in other biologic fluids. Laboratory Investigating 68 (6): P 600-627.
- Beitz, J.G.; Kim, I.S.; Calabresi, P. and Frackelton, A.R. (1991):** Human microvascular endothelial cells express receptors for platelet-derived growth factor. Proc. Natl. Acad. Sci. USA., 88 : 2021.
- Benigni A., Perico N., Gaspari C., Zoia C., Bellizzi, Gobanelli M., Remuzzi G. (1990):** Increased renal endothelin production in rats with renal mass reduction (abstract). J. Am. Soc. Nephrol 1: P 411.
- Benjamin, N. O'Driscoll, E, Dougall, H, Smith, L. and Golden, N. (1994):** Stomach NO Synthesis. Nature, 368: 502.
- Bhardwaj, R. and Moore, P.K. (1988):** Increased vasodilator response to acetylcholine of renal blood vessels from diabetic rats. J. Pharm Pharmacol., 40 : 739 - 742.

- Billiar, T.R.; Hoffman, R.A.; Curran, R.D.; Langrehr, J.M. and Simmons, R.L. (1992):** A role for inducible nitric oxide biosynthesis in the liver in inflammation and in the allogeneic immune response. *J. Lab. Clin. Med.* 120: 192 - 197.
- Bjornheden T, Babyi A, Bondjers G, Wiklund O. (1996):** Accumulation of lipoprotein fractions and subfractions in the arterial wall, determined in an in vitro perfusion system. *Atherosclerosis*, 123 : 43 - 56.
- Bololtina, V.M.; Najibi, palacino, J.J. Pagano, P.J and Cohen, R.A (1994):** Nitric oxide directly activates calcium – dependent potassium channels in vascular smooth muscle. *Nature*, 368: 850 – 853s.
- Boulanger CM., Inner Fc. Bea ML., Werner A., Luscher TF. (1992):** Oxidized low-density lipoproteins induce mRNA expression and release of endothelin from human and porcine endothelium. *Circ. Res.* 70: P 1191 - 1198.
- Braunwald (1991):** Hypertensive vascular, *Harrisons principle of internal medicine* 12th ed Mc Graw-Hill Book company William, Ged. Vol. 1, P. 1101 - 1115.
- Bredt, D.S. and Synder, S.H. (1989):** Nitric oxide mediates glutamate-linked enhancement of CGMP levels in the cerebellum. *Proc. Natl. Acad. Sci., USA*, 86: 9030.
- Bredt, D.S and Synder, S.H. (1990):** Isolation of nitric oxide synthase a calmodulin - requiring enzyme. *Proc. Natl. Acad. Sci., Us.* 87: 682 - 685.
- Bredt. D.S. and Synder, S.H. (1994):** Nitric Oxide: A physiological messenger molecule. *Ann. Rev. Biochem.*, 157 - 159.

Chakrabarti; Sima AA (1997): Endothelin-1 and endothelin-1 like immunoreactivity in the eyes of diabetics and diabetic BB/W rats: Diabetes Res Clin. Ppract, 37(2): 109-20.

Charles MA; Balkan B; Vauzelle-Kervoden F; Thibault N and Eschwege E., (1996): Revision of diagnostic criteria in diabetes. (Letter) Lancet 348: 1657-1658.

Chen-C, Mitchell, K.D.; and Naber, L.G.; (1992): Role of endothelium derived nitric oxide in renal haemodynamic response to amino acid infusion. Am. J. Physiol., 263 : R 510 - R516.

Chen-YF and Oparil-S., (2000): Endothelial function in the pulmonary vascular bed; Am-J-Med-Sci: Oct; 320(4): 223-32.

Claria J., Jimenez W., Arroyo V., Lavilla G., Lopez C., Absert M., Castro A., Gaya J., Rivera F., Rodes J. (1993): Effect of V1-vasopressin receptor blockade on arterial pressure on conscious rats with cirrhosis and ascites. Gastroenterology 100 P 494 - 501.

Claria J., Jimenez W., Ros J., Absert M., Castro A., Arroyo V., Rivera F. and Rodes J. (1992): Pathogenesis of arterial hypotension in cirrhotic rats with ascites : role of endogenous nitric oxide. Hepatology, 15 P 343 - 349.

Clausen-P; Jensen-JS; Jensen-G; Feldt-Rasmussen-B., (2000): Plasma concentrations of endothelial vasoactive substances in clinically healthy subjects, associations with urinary albumin excretion and ambulatory blood pressure: Scand-J-Clin-Lab-Invest, Apr; 60(2):133-40.

Clesham, G.; Parsaee, H. and Joseph, S. (1992): Activation of bovine endothelial thromboxane receptors triggers release of prostacyclin but not endothelial derived relaxing factor. Cardiovasc. Res., 26: 513.

Cohen, R.A. (1993): Dysfunction of the vascular endothelium in diabetes mellitus. *Circulation*, 87: V 67 - V76.

Colwell, J.A.; Lyons, T.J.; Klein, R.L. and Lopes-virella, M.F. (1992): "New concepts about the pathogenesis of atherosclerosis and thrombosis in diabetes mellitus". In: "Diabetic foot". By Levin, M.E.; O'Neal, L.W. and Bowker, J.H. (eds.)", St. Louis. Mosby Year Book, PP. 79 - 114.

Contor AB; Krischer JP; Cuthbertson DD; Schatz DA; Raley WJ; Malane J; Schwartz S; Quattrin T and MacLrain NK., (1995): Age and family relationship accentuate the risk of IDDM in relatives of patients with insulin dependent diabetes: *J.Clin. Endocrinal metab.*; 80: 3739-3743.

Corbett, J.A.; Mikhael, A.; Shimizu, J.; Frederick, K.; Misko, T.P. McDaniel, M.L.; Kanagawa, O. and Unanue, E.R. (1993): Nitric oxide production in islets from non-obese diabetic: Amino-guanidine sensitive and resistant stages in the immunologica-l diabetic process. *Pro. Natl. Acad. Sci., USA*, 90 : 8992 - 95.

Creager MA, Selwyn, A. (1997): When "normal" cholesterol levels injure the endothelium. *Circulation* 96: 32255 - 3257.

Cuhna, F.Q. Asseruy, J.; Moss, D.W.; Rees, D. Leal, Lm, C.; Moncada, S.M. Carrier, M. et al., (1994): Differential induction of nitric oxide synthase in various organs of the mouse during endotoxemia. Role of : INF-a and IL-1/3. *Immunology*, 81:211 - 215.

Cyr C., Huebner K., Drunk T., Kris R. (1991): Cloning and chromosomal localization of a human endothelin ETA receptor. *Biochem. Biophys. Res. Commun.* 181 : P 184 - 190.

- Danthuluri, N.P., Brock, T.A. and Block, K.D. (1990):** Endothelin receptor-coupling mechanism in vascular smooth muscle: A role for protein kinase C. *J. Pharmacol. Exp. Ther.*, 254:393-399.
- Dawson-TM; Bredt-DS; Fotuhi-M; Hwang-PM; and Synder-SH., (1991):** Nitric oxide synthases and neuronal NADPH diaphorase are identical in brain and peripheral tissue. *Proc. Natl.Acad.Sci., USA*; 88:7797-7801
- De Nucci-G; Thomas-R; D'Orleans-Juste-P; Antunes-E; Walder-C; Warner-TD and Vane JR., (1988):** Presort effects of circulating endothelin are limited by its removal in the pulmonary circulation and by the release of prostacyclin and endothelium-derived relaxing factor ; *Proc.Natl.Acad.Sci. USA*: 85:9797-9800
- Dessi, K.M.; Sessa, W.C.; Vane, J.R. (1991):** Involvement of nitric oxide in the reflex relaxation of the stomach to accommodate food or fluid. *Nature*; 352 : 477 - 79.
- Dia, F.X.; Diederich, A.; Skopec, J. and Diederich, D. (1993):** Diabetes - Induced endothelial dysfunction in streptozotocin treated rats: role of prostaglandin endoperoxides and free radicals. *J. Am. Soc. Nephrol.*, 4(6) : 1327 - 36.
- Dimbinska, - Kiec, A.; Pallapies, D.; Simmet, T.; Peskar, B.M. and Peskar, B.A.. (1991):** Effect of carbonexolone on the biological activity of nitric oxide: Relation to gastroprotection, *Br. J. Pharmacol.* 104 : 811 - 816.
- Dimitriadis E, Griffin M. Owens D (1995):** Oxidation of low-density lipoprotein in NIDDM; its relationship to fatty acid composition. *Diabetologia*; 38: 1300 - 1306.

Dittman, W.A. and Majerus, P.W. (1990): Structure and function of thrombomodulin. A natural anticoagulant. *Blood*, 75: 329.

Donckier,, J.E., Hanet, C., Barbiinschi, A.; Galanti, L. Rebert, A., Van, MH., Pouleur, H., and ketellegers J.M., (1991): Cardiovascular and endocrinal effects of endothelin at pathophysiological and pharmacological plasma concentrate in conscious dogs. *Circulationn* 84: 2416 - 2484.

Donni-D; Perrella-G; Stel-G; Ambesi-Impiombato-F and Curcio., (2000): Anew model of human aortic endothelial cells in vitro: *Biochimie*, Dec; 82 (12): 1107-14.

Dugas, B. Mossalayi, M.D.; Damais, C.; and Kolb, J.P. (1995): Nitric oxide production by human monocytes: Evidence for a role of CD 23. *Immunology Today*, 16 - 12 : 574 - 580.

Edwards RM., Trizna W., Ohlstein EH. (1990): Renal microvascular effects of endothelin. *Am. J. Physioll.* 259: P 2117 - 221.

El-Khawand, C.; Jamart, J.; Donckier, J.; Chatelain, B.; Lavenne, E.; Moriau, M. and Buysschaert, M. (1993): Homeostasis variables in type I diabetic patients without demonstrable vascular complications. *Diabetes care*, 16: 8, 1137 - 1145.

Emori, T., Hirata, Y and Ohata, K. (1991): Cellular mechanisms of endothelin-1 release by angiotensin and vasopressin. *Hypertension*, 18: 165 - 70.

Endresen, M.J., Tosti, E., Heimli, H., lorentzen, B. and Henriksen T (1994): Effect of free fatty acids found increased in women who develop pre-eclampsia on the ability of endothelial cells to produce prostacyclin,

GMP and inhibit platelet aggregation. Scand. J. Clin. Lab. Invest. Nov; 54 (7): 5449 - 57.

Engelgau MM; Thompson TJ; Smith PJ; Herman EW; Welterhall SF; Saus ES and Ali MA., (1995): Screening for D.M. in adults: the utility of random capillary blood glucose measurements. Diabetes care: 18: 463-466.

Esmon, C.T. (1995): Thrombomodulin as a model of molecular mechanisms that modulate protease specificity and function at the vessel surface. FASEB. J., 9: 946.

Evans, H.G.; Smith, J.A. and Lewis, M.J. (1988): Release of endothelium-derived relaxing factor is inhibited by 8-bromo-cyclic guanosine monophosphate. J. Cardiovasc Pharmacol. 12 : 672 - 677.

Faraci, FM; Heistad, DD. (1998): Regulation of the cerebral circulation: Role of endothelium and potassium channels. Physiol. Rev.; Jan; 78(1): 53 – 97.

Feder, L. and Laskin, D.L. (1994): Regulation of hepatic endothelial cell and macrophage proliferation and nitric oxide production by GM-CSF, MCSF and IL1-beta following acute endotoxaemia. J. Leuk. Biol. 55: 507 - 513.

Feingold KR, Grunfeld C, Pang M (1998): LDL subclass phenotypes and triglyceride metabolism in non-insulin-dependent diabetes. Arterioscler Thromb; 12:1496-1502.

Ferlito-S and Gllina-M., (2000): Nitrite, endothelin and E-selectin plasma levels after arginine infusion in normal, obese and type 2 diabetic subjects; Minerva-Endocrinol; Jun; 25(2): 33-7.

Fernandez Castaner M; Montana E; Briarmes J; Merins JF; Escriba JM; Nacher V; Rosel P and Soler J., (1996): Ketoacidosis at diagnosis is predictive of lower residual B-cell function and poor metabolic control in type I diabetes: *Diabetes Metab.* 22 : 249-355.

Ferrara, N.; Houck, k.A.; Jakeman, L.B. and Leung, D.W. (1992): Molecular and biological properties of the vascular endothelial growth factor family of proteins. *Endocr. Rev.*, 13:: 18 - 32.

Flegg, HM, (1973): An investigation of the determination of serum cholesterol by an enzymatic method, *Ann clin. Biochem*; 10: 79 – 84.

Ford, I.; Singh, T.P.; Kitchen, S.; Makris, M.; Ward, J.D. and Preston, F.E. (1990): Activation of coagulation in diabetes mellitus in relation to the presence of vascular complications. *Diabet. Med.*, 8 : 322 - 329.

Forslund, T. and Metsarinne, K. (1992): The endothelial cells as an endocrine organ-endothelin *Tidrrkr-NorLaegeforen.* Feb. 20, 112(5): 648 – 52.

Forte, R.S.; Dykhuzie, E. Milne, A. Mckenzie, C.C. Smith, N. and Benjamin (1999): Nitric oxide synthesis in patients with infective gastroenteritis, *gut*; 45 : 355 - 361.

Fostermann, U.; Schmidt, H.W.; Pollock, J.S.; Sheng, H.; Mitchell, J.A.; Warner, T.D.; Nakane, M. and Murad, F. (1991): Isoforms of nitric oxide synthase: characterization and purification from different cells types. *Biochem. Pharmacol.* 42:1849 - 1857

Francine V van Venrooij, Ronald Stoek, Manuel Vastro Cabezas and D Willen Erkelens (2000): Diabetic dyslipidemia: metabolic and epidemiological aspects: *Diabetes care*; 18: 125 – 39.

- Franz MJ, Horton ES, Sr, Bantle JP (1994):** Nutrition principles for the management of diabetes and related complications. *Lancet*; 344: 1383 - 1389.
- Freedman-BI; Yu-H; Anderson-PJ; Roh-BH; Rich-SS and Bowden-DW:** Genetic analysis of nitric oxide and endothelin in end-stage renal disease: *Nephrol-Dial-Transplant*; Nov; 15(11): 1794-800.
- Fridovich, I. (1976):** Free Radicals in Biology Vol I (Pryor, W.A. ed) PP. 239 – 277, Academic Press.
- Friedman, S.A., Lubarsky, S.L., Ahakas, R.A., Nova, A., Sibai, M.R. (1993):** Preeclampsia and related disorders. Clinical aspects and relevance of endothelin and nitric oxide *Clin. Perinatal*, 1995, Jun; 22 (2): 343 - 55. Frostell C.G. Blomquist, H.; Hedenstierna, G.; Lundberg, J.; and Zapol, W.M. Inhaled nitric oxide selectivity. Reserves Human hypoxic pulmonary vasoconstriction without causing systemic vasodilation. *N. Eng. J. Med.*; 328 : 399 - 45
- Fruchart J, De Geitere C, Delfly B, Castro G. (1994):** Apolipoprotein A-containing particles and reverse cholesterol transport: evidence for connection between cholesterol efflux and atherosclerosis risk. *Atherosclerosis*; 110: S335-S39.
- Fukao, H.; Ueshima, S. and Tanaka, N. (1990):** suppression of plasminogen activator inhibitor-1 release by fibrin from human umbilical vein endothelial cells. *Thromb. Res., Suppl.*, 10 - 11
- Furchgott, R.F.; and Zawadzki, J.V.; (1980):** The obligatory role of endothelial cells in relaxation of arterial smooth muscle by acetylcholine. *Nature*; 288 : 375 - 76.

- Furchgott, RF AM, MD; and Vanhoutte. (1989):** Endothelin derived relaxing and contrasting factors. The FASEB Journal Volume 3: 2007 - 2018.
- Furhashi, N., Kimurd, H., Nagae, H., Yajuma, A. (1995):** Maternal plasma endothelin levels and fetal status in normal and preeclamptic pregnancies. Gynecol Obstet. Invest; 39 (2): 88 - 92.
- G.M. Rubanyi and MA Polokoff. (1994):** Pharm. Rev.; 46. 325 – 355.
- Gabazza, E.C.; Takeya, H.; Deguchi, H. and Sumida, Y. (1996):** Protein C activation in NIDDM patients. Diabetologia, 39: 12, 1455 - 1461.
- Gardiner SM., Kemp PA., Bennett T. (1992):** Effects of the neutral endopeptidase inhibitor, SQ 28. 603. On regional haemodynamic responses to atrial natriuretic peptide or proendothelin-1 (1-38) in conscious rats. Br. J. Pharmacol. 106: P 180-186.
- Gardiner, T.A.; Stitt, A.W. and Archer, D.B. (1995):** Retinal vascular endothelial cell endocytosis increases in early diabetes. Lab. Invest., 72 : 439 - 444.
- Gardnes SM, Compton AM and Bennett T (1990):** Effects of indomethacin on the regional hemodynamic responses to low doses of endothelin and sarafotoxin Br. J. Pharmacol., 100 : 158 - 162.
- Gearing, A.J.H. and Newman, W.C. (1993):** Circulating adhesion molecules in disease. Immunol. Today, 14/10: 506 - 511.
- Geller, D.A.; Lwenstein, C.J.; Shapiro, R.A. Nussier, A.K, Disilvi, M.D. and Wang, Sc. (1993):** Molecular cloning and expression of inducible nitric oxide synthases from human hepatocytes. Proc. Natl Acad. Sci. USA; 90 : 329 - 5.

- Ginsberg HN. (1996):** Diabetic dyslipidaemia : basic mechanisms underlying the common hypertriglyceridemia and low HDL cholesterol levels. *Diabetes*; 45 (Suppl 3): S 27 - S 30.
- Goldfarb S; Ziyadeh F.N and Kern EF.,(1991):** Effect of polyol pathway inhibition and dietary myo-inositol on glomerular hemodynamic on function in experimental D.M. in rats. *Diabetes* 40: 465-471.
- Gonen E, Rubenstein AH (1987):** Quantitative determination of *Diabetologia* 15: 1.
- Gratacos, E., Casals, E., Sanllehy, C., Cararach, V., Alonso, P.L., and Fortuny, A. (1996):** Variation in lipid levels during pregnancy in women with different types of hypertension. *Acta Obstet. Gynecol. Scand*; Nov., 75(10): 896 - 901.
- Greene D., (1988):** The pathogenesis and its prevention of diabetic neuropathy and nephropathy. *Metabolism*, 37 (Suppl 1) : 25-9
- Grove TH (1979):** Effect of reagent pH on determination of high density lipoprotein cholesterol by precipitation with sodium phosphotungstate-magnesium, *clin chem*; 25: 560 – 564.
- Grrykowski, R.J.; Palmer R.M.J. and Moncada, S. (1986):** Peroxide anion is involved in the breakdown of endothelium derived vascular relaxing factor. *Nature*, 320 : 454 - 456.
- Haas, J.A.; Khraibi, A.A.; Pesrella, M.A. and Knox, F.G. (1993):** Role of renal interstitial hydrostatic pressure in naturesis of systemic nitric oxide inhibition. *Am. J. Physiol.*; 26 : F411 - F414.
- Hackeng, T.M.; ;Hessing, M. and Van't Vear, C. (1993):** Protein S binding to human endothelial cells is required for expression of cofactor activity for activated protein C. *J. Biol. Chem.*, 268: 3993.

- Hackeng, T.M.; Tans, G.; Koppelman, S.J.; De Groot, P.G.; Rosing, J. and Bouma, B.N. (1996):** Protein C activation on endothelial cells by prothrombin activation products generated in situ. Meizothrombin is a better protein C activator than? thrombin. *Biochem. J.*, 319: 399 - 405.
- Haefliger - 10; Meyer-P; Flammer J; Luscher. TF (1994):** The vascular endothelium as a regulator of the ocular circulation a new concept in ophthalmology ? : *Surv ophthalmol.*; Sep-Oct; 39 (2) : 123 - 32.
- Hallawa, M.R. (1996):** Level of endothelin 1, 2, 6 Keto-PGFI- alpha and atrial natriuretic peptide in serum of pregnant women with late hypertension. *Pol-Arch-Med. Women.* Jun, 95 (6): 509 - 13.
- Haller - H (1997):** Endothelial function. General considerations: *Drugs.*; 53 Suppl 1: 1 - 10.
- Haneda, M.; Kikkawa, R.; Horide, N.; Togawa, M. and Koya, D. (1991):** Glucose enhances type IV collagen production in cultured rat glomerular mesangial cells. *Diabetologia*, 34 : 198 - 200.
- Hanssen, K.F.; Bangstad, H.; Brinchmann-Hansen, O. and Dehl-Jorgensen, K. (1992):** Blood glucose control and diabetic microvascular complications. Long term effect of nearnormoglycemia. *Diabetic, Med.*, 9: 697 - 705.
- Harris MI; Courie CC; Reiber G; Boyk E; Stern M and Bennett P., (1995):** Diabetes in America 2 nd. Washington, DC, U.S.Govt. printing office (Eds)NIH publ.N: 95, 1468.
- Hattori, Y.; Kawasaki, H.; Abe, K. and Kanno, M. (1991):** Superoxide dismutase recovers altered endothelium dependent relaxation in diabetic rat aorta. *Am. J. Physiol.*, 261: H 1086 - H 1094.

- Haynes WG. And Webb D.J. (1993):** Endothelium dependent modulation of responses to endothelin-1 in human veins. Clin. Sci. 84: P 427-460.
- Hemsen A. (1991):** Biochemical and functional characterization of endothelin peptides with special reference to vascular effects Acta physiol. Scand. Suppl. 602: P 1 - 61.
- Henderson, A.H. (1991):** Endothelium in control. Br. Heart. J.; 65 : 116 - 25.
- Henery, Y.; Lepoivre, M.; Drapier, J.C.; Ducrocq C.; Boucher, J.L. and Guissani, A. (1993):** Characterization of molecular targets for NO in mammalian cells and organelles. FASEB.; 1 : 1124 - 34.
- Herman, F.; Magyr, K.; Chabrier, P.G.; Braquet, P. and Filep, J. (1989):** Prostacyclin mediates antiaggregatory and hypotensive actions of endothelin in anaesthetized beagle dogs. Br. J. Pharmacol., Sep. 98(1); 38 - 40.
- Hibbs, J.B. Jr, Taintor, R.R. and Vasrurin, Z. (1987):** Macrophage cytotoxicity: role of L-arginine deaminase activity and imino-nitrogen oxidation to nitrite. Science, 235 : 473 - 476.
- Hibbs, J.B.,; Westenfelder, C.; Taintor, R.; Vavrin, Z.; Kablitz, C. and Baranowski, R.L. (1992):** Evidence for cytokine inducible nitric oxide synthesis from L-arginine in patients receiving interleukin - 2 therapy. J. Clin. Invest, 89 : 86:7 - 77.
- Higenbottam, T. (1993):** Inhaled nitric oxide: Amagic bullet? Quart. J. Med.; 86: 555 - 58.
- Hopfner, RL; McNeil, JR (1999):** Gopalakrishnan V: Plasma endothelin levels and vascular responses at different temporal stages of streptozotocin diabetes: Eur – J. Pharmacol. Jun 18; 374(2): 221 – 7.

- Ignarro, L.J. (1991):** Signal transduction mechanism involving nitric oxide. *Biochem. Pharmacol* 41: 485 - 490.
- Ignarro, L.J. Buga, G.M. Wood, K.S. Byrns, R.E. Chaudhuri, G. (1987):** Endothelium derived relaxing factor produced and released from artery and vein is nitric oxide. *Proc. Natl. Acad. Sci., USA* : 84 : 9265 - 9269.
- Ihara M, Noguchi K, Saeki T, Fukuroda T, Tsuchida S, Kmura S, Fukami T, Ishkawa K, Nishkbe M, Yano M (1992):** Biological profiles of highly potent novel endothelin antagonists selective for the ETA receptor. *Lfe Sci*; 50: 247 - 255.
- Ilegawa R, Matsummura Y, Tsukahara Y, Takaoka M and Morimoto S. (1990):** Phosphoramidon, a metalloproteinase inhibitor, suppresses the secretion of endothelin-1 from cultured endothelial cells by inhibiting a big endothelin-1 converting enzyme *Biochem biophys Res. Commun*, 171: 669 - 75.
- Inaba, T.; Shimano, H.; Gotoda, T.; Harada, K.; Shimada, M.; Ohsuga, J.; Watanabe, Y.; Kawamuna, M.; Yazaki, Y. and Yamada, N. (1993):** Expression of platelet-derived growth factor B receptor on human monocyte-derived macrophages and effects of platelet-derived growth factor BB dimmer on the cellular function. *J. Biol. Chem.*, 268: 24353 - 24360.
- Inoue, A., Yanagisawa M, and Kimura, S. (1989):** The human endothelin family, three structurally and pharmacologically distinct isopeptides predicted by three separate genes. *Proc Natle Acad Sci. USA*, 86: 2863 - 7.
- Ishibashi-M; Fujiila-M; Nagai-K; Kako-M; Fume-H; Haku-E; Osamura-Y and Yamaji-T., (1993):** Production and secretion of

endothelin by hepatocellular carcinoma: J.Clin.End.Metab. 76(2): 378-383.

Ishii,; Grosky, L.D.; Forstermann, M. and Murgad, F. (1989): Endothelium derived relaxing factor (EDRF): The endogenous activator of soluble guanylate cyclase in various types of cells. J. Appl. Cardiol., 4 : 505 - 512.

Iwata, R., Takkagi, T., Yamagi, K. and Tanizawa, O. (1991): Increased in the concentration of immuno reactive endothelin in human pregnancy J. Endo - 129 : 301 - 7.

Iwata-R; Hayashi-T; Higuchi-A and Senda-T., (1993): Development of a chemiluminescent enzyme immunoassay determination of plasma ET-1; Clin.Chem. 39(6): 1247-51.

Jackson, D.E.; Mitchell, C.A. and Salem, H.H. (1994): Protein C is responsible for the rapid inactivation of factor V following blood clotting in vitro. Thromb. Hemost., 72: 70 - 73.

Jaffe, E.A. (1991): "Endothelial cell structure and function". In: "Hematology Basic principles and practice". By Hoffmari, R; Benj, E.J; Shattil, S.J; Furie, B. and Cohen, H.J. (editors), Churchill Livingstone, New York, PP. 1198 - 1213.

Jaffe, E.A. (1995): "Vascular function in hemostasis". In: " Williams Hematology". By beutler, E.; Lichtman, MA.;; Coller, B. and Kipps, T.J. (editors), fifth edition., P. 1261.

Jakeman, L.B.;; Winer, J.; Bennett, G.;; Altar, C.A. and Ferra, N. (1992): Binding sites for vascular endothelial growth factor are localized on endothelial cells in adult rat tissues. J. Clin. Invest., 80: 244 - 253.

- Jansson, J.H.; Nilsson, T.K. and Johnson, O. (1991):** von Willebrand factor in plasma. A novel risk factor for recurrent myocardial infarction and death. *Br. Heart, J.*, 66 : 351 - 355.
- Jesty, J.; Beltrami, E. and Willems, G. (1993):** Mathematical analysis of a proteolytic positive feedback loop. Dependence of lag time and enzyme yields on the initial conditions and kinetic parameters. *Biochemistry*, 32 : 6266.
- Johnstone, M.T. Creager, S.J. Scales, K.M., Cusco, J.A. Byron, K, Lee, B.A. and Creager, M.A. (1993):** Impaired endothelium dependent vasodilatation in patients with insulin dependent diabetes mellitus. *Circulation*, 88: 2510 - 16.
- Julkunen, H., Saijonmaa, O., Ciska, C. and Fyhrquist, A.M. (1991):** Raised plasma concentration of endothelin-1 in systemic lupus erythmatosus. *Ann. Rheu., Dis*, 50: 526 - 7.
- Junst, A, Draeger, B, Ziegenhorn, J (1983):** UV methods with hexokinase and glucose - 6 - phosphate dehydrogenase, *Methods of Enzymatic Analysis*, Vol. VI, Bergmeyer, HU, Ed, Verlag chemie, Deerfield, F1; PP 163 - 172.
- Jurt, E., Johnson and Ph. D. (1992):** The cardiovascular system in histology and cell biology. Engyption edition; Chapter 15 :183 - 197.
- Kakoki, M; Hirata - Y; Hayakawa, H; Tojo - A; Nagata - D; Snzuki-E; Kimura. K; Goto - A; Kikuchi-K; Nagano-T; omata, M (1999):** Effects of hypertension, diabetes mellitus, and hypercholesterolemia in endothelin type B receptor mediated nitric oxide release from rat kidney: *Circulation*. Mar 9; 99(9) : 1242 - 8.

- Kaufman H, Oribe E and Oliver JA (1991):** Plasma endothelin during upright tilt: relevance for orthostatic hypotension *Lancet*, 338: 1542 - 5.
- Keegan, A.; Walbank, H.; ;Cotter, M.A. and Cameron, N.E. (1995):** Chronic vitamin E prevents defective endothelium dependent relaxation in diabetic rat aorta. *Diabetologia*, 38(12): 14476 - 8.
- Kent, K.C.; ;Collins, I.J. and Schwerin, F.T. (1993):** Identification of functional prostaglandin H₂/thromboxane A₂ receptors on human endothelial cells. *Circ. Res.*, 72: 958.
- Kerwin, J.F. and Heller, M. (1993):** The arginine-nitric oxide pathway: A target for new drugs. *Med. Res. Rev.* 14 : 23 - 24.
- Kihara, M. and Low, P.A. (1995):** Impaired vasoreactivity to nitric oxide in experimental diabetic neuropath. *Exp. Neurol.*, 132(2): 180 – 5.
- Kim, J.A.; Berliner, J.A.; Natarajan, R.D. and Nadler, J.L. (1994):** Evidence that glucose increases monocyte binding to human aortic endothelial cells. *Diabetes*, 43 : 1103 - 1107.
- Kimura, S., Kasya, Y. and Sawamura, T. (1989):** Structure activity relationships of endothelin: Importance of the C-terminal moiety. *Biochem. Biophys. Res. Commun*, 156 - 1182 - 6.
- Knapp, ML, and Mayne. PD, (1987):** Development of an automated kinetic Jaffe method designed to minimize bilirubin interference in plasma creatinine assays, *Clin Chem. Acta*; 168: 239 – 246.
- Koyama H, Tabata T, Nishzawa Y, Inove, T, Movii H, and Yamaji T, (1989):** Plasma endothelin levels in patients with uremia. *Lancet*, 1: 991 – 92.

- Kraayenbrink, A.A., Dekker, G.A., Van-Kamp, G.J., Van, Geijn, H.P. (1993):** Endothelial vasoactive mediators in preeclampsia. *Am. J. Obstet-Gynecol*; Jul; 169 (1) : 160-5.
- Kubes, P.P.; Suzuter, M. and Granger, D.N. (1991):** Nitric oxide: An endogenous modulator of leukocyte adhesion. *Proct. Natl. Acad. Sci, USA*, 88: 446651 - 55.
- Kuhn, M.; Otter.; Frolich, J.C. and Forstermann, U. (1991):** Endothelial cyclic GMP and cyclic AMP do not regulate the release of endothelium-derived relaxing factor/nitric oxide from bovine aortic endothelial cells. *J. Pharmaol. Exp. The.* 256: 677 - 682.
- Kwon, N.S.; Nathan, C.F.; Gilker, C.; Griffith, O.W.; Matthews, D.E. and Stucher, D.J. (1990):** L-citrulline production from L-arginine by macrophage nitric oxide synthase. *J. Biol. Chem.* 265:13442 - 13445.
- Laurenti O; Vingolo EM; Desideri GB, Ferric; Cassone fladetta M. Santucci A. De Mattia G. (1997):** Increased levels of plasma endothelin-1 in non-insulin dependent diabetic patients with retinopathy but without other diabetes-related organ damage: *Exp. Clin. Endocrinal Diabetes*, 105 Suppl. 20: 40 – 2.
- Larsen K, (1972):** Creatinine assay by a reaction – kinetic approach, *Clin Chem Acta*; 41; 209 – 217.
- Laskin-DL; Valle-MR; Heck-DE; Hwang-S; Ohnishi-ST; Durham-SK; Goller-NL and Laskin-JD., (1995):** Hepatic nitric oxide production following acute endotoxemia in rats is mediated by increased inducible nitric oxide synthase gene expression. *Hepatology*, 22(1): 223-34.

- Lawson, J.H.; Butenas, S.; Ribarik, N. and Mann, K.G. (1993):** Complex dependent inhibition of factor VIIa by antithrombin III and heparin. *J. Biol. Chem.*, 266 : 767 - 770.
- Lefebvres, PJ; Scheen, AJ (1998):** The postprandial state and risk of cardiovascular disease: *Diabet. Med.* 15 suppl 4: 563 – 8.
- Lefer, A.M.; Tsao, P.S.; Lefer, D.J. and Ma, X.L. (1991):** Role of endothelial dysfunction in the pathogenesis of reperfusion injury after myocardial ischaemia. *FASEBJ*, 5: 2029 : 2034.
- Lerman A., Edwards BS., Hallett JW., Heublein DM., Sandberg S.M., Burnett JC. (1991):** Circulating and tissue immuno-reactive endothelin in advanced atherosclerosis. *N. Engi. J. Med.* 325: P 997 - 1001.
- Lerman, A., Hildebran, E.L; Arhusll and Burnett, J.C. (1991):** Endothelin has biological actions at pathophysiological concentration. *Circulation*, 83: 1808 - 14.
- Levin, ER (1996):** Endothelin as cardiovascular peptides: *AM. J. Nephrol.* 16(3): 246 – 51.
- Liang, X., Lin, Y., Cheng, Y. (1996):** Changes in plasma endothelin-1 and lipid peroxidate level and amount of superoxidate dismutase in red blood cells in patients with pregnancy induced hypertension. *Chung-Hua-Fu-Chan-Ko-Tsa-Chih*; Apr. 311(4): 220-2.
- Liew, F.Y.; Millott, S.; Parkinson, C.; Palmer, R.M.J. and Moncada, S. (1990):** Macrophage killing of leishmania parasite in vivo is mediated by nitric oxide from L-arginine. *J. immunol.* 144 : 4794 - 4797.
- Lopes Virella MF, Virella G. (1996):** Cytokines, modified lipoproteins, and arteriosclerosis in diabetes. *Diabetes*; 45 (Suppl3): S40-S44

- Loran-JA and Bell-ET., (1976):** Hormone assay and their clinical application: Forward by Gaddum,J.H., FRS.Edinburg, London and New York, 4th ed. pp150.
- Lorenzi, M. (1992):** Glucose toxicity in the vascular complications of diabetes. The cellular perspective. Diabetes, metab. Rev., 8: 85 - 103.
- Lorenzi, M. and Cagliero, E. (1991):** Pathobiology of endothelial and other vascular cells in diabetes mellitus. Diabetes, 40: 653 – 659.
- Lushcer, T.F. (1991):** Endothelin. J. Cardiovasc. Pharmacol., 18 Suppl. 10 : 515 – 22.
- Luscher, T.F.; Barton, M (1997):** Biology of the endothelium : Clin-cardiol. Nov; 20 (11 Suppl 2) 612-19.
- Lu J; Li Q; Xie H; Chen Z; Borraritts Kaya AE; Machren NK; Notkins AL and Lan MS., (1996):** Identifications of a second transmembrane protein tyrosine phosphate, IA-2B as an auto antigen in insulin-dependent D.M.: precursor of the 37-KDa tryptic fragment. Proc Natl Acad Sci USA 93: 2307-2311.
- M. Marke, M. Krempf (1987):** Diabetes and Metabolism 13; 232 – 239.
- Mac, Micking, J.D.; Nathan, C.; Hom, G.; Chartrain, N.; Fletchen, D.S, Trumbauer, M and Stevens, K. (1995):** Altered responses to bacterial infection and endotoxic shock in mice lacking inducible nitric synthases. Cell, 81: 641 - 650.
- Macquin-Mavier; Levamme-M; Istin-N and Harf-A., (1989):** Mechanisms of endothelin-mediated bronchoconstriction in the guinea pig; J. Pharmacol Exp. Ther; 250: 740-5.

Maemura, K., Jurihara, H., Morita, T., and Yazaki, (1992): Production of endothelin-1 vascular endothelial cells is regulated by factors associated with vascular injury. *Gerontology*, 38 (Supl. 1): 2935.

Magee MS; Walden CE and Benedetti TJ., (1993): Influence of diagnostic criteria on the incidence of GDM and prenatal morbidity. *J. AMA*; 269:609-615.

Magil, S.B and Danabeg, J. (1996): Effect of hyperglycemia on vascular endothelium nitric oxide metabolism in contemporary endocrinology. *Endocrinology of the vasculature*. Human press Totawa, N.J., 145 - 165.

Major, R.H. (1954): A history of medicine. Springfield IL, Charles, C, Thomas, 188 - 202.

Maree, A.; Peer, G.; Iaina, A.; Blum, M.; Wollman, Y.; Cserihovsky, T.; Silverberg, D.S. and Cabilis (1996): Nitric oxide in streptozotocin - induced diabetes mellitus in rats. *Clin. Sci. Colch*, 90(5) : 379 – 84.

Marttunen-MB; Hietanen-P; Tiitinen-A; Viinikka-L and Ylikorkala-O., (2000): Antiestrogens reduce plasma levels of endothelin-1 without affecting nitrate levels in breast cancer patients: *Gynecol-Endocrinol*; Feb;14(1): 55-9.

Masaki T., Kimura S., Yanagisawa M., Goto K. (1991): Focus on molecular biology: molecular and cellular mechanism of endothelin regulation: implications for vascular function. *Circulation*. 48: P 1457 - 1468.

Matsumura, Y., Ikegawa, R., Sozuki, Y., Takaoko, M., Uchido T. and Kido, M. (1991): Phosphoramidon prevent cerebral vasospasm following subarachnoid haemorrhage in dogs: The relation to endothelin-1 levels in the cerebrospinal fluid. *Life Sci*, 19: 841 - 8.

- Mattalli, S., Soloperto, M., Marini, M. and Fasoli, A., (1991):** Level of endothelin in the bronchoalveolar large fluid of patients with symptomatic asthma and reversible airflow obstruction J. Allergy Clin. Immunod., 88 : 376 - 84.
- Matter- Al; Fujihara-Ck; Ribeiro, Mo:: de-Nueci – G; Zataz – R (1996):** Renal effects of acute and chronic nitric oxide inhibition in experimental diabetes: Mephron.; 74(1): 136 – 43.
- May, M.A and Davis, Galen, (1968):** On the usefulness of the parts of the body. Ithaca: constsnell University; 44 - 64.
- Mayhan- WG (1998):** Constrictor responses of the rats basilar artery during diabetes mellitus: Brain- Res.; Feb 9; 783(2): 326 – 13.
- Mayhan – WG; Irvine. SD; Sharpe, GM (1999):** Constrictor responses of resistance arterioles during diabetes mellitus: Diabetes. Res. Clin. Pract. Jun; 44(3): 147 – 56.
- McMahan, L.P., Redman, C.W., Firth, J.D. (1993):** Expression of three endothelin genes and plasma levels of endothelin in preeclamptic and normal gestations Clin, Colch; Oct., 85(4): 417-24.
- McMillan, D.E. (1992):** "Hemorheology". In. "the diabetic foot". By Levin, M.E.; O'Neal, L.W. and Bowker, J.H, (eds.), S.T. Louis, Mosby year book, PP. 115 : 133.
- Menashi, S.; L.; Soria, C.; Soria, J.; Thomaidis, A. and Legrand, Y. (1991):** Modulation of endothelial cells fibrinolytic activity by platelets. Thromb. Hemostas., 65 : 77 - 81.
- Merki-Feld-GS; Imthurn-B and Keller-PJ., (2000):** The effect of the menstrual cycle and ethinylestradiol on nitric oxide, endothelin and homocystine plasma levels; Horm-Metab-Res; Jul; 32(7): 288-93.

- Metzger BE and Coustan DR (1998):** Proceedings of Fourth international workshop-conference on gestational DM . Diabetes care 21 (Suppl. 2) B1-B167 (Eds).
- Mikhael, N.M.; El-Attar, S.A.; El-Feki, N. (1993):** Ascitic fluid C3 and opsonic activity in endemic liver cirrhosis. Egy. J. Microbial 2 : 101 - 107.
- Milner P, Bodin P, Loesch A and Burnstock G. (1993):** Rapid release of endothelin and ATP from isolated aortic endothelial cells exposed to increased flow. Biochem Biophys. Res Commun, 170 : 649 - 56.
- Misko, T.P. Moore, W.M.; Kasten, T.P.; Nickolas, G.A.; Gorbett, J.A. Titton, R.J.; McDaniel, Williamson, J.R.; and Currie M.G. (1993):** Selective inhibition of the inducible nitric oxide synthase by aminoguanidine, Eur. J. Pharmacol. 233 : 199 – 25.
- Miura K., Yukimura T., Yamashita Y., Shimmen T., Okumura M., Yamanaka S., Imanishi M., Yamamoto K. (1991):** Renal and femoralvascular responses to endothelin-1 in dogs: role of prostaglandins. Pharmacol. Exp. Ther. 259: P 11 - 17.
- Mohan V; Ramachandran and Viseranathan M., (1991):** Malnutrition related DM in pickup J., Williams G (eds) textbook of Diabetes . vol. 1 oxford: Blackweel scientific publication; 247-55.
- Mollace-V; Colasaniti-M; Rodino-P; Massaud-R; Lauro-GM and Nistico-G.,(1993):** Cytokine induced nitric oxide generation by cultured astrocytoma cells involved in Ca^{++} calmodulin-independent-NOS, Biochem 27: 356-67.
- Moncada-S. and Higgas, A. (1993):** The L-arginine-nitric oxide pathway. N. English. J. Med.; 329 : 202 - 12.

- Moncada -S; Plamer-RM and Higges-EA., (1991):** Physiology pathophysiology and pharmacology of nitric oxide: Pharmacol Rev. 190-202.
- Mormile, A.; Veglio, M.; Gruden, G.; Girotto, M. and Rossetto, P. (1996):** Physiological inhibitors of blood coagulation and prothrombin fragment F 1 + 2 in type 2 diabetic patients with normoalbuminuria and incipient nephropathy. Acta. Diabetol., 33 : 3, 241 - 245.
- Muller, Wielande D; Koptzka; Knebel. B; Krone, W (1998):** Metabolic syndrome and hypertension: Pathophysiology and molecular basis of insulin resistance: Basic, Res. Cardial. 93; Suppl 2: 131 – 4.
- Nahman, N.S.; Leonhart, K.L.; Cosio, F.G. and Hebert, C.L. (1992):** Effects of high glucose on cellular proliferation and fibronectin production by cultured human mesangial cell. Kidney, Int., 41: 396 - 402.
- Nakono, Y.T.; Kasahara, N.; Mukaaida, Y.X.; KO, M.; Naskano, and K. Matsushima, (1994):** Protection against lethal bacterial infection in mice by monocyte-chemotactic and activating factor infect. Immun. 62: 377 - 382.
- Nathan DM, Meign HB, Singer DE. (1998):** The epidemiology of cardiovascular disease in type 2 diabetes mellitus: how sweet it is ... or is it ? Lancet; 350 (Suppl 1): S 14 - S 18.
- Neri, S; Bruno CM; Leotta C; D'Amico RA; Pennisi G; Ierna D (1998):** Early endothelial alterations in non-insulin dependent diabetes mellitus: Int. J Clin Lab Res, 28(2): 100-3.
- Neufeld, G.; (Tessler, S.; Citay-Goren, H.; Cohen, T. and Levi, B.Z. (1994):** Vascular endothelial growth factor and its receptors. Prog. Growth factor, Res., 5 : 89 - 97.

- Nicholls, M.G., Arokawa, K. and Brunner, H.R. (1990):* Endothelin biological actions and mechanisms of signal transduction. A.C.E. Report., 64: 1 - 7.
- Nishida, J.; McCuskey, R.S.; McDonnell, D. and Fox, E.S. (1994):* Protective role of NO in hepatic microcirculation dysfunction during endotoxemia. Am. J. Physiol. 264: G1135 - G1141.
- Nishimura, J., Khalil, R.A., Drenth, J.P., and Breeman, C.V. (1996):* Evidence for increased myofilament sensitivity in norepinephrine-activated vascular smooth muscle Am. J. Physiol., 229: 11, 2 - 8.
- Nowicki, J.P.; Dural, D.; Poignet, H. and Scatton, B. (1991):* Nitric oxide mediators neuronal death after focal cerebral ischemia in the mouse. Eur. J. Pharmacol, 204 : 339 - 40.
- Ogawa, S.; Gertach, H. and Esposito, C. (1990):* Hypoxia modulates the barrier and coagulant function of cultured bovine endothelium. Increased monolayer permeability and induction of procoagulant properties. J. Clin. Invest., 85: 1090.
- Ohata, K., Hirata, Y., Shichiri, M., Kanno, K., Emori, T. and Tomita, K. (1991):* Urinary excretion of endothelin-1 in normal subject and patients with normal disease. Kidney Int, 39:307 - 11.
- Ohishi, K. and Carmines, P.K. (1995):* Superoxide dismutase restores the influence of nitric oxide on renal arterioles in diabetes mellitus. J. Am. Soc. Nephrol., 5(8): 1559 - 66.
- Ohno A., Naruse M., Kato S., Hosaka M., Naruse K., Demura H. (1992):* Endothelin specific antibodies decrease blood pressure and increase glomerular filtration rate and renal plasma flow in SHR. Hypertens. 10: P 781 - 786.

- Olfesky JM; Kolterman OG and Scarlett., (1982):** Insulin action and resistance in obesity and non insulin-dependent type II DM. *Am physiol.* 243: E15-E30.
- O'Meara NM and Polonsky KS., (1994):** Insulin secretion in vivo: Joslin's DM thirteenth edition, Kahn CR and Weir GC; 738-70.
- Palacios, M. Knowles, R.G.; Palmer, R.M.J. and Moncada, S. (1989):** Nitric oxide from L-arginine stimulates the soluble guanylate cyclase in adrenal glands. *Bioch. Bioph. Res. Commun.* 165: 802 - 809.
- Palmer, R.M.J. and Moncada, S. (1989):** A novel citrulline-forming enzyme implicated in the formation of nitric oxide by vascular endothelial cells. *Biophys. Res. Commun.*, 158 : 348 - 352.
- Palmer, R.M.J. Ferrige, A.G. and Moncada, S. (1987):** Nitric oxide release accounts for the biological activity of endothelium derived relaxing factor. *Nature*, 327 : 524 - 26.
- Palmer, R.M.J.; Andrews, T.; Foxwell, N.A. and Moncada, S. (1992):** Glucocorticoids do not affect the induction of a novel calcium dependent nitric oxide synthase in rabbit chondrocytes. *Biochem. Biophys Res. Commun.* 188: 209 - 215.
- Palmer, R.M.J.; Ferrige, A.G. and Moncada, S. (1987):** Nitric oxide release accounts for the biological activity of endothelium-derived relaxing factor. *Nature*, 327 : 524 – 526.
- Pastor, C. Teisseir, B.; Vicaut, E. and Payen, D. (1994):** Effects of L-arginine and L-nitro-arginine treatment on blood pressure and cardiac output rabbit endotoxin shock model. *Crit. Care Med.* 22 : 465 - 464.
- Pavia sesmac; lewas L'opez A; Velasco Solorzano R; Escofet Alcarria C; Valls Tolosa C (1996):** Does the degree of metabolic control of

diabetes mellitus affect the blood concentration of endothelin: *An Esp Pediatr*, 45(3): 253 – 5 Sep.

Pearson, J.D. (1993): The control of production and release of hemostatic factors in the endothelial cell. *Bailliere's, Clin. Hemat.*, 6: 629-651.

Pepper, M.S.; Sappino, A.P. and Montesano, R. (1992): Plasminogen activator inhibitor-1 is induced in migrating endothelial cells. *J. Cell, Physiol.*, 13: 129.

Perfetto F; Tarquini R; de leonardis V; Piluso A; Becuzzi A; Anselmi B; Curradi C; Tapparini L, Tarquini B (1997): Vascular damage and not hypertension per se influences endothelin-1 plasma levels in patients with non insulin dependent diabetes mellitus. *Recenti Prog Med.* 88 (7 – 8): 317 – 20; Gul – Aug.

Perffetto; Tarquini R; Tapparini L; Targuini B (1998): Influence of non-insulin dependent diabetes mellitus on plasma endothelin-1 levels in patients with advanced atherosclerosis: *J Diabetes complications*, 12(4): 187-92.

Persson, M.G.; Zetterstrm, O.; Agrenius, V.; Ihre, E. and Gustafusson, L.E. (1994): Single-Breath measurements of nitric oxide: Increased concentration in asthmatics. And reduction in smokers. *Lancet*, 343: 146 - 47.

Peter A, Mayes (1991): Cholesterol synthesis, transport and Excretion in : *Harper's Biochemistry: (22thed)*, Lange Medical Book Chap 28p. 249 - 260.

Petty, R.G. and Pearson, J.D. (1989): Endothelium-the axis of vascular health and disease. *J. Roy. Coll. Phys., London*, 23: 92 - 102.

- Pinchard, R.N.; Ludwig, J.C. and McManus, L.M. (1988):** "Platelet-activating factors in inflammation" In: "basic principles and clinical correlates" By Gallin, J.I.; Goldstein, I.M. and Snyderman, R. (editors), Raven, New York, PP. 130: 167.
- Porstmann-T and Kissing-ST., (1992):** Enzyme Immunoassay techniques, An overview: Journal of Immunological Methods; 150: 5-21.
- Posfon, L. and Taylor, P.D. (1995):** Endothelium mediated vascular function in insulin dependent diabetes. Clin. Sci., 88: 245.
- Prasad MR., Jones RM and Kreutzer DL (1991):** Release of endothelin from cultured bovine endothelial cells. J. Mol. Cell. Cardiol., 23 : 655-8.
- Prescott, S.M.; Zimmerman, G.A. and McIntyre, T.M. (1990):** Platelet activating factor. J. Biol. Chem., 265 : 17381.
- Radomski, M.W.; Plamer, R.M.J.; Moncada, S. (1990):** Glucocorticoids inhibit the expression of an inducible, but not constitutive, nitric oxide synthase in vascular endothelial cells. Proc. Natl. acad. Sci; 87 : 10043 - 10067.
- Raifer, J. Aronson, W.J. Bush, P.A.; Doren F.S.; and Ignarro, L.J. (1992):** Nitric oxide as a mediator of relaxation of the corpus cavernosum in response to non-adrenergic, non-cholinergic neurotransmission. N. Eng. J. Med.; 326 - 90 - 94.
- Ranta, M.D. Lasse, Viinikka, M.D. Erja, Halmesmaki, M.D. and Olavi, Ylikorkala, M.D. (1999):** Nitric oxide production with preelampsia, Obstetrics and Gynecology; Vol. 93, No (3): 442 - 445.
- Rao, L.V.M.; Nordfang, O.; Hoang, A.D. and Pendurthi, U.R. (1995):** Mechanism of antithrombin III inhibition of factor VIIa/tissue factor activity on surfaces. Comparison with tissue factor pathway

inhibitor/factor Xa-induced inhibition of "factor VIIa/tissue factor activity. *Bood*, 85: 121 - 129.

Rautela, GS, Liedtke, RJ (1978): Automated enzymatic measurement of total cholesterol in serum, *Clin Chem.*; 24.

Reaven GM, Chen YD, Heppesen J (1993): Insulin resistance and hyperinsulinemia in individuals with small, dense low-density lipoprotein particles. *J Clin Invest*; 92: 141 - 164.

Resink, T.J., Scott-Burden, T., and Buhler, F.R. (1989): Activation of phospholipase A2 by endothelin in cultured vascular smooth muscle cells. *Biochem. Biophys. Res. Commun*, 158: 279 - 286.

Resink, T.J., Scott-Burden, T. and Buhler, F.R. (1990): Endothelin stimulates phospholipase C in cultured vascular smooth muscle cells *Biochem Biophys. Res. Commun*, 157: 1360 - 8.

Robert, P., Gillard, V., Plas, Chubrier, P.E., Gullon, J.M., and Braquet, P. (1989): Angiotensin II and Phorbol esters potently down-regulate endothelin-1 binding sites in vascular smooth muscle cells. *Biochem. Biophys. Res. Commun.*, 164: 80; 9 - 815.

Roberts, J.D.; Polaner, D.M.; Long, P. and Zapol, W.M. (1992): Inhaled nitric oxide in persistent pulmonary hypertension of newborn. *Lancet*, 340: 818 - 9.

Ros, J.J.; Claria, W. Jimenez, M. Bosch-marce, P.; Angelim, V. Arroyo, F. Rivera, and J. Rodes, (1995): Role of nitric oxide and prostacyclin in the control of renal perfusion in experimental cirrhosis. *Hepatology*. 21 : 915 - 920.

Roschlan, P, Bernt, EM, Gruber-W, (1974): enzymatic Bestimmung des Gesamtcholesterins in serum, *J Clin. Chem. Biochem*; 12 : 403 - 407.

- Rosen. P; Du-X; Tschope. D (1998):** Role of oxygen derived radicals for vascular dysfunction in the diabetic heart: prevention by alphatocopherol: Mol – cell – Biochem.; Nov; 188 (1-2) : 103 – 11.
- Rosssiant, R.; Falke, K.S.; Lopez, F.; Salama, K.; Pison, M. and Zapol, W.M. (1993):** Inhaled nitric oxide for the adult respiratory distress syndrome. N Engl. J. Med.; 328 : 399 - 405.
- Sacks DB., (1994):** Carbohydrate: Teitz Textbook of Clinical Chemistry: Burtis CA and Ashwood ER, Ed. Saunders Company; 1317-1353.
- Saito Y., Nakao K., Mukoyama M., Imura H. (1989):** Increased plasma endothelin level in patients with essential hypertension. N. Engl. J. Med. 322: P 205.
- Sakata, Y.; Loskutoff, D.J. and Gladson, C.I. (1986):** Mechanism of protein C dependent clot lysis. Role of plasminogen activator inhibitor. Blood, 68: 1218.
- Sakurai, T., Yanagisawa, M. and Mosaki, T. (1992):** Molecular characterization of endothelin receptors. Trends Pharmacol Sci, 13 : 103-8.
- Salom, M.G. Lahera, V. Romero, J.c (1991):** Role of prostaglandins and endothelium-derived relaxing factor on the renal response to acetylcholine. Am. J. Physiol; 260 : F145 - F149.
- Salvemini, D.; Masini, E.; Anggard, E.E. Mannainoni, P.F. and Vane, J. (1990):** Synthesis of a nitric oxide like factor from L-arginine of rat serosal mast cells, stimulation of guanylate cyclase and inhibition of platelet aggregation. Biochem. Biophys. Res. Commun., 169 : 596 - 601.
- Sarman B; Toth M; Somogyi A (1997):** Endothelin-1 and its role in diabetes mellitus. Orv. Hetil, 138(45): 2877 – 81.

- Sarman B; Toth M; Somogyi A (1998):** Role of endothelin-1 in diabetes mellitus. *Diabetes Metab, jun, Rev*, 14(2): 171-5.
- Sawamura T, Kimura S and Shinmi O, (1989):** Analysis of endothelin related peptides in culture supernatant of porcine aortic endothelial cells: Evidence for biosynthetic pathway of endothelin-1 *Biochem. Biophys Res. Commun.*, 126: 1287 – 1294.
- Schiebinger, R.J. and Greening, K.M. (1992):** Interaction between stretch and hormonally stimulated atrial natriuretic peptide secretion *Am. J. Physiol*, 262: H 78 - H83.
- Schmidt, HHW, Warner, T.D, Ishii, K, Sheng, H. and Murad, F. (1992):** Insulin secretion from pancreatic B cells caused by L-arginine derived nitrogen oxides. *Science*, 255: 721 - 23.
- Sensi N; Pricci F; Andreani D and Marrio U., (1991):** Advanced non enzymatic glycation end products (AGE): Their relevance to aging and the pathogenesis of late diagnosis of Diabetic complications; *Diabetes Res*:16: 1-9.
- Sessa, W.C.; ;Pritchard, K.; Seyedi, N.; Wang, J. and Hintze, T.H. (1994):** Chronic exercise in dogs increases coronary vascular nitric oxide production and endothelial nitric oxide synthase gene expression. *Circ. Res.*; 74 : 349 - 53.
- Shakhmalova – MSH, Shestakova-MV; Chaugunova-LA (1996):** Vasoactive factors of the vascular endothelium in patients with non-insulin dependent diabetes mellitus and kidney involvement: *Dedov-II, Ter-Ark* –; 68(6): 43 – 6.
- Sharma, AC; Fogelson, BG; Nawas, SI; Vigneswaran, WT; Sam, AD; Alden, KJ; Ferguson, JL; Law-WR(1999):** Elevated coronary

endothelin-1 but not nitric oxide in diabetics during CABG: *Ann, Thorac, Surg.*; Jun; 2nd, 67(6): 1659 – 63.

Shikini, K, and Okada, D. (1991): Endogenous nitric oxide release required for long-term synaptic depression in the cerebellum. *Nature*, 349 : 326 - 28.

Siegier, R.L., Edwin, S.S. and Christoffersn, R.D., Mitchell, M.D. (1991): Endothelin in the urine of children with hemolytic uremia syndrome. *Ped*, 88: 1663 - 5.

Simonson, M.S. and Dumn, M.J. (1991): Endothelin, a family of regulatory peptide. *Hypertension* 17 (Supl): 856 - 863.

Siren, A.L. and Feuerstein, G. (1989): Haemodynamic effects of endothelin after systemic and central nervous system administration in the conious rat. *Neuropeptides*, 14: 231 - 6.

Smith, J.A.; Henderson, A.H. and Randall, M.D. (1994): "Endothelium derived relaxing factor, prostanoids and endothelin". In: "Homeostasis and thrombosis" 3rd ed., By All Bloom Forber, CD.; Thomas, D.P. and Tuddenham, E.G.D. (editors), Churchill livingstone, Edinburgh, PP. 183 - 197.

Sobenin IA, Tertov VV, Orekhov (1996): An. Atherogenic modified LDL in diabetes. *Diabetes*; 45 (Suppl 3): S35 - S39.

Sower, J.R., Standley, P.R., Ram, J.L. (1993): Hyperinsulinemia, insulin resistance and hyperglycemia: contributing factors in the pathogenesis of hypertension and atherosclerosis. *Am. J. Hypertension* 6, 260, S-270, S.

Sprague, R. Thiemermann, C. and Vane, J.R. (1992): Endogenous endothelium derived relaxing factor opposes hypoxic pulmonary

vasoconstriction and supports blood flow to hypoxic alveoli in anaesthetized rabbits. *Proc. Natl Acad. Sci, USA.* 89: 8711 - 15

Stadtman- TC, (1957): Methodes in Enzymology, Vol. III, Colowick, SP and Caplan, NO (Eds). Academy Press, New York, NY, PP. 392 – 394, 678 – 681.

Stamler, J.S.; Simon, D.I.; Obsourne, J.A.;; Mullins, M.E.; ;Karaki, O.; Michle, T.; Singal. D.J. and Loscalzo, J. (1992): S-nitrosylation of proteins with nitric oxide: S-nitrosylation of proteins with nitric oxide: Synthesis and character" ization of biological active compounds. *Proc. Natl. Acad. Sci.* 89: 444 - 48.

Stark, M.E. and Szurszewski, J.H. (1992): Role of nitric oxide in gastrointestinal and hepatic function and diseases *Gastroenterology*, 103: 1928 - 1949.

Staunter, J.S.; Jaraki, O.; Obsbourn, J.A. Simon, D.I.; Keany, J.; Vita, J.; Singeh, D. Valeria, D.C. and Loscalzo, J. (1992): Nitric oxide circulates in mammalian plasma primarily as an S-nitroso adduct of serum albumin. *Proc. Natl. Acad. Sci. USA*, 89: 76674 - 77.

Stefanovic-Racic, M.; Sadler,J.; Georgescu, H.I. and Evans, C.H. (1992): Down-regulation of nitric oxide synthesis by cyclic nucleotides. *Biology of Nitric Oxide*. Edited by S. Moncada, M.A. Marletta, J.B. Hibbs, Colechester, U.K.; Porthand,"Press Ltd.Res. Soc. 17:228.

Stomler, J.S.; Loh, E.; Roddy, M.A.; Currie, K.E. and Creager, M.A. (1994): Nitric oxide regulate basal systemic and pulmonary vascular resistance in healthy humans. *Circulation.* 89: 2035 - 2040.

- Sudo, N., Kamoi, K., Ishibashi, M., Yamnaji (1993):** Plasma endothelin-1 and big endothelin-1 levels in women with preeclampsia. *Acta-Endocrinol. Copenh;* Aug; 129 (2): 114 - 20.
- Sullivan-ME; Thompson. CS; Dashwood, MR; Khan, MA; Heremy. JY; Morgan, RJ; Mikhailidis DP (1999):** Nitric oxide and penile erection: is erectile dysfunction another manifestation of vascular disease: *cardiovasc-Res.* Aug 15; 43(3): 6558 – 65.
- Suzuki, N. Matsumoto H and Miyauehri, T. (1990):** Endothelin-3 concentrations in human plasma: the increased concentrations in patients undergoing haemolysis. *Biochem Biophys Res. Commun.* 169: 809 - 15.
- Suzuki, N. Matsumoto H., Kitada, C., Masaki, T. and Fujino, M. (1989):** A sensitive sandwich enzyme immunoassay for human endothelin. *J. Immunol. Meth.*, 118: 245 - 250.
- Syvanne M, Ahola I, Llahdenpera S (1995):** High -density lipoprotein subfractions in non-insulin dependent diabetes mellitus and coronary artery diseases. *J Lipid Res;* 36: :573 - 582.
- Syvanne M, Castro G, Dengremont C (1996):** Cholesterol efflux from Fu 5AH hepatoma cells induced by plasma of subjects with or without coronary artery disease and non-insulin-dependent diabetes: importance of LpA-I: A-II particles and phospholipid transfer protein. *Athgerosclerosis;* 127: 245 - 253.
- Tajiri, K. Miyakawa, H.; Izumi, N, Marumo, F. and Sato, C. (1995):** Systemic hypertension and diuresis by L-arginine in cirrhotic patients with ascites: Role of Nitric Oxide. *Hepatology,* 22: 1430 - 35.

- Takeda, Y.; Miyamori, I.; Yoneda, T. and Takeda, R. (1991):** Production of endothelin-1 from the mesenteric arteries of streptozotocin-induced diabetic rats. *Life Sci.*, 48: 2553 – 2556.
- Tesfamariam, B. and Cohen, R.A. (1992):** Free radicals mediate endothelial cell dysfunction caused by elevated glucose. *Am. J. Physiol.*, 26 (heart Circ. Physiol.) H 321 - H326.
- Tesfamariam, B.; Brown, M.L. and Cohen, R.A. (1991):** Elevated glucose impairs endothelium - dependent relaxation by activating protein kinase C. *J. Clin. Invest.*, 87: 1643 - 1648.
- Teuscher, Au; Lerch, M; Shaw, S; Pacini, G; Ferrari, P; Weidmann, P (1998):** Endothelin – 1 infusion inhibits plasma insulin responsiveness in normal men: *J-Hypertens. Sep*; 16(9): 1279 – 84.
- Theodorsson-Norheim-E; Hemin-A; Brodin-E and Lundberg-JM., (1987):** Handling and pre-analytic treatment of samples when analyzing regulatory peptides: *Life SC*: 41: 845-848.
- Thiemermann, C.; Szabo, C.; Mitchell, J.A. and Vane, J.R. (1993):** Vascular hyporeactivity to vasoconstrictor agents and haemodynamic decompensation in haemorrhagic shock is mediated by nitric. *Proc. Natl. Acad. Sci, USA*, 90 : 267 - 71.
- Titterney LM; Mc Phee SJ and Papadakis MA., (1995):** DM and hypoglycemia: *Current medical diagnosis and treatment*; 34th ed., 1004.
- Tietz, NW, Textbook of clinical chemistry, W.B. Saunders Co., Philadelphia, PA (1994):** P 1531 (utility of creatinine), PP 54 – 55 (techniques and procedures to minimize laboratory infections), and PP 58 – 69 (Specimen collection and storage recommendations).

Tiffany, TO; Morton-Zm; Hall-Em; Garrett, AD (1974): Jr. Clinical evaluation of kinetic enzymatic fixed time and integral analysis of serum triglycerides, chem.; 20 : 476.

Tilton, R.G.; Chang, K.; Hasan, K.S.; ;Smith, S.R.;; Petrash, J.M.; Misko, T.P.; Moore, W.M.; Currie, M.G.;; Corbett, J.A. and McDaniel, M.L. (1993): Prevention of diabetic vascular dysfunction by guanidines. Inhibition of nitric oxide synthase versus advanced glycation end-product formation. Diabetes, 42(2): 221 - 32.

Torffuit-O; Edvinsson-L (1997): Blockade of nitric oxide decreases the renal vasodilatory effect of neuropeptide Y in insulin – treated diabetic rat: pflugers – Arch.; Aug; 434(4): 445 – 50.

Turner, NC; Morgan, PJ; Haynes, AC; Vidgeon, Heart M; Toseland N; Clapham JC (1997): Elevated renal endothelin-1 clearance and mRNA levels associated with albuminuria and nephropathy in non-insulin dependent diabetes mellitus: Studies in obese fa/fa Zucker rats: Clin-Sci-Colch. Dec; 93(6): 565 – 71.

UKPDS. (1998): Intensive blood-glucose control with sulphonylureas or insulin compared with sulphonylureas or insulin compared with conventional treatment and risk of complications in patients with type 2 diabetes (UKPDS 33). Lancet; 352: 837-853

Usuki, S., Saitoh, T., Sawamura, T., Suzuki, N., and Yanagisawa, M. (1990): Increased maternal plasma concentration of endothelin-1 during labor pain or on delivery and the existence of large amount of endothelin-1 in amniotic fluid. Gynecol. Endocrinol, 4: 85 - 97.

Utkan, T; Sariogu, Y; Yildirim. S (1998): Impaired contraction and relaxation in the aorta of streptozotocin-diabetic rats: Pharmacology. Apr.; 56(4): :207 – 15.

- Vaisanen S, Baumstark MW, enttila I (1997):** Small, dense LDL particle concentration correlates with plasminogen activator inhibitor type1 (PAI-1) activity. *Thromb Haemost* 1997; ;78: 1495 - 1499.
- Vallance, P. and Moncada, S. (1994):** Nitric oxide-from mediator to medicines. *JR Coll phys. Lond.*, 28: 209 – 219.
- Vallance, P.; Leone, A.; Calver, A.; Collier, J. and Moncada, S. (1992):** Accumulation of an endogenous inhibition of nitric oxide synthesis in chronic renal failure. *Lancet*, 339 : 272 - 575.
- Van-den; Elzen, H.J., Wladimiroff, J.W., Cohen-Overbeek, T.E. and Bruijn, A.J. (1996):** Serum lipids in early pregnancy and risk of pre-eclampsia. *Br. J. Obstet. Gynecol.* 1996 Feb. 103 (2): 117 - 22.
- Vanderwinden, J.M.; Mailleaux, P.; Schiffmann, S.N. Vandersheghen, J.J. and Delad, M.H. (1992):** Nitric oxide synthase activity infantile hyppertrophic pyloric stenosis. *N. Eng. J. Med.*
- Vane, J.R.; Anggard, E.E.; and Botting, R.M. (1990):** Regulatory function of the vascular endothelium. *N. Engl. J. Med.*, 323 : 27 – 36.
- Vaughan CJ, Murphy MB, Buckley BM. (1996):** Stains do more than just lower cholesterol. *Lancet*; 348: 1079 - 1082.
- Verma, A.; Hirshc, D.J. Glatt, C.E.; Ronnett, G.V.; and Synder, S.H. (1993):** Carbon, monoxide: A putative neural messenger. *Science*, 259: 381 - 84.
- Viberti G; Wiseman MJ; Pinto JR and Messent J., (1994):** DM: Joslin's DM thirteenth edition. Kahn CR and their GC; 638-70.
- Vierhapper, Wagner, O., Nowtny, P., and Waldhasu, L.W. (1990):** Effect of endothelin-1 in man circulation, 18 (4): 1415-1418.

- Vlassara, H.; Bucala, R. and Striker, L. (1994):* Pathogenic effect of advanced glycosylation. Biochemical, biologic and clinical implications for diabetes and aging. Lab. Invest., 70(2): 138 - 151.
- Wagner, D.D. (1990):* Cell biology of von Willebrand factor. Annu. Rev. Cell Biol., 66 : 217.
- Warnick, GR; Benderson V, Albers N (1983):* Selected Methods, Clin Chem. 10: 91 – 99.
- Warpeha – KM; Ah – Fat, F; Harding. S; Patterson – CC, Xu-W; Hart – PM; Chakravarthy-Y; Hyghes – AE (1999):* Dinucleotide repeat polymorphisms in EDN1 and NOS3 are not associated with severe diabetic retinopathy in type 1 or type 2 diabetes: Eye. Apr. 13 (pt2): 174–8.
- Warrens A.N. Cassidy M.J.O., Takahasi M.A., Ghatei S.R. and Blood S.R. (1990):* Endothelin increased by haemodialysis. Nephrol. Dial. Transplant. %: P 418 - 422.
- Waugh C., Dockrell MEC., Haynes WG., Olverman H., Williams BC., Webb DJ. (1992):* The potassium channel opener BRL 3827 inhibits binding of (125I) - labeled endothelin-1 to rat cardiac membranes. Biochem. Biophys. Res. Commun. 185: P 630 –635.
- Weisz, A.; Oguchi, S. Cicatiello, L. and Esumi, H. (1994):* Dual mechanism the control of the inducible type NO synthase gene expression in macrophages during activation by interferon-gamma and bacterial lipopolysaccharide. J. Biol. Chem. 266.
- Wel, X.Q. Charles, I.G.; Smith, A.; Ure, J. Feng, G.J.; Huarrry, F.P. and Xu, D. (1995):* Altered immune responses in ice lacking inducible nitric oxide synthasee. Nature, 375 : 408 - 417.

- Wennmalm, A. (1994):** Endothelial nitric oxide and cardiovascular diseases. *J. Intern. Med.*, 235(4): 317 – 27.
- White, K.A. and Marletta, M.A. (1992):** Nitric oxide synthase is a cytochrome P-450 type hemoprotein. *Biochemistry* 31 : 6627 - 6631.
- Wigert, A.; Higa, E.M.S.; Neiderberger, M.; McMurty, I, Raynolds, M. and Schrier, R.W. (1995):** Expression and preferential inhibition of inducible nitric oxide synthase in aortas of endotoxaemic rats. *J. Am. Soc. Nephrol.*, 5 : 2067 - 72.
- William G., Haynes and Webb, D.J. (1993):** The endothelin family of peptides: local hormones with diverse roles in health and disease? *Clinical Science*, 84, 485 - 500.
- Williams, M.A., Zingheim, R.W., King, I.B., Zebelman, A.M. Omega, Z (1995):** Fatty acids in maternal erythrocytes and risk of pre-eclampsia. *Epidemiology*; May, 6(3): 232 - 7.
- Williamson, J.R.; Chang, K. and Frangos, M. (1993):** Hyperglycemia "Pseudohypoxia" and diabetic complications. *Diabetes*, 42: 801 - 813.
- Wing RR; Blair EH; Bononi P; Marcus MD; Watanabe R and Bergman RN., (1994):** Caloric restriction per se is a significant factor in improvement in glycemic control and insulin sensitivity during weight in obese NIDDM patients. *Diabetes care* 17: 30-36.
- Woodman, OL (1999):** Approaches to the prevention of coronary vascular dysfunction caused by myocardial ischaemia and reperfusion: *Curr – Pharm – Des.* Dec; 5 (12): 1077 – 87.
- Wright, C.L.; Rees, D.D. and Moncada, S. (1992):** Protective and pathophysiological roles of nitric oxide in endotoxin shock. *Shock. Cardiovasc. Res.*, 26 : 48 - 57.

Yanagisawa, M., Kurihara, H. and Kimuras, S. (1988): A novel potent vasoconstrictor peptide produced by vascular endothelial cells. *Nature*, 332: 411 - 5.

Yanagisawa, M., Akihiro, I., and Ishikawa (1990): Primary structure, synthesis and biological activity of rat endothelin and endothelium derived vasoconstrictor peptide. *Proc. Nat. Acad. Sci., USA*, 85: 6964 - 6956.

Yoshida H, Ishikawa T, Kahamura H. (1997): Vitamin E/lipid peroxide ratio and susceptibility of LDL to oxidative modification in non-insulin-dependent diabetes mellitus. *Arterioscler Thromb Vasc Biol*; 17: 1438 - 1446.

Yoshizawa T., Shinmi O., Giaid A. (1991): Endothelin a novel peptide in the posterior pituitary system. *Science (Washington DC)* 247: P 462 - 466.

Yui, Y.; Hattori, R.; Kosuga, K.; Eizawa, H.; K.; Ohkawa, S.; Ohmishi, K.; Teeraro, S. and Kawai, C. (1991): Calmodulin-independent nitric oxide synthase from rat polymorphonuclear neutrophils. *J. Biol. Chem.* 266 : 3369 - 3371.

Zbroch, E; Malyszko, J; Mysliwiec M (1999): New concepts in the pathogenesis of essential hypertension : *Prezegl Lek.*; 56 (4): 281 – 5.

Zhag, S.H., Yang, M.G., Qiu, X.H. (1994): Plasma endothelin level in patients with pregnancy induced hypertension and its correlation with atrial natriuretic peptide. *Chung Hua Fu Chang Ko Tsa Chih* 1994, Nov; 29(11): 645 - 7, 697.

Zimmerman, G.A.; McIntyre, I.M.; Mehra, M. and Prescott, S.M. (1990): Endothelial cell associated platelet activating factor. A novel mechanism for signaling intercellular adhesion. J. Cell. Biol., 110 : 529.

Zimmet PZ and Kelly West., (1992): Challenge in diabetes epidemiology from west to rest. Diabetes care: 15: 232-252.

Zimmet PZ; Tuomi T; Makcay R; Rowley MJ; Knowles W; Cohen M and Lang DA., (1994): Latent autoimmune diabetes mellitus in adults (LADA): The role of antibodies to glutamic acid decarboxylase in diagnosis and predication of insulin dependency. Diabetes Med., 11: 299-303.

Ziyadeh, F.N.; Sinipes, E.F.; Watanabe, M.; Alvarez, R.J.; Gold Rarb, S. and Haverty, T.P. (1990): High glucose induces cells hypertrophy and stimulates collagen gene transcription in proximal tubule. Am. J. Pphysiol., 254 : F 704.

Zorumsik, C.F. and Igumi, Y. (1993): Nitric oxide and hippocampal synaptic plasticity. Biochem. Pharmacol., 46: 777 - 85.