

References

1. Abramowitz MD, Oh TH, Epstein BS et al: The antiemetic effect of droperidol following outpatient strabismus surgery in children. *Anesthesiology* 59:579, 1983.
2. Kuhls E, Gauntlett IS, Lau M et al: Effect of increased intra-abdominal pressure on hepatic extraction and clearance of fentanyl in neonatal lambs. *J Pharmacol Exp Ther* 274:115, 1995.
3. Krane EJ, Haberkern CM, Jacobson LE: Postoperative apnea, bradycardia, and oxygen desaturation in formerly premature infants: Prospective comparison of spinal and general anesthesia. *Anesth Analg* 80:7, 1995.
4. Alderson PJ, Lerman J. Oral premedication for paediatric ambulatory anaesthesia: A comparison of midazolam and ketamine. *Can J Anaesth* 41:221, 1994.
5. Allen GC, Cattrain CB, Peterson RG, et al: Plasma levels of dantrolene following oral administration in malignant hyperthermia-susceptible patients. *Anesthesiology* 67:900-904, 1988.
6. Anand KJS, Hickey PR: Halothane-morphine compared with high-dose sufentanil for anesthesia and postoperative analgesia in neonatal cardiac surgery. *N Engl J Med* 326:1, 1992.
7. Anand KJS, Sippell WG, And Aynsley-Green A: Randomised trial of fentanyl anesthesia in preterm neonates undergoing surgery: effects on the stress response, *Lancet* 1:243, 1987.
8. Anand KJS, Sippell WG, Schofield NM et al: Does halothane anaesthesia decrease the metabolic and endocrine stress responses of newborn infants undergoing operation? *Br Med J* 296:668, 1988.
9. Andrews JJ: Inhaled anesthetic delivery system. In: Miller RD (ed): *Anesthesia* 5th ed., Ch.7, Churchill-Livingstone, 2000.
10. Anthonisen NR, Danson J, Robertson PC et al: Airway closure as a function of age. *Respir Physiol* 8:58, 1969.

11. Arcilla RA, Oh W, Wallgren G et al: Quantitative studies of the human neonatal circulation. II. Hemodynamic findings in early and late clamping of the umbilical cord *Acta Paediatr Scand Suppl* 179:23, 1967.
12. Armstrong PJ, Bersten A: Normeperidine toxicity. *Anesth Analg* 65:536, 1986.
13. Arthur DS: Pediatric anesthesia and intensive care. In: Aitkenhead AR, Smith G (eds): *Textbook of Anesthesia*, 3rd ed., ch. 33, New York, Churchill-Livingstone, 1996.
14. Ashburn MA, Streisand JB, Tarver SD et al: Oral transmucosal fentanyl citrate for premedication in paediatric outpatients. *Can J Anaesth* 37:857, 1990.
15. Ayre P: Anesthesia for hare lip and cleft palate operations in babies, *Br J Surg* 25:131, 1937.
16. Azick NS, Vacanti JP, Lillehei CW et al: Fetal diaphragmatic hernia: ultrasound diagnosis and clinical outcome in 38 cases, *J Pediatr Surg* 24:654, 1989.
17. Bain JA, Spoerel WE: A streamlined anaesthetic system. *Can Anaesth Soc J* 19:426, 1972.
18. Batton DG, Roberts C, Trese M, Maisels MJ: Severe retinopathy of prematurity and steroid exposure. *Pediatrics* 90:534, 1992.
19. Baxter PJ, Kharasch ED: Rehydration of desiccated Baralyme prevents carbon monoxide formation from desflurane in an anesthesia machine. *Anesthesiology* 86:1061, 1997.
20. Beebe DS, Beck D, Belani KG: Comparison of the flow rates of central venous catheters designed for rapid transfusion in infants and small children. *Paediatr Anaesth* 5:35, 1995.
21. Bennett EJ, Daugherty MJ, Bowyer DE et al: Pancuronium bromide: experience in 100 pediatric patients, *Anesth Analg* 50:798, 1971.
22. Berry FA, Gregory GA: Do premature infants require anesthesia for surgery? *Anesthesiology* 67:291, 1987.

23. Berry FA: Anesthesia for genitourinary anesthesia. In Gregory GA (ed): *Pediatric Anesthesia*, 3rd ed, p 587. New York, Churchill Livingstone, 1994.
24. Berry FA: Neonatal anesthesia. In: Barash PG et al (eds): *Clinical Anesthesia*, 3rd ed., ch. 43, Lippincott-Raven Publisher, Philadelphia, 1996.
25. Besunder JB, Reed MD, Blumer JL: Principles of drug biodisposition in the neonate. II. A critical evaluation of the pharmacokinetic-pharmacodynamic interface. *Clin Pharmacokinet* 14:261, 1988.
26. Bhavani-Shankar, Moseley H, Kumar AY et al: Capnometry and anesthesia. *Can J Anaesth* 39:617-32, 1992.
27. Bikhazi BG, Davies PJ: Anesthesia for neonates and premature infants. In Motoyama EK, Davies PJ (eds): *Smith's anesthesia for infants and children*, St Louis, Mosby-Year Book, 1990.
28. Bingol N, Fuchs M, Diaz V et al: Teratogenicity of cocaine in humans. *J Pediatr* 110:93, 1987.
29. Bjorkman S, Gabrielsson J, Quaynor H et al: Pharmacokinetics of i.v. and rectal methohexitone in children. *Br J Anaesth* 59 :1541, 1987.
30. Black AE, Hatch DJ, and Nauth-Misir N: Complications of nasotracheal intubation in neonates, infants, and children: a review of 4 years' experience in a children's hospital, *Br J Anaesth* 65:461, 1990.
31. Borgeat A, Popovic V, Meier D et al: Comparison of propofol and thiopental / halothane for short-duration ENT surgical procedures in children, *Anaesth Analg* 71:511, 1990.
32. Brandom BW, Cook DR, Woelfel SK et al: Atracurium infusion requirements in children during halothane, isoflurane, and narcotic anesthesia, *Anaesth Analg* 64:471, 1985.
33. Brett CM, Fisher DM: Thiopental dose-response relations in unpremedicated infants, children, and adults. *Anesth Analg* 66:1024, 1987.
34. Britt BA: Temperature regulation. In Gregory GA (ed) *Pediatric anesthesia*, 2nd ed., New York, Churchill-Livingstone, 1989.
35. Broadman LM, Rice LJ: Neural blockade for pediatric surgery. In: Cousins MJ, Bridenbaugh PO (eds): *Neural Blockade in Clinical*

- Anesthesia and Management of Pain*, 3rd ed. Philadelphia, JB Lippincott, 1996.
36. Brown BR Jr, Gandolfi AJ: Adverse effects of volatile anesthetics. *Br J Anaesth* 59:14, 1987.
 37. Buhner M, Maitre PO, Crevoisier C et al: Electroencephalographic effects of benzodiazepines. II. Pharmacodynamic modeling of the electroencephalographic effects of midazolam and diazepam. *Clin Pharmacol Ther* 48:555, 1990.
 38. Cabal LA, Siassi B, Artal R et al: Cardiovascular and catecholamine changes after administration of pancuronium in distressed neonates, *Pediatrics* 75:284, 1985.
 39. Cabanac M: Temperature regulation, *Ann Rev Physiol* 37:415, 1975.
 40. Caplan RA, Vistica MF, Posner KL et al: Adverse anesthetic outcomes arising from gas delivery equipment. *Anesthesiology* 87:741-748, 1997.
 41. Carroll JB: Increased incidence of masseter spasm in children with strabismus anesthetized with halothane and succinylcholine. *Anesthesiology* 67:559, 1987.
 42. Carson IW, Moore J, Balmer JP et al: Laryngeal competence with ketamine and other drugs. *Anesthesiology* 38:128, 1973.
 43. Charlton AJ: The management of congenital diaphragmatic hernia without ECMO. *Paediatr Anaesth* 3:201, 1993.
 44. Charney EB, Rorke LB, Sutton LN et al: Management of Chiari II complications in infants with myelomeningitis, *J Pediatr* 111:364, 1987.
 45. Charney EB, Rorke LB, Sutton LN et al: Management of Chiari II complications in infants with myelomeningocele, *J Pediatr* 111:364, 1987.
 46. Chodoff P, Helrich M: Factors affecting pediatric endotracheal tube size: a statistical analysis, *Anesthesiology* 28:779, 1967.
 47. Cioaca R, Canavea I: Oral transmucosal ketamine: An effective premedication in children. *Paediatr Anaesth* 6:361, 1996.
 48. Clyman RI, Mauray F, Heymann MA et al: Influence of increased pulmonary vascular pressures on the closure of the ductus arteriosus in newborn lambs, *Pediatr Res* 36:25, 1989.

49. Committee on Drugs American Academy of Pediatrics: Alternate routes of drug administration: Advantages and disadvantages. *Pediatrics* 100:143, 1997.
50. Cook DR, Westman HR, Rosenfeld L et al: Pulmonary edema in infants: possible association with intramuscular succinylcholine, *Anesth Analg* 60:220, 1981.
51. Côté CJ, Liu LM, Szyfelbein SK et al: Intraoperative events diagnosed by expired carbon dioxide monitoring in children. *Can Anaesth Soc J* 33:315, 1986.
52. Côté CJ, Todres ID: The pediatric airway. In Côté CJ, Ryan JF, Todres ID et al (eds): *A Practice of Anesthesia for Infants and Children*. Philadelphia, WB Saunders, p 55, 1992.
53. Côté CJ: Changing concepts in preoperative medication and "NPO" status of the pediatric patient. In Barash PG (ed): *ASA Refresher Courses in Anesthesiology*. Philadelphia, Lippincott-Raven, p 101, 1994.
54. Côté CJ: Induction techniques in pediatric anesthesia. In Barash P (ed): *ASA Refresher Courses in Anesthesiology* 17:43, 1989.
55. Côté CJ: NPO after midnight for children: A reappraisal. *Anesthesiology* 72:589, 1990.
56. Côté CJ: Pediatric anesthesia. In: Miller RD (ed): *Anesthesia* 5th ed., Ch.59, Churchill-Livingstone, 2000.
57. Cote Côté CJ, Goudsouzian NG, Liu LMP et al: Assessment of risk factors related to the acid aspiration syndrome in pediatric patients: Gastric pH and residual volume. *Anesthesiology* 56:70, 1982.
58. Cowett RM: Pathophysiology, diagnosis, and management of glucose homeostasis in the neonate, *Curr Probl Pediatr* 15:1, 1985.
59. Cray SH, Dixon JL, Heard CM et al: Oral midazolam premedication for paediatric day case patients. *Paediatr Anaesth* 6:265, 1996.
60. Crone RK: Pediatric intensive care. ASA Refresher Courses in *Anesthesiology*, vol 9. Philadelphia, JB Lippincott, 1981.
61. Cronnelly R, Morris RB :Antagonism of neuromuscular blockade, *Br J Anaesth* 54:183, 1982.

62. Cross KW, Tizard JPM, Trythall DAH: The gaseous metabolism of the newborn infant. *Acta Paediatr Scand* 46:265, 1957.
63. Cunliffe M, Lucero VM, McLeod ME et al: Neuromuscular blockade for rapid tracheal intubation in children: comparison of succinylcholine and pancuronium, *Can Anaesth Soc J*, 33:760, 1986.
64. Daniels AL, Coté CJ, Polaner DM: Continuous oxygen saturation monitoring following rectal methohexitone induction in paediatric patients. *Can J Anaesth* 39:27, 1992.
65. Davies G, Reid L: Growth of the alveoli and pulmonary arteries in childhood. *Thorax* 25:669, 1970.
66. Davis PJ, Tome JA, McGowan FX et al: Preanesthetic medication with intranasal midazolam for brief pediatric surgical procedures. *Anesthesiology* 82:2, 1995.
67. Dawes GS, Mott JC, Widicombe JG: Closure of the foramen ovale in newborn lambs. *J Physiol (Lond)* 128:384, 1955.
68. Dierdorf SF, McNiece WL, Rao CC et al: Failure of succinylcholine to alter plasma potassium in children with myelomeningocele, *Anesthesiology* 64:272, 1986.
69. Donovan KD et al: *Crit Care Med* 14:1038, 1986.
70. Dorsch JA, Dorsch SE: The breathing system II. The Mapleson systems. In Dorsch JA, Dorsch SE (eds): *Understanding Anesthesia Equipment*, 2nd ed. Baltimore, Williams & Wilkins, pp 182–196, 1984.
71. Durant NN, Katz RL: Suxamethonium, *Br J Anesth* 54:195, 1982.
72. Eckenhoff JE: Some anatomic considerations of the infant larynx influencing endotracheal anesthesia. *Anesthesiology* 12:401, 1951.
73. Eger EI II, Ethans CT: The effects of inflow, overflow and valve placement on economy of the circle system. *Anesthesiology* 29:93, 1968.

74. Eger EI II: Anesthetic systems: Construction and function. In Eger EI II (ed): *Anesthetic Uptake and Action*. Baltimore, Williams & Wilkins, p 206, 1974.
75. Ellis DG, Jakymec A, Kaplan RM et al: Guided orotracheal intubation in the operating room using a lighted stylet: a comparison with direct laryngoscopy technique, *Anesthesiology* 64:823, 1986.
76. Engstrom W, Lindham S, and Schofield P: Wiedemann-Beckwith syndrome, *Eur J pediatr* 147:450, 1988.
77. Epstein RH, Mendel HG, Witkowski TA et al: The safety and efficacy of oral transmucosal fentanyl citrate for preoperative sedation in young children. *Anesth Analg* 83:1200, 1996.
78. Fang ZX, Eger EI II, Laster MJ et al: Carbon monoxide production from degradation of desflurane, enflurane, isoflurane, halothane, and sevoflurane by soda lime and Baralyme. *Anesth Analg* 80:1187, 1995.
79. Feld LH, Champeau MW, van Steennis CA et al: Preanesthetic medication in children: A comparison of oral transmucosal fentanyl citrate versus placebo. *Anesthesiology* 71:374, 1989.
80. Fell D: The practical conduct of anesthesia. In: Aitkenhead AR, Smith G (eds): *Textbook of Anesthesia*, 3rd ed., ch.19, New York, Churchill-Livingstone, 1996.
81. Filston HC, Rankin JS, and Grimm JK: Esophageal atresia: prognostic factors and contribution of preoperative telescopic endoscopy, *Ann Surg* 199:532, 1984.
82. Fisher DM, Canfell PC, Fahey MR et al: Elimination of atracurium in humans: contribution of Hofmann elimination and ester hydrolysis versus organ-based elimination, *Anaesthesiology* 65:6, 1986.
83. Fisher DM, Miller RD: Neuromuscular effects of vecuronium (ORG NC45) in infants and children during N₂O, halothane anesthesia, *Anesthesiology* 58:519, 1983.
84. Fisher DM, O'Keefe C, Stanski DR, et al: Pharmacokinetics and pharmacodynamics of *d*-tubocurarine in infants, children, and adults. *Anesthesiology* 57:203, 1982.

85. Flynn JT, Bancalari E, Snyder ES et al: A cohort study of transcutaneous oxygen tension and the incidence and severity of retinopathy of prematurity. *N Engl J Med* 326:1050, 1992.
86. Flynn JT: Oxygen and retrolental fibroplasia: Update and challenge. *Anesthesiology* 60:397, 1984.
87. Forbes RB, Vandewalker GE: Comparison of two and ten percent rectal methohexitone for induction of anesthesia in children, *Can J Anaesth* 345:35, 1988.
88. Friedman WF, George BL: Treatment of congestive heart failure by altering loading conditions of the heart. *J Pediatr* 106:697, 1985.
89. Friesen RH, Henry DB: Cardiovascular changes in preterm neonates receiving isoflurane, halothane, fentanyl, and ketamine. *Anesthesiology* 64:238, 1986.
90. Friesen RH, Lichtor JL: Cardiovascular depression during halothane anesthesia in infants: Study of three induction techniques. *Anesth Analg* 61:42, 1982.
91. Friis-Hansen B: Body composition during growth :*In vivo* measurements and biochemical data correlated to differential anatomical growth. *Pediatrics* 47:264, 1971.
92. Froese AB, Rose DK: A detailed analysis of T-piece systems. In Steward DJ (ed): *Some Aspects of Paediatric Anaesthesia*. Elsevier North-Holland Biomedical Press, 1982, pp 101-136, WO/200/M751/V.10/ 1982.
93. Fujiwara T, Konishi M, Chida S: Surfactant replacement therapy with a single postventilatory dose of a reconstituted bovine surfactant in preterm neonates with respiratory distress syndrome: Final analysis of a multicenter, double-blind, randomized trial and comparison with similar trials. *Pediatrics* 86:753, 1990.
94. Garner L, Stirt JA, Finholt DA: Heart block after intravenous lidocaine in an infant. *Can Anaesth Soc* 32:425, 1985.
95. Gentile R, Stevenson G, Dooley T et al: Non-invasive determination of time of ductal closure in normal newborn infants. *Pediatr Cardiol* 1:177, 1979.

96. Gibson DL, Sheps SB, Hong S et al: Retinopathy of prematurity-induced blindness: Birth weight-specific survival and the new epidemic. *Pediatrics* 86:405, 1990.
97. Goldsmith DI: Clinical and laboratory evaluation of renal function. In Edelman CM Jr (ed): *Pediatric Kidney Disease*. Boston, Little, Brown, p 213, 1978.
98. Goresky GV, Koren G, Sabourin MA et al: The pharmacokinetics of alfentanil in children. *Anesthesiology* 67:654, 1987.
99. Goudsouzian NG, Crone RD, and Todres ID: Recovery from pancuronium blockade in the neonatal intensive care unit, *Br J Anaesth* 53:1303, 1981.
100. Goudsouzian NG, Ryan JF, and Savarese JJ: The neuromuscular effects of pancuronium in infants and children, *Anesthesiology* 41:95, 1974.
101. Goudsouzian NG, Young ET, Moss J et al: Histamine release during the administration of atracurium or vecuronium in children, *Br J Anaesth* 58:1229, 1986.
102. Goudsouzian NG: Atracurium infusion in infants, *Anesthesiology* 68:267, 1988.
103. Greeley WJ, de Bruijn NP: Changes in sufentanil pharmacokinetics within the neonatal period. *Anesth Analg* 67:86, 1988.
104. Greenwood RD, Rosenthal A, Nadas AS: Cardiac anomalies associated with congenital diaphragmatic hernia. *Pediatrics* 57:92, 1976.
105. Greenwood RD, Rosenthal A: Cardiovascular malformations associated with tracheoesophageal fistula and esophageal atresia. *Pediatrics* 57:87, 1976.
106. Gregory GA, Steward DJ: Life-threatening perioperative apnea in the "ex-premie." *Anesthesiology* 59:495, 1983.
107. Gregory GA: *The Anesthesiologist, Mother & Newborn*. Baltimore, Williams & Wilkins, 1974.
108. Grosfeld JL, Weber TR: Congenital abdominal wall defects: Gastroschisis and omphalocele. *Curr Probl Surg* 19:158, 1982.
109. Hackl W, Mauritz M, et al: Anesthesia in malignant hyperthermia susceptible patients without dantrolene prophylaxis: A report of 30 cases. *Acta Anesthesiol Scand* 34:534-537, 1990.

110. Hagen PT, Scholz DG, Edwards WD: Incidence and size of patent foramen ovale during the first 10 decades of life: An autopsy study of 965 normal hearts. *Mayo Clin Proc* 59:17, 1984.
111. Haites NE et al : *Br Heart J* 53 :123, 1985.
112. Hannallah RS, Britton JT, Schafer PG et al: Propofol anaesthesia in paediatric ambulatory patients: A comparison with thiopentone and halothane. *Can J Anaesth* 41:12, 1994.
113. Hansel H: Thermoreceptors, *Am Rev Physiol* 36:233, 1974.
114. Harrison VL et al: *Anesth. Intensive Care*, 13:32, 1985.
115. Hatch D. J. and Chakrabarti M. K. et al. *Br. J. Anaesth.* 62:262, 1990.
116. Hatch DJ: Pediatric anesthesia. In: Nimmo WS, Smith G, (eds): *Anesthesia*, ch.34, 1989.
117. Haugen SE, Linker D, Eik-Nes S et al: Congenital diaphragmatic hernia: Determination of the optimal time for operation by echocardiographic monitoring of the pulmonary arterial pressure. *J Pediatr Surg* 26:560, 1991.
118. Hertzka RE, Gauntlett IS, Fisher DM et al: Fentanyl-induced ventilatory depression: Effects of age. *Anesthesiology* 70:213, 1989.
119. Himms-Hagen J: Cellular thermogenesis. *Annu Rev Physiol* 38 :315, 1976.
120. Hislop A, Beid L: Pulmonary arterial development during childhood: Branching pattern and structure. *Thorax* 28:129, 1973.
121. Holloway AM, Jordaan DG, and Brock-Utne JG: Midazolam for the IV induction of anesthesia in children, *Anaesth Intensive Care* 10:340, 1982.
122. Holmes SJK, Kiely EM, Spitz L: Tracheoesophageal fistula and respiratory distress syndrome. *Pediatr Surg Int* 2:16, 1987.
123. Houck CS, Berde CB, Anand KJS: Pediatric pain management. In: Gregory GA (ed): *Pediatric Anesthesia*, 3rd ed., p 743. New York, Churchill Livingstone, 1994.

124. Iberti TJ, Lieber CE, Benjamin E: Determination of intra-abdominal pressure using a transurethral bladder catheter: Clinical validation of the technique. *Anesthesiology* 70:47, 1989.
125. Idvall J, Holasek J, and Stenberg P: rectal ketamine for induction of anesthesia in children. *Anesthesia* 38:60, 1983.
126. Jones RDM, Visram AR, Kornberg JP et al: Premedication with oral midazolam in children—an assessment of psychomotor function, anxiolysis, sedation and pharmacokinetics. *Anaesth Intensive Care* 22:539, 1994.
127. Kain ZN, Gaal DJ, Kain TS et al: A first-pass cost analysis of propofol versus barbiturates for children undergoing magnetic resonance imaging. *Anesth Analg* 79:1102, 1994.
128. Karamanoukian HL, Glick PL, Zayek M et al: Inhaled nitric oxide in congenital hypoplasia of the lungs due to diaphragmatic hernia or oligohydramnios. *Pediatrics* 94:715, 1994.
129. Karl HW, Keifer AT, Rosenberger JL et al: Comparison of the safety and efficacy of intranasal midazolam or sufentanil for preinduction of anesthesia in pediatric patients. *Anesthesiology* 76:209, 1992.
130. Karl HW, Swedlow DB, Lee KW et al: Epinephrine-halothane interactions in children. *Anesthesiology* 58:142, 1983.
131. Kattwinkel J, Brooks J, Myerberg D: Positioning and SIDS: AAP Task Force on Infant Positioning and SIDS. *Pediatrics* 89:1120, 1992.
132. Keenan RL, Shapiro JH, Dawson K: Frequency of anesthetic cardiac arrests in infants: Effect of pediatric anesthesiologists. *J Clin Anesth* 3:433, 1991.
133. Keenan RL, Shapiro JH, Kane FR et al: Bradycardia during anesthesia in infants: An epidemiologic study. *Anesthesiology* 80:976, 1994.
134. Keens TG, Bryan AC, Levison H et al: Developmental pattern of muscle fiber types in human ventilatory muscles. *J Appl Physiol* 44:909, 1978.
135. Kenna JG, Neuberger J, Mieli-Vergani G et al: Halothane hepatitis in children. *Br Med J* 294:1209, 1987.
136. Keyes MA: Perioperative fluid therapy for the pediatric patient. *Semin Anesth* 11:252, 1992.

137. Khalil SM, Florence FB, Van den Nieuwenhuyzen MCO et al: Rectal methohexital: concentration and length of rectal catheters *Anesth Analg* 70:645, 1990.
138. Kliegman RM: Neonatal necrotizing enterocolitis: Bridging the basic science with the clinical disease. *J Pediatr* 117:833, 1990.
139. Klotz U, Avant GR, Hoyumpa A et al: The effects of age and liver disease on the disposition and elimination of diazepam in adult man. *J Clin Invest* 55:347, 1975.
140. Knill RL, Clement JL: Site of selective action of halothane on the peripheral chemoreflex pathways in humans. *Anesthesiology* 61:121, 1984.
141. Kopman AF: The current status of edrophonium: have we come "full circle"? *Can J Anesth* 38:145, 1991.
142. Kosloske AM: Pathogenesis and prevention of necrotizing enterocolitis: A hypothesis based on personal observation and a review of the literature. *Pediatrics* 74:1086, 1984.
143. Krane EJ, Haberkern CM, Jacobson LE: Postoperative apnea, bradycardia, and oxygen desaturation in formerly premature infants: Prospective comparison of spinal and general anesthesia. *Anesth Analg* 80:7, 1995.
144. Kuhls E, Gauntlett IS, Lau M et al: Effect of increased intra-abdominal pressure on hepatic extraction and clearance of fentanyl in neonatal lambs. *J Pharmacol Exp Ther* 274:115, 1995.
145. Kupferberg HJ, Way HJ: Pharmacologic basis for the increased sensitivity of the newborn to morphine. *J Pharmacol Exp Ther* 141:105, 1963.
146. Kurth CD, Spitzer AR, Broennle AM et al: Postoperative apnea in former premature infants. *Anesthesiology* 66:483, 1987.
147. Kurth CD: Postoperative arterial oxygen saturation: What to expect. *Anesth Analg* 80:1, 1995.
148. Lam HS: *Can J Anaesth* 34:S232, 1987.

149. Lerman J, Schmitt-Bantel BI, Gregory GA et al: Effect of age on the solubility of volatile anesthetics in human tissues. *Anesthesiology* 65:307, 1986.
150. Lerman J: Are antiemetics cost-effective for children? *Can J Anaesth* 42:263, 1995.
151. Litman RS, Wu CL, Lee A, Griswold JD et al: Prevention of emesis after strabismus repair in children: A prospective, double-blinded, randomized comparison of droperidol versus ondansetron. *J Clin Anesth* 7:58, 1995.
152. Litman RS, Wu CL, Quinlivan JK: Gastric volume and pH in infants fed clear liquids and breast milk prior to surgery. *Anesth Analg* 79:482, 1994.
153. Littleford JA, Patel LR, Bose D et al: Masseter spasm in children: Implication of continuing the triggering anesthetic. *Anesth Analg* 72:151-160, 1991.
154. Liu LMP, Cote Coté CJ, Goudsouzian NG et al: Life-threatening apnea in infants recovering from anesthesia. *Anesthesiology* 59:506, 1983.
155. Liu LMP, DeCook TH, Goudsouzian NG et al: Dose response to intramuscular succinylcholine in children. *Anesthesiology* 55:599, 1981.
156. Liu LMP, Goudsouzian NG, Liu P: Rectal methohexital premedication in children: A dose comparison study. *Anesthesiology* 53:343, 1980.
157. Louhimo I, Lindahl H: Esophageal atresia: Primary results of 500 consecutively treated patients. *J Pediatr Surg* 18:217, 1983.
158. Lugo G, Cassady G: Intrauterine growth retardation: Clinicopathologic findings in 233 consecutive infants. *Am J Obstet Gynecol* 109:615, 1971.
159. Luscher TF: Endothelium-derived nitric oxide: The endogenous nitrovasodilator in the human cardiovascular system. *Eur Heart J* 12 (suppl E):2, 1991.
160. Maekawa N, Mikawa K, Yaku H et al: Effects of 2-, 4- and 12-hour fasting intervals on preoperative gastric fluid pH and volume, and plasma glucose and lipid homeostasis in children. *Acta Anaesthesiol Scand* 37:783, 1993.
161. Malinovsky JM, Cozian A, Lepage JY et al: Ketamine and midazolam neurotoxicity in the rabbit. *Anesthesiology* 75:91, 1991.

162. Mapleson WW: The elimination of rebreathing in various semiclosed anaesthetic systems. *Br J Anaesth* 26:323, 1954.
163. Markakis DA, Sayson SC, Schreiner MS: Insertion of the laryngeal mask airway in awake infants with the Robin sequence. *Anesth Analg* 75:822, 1992.
164. Martin LD: Anesthetic implications of an upper respiratory infection in children. *Pediatr Clin North Am* 41:121, 1994.
165. Mason LJ, Betts EK: Leg lift and maximum inspiratory force, clinical signs of neuromuscular blockade reversal in neonates and infants. *Anesthesiology* 52:441, 1980.
166. Mazze RI: Intralingual succinylcholine administration in children: An alternative to intravenous and intramuscular routes? *Anesth Analg* 47:605, 1968.
167. McGinn G, Haynes SR, Morton NS: An evaluation of the laryngeal mask airway during routine paediatric anaesthesia. *Paediatr Anaesth* 3:23, 1993.
168. McGraw T: Preparing children for the operating room: psychological issues. *Can J Anaesth* 41:1094, 1994.
169. Meakin G, McKiernan EP, Morris P et al: Dose-response curves for suxamethonium in neonates, infants, and children, *Br J Anaesth* 62:655, 1989.
170. Meistelman C, Agoston S, Kersten UW et al: Pharmacokinetics and pharmacodynamics of vecuronium and pancuronium in anesthetized children, *Anaesth Analg* 65:1319, 1986.
171. Meistelman C, Saint-Maurice C, Lepaul M et al: A comparison of alfentanil pharmacokinetics in children and adults. *Anesthesiology* 66:13, 1987.
172. Melman E, Pennelas J, Maruffo J: Regional anesthesia in children. *Anesth Analg* 54:387, 1975.
173. Meretoja OA, Taivainen T, Wirtavuori K: Cisatracurium during halothane and balanced anaesthesia in children. *Paediatr Anaesth* 6:373, 1996.

174. Meretoja OA, Wirtavuori K, and Neuvonen PJ: Age-dependence of the dose-response curve of vecuronium in pediatric patients during balanced anesthesia, *Anesth Analg* 67:21, 1988.
175. Meretoja OA: Vecuronium infusion requirements in pediatric patients during fentanyl-N₂O-O₂ anesthesia. *Anesth Analg* 68:20, 1989.
176. Meuldermans W, Van Peer A, Hendrickx J et al: Alfentanil pharmacokinetics and metabolism in humans. *Anesthesiology* 69:527, 1988.
177. Michel PA, Fronefield HP: *Anesthesiology* 62:213, 1985.
178. Miller BR, Friesen RH: Oral atropine premedication in infants attenuates cardiovascular depression during halothane anesthesia. *Anesth Analg* 67:180, 1988.
179. Miller MJ, Carlo WA, Strohl KP et al: Effect of maturation on oral breathing in sleeping premature infants. *J Pediatr* 109:515, 1986.
180. Miller RD, Way WL, Hamilton WK et al: succinylcholine-induced hyperkalemia in patients with renal failure. *Anesthesiology* 36:138, 1972.
181. Montgomery CJ, Steward DJ: A comparative evaluation of intubating doses of atracurium, d-tubocurarine, pancuronium, and vecuronium in children, *Can J Anaesth* 35:36, 1988.
182. Morgan GE, Mikhail MS: Airway management. *Clinical Anesthesiology*, 2nd ed., vol.2, ch. 5, USA, 1996.
183. Morgan GE, Mikhail MS: Pediatric anesthesia. *Clinical Anesthesiology*, 2nd ed., vol.2, ch. 44, USA, 1996.
184. Morselli PL, Principi N, Tognoni G et al: Diazepam elimination in premature and full-term infants and children. *J Perinat Med* 1:133, 1973 .
185. Motoyama EK: Respiratory physiology. In Cook DR, Marcy JH, (eds): *Neonatal anesthesia*, Pasadena, Appleton Davies, 1988.
186. Moyers J: A nomenclature for methods of inhalation anesthesia. *Anesthesiology* 14:609, 1953.
187. Mulroy JJ, Lynn AM: The medical evaluation of pediatric patients. *Semin Anesth* 11:200, 1992.

188. Murray D, Vandewalker G, Matherne GP et al: Pulsed Doppler and two-dimensional echocardiography: Comparison of halothane and isoflurane on cardiac function in infants and small children. *Anesthesiology* 67:211, 1987.
189. Mushin WW, Jones PL: *Physics for the Anaesthetist*, 4th ed., p 375, Boston, Blackwell Scientific, 1987.
190. Naito Y, Tamai S, Shingu K et al: Comparison between sevoflurane and halothane for paediatric ambulatory anaesthesia. *Br J Anaesth* 67 :387, 1991.
191. Nelson NM, Prod'hom LS, Cherry RB et al: A further extension of the in vivo oxygen-dissociation curve for the blood of the newborn infant. *J Clin Invest* 43:606, 1964.
192. Noe DA: Neonatal hypocalcemia and related conditions, *Clin Lab Med* 1:227, 1981.
193. Noetzel MJ: Myelomeningitis: current concepts of management, *Clin Perinatol* 16:311, 1989.
194. Nugent SK, Laravuso R, and Rogers MC: Pharmacology and use of muscle relaxants in infants and children, *J Pediatr* 94:481, 1973.
195. O'Rourke PP, Crone RK: The respiratory system. In Gregory G (ed): *Pediatric Anesthesia*, 2nd ed., New York, Churchill Livingstone, p 63, 1989.
196. O'Connor JP, Ramsay JG, Wynands JE et al: The incidence of myocardial ischemia during anesthesia for coronary artery bypass surgery in patients receiving pancuronium or vecuronium, *Anesthesiology* 70:230, 1989.
197. Olkkola KT, Aranko K, Luurila H et al: A potentially hazardous interaction between erythromycin and midazolam. *Clin Pharmacol Ther* 53:298, 1993.
198. Orlowski JP: Cerebrospinal fluid endorphins and the infant apnea syndrome. *Pediatrics* 78:233, 1986.
199. Pang LM, Mellins RB: Neonatal cardiorespiratory physiology, *Anaesthesiology* 43:171, 1975.

200. Peterson DR, Sabotta EE, Daling JR: Infant mortality among subsequent siblings of infants who died of sudden infant death syndrome. *Pediatrics* 108:911, 1986.
201. Pethick SL: Letter to the editor. *Can Anaesth Soc J* 22:115, 1975.
202. Phelps DL: Retinopathy of prematurity. *N Engl J Med* 326:1078, 1992.
202. Phillips S, Daborn AK, Hatch DJ: Preoperative fasting for paediatric anaesthesia. *Br J Anaesth* 73 :529, 1994.
203. Pittet J-F, Tassonyi E, Morel DR et al: Neuromuscular effect of pipecuronium bromide in infants and children during nitrous oxide-alfentanil anesthesia. *Anesthesiology* 72:432, 1990.
204. Pokela ML, Olkkola KT, Koivisto M et al: Pharmacokinetics and pharmacodynamics of intravenous meperidine in neonates and infants. *Clin Pharmacol Ther* 52:342, 1992.
205. Preston RA, Csontos ER, East KA et al: Plasma fentanyl concentrations after oral transmucosal fentanyl citrate: Children versus adults. *Anesthesiology* 79:A370, 1993.
206. Puri P, Guiney EJ, O'Donnell B: Inguinal hernia in infants: The fate of the testis following incarceration. *J Pediatr Surg* 19:44, 1984.
207. Rapisardi G, Donzelli GP, Frosini R, Campa L: Arterial catheters and retinopathy of prematurity risk: Need for a multicenter controlled trial (letter). *Pediatrics* 92:740, 1993.
208. Reed MD, Besunder JB :Developmental pharmacology: Ontogenic basis of drug disposition. *Pediatr Clin North Am* 36:1053, 1989.
209. Rees GJ: Anesthesia in the newborn. *Br Med J* 2:1419, 1950.
210. Rescorla FJ, Grosfeld JL: Inguinal hernia repair in the perinatal period and early infancy: Clinical considerations. *J Pediatr Surg* 19:832, 1984.
211. Reynolds LM, Lau M, Brown R et al: Intramuscular rocuronium in infants and children: Dose-ranging and tracheal intubating conditions. *Anesthesiology* 85:231, 1996.

212. Rice LJ, Baker SB: Congenital diaphragmatic hernia: Does extracorporeal membrane oxygenation (ECMO) improve survival? *Paediatr Anaesth* 3:205, 1993.
213. Rice LJ, Cravero J: Pediatric anesthesia. In Barash PG et al (eds): *Clinical Anesthesia*, 3rd ed., ch. 44, Lippincott-Raven Publisher, Philadelphia, 1996.
214. Rieger A, Schroter G, Philippi W et al: A comparison of sevoflurane with halothane in outpatient adenotomy in children with mild upper respiratory tract infections. *J Clin Anesth* 8:188, 1996.
215. Rita A: Pediatric anesthesia. In: Duke J (ed): *Anesthetic Secrets*, 2nd ed., ch.60, Philadelphia, 2000.
216. Roa TLK, Madhavareddy S, Chinthagada M et al: Metoclopramide and cimetidine to reduce gastric fluid pH and volume, *Anesthesiology* 63:1014, 1984.
217. Robinson S, Gregory GA: Fentanyl-air-oxygen anesthesia for ligation of patent ductus arteriosus in preterm infants, *Anesth Analg* 60:331, 1981.
218. Rockoff MA, Goudsouzian NG: Seizures induced by methohexital. *Anesthesiology* 54:333, 1981.
219. Rolf N, Coté CJ: Incidence of real and false positive capnography and pulse oximetry a 199. Keenan RL, Shapiro JH, Kane FR et al: Bradycardia during anesthesia in infants: An epidemiologic study. *Anesthesiology* 80:976, 1994.
220. Rolf N, Coté CJ: Persistent cardiac arrhythmias in pediatric patients: Effects of age, expired carbon dioxide values, depth of anesthesia, and airway management. *Anest h Analg* 73:720, 1991.
221. Rose DK, Froese AB: The regulation of PaCO₂ during controlled ventilation of children with a T-piece. *Can Anaesth Soc J* 26:104-113, 1979.
222. Rudolph AM, Heymann MA: Circulatory changes with growth in the fetal lamb. *Circ Res* 26:298, 1970.

223. Runkle B, Bancalari E: Acute cardiopulmonary effects of pancuronium bromide in mechanically ventilated newborn infants *J pediatr* 104:614, 1984.
224. Rushman GB, Davies NJH, Cashman JN: Dictionary of key points about rare diseases. *Lee's Synopsis of Anesthesia*, 12th ed., vol. 2, p. 353, 1999.
225. Rushman GB, Davies NJH, Cashman JN: Pediatric anesthesia, *Lee's Synopsis of Anesthesia*, 12th ed., vol. 2, 1999.
226. Rutledge ML, Hawkins EP, and Langston C: Skeletal muscle growth failure induced in premature newborn infants by prolonged pancuronium treatment *J Pediatr* 109:883, 1986.
227. Sadler TW: *Langmans Medical Embryology*. 5th ed., Baltimore, Williams&Wilkins, 1985.
228. Sarner JB, Brandom BW, Woelfel SK et al: Clinical pharmacology of mivacurium chloride (BW B1090U) in children during nitrous oxide-halothane and nitrous oxide-narcotic anesthesia, *Anesth Analg* 68:116, 1989.
229. Sarner JB, Levine M, Davis PJ et al: Clinical characteristics of sevoflurane in children: A comparison with halothane. *Anesthesiology* 82:38, 1995.
230. Schieber RA: Cardiovascular physiology of the fetus and newborn. In Cook DR, Marcy JH (eds) *Neonatal anesthesia*, Pasadena, Appleton Davis, 1988.
231. Schreiner MS, Nicolson SC, Martin T, Whitney L: Should children drink before discharge from day surgery? *Anesthesiology* 76:528, 1992.
232. Schuster AH, Nanda NC: *Am J Cardiol* 53:257, 1984.
233. Schutzman SA, Burg J, Liebelt E et al: Oral transmucosal fentanyl citrate for premedication of children undergoing laceration repair. *Ann Emerg Med* 24:1059, 1994.
234. Schwartz MZ, Tyson KR, Milliorn K et al: Staged reduction using a Silastic sac is the treatment of choice for large congenital abdominal wall defects, *J Pediatr Surg* 18:713, 1983.
235. Severinghaus JW, Kelleher JF: Recent developments in pulse oximetry. *Anesthesiology* 76:1018-38, 1992.

236. Severinghaus JW, Naifeh KH, Koh SO: Errors in 14 pulse oximeters during profound hypoxia. *J Clin Monit* 5:72, 1989.
237. Shannon DC, Kelly DH, O'Connell K: Abnormal regulation of ventilation in infants at risk of sudden-infant-death syndrome. *N Engl J Med* 297:747, 1977.
238. Sieber FE, Traystman RJ: Special issues :Glucose and the brain. *Crit Care Med* 20:104, 1992.
239. Singleton MA, Rosen JI, Fisher DM: Plasma concentrations of fentanyl in infants, children and adults. *Can J Anaesth* 34:152, 1987.
240. Smiley RM: An overview of induction and emergence characteristics of desflurane in pediatric, adult, and geriatric patients. *Anesth Analg* 75(suppl):S38, 1992.
241. Smith CA, Nelson NM: *The Physiology of the Newborn Infant*, 4th ed., Springfield, Ill, Charles C Thomas, 1976.
242. Smith DW: *Recognizable patterns of human malformation: genetic, embryologic, and clinical aspects*, 2nd ed., Philadelphia, WB Saunders, 1976.
243. Spear RM, Yaster M, Berkowitz ID et al: Preinduction of anesthesia in children with rectally administered midazolam. *Anesthesiology* 74:670, 1991.
244. Starr NJ, Sethna DH, Estafanous FG: Bradycardia and asystole following the rapid administration of sufentanil with vecuronium. *Anesthesiology* 64:521, 1986.
245. Steward DJ: Is there a risk of general anesthesia triggering SIDS? Possibly not! *Anesthesiology* 63:326, 1985.
246. Steward DJ: Screening test before surgery in children. *Can J Anaesth* 38:693, 1991.
247. Stoelting RK, Miller RD: Pediatrics. *Basics of Anesthesia*, 3rd ed., ch.26, 1994.
248. Stoelting RK, Miller RD: Pediatrics. *Basics of Anesthesia*, 4th ed., ch.27, 2000.

249. Stone DJ, Gal TJ: Airway management. In: Miller RD ed.: *Anesthesia*, 5th ed., Ch.39, Churchill-Livingstone, 2000.
250. Sury MR, Black A, Hemington L et al: A comparison of the recovery characteristics of sevoflurane and halothane in children. *Anaesthesia* 51:543, 1996.
251. Sykes MK: Rebreathing circuits: A review. *Br J Anaesth* 40 :666, 1968.
252. Tobias JD, Martin LD, Wetzel RC: Ketamine by continuous infusion for sedation in pediatric intensive care unit, *Crit Care Med* 18:819,1990.
253. Vacanti JP, Crone RK, Murphy JD et al: The pulmonary hemodynamic response to perioperative anesthesia in the treatment of high-risk infants with congenital diaphragmatic hernia, *J Pediatr Surg* 19:672, 1984.
254. Van der Spek AF, Fang WB, Ashton-Miller JA et al: The effects of succinylcholine on mouth opening. *Anesthesiology* 67:459, 1987.
255. Vater M: Monitoring during anesthesia. In: Aitkenhead AR, Smith G (eds): *Textbook of Anesthesia*, 3rd ed., ch. 20, NewYork, Churchill-Livingstone, 1996.
256. Wakerlin G, Larson CP: *Jnr Anesth Analg* 70:119, 1990.
257. Wandrup J: Critical analytical and clinical aspects of ionized calcium in neonates, *Clin Chem* 35:2027, 1989.
258. Watcha MF, Bras PJ, Cieslak GD, Pennant JH: The dose-response relationship of ondansetron in preventing postoperative emesis in pediatric patients undergoing ambulatory surgery. *Anesthesiology* 82:47, 1995.
259. Watcha MF, Simeon RM, White PF: Effect of propofol on the incidence of postoperative vomiting after strabismus surgery in pediatric outpatients. *Anesthesiology* 75:204, 1991.
260. Waxman K, Shoemaker WC, and Lipmann M: Cardiovascular effects of anesthetic induction with ketamine, *Anesth Analg* 59:355, 1980.
261. Way WL, Costley EC, Way EI: Respiratory sensitivity of the newborn infant to meperidine and morphine. *Clin Pharmacol Ther* 6:454, 1965.