

References

References

1. Abboud TK, Dror A, Mosaad P,(1988): Mini-dose intrathecal Morphine for the relief of post-Cesarean section pain: safety efficacy, and ventilatory responses to dioxide. *Anesth Analg*;67:137-143.
2. Abouleish A, Camann W, Holden D,(1994): Antinociceptive interaction between intrathecal sufentanil and epidural bupivacaine: additivity or synergism ? { abstract }. *Anesthesiology*;81:A1144.
3. Ackerman W, Juncja M, Kaczorowski D, Colclough G.A (1989) : Comparison of the incidence of pruritus following epidural opioid administration in the parturients. *Can J Anaesth*;36:388-391.
4. Alahuhta S, Kangas-Saarela T, Hollmen AI, Edström HH.(1990) : Visceral pain during caesarean section under spinal and epidural anaesthesia with bupivacaine. *Acta Anaesthesiol Scand*;34:95-98.
5. Albers LL, Aderson D, Cragin L,(1997): The relationship of ambulation in labor to operative delivery. *J Nurse Midwif* ;42:4-8.
6. Arandia HY, Patil VU(1987) : Glottic closure following large doses of fentanyl. *Anesthesiology* 66:5/4,.
7. Arguelles JE, (1979) : Intrabiliary pressure changes produced by narcotic drugs and in-halation anesthetics in guinea pig. *Anesth Analg* 58:120-125.
8. Armstrong, P.J. (1989) : Unilateral subarachnoid anesthesia. *Anesthesia* 44: pp918 – 919
9. Arner S, Rawal N, Gustafsson LL. (1988): Clinical experience of long-term treatment with epidural and intrathecal opioids – a nationwide survey. *Acta Anaesthesiol Scand*; 32:253-259.
10. Arner S, Meyerson BA. (1988): Lack of analgesic effects of opioids on neuropathic and idio-pathic forms of pain. *Pain* 33:11-15.
11. Askitopoulou H, (1985) : Acute tolerance to fentanyl during anesthesia in dogs. *Anesthesiology* 63:255-259.
12. Austin KL, Stapleton JV, Mather LE. (1980): Relationship between blood meperidine concentrations and analgesic response – a preliminary report. *Anesthesiology* 53: 460-466

13. **B.B. Lee, W.D. Ngan Kee, V.Y.S. Hung and E.L. Wang (1999)** Combined spinal-epidural analgesia in labour: comparison of two doses of intrathecal bupivacaine with fentanyl. *Br J Anaesthesia* 1983: 868-871.
14. **Bailey PL,(1985):** Anesthetic induction with fentanyl. *Anesth Analg* 64:48-54.
15. **Bailey PL, Rhondeau S, Schafer PG,(1993)** Dose-response pharmacology of intrathecal morphine in human volunteers. *Anesthesiology*; 79:49-59.
16. **Ballantrayne IC, Loach AB, Carr DB. (1988):** Itching after epidural and spinal opiates. *Pain*:33:149-160.
17. **Ballar S, Toaff ME, Toaff R . (1976) :** Effects of intravenous meperidine and meperidine with promethazine on uterine activity and fetal heart rate during labor. *Israel J Med Sci* 12:1141-1143.
18. **Benlabeled M, Dreizzen E, Ecoffey C, Escourrou P, Migdal M, Gaultier C. (1990):** Neonatal patterns of breathing after cesarean section with or without epidural fentanyl. *Anesthesiology*; 73:1111-1113.
19. **Benthuyssen JL, et al. (1986):** Physiology of alfentanil induced rigidity. *Anesthesiology* 64:440-447.
20. **Bernards, C. M. and H. F. Hill (1991):** The spinal nerve root sleeve is not a preferred route for redistribution of drugs from the epidural space to the spinal cord. *Anesthesiology* 75:827-832.
21. **Bernards, C. M. and L. S. Sorkin (1994):** Radicular artery blood flow does not redistribute fentanyl from the epidural space to the spinal cord. *Anesthesiology* 80: 872-878.
22. **Bernards, C. and H. Hill. (1992):** physical and chemical properties of drug molecules governing their diffusion through the spinal meninges. *Anesthesiology* 77:750-756.
23. **Bernards, C. M. and H. F. Hill (1990):** Morphine and alfentanil permeability through the spinal dura, arachnoid, and pia mater of dogs and monkeys. *Anesthesiology* 73:1214-1219.

24. **Bernards, C.M. and L.S. Sorkin. (1994):** Radicular artery blood flow does not redistribute fentanyl from the epidural space to the spinal cord. *Anesthesiology* 80: 872-878.
25. **Bernton EW, Long JB, Holaday JW. (1985) :** Opioids and neuropeptides: mechanisms in circulatory shock. *Fed Proc* 44:290.
26. **Bjorkman S, (1990):** Comparative tissue concentration – profiles of fentanyl and alfentanil in man predicted from tissue-to blood partition data obtained in rats. *Anesthesiology* 72:865-871.
27. **Blomberg R. (1986):** The dorsomedian connective tissue band in the lumbar epidural space of human. *Anesth. Analg. (Cleveland)* 65:pp747-752.
28. **Bonica, J.J. (1979) :** Peripheral mechanisms and pathways of parturition pain. *Br. J. Anaesth.*, 5 : 3-9 .
29. **Bonica, JJ, Chadwick HS. (1989) :** Labour pain. In Wall PD, Melzack R, editors: *Textbook of Pain*. New York, Churchill Livingstone, 760.
30. **Bovill JG,(1995) :** Influence of high-dose alfentanil anesthesia on the EEG: correlation with plasma concentrations. *Br J Anaesth* 55:89-95.
31. **Bovill JG,(1984):** The pharmacokinetics of sufentanil in surgical patients. *Anesthesiology* 61:502-508.
32. **Bowdle TA, Rooke GA. (1949):** Posttremor myoclonus and rigidity after anesthesia with opioids *Anesth Analg.* 78:783-786.
33. **Bower S, Hull CJ.(1982):** Comparative pharmacokinetics of fentanyl and alfentanil. *Br Anaesth* 54:871-879.
34. **Campbell DC, Banner R, Crone L-A, Grose - Hickman W, Yip RW. (1997):** Addition of epinephrine to intrathecal bupivacaine and sufentanil for ambulatory labor analgesia. *ANESTHESIOLOGY*; 86:515-531.
35. **Campbell DC, Camann WR, Datta S.(1995):** The addition of bupivacaine to intrathecal sufentanil for labor analgesia. *Anesth Analg*; 81: 305-309.
36. **Cascio M, Pygon B, Bennett C, Ramanathan S. Labour.(1997):** Analgesia with intrathecal fentanyl decreases maternal stress. *Can J Anaesth*; 44:605-609.

37. **Castle WM, Jukes AJ, Griffiths CJ, (1992):** Safety of clonidine. *Eur J Anaesthesiology*. 6:63-66.
38. **Chambers, W.A. (1993) :** Anatomy of the spine, in *Regional Anaesthesia*, 2nd Ed Widsmith, J.A.W. and Armbrage, E.N.(eds) Churchill Livingstone. Edinburgh, pp77-85
39. **Chaney MA. (1994):** Pulse oximetry during conscious sedation (Letter) *JAMA*; 271:429.
40. **Cheek TG, Gtsche BB, Gaise RR. (1995):** The pain of childbirth and its effect on mother and fetus. In: Chestnut DH, ed. *Obstetric anesthesia*. St. Louis: Mosby-Yearbook,:317.
41. **Chessick KC, Black S, Hoyer SJ.(1975):** Spasm and operative cholangiography. *Arch Surg* 110:53.
42. **Chestnut DH, Vincent RD, McGrath JM, (199):** Does early administration of epidural analgesia affect obstetric outcome in nulliparous women who are receiving intravenous oxytocin? *Anesthesiology*;80:1193-1200.
43. **Christie JM, Meade WR, Markowsky S. (1993):** Paranoid psychosis after intrathecal morphine. *Anesth Analg*; 77:1298-1304.
44. **Christopher M. Viscomi, .M.D., James P. Rathmell M.D. (1997) :** Duration of Intrathecal Labor Analgesia: Early Versus Advanced Labor. *Anesth Analg* 84: 1108-1112.
45. **Cicero Tj, (1975):** Function of the male sex organ in heroin and methadone users. *N Engl J Med* 292 :882.
46. **Clark RB, Beard AG, Barclay DL. (1975):** Naloxone in the newborn infant. *Anesth Rev* (Dec)972.
47. **Clarke VTm Smiley RM, Finster M. (1994) :** Uterine hyperreactivity after intrathecal injection of fentanyl for analgesia during labor: a cause for fetal bradycardia?. (Letter) *Anesthesiology*; 81:1083.
48. **Climie, C.R., (1973):** Consumer satisfaction in the labour ward. *Med. J. Aust.*, 2: 1081.

49. **Cohen SE, Cherry CM, Holbrook RH Jr, (1993):** Intrathecal sufentanil for labor analgesia: sensory changes, side effects, and fetal heart rate changes. *Anesth Analg*. 77:1155-1160.
50. **Cohen SE, Ratner EF, Kreitzman TR, Archer J I, Mignano LR. (1992):** Nalbuphine is better than naloxone for treatment of side effects epidural morphine. *Anesth Analg*; 75:747-752.
51. **Collins, V.J. (1993):** Principles of anesthesiology, 4rd Ed. Lea and Febiger. Philadelphia, Vol. 2: Ch. 54. pp1445-1458.
52. **Collis RE, Davies SW, Aveling W. (1995):** Randomized comparison of combined spinal-epidural and standard epidural analgesia labour. *Lancet*;345:1413-1416.
53. **Cooper DW, Lindsay SL, Ryall DM, (1997):** Does intrathecal fentanyl produce acute cross-tolerance to i.v. morphine?. *Br J Anaesth* 78:311-313.
54. **Costall B, Fortune DH, Naylor RJ.(1978):** Involvement of mesolimbic and extrapyramidal nuclei in the motor depressant action of narcotic drugs. *J Pharm Pharmacol* 30:566.
55. **Courtney MA, Bader AM, Hartwell. (1992):** Perioperative analgesia with subarachnoid sufentanil administration *Reg Anesth*;17 274-278.
56. **Craig M. Palmer, M.D., Gretchen Van Marien M.D., (1999):** Bupivacaine Augments Intrathecal Fentanyl for Labor Analgesia. *Anesthesiology* 91: 84-89
57. **Cynthia A. Wong, M.D., Barbara M. Scavone, M.D., + Mariann Loffredi, M.D., + Alan M. Peaceman, M.D., + Jeanne N. Ganchiff, R.N., M.P.H.S. (2000):** The dose – Response of Intrathecal Sufentanil Added to Bupivacaine for Labor Analgesia. *Anesthesiology* 92:1553-1558.
58. **D'Angelo R, Evan E, Dean LA, Gaver R, Eisenach JC.(1992):** Spinal Clonidine prolongs labor analgesia from spinal sufentanil and bupivacaine. *Anesth Analg*54:573-576.
59. **Dahlgren G, Hultstrand C, Jakobsson J, (1997):** Intrathecal sufentanil, fentanyl, or placebo added to bupivacaine for cesarean section. *Anesth Analg*; 85:1288-1293.

60. **Dershwiz M, (1999):**Comparison of the sedative effects of butorphanol and midazolam. *Anesthesiology* 74:717-722.
61. **Dershwiz M,(1995):** Initial clinical experience with remifentanyl, a new opioid metabolized by esterases. *Anesth Analg* 81:619-625.
62. **Dimsdale JE, Moss J.(1980):** Plasma catecholamines in stress and exercise. *JAMA*; 243:340-342.
63. **Doody, S.B., Smith, C., & Webb, J. (1991):** Nonpharmacologic interventions for pain management. *Critical care Nursing Clinics of North America*, 3(1), 69-75.
64. **Dray A, Metsch R.(1984):** Opioids and central inhibition of urinary bladder motility. *Eur J Pharmacol* 98:155.
65. **Finck AD, Ngai SH.(1982):** Opiate receptor mediation of ketamine analgesia. *Anesthesiology* 56:291-297.
66. **Fine PG, Hare BD.(1985):** The pathways and mechanism of pain and analgesia. A review and clinical perspective. *Hosp Formul* 20:972.
67. **Fish DJ, Rosen SM.(1990):** Epidural opioids as a cause of vertical nystagmus. *Anesthesiology* 73:785-786.
68. **Flacke JW, (1987):** Histamine release by four narcotics: a double-blind study in humans. *Aesth Analg* 66:723-729.
69. **Foss ML, Nelson KE, D'Angelo R, Hood DD, Eisenach JC. (1997) :** Dose response study of intrathecal sufentanil in laboring patients. *ANESTHESIOLOGY*;87(3A):A898.
70. **Frederic J. Mercier, M.D. Mokhtar Dounas, M.D. (1998) :** The Effect of Adding a Minidose of Clonidine to Intrathecal Sufentanil for Labor Analgesia . *Anesthesiology* 89: 594-601.
71. **Fuller JG, McMorland GH, Douglas Palmer L. (1990):** Epidural morphine for analgesia after 32 Caesarean section : report of 4880 patients. *Can J Anaesth*; 37:636-640.
72. **Gal TJ, DiFazio CA. (1986) :** Prolonged antagonism of opioid action with intravenous nalmeferene. *Anesthesiology* 64:175,.

77. **Gonzales JP, Brogden RN.(1982):** Naltrexone: a review of its pharmacodynamic efficacy in the management of opioid dependence. *Drugs* 35:192- 201.
78. **Goromaru T,(1984):** Identification and quantitative determination of fentanyl metabolites in patients by gas chromatography-mass spectrometry. *Anesthesiology* 61:73-79.
79. **Gray, H. (1985) :** Anatomy of the human body, 3rd Ed. Clemente, C.D. (ed). Lea and Febiger, Philadelphia. Quoted from: Collins, V.J. Principles of Anesthesiology, 1993, pp1445-1458
80. **Gueneron JP,(1988):** Effect of naloxone infusion on analgesia and respiratory depression after epidural fentanyl. *Analg* 67:35- 42.
81. **Gunner Dahlgren, M.D., Christer Hultstrand, M.D. (1997) :** Intrathecal Sufentanil, Fentanyl, or Placebo Added to Bupivacaine for Cesarean Section. *Anesth Analg* 85: 1288 – 1293.
82. **Gutier PE, De Kock M, Fanard L, Van Steenberg : A, Hody J-L. (1998) :** Intrathecal clonidine combined with sufentanil for labor analgesia. *ANESTHESIOLOGY*; 88:651-656.
83. **Hamber EA, Viscomi CM. (1999):** Intrathecal lipophilic opioids as adjuncts to surgical spinal anesthesia. *Reg Anesth*;24:255-263.
84. **Hays RL, Palmer CM. (1994):** Respiratory depression after intrathecal sufentanil during labor. *Anesthesiology* 81:511-520.

85. **Henthorn TK, Avram MJ, Krejcie TC. (1989) :** Alfentanil clearance is independent of the polymorphic debrisoquin hydroxylase. *Anesthesiology* 71:635-650.
86. **Hermens JM, (1985):** Comparison of histamine release in human skin mast cells induced by morphine, fentanyl, and oxymorphone. *Anesthesiology* 62:124-130.
87. **Herz A, Teschemacher JH. (1971):** Activities and sites of antinociceptive action of morphine AB, editors: *Advances in* Harper NJ, Simmonds AB, editors: *Advances in drug research*. New York, Academic Press.
88. **Herz, A. and Teschemacher (1971).** Activities and sites of antinociceptive action of morphine-like analgesics and kinetics of distribution following intravenous, intracerebral and intraventricular application. *Advances in Drug Research*. N. Harper and A. Simmonds. London, Academic Press: 79-117.
89. **Honet JE, Arköosh VA, Norris MC, et al. (1992):** Comparison among intrathecal fentanyl, meperidine, and sufentanil for labor analgesia. *Anesth Analg* ;734-9.
90. **Hood DD, Mallak KA, James RL, Tuttle R, Eisenac JC. (1997) :** Enhancement of analgesia from systemic opioid in humans by spinal cholinesterase inhibition. *J Pharmacol Exp Ther*; 282:86-92
91. **Hsu Ho, Hickey Rf, Forbes AR.(1979):** Morphine decreases peripheral vascular resistance and increases capacitance in man, *Anesthesiology* 50:98
92. **Hug CC Jr, Murphy MR. (1979) :** Fentanyl disposition in cerebrospinal fluid and plasma and its relationship to ventilatory depression in the dog, *Anesthesiology* 50:342,-350.
93. **Hug CC Jr, Murphy MR. (1981):** Tissue redistribution of fentanyl and termination of effect in rats, *Anesthesiology* 55:369-372.
94. **Hug CC Jr: Lipid solubility, pharmacokinetics, and the EEG. (1985):** are you better off today than you were four years ago? *Anesthesiology* 62:221-227

95. **Hunt CO, Naluty Js Bader AM, (1989) :** perioperative analgesia with subarachnoid fentanyl: bupivacaine for Cesarean delivery. *Anesthesiology*; 71:535-540.
96. **Inturrisi CE, et al. (1987):** Pharmacokinetics and pharmacodynamics of methadone in patients with chronic pain. *Clin Pharmacol Ther* 41:392-400.
97. **Jaffe RS, Coalson D. (1989):** Recurrent respiratory depression after alfentanil administration. *Anesthesiology* 70:151-156.
98. **Jaffe RS, (1988):** Nalbuphine antagonism of fentanyl-induced ventilatory depression: a randomized trial. *Anesthesiology* 68:254-261
99. **Jeffrey K. Lu, MD, Patrick G. Schafer, MD, Thomas L. (1997):** The Dose-Response Pharmacology of Intrathecal Sufentanil in Female Volunteers. *Anesth Analg* 85: 372-379.
100. **Johanson CE, Yanagita T, editors. (1987):** WHO symposium on drug dependence: benefit/risk ratio assessment of agonist-antagonist analgesics. *Drug Alcohol Dep* 20:289-293.
101. **Jouppila P, Jouppila R, Hollmin A, Koivula A. (1982):** Lumbar epidural analgesia to improve intervillous blood flow during labor in severe preeclampsia. *Obstet Gynecol*; 59: 159-162.
102. **Jouppila, R., and Hollmen, A.(1976) :** The effect of segmental epidural analgesia on maternal and foetal acid-base balance, lactate, serum potassium and creatine phosphokinase during labour. *Acta Anaesthesiol. Scand.*, 20:259-266.
103. **Kafer ER, Brown IT, Scott D,(1983):** Biphasic depression of ventilatory responses to CO_2 following epidural morphine. *Anesthesiology*; 58:418-27.
104. **Kaiko RF,(1985):** Intramuscular meptazinol and morphine in postoperative pain. *Clin Pharmacol Ther* 37:589,
105. **Kenneth E. Nelson, M.D., Robert D'Angelo, M.D., Michael L. Foss, M.D., Greg C. Meister, M.D., + David D.Hood, M.D., James C. Eisenach, M.D.(1999) :** Intrathecal Neostigmine and sufentanil for Early Labor Analgesia. *Anesthesiology* 91:1293 – 1298.

106. **Klepper ID, (1987):** Analgesic and respiratory effects of extradural sufentanil in volunteers and the influence of adrenaline as an adjuvant. *Br J Anaesth* 59:1147.
107. **Korinek AM, Langville M, Bonnet F, (1985):** Effect of postoperative extradural morphine on ADH secretion. *Br J Anaesth*; 57:407-11.
108. **Koski DW, Fraser JG.(1980):** Pruritus following spinal anesthesia. *Anesth Analg*; 59:157-166.
109. **Lambert DH, Hureley RJ, Hertwig L,(1997) :**Role of needle gauge and tip configuration in the production of lumbar puncture headache. *Reg Anesth*,22:66-72.
110. **Lawrence C. Tsen, M.D., Prad Thue, M.D. (1999)** Is Combined Spinal-Epidural Analgesia Associated with More Rapid Cervical Dilation in Nulliparous Patients When Compared with Conventional Epidural Analgesia?. *Anesthesiology*, 91 : 920-925.
111. **Lee HK, Wang SC. (1975):** Mechanism of morphine-induced miosis in the dog. *J Pharmacol Exp Ther* 192:415.
112. **Lefebvre L, Carli G. (1985):** Parturition in non-human primates: Pain and auditory concealment. *Pain* 21:3115-327.
113. **Lefkowitz R, Hoffman B, Taylor P.(1990):** Neurohumoral transmission: the autonomic and somatic motor nervous systems. In: Gilman A, Rall T, Nies A, Palmer T (Eds). *The Pharmacological Basis of therapeutics*, 8th ed. New York: Peramon Press,:102-109.
114. **Levy JH, Rocoff MA.(1982):** Anaphylaxis to mependine. *Anesth Analg* 61:301-306.
115. **Lowenstein E, (1972):** Local and neurally mediated effects of morphine on skeletal muscle vascular resistance *J Pharmacol Exp Ther* 180:359-365.
116. **Lper KA, Ready LB, Dorman BH. (1989):** Prophylactic transdermal scopolamine patches reduce nausea in postoperative patients receiving epidural morphine. *Anesth Analg* ; 68:144-146.

117. Lu JK, Schafer PG, Gardner TL.(1997): The dose-response pharmacology of intrathecal sufentanil in female volunteers. *Anesth Analg*;85:372-379.
118. Lussos SA, Bader AM, Thornhill ML, Datta S.(1992) The antiemetic efficacy and safety of prophylactic metoclopramide for elective cesarean delivery during spinal anesthesia. *Reg Anesth*;17:126-130.
119. Macintosh, R. (1978) : Lumbar puncture and spinal anaesthesia intradural and extradural, 4th Ed. Lee, J.A. and Athinson, R.S. (eds) Churchill Livingstone, London. Quoted from: Collins. V.J. Principles of Anesthesiology 1993, p1448.
120. Malis JL, Rosenthale ME, Gluckman MI. (1975): Animal pharmacology of Wy-16225, a new analgesic agent. *J Pharmacol Exp Ther* 194:488-495.
121. Mandell GL, Jamnbacke L, Ramanatban S. (1996): Hemodynamic effects of subarachnoid fentanyl in laboring parturients. *Reg Anesth*;21:103-111.
122. Marks RM, Sachar EJ. (1973): Undertreatment of medical inpatients with narcotic analgesia. *Ann Int Med* 78:173-180.
123. Mather LE, et al.(1975):Meperidine kinetics in man: intravenous injection in surgical patients and volunteers. *Clin Pharmacol Ther* 17:21-28.
124. Maves Tj, Gebhart GF. (1992): Antinociceptive synergy between intrathecal morphine and lidocaine during visceral and somatic nociception in the rat. *Anesthesiology*.76:91-99.
125. McCaughey HS Jr, Corey EL, Eastwood D, Thornton WN.(1962): Effects of synthetic anesthetics on the spontaneous motility of human uterine muscles in vitro. *Obstet Gynecol*; 19:233-240 .
126. McClain DA, Hug CC Jr. (1980): Intravenous fentanyl kinetics. *Clin Pharmacol Ther* 28:106-112.
127. McClane TK, Martin WR.(1985) : Effects of morphine, nalorphine, cyclazocine and naloxone on the flexor reflex. *Int J Neuropharmacol* 6:89-99,.

128. **Medge D.Owen, M.D., Ozer Ozsarac, M.D., SuKaran Sahin, M.D.** (2000) : Low-dose Clonidine and Neostigmine Prolong the Duration of Intrathecal Bupivacaine-Fentanyl for Labor Analgesia. *Anesthesiology* 92: 361-366.
129. **Melzack R, Wall PD.** (1996): The challenge of pain (2nd ed) London : penguin books. p750.
130. **Mercier FJ, Dounas M, Bouaziz H, Des Mesnards-Smail V, Foiret C, Vestermann MN, Fischler M, Benhamou D.**(1998): The effect of adding a minidose of clonidine to intrathecal sufentanil for labor analgesia. *ANESTHESIOLOGY* 89:594-601.
131. **Milde LN, Milde JH, Gallagher WJ.**(1989) : Cerebral effects of fentanyl in dogs. *Br J Anaesth* 63:710-718.
132. **Mirenda J, Tabatabai M, Wong K:** Delayed and prolonged rigidity greater than 24 hours following high-dose fentanyl anesthesia. *Anesthesiology* 69:624-630.
133. **Morgan M.** (1989): The rational use of intrathecal and extradural opioids. *Br J Anaesth*; 63:165-188.
134. **Morgan.** (1998) : Clinical Anesthesiology. 221-223.
135. **Morrison JC,**(1976): Metabolites of meperidine in the fetal and maternal serum. *Am J Obstet Gynecol* 126:997-1004.
136. **Murkin JM,** (1984): Absence of seizures during induction of anesthesia with high-dose fentanyl. *Anesth Analg* 63:489-493.
137. **Murphy MR, Hug CC Jr, McClain DA.**(1983): Dose- independent pharmacokinetics of fentanyl. *Anesthesiology* 59:537-540.
138. **Murphy MR, Hug CC Jr.** (1982) : The enflurane sparing effect of morphine, butorphanol and nalbuphine. *Anesthesiology* 57 :489-492.
139. **Myers RE.** (1975): Maternal Psychological stress and fetal asphyxia. A study in the monkey. *Am J Obstet Gynecol*;122:47-58.
140. **Nauta, H.J.E.; Dolan, E.; and Yasargil, M.G.** (1983) : Microsurgical anatomy of the spinal subarachnoid space. *Surgical Neurology*. 19: pp431-437.

141. Nelson PS, (1989): Comparison of oral transmucosal fentanyl citrate and oral solution of meperidine, diazepam. And atropine for premedication in children. *Anesthesiology* 70:616-622.
142. Newman LM, Patel RV, Krolick T, Ivankovich AD. (1994): Muscular spasm in the lower limbs of laboring patients after intrathecal administration of epinephrine and sufentanil. *Anesthesiology*.80:468 - 471.
143. Norris MC, Grieco W. Borkowski M, (1994): Complications of labor analgesia: epidural versus combined spinal epidural techniques. *Anesth Analg*;79:529-537.
144. Obstetric analgesia. (1970) : A consideration of labor pain and a patient - controlled technique for its relief with meperidine. *Am J Obstet Gynecol* 106:959-978.
145. Okutani R,(1988) : Effect of hypothermic hemodilutional cardiopulmonary bypass on plasma sufentanil and catecholamine concentrations in humans. *Anesth Analg* 67:667-672.
146. Olsen GD. (1975): Morphine binding to human plasma proteins. *Clin pharmacol Ther* 17:31- 39.
147. Palmer CM, Cork RC, Hays R,(1998) : The dose-response relation of intrathecal fentanyl for labor analgesia. *Anesthesiology*. 88 355-361.
148. Palmer CM, Van Maren G, Nogami WM, Marquez RC, Alves D. (1996): Bupivacaine augments intrathecal fentanyl for labor analgesia. *Reg Anesth*; 21:6-11.
149. Palmer CM, Voulgaropoulos D, Alves D. (1995) : Subarachnoid fentanyl augments lidocaine spinal anesthesia for cesarean delivery. *Reg Anesth*;20:389-394.
150. Palmer CM. (1991): Early respiratory depression following intrathecal fentanyl-morphine combination. *Anesthesiology*; 74:1153-1159.
151. Pan PH, Fragnetto R, Moore C, (1996): Effects of bupivacaine on intrathecal fentanyl for labor analgesia { abstract}. *Anesthesiology*; 85:865-871.

164. Savolaine, E.R.: Pandaya, J.B.: Greenblatt, S.H.; and Conover S.R. (1988) : Anatomy of the human lumbar epidural space. *Anesthesiology* 68:pp217-220.
165. Segal S, Csavoy A, Datta S.(1998): The tocolytic effect of catecholamines in the gravid rat uterus. *Anesth Analg*; 87: 864-869.
166. Shook JE, Watkins WD, Camporesi EM.(1990): Differential roles of opioid receptors in respiration, respiratory disease, and opiate-induced respiratory depression. *Am Rev Respir Dis* ; 142:895-909.
167. Steven M. Dunn, MD, Neil Roy Connelly, MD, Robert B. Steinberg, MD, PhD, Terry J. Lewis, MD, C. Mark Bazzell, MD, Jonathan L. Klatt, MD, and Robert K. Parker, Do. (1998) : Intrathecal Sufentanil Versus Epidural Lidocaine with epinephrine and Sufentanil for Early Labor Analgesia. *Anesth Analg* 87: 331-335.
168. Stienstra R, Pannekoek BJM. (1993): Respiratory arrest following extradural sufentanil. *Anaesthesia*; 48:1055-1056.
169. Taylor, A.G., West, B.A., Simon, B., Skeeton, J & Rowlingson. (1983): How effective is TENS for acute pain ? *American Journal of Nursing*, 83, 1171-1174.
170. Tejawani GA, Rattan AK, McDonald JS.(1992): Role of spinal opioid receptors in the antinociceptive interactions between intrathecal morphine and bupivacaine. *Anesth Analg*;74:726-734.
171. Thomas DA, Williams GM, Iwata K,(1993): The medullary dorsal horn: a site of action of morphine in producing facial scratching in monkeys. *Anesthesiology*:79:548-554.
172. Toren T, Wattwil M.(1988): Effects on gastric emptying of thoracic epidural analgesia with morphine or bupivacaine. *Anesth Analg* ; 67:687-694.
173. Turchaninov R. (1996): Medical Massage (volume 1) phoenix: Aesculapius Books. P514.
174. Ueyama H, Nishimura M, Tashiro C.(1992): Naloxone reversal of nystagmus associated with intrathecal morphine administration (Letter) *Anesthesiology*; 76:153.

175. **Van den Nieuwenhuizen, M.C.,R. Stienstra, et al. (1998):** Alfentanil as an adjuvant to epidural bupivacaine in the management of postoperative pain after laparotomies : lack of evidence of spinal action. *Anesth Analg* 86 (3) : 574-578.
176. **Vertommen JD, Van Aken H, Vandermeulen E, (199):** Maternal and neonatal effects of adding epidural sufentanil to 0.5% bupivacaine for cesarean delivery. *J Clin Anesth* ; 3:371-376.
177. **Vincent RD Jr, Chestnut DH, Choi WW, Ostman P J.G, Bates JN.(1992):** Does epidural fentanyl decrease the efficacy of epidural morphine after cesarean delivery?. *Anesth Analg* ; 74:658-663.
178. **Viscomi CM, Hood DD, Melone PJ, Eisenach JC. (1990):** Fetal heart rate variability after epidural fentanyl during labor. *Anesth Analg*; 71:679-683.
179. **Watcha MF, White PF.(1992):** Postoperative nausea and vomiting: its etiology, treatment and prevention. *Anesthesiology*;77:162-184.
180. **West, J.B. (ed.) (1993) :** Best and Taylor's Physiological Basis of Medical Practice, 11th Ed. Williams and Wilkins, Baltimore Qoted from: Collins.V.J. Principles of Anesthesiology., 93:p1493.
181. **Wolf CJ, Chong M-S.(1993):** Preemptive analgesia-treating postoperative pain by preventing the establishment of central sensitization. *Anesth Analg*;77:36-79.
182. **Zuspan FP, Cibils LA, Pose SV.(1962):** Myometrial and cardiovascular responses to alterations in plasma epinephrine and norepinephrine. *Am J Obstet Gynecol*;81:841-844.