
REFERENCES

- AAP/CPS (2000)** : American Academy of Pediatrics, Canadian Pediatric Society ; Prevention and management of pain and stress in the neonate. *Pediatrics* 105 (2): 454-461.
- Allen J. (1987)** : The thermal environment and human heat exchange. In Ernsting J., King P. editors : *Aviation Medicine*. London. Butterworths.
- Anand K.J. (1998)** : Neonatal analgesia and anesthesia- introduction. *Semin Perinatol.* 22(5): 347-9.
- Andropoulos D.B.; Rowe R.W. and Betts J.M. (1998)** : Anesthetic and surgical airway management during TEF repair. *Ped. Anesth.* 8:4. 313-9.
- Aperia A. and Zetterstorm R. (1982)** : Renal control of fluid homeostasis in the newborn infant. *Clin. Perinatal.* 9: 523.
- Arant B. (1978)** : Developmental patterns of renal function maturation compared to the human neonate. *J. Pediatric.* 92: 750.
- Aun C.S.; Short S.M.; Leung D.H. and Oh T.E. (1992)**: Induction dose-response of propofol in unpremedicated children. *Br. J. Anaesth.* 68: 64.
- Avery M.E. and Mead J. (1989)** : Surface properties in relation to atelectasis and hyaline membrane disease. *Am. J. Dis. Child.* 97: 517.
- Baier R.J.; Hasan S.U.; Cates D.B. and Others (1990)** : Effect of various concentrations of O₂ and umbilical cord occlusion on fetal breathing and behavior. *J. Appl. Physiol.* 68: 1597.
-

- Barash P.G. and Stoelting R.K. (eds) (1997_a)** : Clinical anesthesia, 3rd edition. P. 1091-1105. Philadelphia. Lippincotte-Raven.
- Barash P.G. and Stoelting R.K. (eds) (1997_b)** : Clinical anesthesia, 3rd edition. P. 984-985. Philadelphia. Lippincotte- Raven.
- Beeby P.J. and Jefferey H. (1992)** : Risk factors for nectrotizing enterocolitis : The influence of gestational age. Arch. Dis. Child. 67: 432.
- Berde C.B. and Kain Z.N. (1996)**: Pain management in infants and children. In Motoyama EK, Davis PJ, editors: Smith's anesthesia for infants and children. 6th ed. Mosbey Year Book.
- Berger A.J. (2000)** : Control of breathing. In Murray JF, Nadel JA, Editors. Textbook of respiratory medicine. Philadelphia. WB Saunders Co.
- Berry F.A. (1990)**: Practical aspects of fluid and electrolyte therapy. Anesthetic management of difficult and routine pediatric patients. New York. Churchill livingstone.
- Berry F.A. (1994)**: Anesthesia for genitourinary anesthesia. In Gregory G.A. (ed). Pediatric. Anesthesia 3rd ed., p. 587: New York. Churchill Livingstone.
- Bickler P.E. and Sessler D.I. (1990)** : Efficiency of airway heat and moisture exchanger in anesthetized humans. Anesth. Analg. 71: 415.
- Bikhazi G.B. and Davis P.J. (1996)** : Anesthesia for neonates and premature infants. In Motoyama EK, Davis PJ, editors : Smith's anesthesia for infants and children, 6th ed. Mosbey Year Book.

- Bingol N.; Fuchs M. and Diaz V. (1987) :** Tevatogenecity of cocaine in humans. *J. Pediatr.* 110: 93.
- Bissonnette B. (1993) :** Thermoregulation and pediatric anesthesia. *Curr. Opin. Anesthesiol.* 6: 537-542.
- Bissonnette B. and Davis P.J. (1996):** Physiology and perioperative management in infants and children. In Motoyama EK, Davis PJ editors. *Thermal regulation: Smith's textbook of anesthesia for infants and children.* 6th edition. Mosbey Year Book.
- Bissonnette B. and Sullivan P. (1991):** Pyloric stenosis. *Can. J. Anesth.* 38: 668-76.
- Bogetz M.S. and Katz J.A. (1984) :** Recall of surgery for major trauma, *Anesthesiology.* 61: 6-9.
- Brimacombe J. and Berry A. (1997) :** Cricoid pressure- a review. *Can J. Anesth.* 44: 414-452.
- Broadman L.M. (1996) :** The use of spinal or continuous caudal anesthesia for inguinal hernia repair in premature infants : are there advantages? *Reg. Anesth.* 21: 108-113.
- Bryan A.C. and Wohl M.E. (1986):** Respiratory mechanics in children. In Geiger SR, Macklem PT, Mead J, Fishman AP, editors: *Handbook of physiology* sect 3. The respiratory system. Vol. 3 Mechanics of breathing, part 1. Bethesda. American Physiological Society.
- Bryson H.M. and Faulds D. (1997) :** Cisatracurium Besilate. A review of its pharmacology and clinical potential in anesthetic practice. *Drugs.* 53: 848-866.
- Bucher H.U. (1998) :** Overview of procedural pain management in the newborn. *Research and Clinical Forums* 20(4): 45-52.

- Burrows F.A. (1995) :** Anesthesia for cardiac surgery in neonates and infants. *Adv. Card Surg.* 6: 103-29.
- Casta A. (2000) :** Attempted placement of a thoracic epidural catheter via the caudal route in a newborn. *Anesthesiology* 91: 1965-1966.
- Catlin E.A.; Carpenter M.W. and Brann B.S. (1986):** the APGAR score revisited : influence of congenital disease. *J. Pediatr.* 109: 865.
- Celermajor D.S.; Dollery C.; Burch M. and Deanfield J.E. (1994):** Role of endothelium in the maintenance of low pulmonary vascular tone in normal children. *Circulation.* 89: 2035.
- Cohen I.T. and Motoyama E.K. (1996):** Intraoperative and post operative management. In Motoyama EK, Davis PJ (editors) : *Smith's textbook of anesthesia for infants and children*, 6th edition, Mosbey Year Book.
- Cook D.R.; Davis P.J. and Lerman J. (1996):** Pharmacology of pediatric anesthesia. In Motoyama EK, Davis PJ (editors) : *Smith's Anesthesia for infants and Children*, 6th edition. Mosbey Year Book.
- Costarino A.T. and Baumgart S. (1991):** Neonatal Water Metabolism. In Cowet RM, (editor). *Principles of perinatal-neonatal metabolism.* New York Springer- Verlag.
- Cote C.J. (1989):** Induction techniques in pediatric anesthesia.
- Cote C.J. (1999):** Preparation, premedication and induction of anesthesia in children. *American Society of Anesthesiologist Annual Refresher Courses Lectures.* 331: 1-6.
- Cote C.J.(1991):** Blood, colloid and crystalloid therapy. *Anesthesiology clinics.* 9: 4: 865-881.

- Cote C.J.; Zaslavsky A.; Downes J.J. and Others (1995) :** Post-operative apnea in former preterm infants after inguinal herniorrhaphy, a combined analysis. *Anesthesiology*. 82: 809.
- Dabbagh S.; Ellis D. and Gruskin A.B. (1996) :** Regulation of fluids in infants and children. In Motoyama EK, Davis PJ editors. *Smith's Anesthesia for infants and children*. 6th ed., Mosbey Year Book.
- Davies H.; Kitchman R.; Gordon I. and Helms P. (1985):** Regional ventilation in infancy : reversal of adult pattern. *N. Eng. J. Med.* 313: 1626.
- Davis P.J.; Ross A.K.; Henson L.G. and Others (1997):** Remifentanyl pharmacokinetics in neonates. *Anesth. Analg.* 87: A1064.
- Denisson P.A.F. and Wierda J.M.K.H. (1994) :** Rocuronium bromide investigators workshop. *Euro. J. Anesth.* 11: 1-139.
- Dierdorf S.F. and Kirishna G. (1981):** Anesthetic management and neonatal surgical emergencies. *Anesth. Analg.* 60: 294.
- Dubreuil M.; Laffon M.; Plaud B. and Others (1993):** Complications and fiberoptic assessment of size 1 laryngeal mask airway. *Anesth. Analg.* 76: 527-529.
- Emerson B.M.; Wrigley S.R. and Newton M. (1998):** Pre-operative fasting for pediatric anesthesia. A survey of current practice. *Anesthesia*. 53: 4, 326-30.
- Emmanouilides G.C.; Reimenschneider T.A.; Allen H.D.; Gutgesell H.P. (eds) (1995):** Moss and Adam's heart disease in infants, children and adolescents, 5th ed., p. 1154-1171. Baltimore, William's and Wilkins.

- Fahnensich H.; Steffan J.; Kau N. and Bartman P. (2000) :** Fentanyl-induced chest wall rigidity and laryngeospasm in term and preterm infants. *Crit. Care. Med.* 28(3): p. 836-839.
- Farrell P.M. and Avery M.E. (1975):** Hyaline membrane disease. *Am. Rev. Resp. Dis.* 630: 657.
- Fishman A.P. (1986):** Pulmonary circulation. *Handbook of physiology.* American Physiological Society. P. 131.
- Fletcher M.; Ewert M.; Stark C. and Others (1990) :** Influence of tidal volume on respiratory compliance in anesthetized infants and young children. *J. Appl. Physiol.* 68: 1127.
- Frawly G.P. and Carden J.R. (1994):** Suxamethonium-induced prolonged apnea in a premature neonate. *Anesth. Intens. Care.* 22: 192-200.
- Freedom R.M.; Benson L.N. and Smallhorn J.F. (eds) (1992):** Neonatal heart disease, London. Springer-Verlag.
- Freeman N.V.; Burge D.M.; Griffiths M. Malrone P.S.J. (1994) :** Gastrointestinal system. In *Surgery of the Newborn.* Churchill Livingstone.
- Frumiento C.; Abajian J.C. and Vane D.W. (2000) :** Spinal anesthesia for preterm infants undergoing inguinal hernia repair. *Arch. Surg.* 135(4): 445-51.
- Furman E.B. (1987):** Pediatric fluid management during anesthesia. *ASA. Refresher course lectures.* P. 226.
- Ganong W.F. (1983):** Circulation through special regions. *Review of medical physiology.* 11th edition. 32: 488.

- Gerdes J.; Gerdes M.; Beaumont E. and Others (1995) :** Health and neurodevelopmental outcome at 1yr adjusted age in 508 infants weighing 700-1100g who received prophylaxis with one versus three doses of synthetic surfactant. *J. Pediatr.* 126(5): S26.
- Glotzbach S.F.; Tansey P.A.; Baldwin R.B. and Ariagno R.L. (1989) :** Periodic breathing in pre-term infants : influence of bronchopulmonary dysplasia and theophylline. *Pediatr. Pulmonol.* 7: 78.
- Goldsmith A.L. and Lewis I.H. (1996):** Apparatus for ETCO₂ measurement for neonatal anesthesia. *Pediatr. Anesth.* 6(1): 80.
- Goudsouzian N.G. (1993):** Muscle relaxants in children in Cote CJ, Ryan JF, Todres, ID et al. (editors) : A practice of anesthesia for infants and Children. Philadelphia. PA, Saunders 2nd edition. P. 151-170.
- Gregory G.A. (eds) (1994):** Pediatric anesthesia, 3rd edition. P. 432-443. New York. Churchill Livingstone.
- Gronert B.J. and Brandom B.W. (1994):** Neuromuscular blocking drugs in infants and children. *Pediatr. Clin. North. Am.* 41: 73.
- Guay J.; Gaudreault P. and Tang A. (1992):** Pharmacokinetics of sufentanil in normal children. *Can J. Anesth.* 39: 14.
- Gutierrez-Mazorra J.F. (1987) :** Neonatal anesthesia. *Pediatrics.* 80(3): 446.
- Guyton A.C. (2001):** Fetal and neonatal physiology. In Guyton AC, and Hall J.F. (eds). Text Book of medical physiology. Philadelphia. W.B. Saunders Company. 83: 932-934.
- Hall S.C. (1996):** Pediatric surgical emergencies. American Society of Anesthesiologists. Annual Refresher Course Lectures 116: 1-7.

- Hall S.C. (1999):** The child with a difficult airway : Recognition and management. American Society of Anesthesiologists Annual Refresher Courses Lecture. 173: 1-6.
- Halprin D.L.; Koren G. and Attias D. (1989):** Topical skin anesthesia for venous, subcutaneous drug reservoir and lumbar punctures in children. Pediatrics. 84: 281.
- Hannallah R.S.; Baker S.B.; Casey W. et al. (1991):** Propofol : effective dose and induction characteristics in unpremedicated children. Anesthesiology. 74: 217.
- Hanning C.D. (1996_a):** Respiratory physiology. In : Aitkenhead AR, Smith G, editors. Textbook of Anesthesia. 3rded. Churchill Livingstone.
- Hanning C.D. (1996_b):** Cardiovascular physiology. In : Aitkenhead AR, Smith G, editors. Textbook of Anesthesia. 3rded. Churchill Livingstone.
- Henderson L. and Smart D.J. (1992):** In Robertson N.R.C. (ed). Textbook of neonatology. 2nd edition. Churchill. Livingstone. Edinburgh. London. 21: 349.
- Hendman J.G. and Limbird L.E. (eds) (1996):** Goodman and Gilman's the pharmacological basis of therapeutics. 9th ed., New York. McGraw Hill.
- Holms B.A. (1993):** Surfactant replacement therapy. New levels of understanding. Am. Rev. Respir. Dis. 148: 834.
- Karl H.W.; Keifer A.T. and Rosenberger J.L. (1992):** Comparison of the safety and efficacy of intranasal midazolam or sufentanil for preinduction of anesthesia in pediatric patients. Anesthesiology. 76: 209.

- Kart T.; Christrup L.L. and Rasmussen M. (1997) :** Recommended use of morphine in neonates, infants and children based on a literature review- pt. 1. Pharmacokinetics. *Pediatr. Anesth.* 7: 5-11.
- Katz J.; Benumof J.L. and Kadis L.B. (eds) (1990):** Anesthesia and uncommon diseases, 3rd ed., p. 443-444. Philadelphia. WB Saunders.
- Kaufman T.M. and Rudolf A.M. (1988) :** The effect of heart rate on the atrial contribution to stroke volume in newborn and one month old lambs. *Pediatr. Res.* 24: 434A.
- Kenny J.; Plappert T.; Doubliet P. and Others (1987) :** Effect of heart rate on ventricular size, stroke volume and output in normal human fetus: A prospective Doppler Echocardiographic study. *Circulation.* 76: 52.
- Kingston H.G.G.; Kendrick A.; Sommer K.M. et al. (1990) :** Binding of thiopental in neonatal serum. *Anesthesiology.* 72: 428, 431.
- Kinsella J.P. and Abman S.H. (1995):** Recent developments in the pathophysiology and treatment of persistent pulmonary hypertension of the newborn. *J. Pediatr.* 126(6): 853.
- Kirpalani H.; Kechagias S. and Lerman J. (1991):** Technical and clinical aspects of capnography in neonates. *J. Med. Eng. Technol.* 15: 154-161.
- Kong A.S.; Brennan L.; Bingham R. and Morgan-Hughes J. (1992):** An audit of induction of anesthesia in neonates and small infants using pulse oximetry. *Anesthesia* 47(10): 896-9.
- Krane E.J.; Haberkern C.M. and Jacobson L.E. (1995):** Post-operative apnea, bradycardia and oxygen desaturation in formerly premature infants: Prospective comparison of spinal and general anesthesia. *Anesth. Analg.* 80: 7-13.

- Krishna G. and Emhardt J.D. (1992):** Anesthesia for the newborn and ex-premature infant. *Semin Pediatr. Surg.* 1 (1): 32-44.
- Lake C.L. (editor) (1998) :** Pediatric Cardiac Anesthesia, 3rd ed. Stamford CT, Appleton and Lange.
- Largercrantz H. (1987):** Neuromodulators and respiratory control in the infant. *Clinics in Perinatology.* 14: 683.
- Larsson B.A. (1999) :** Pain management in neonates. *Acta. Pediatr.* 88(12): 1301-10.
- Larsson B.A.; Lonnqvist P.A. and Olsson G.L. (1997) :** Plasma concentrations of bupivacaine in neonates after continuous epidural infusion. *Anesth. Analg.* 84: 501-505.
- Ledez K.M. and Lerman J. (1987):** The minimum alveolar concentration (MAC) of isoflurane in preterm neonates. *Anesthesiology.* 67: 301.
- Lee J.D.; Tajimi T.; Patritta J. and Ross J. (1986):** Preload reserve and mechanisms of afterload mismatch in the normal conscious dog. *Am. J. Physiol.* 250: H464.
- Leick- Rude M.K. and Bloom L.F. (1998) :** A comparison of temperature-taking methods in neonates. *Neonatal Network.* 17: 5.
- Lerman J. (1992):** Pharmacology of inhalational anesthetics in infants and children. *Pediatr. Anesth.* 2: 191-203.
- Lerman J. (1994):** Pharmacokinetics of inhalational anesthetics. In Bowdle. TA, Horita A, Kharash ED(editors) : The pharmacologic basis of anesthesiology. New York. Churchill Livingstone.

- Lerman J.; Sikich N.; Kleinman S. and Others (1994):** The pharmacology of sevoflurane in infants and children. *Anesthesiology*. 80: 814.
- Levick J.R. (1991):** An introduction to cardiovascular physiology. Butterworths. London.
- Liggins G.C. and Howie R.N. (1982):** A controlled trial of antipartum glucocorticoid treatment for prevention of respiratory distress syndrome in premature infants. *Pediatrics*. 50: 515.
- Litman R.S. and Keon T.P. (1991) :** Post intubation croup in children. *Anesthesiology*. 75: 1122.
- Mahdavi V.; Izumo S. and Nadal-Ginard B. (1987) :** Developmental and hormonal regulation of sarcomeric myosin heavy chain gene family. *Circ. Res.* 60: 804.
- Malhotra V. (1998) :** Pyloric stenosis in Yao FSF, Artusio JF Jr. (editors): *Anesthesiology problem oriented and patient management*. 4th edition. Lippincott-Raven.
- Malviya S.; Swartz J. and Lerman J. (1993):** Are all preterm infants younger than 60 weeks post conceptual age at risk for post-operative apnea? *Anesthesiology*. 78: 1076.
- Marhofen P.; Krenn C.G.; Plchl W.; Glaser C. and Others (2000) :** S(+) Ketamine for caudal block in pediatric anesthesia. *Br. J. Anesth.* 84(3): 341-5.
- Martin L.W. and Torres A.M. (1985):** Omphalocele and gastroschisis. *Surg. Clin. North. Am.* 65: 1235.
- McIntosh N. (1997) :** Pain in the newborn, a possible new starting point. *Eur. J. of Pediatr.* 156: 173-177.

- Mellor D.J. and Lerman J. (1998) :** Anesthesia for neonatal surgical emergencies. *Semin Perinatol.* 22(5): 363-379.
- Miller B.R. and Friesen R.H. (1988) :** Oral atropine premedication in infants attenuates cardiovascular depression during halothane anesthesia. *Anesth. Analg.* 67: 180.
- Miller R.D.; Robbins T.O.; Tong M. and Barrton S.L. (1971):** Coagulation defects associated with massive blood transfusion. *Ann. Surg.* 174: 794.
- Mirro R.; Milley J.R. and Holzman J.R. (1985):** The effects of sodium nitroprusside on blood flow and oxygen delivery to the organs of a hypoxemic newborn lamb. *Pediatr. Res.* 19: 15.
- Motoyama E.K. (1996):** Respiratory physiology in infants and children in motoyama EK, Davis PJ editors. *Smith's anesthesia for infants and children.* 6th ed. Mosbey Year Book.
- Muhiudeen I.A.; Roberson D.A.; Silverman M.H. and Others (1992):** Intraoperative echocardiography for evaluation of congenital heart defects in infants and children. *Anesthesiology.* 76: 165.
- Nakayama D.K.; Mutich R.; Rowe M.I. and Notoyama E.K. (1989) :** Pulmonary function following primary closure of abdominal wall defects in the newborn and its improvement with bronchodilators. *Surgical form.* 40: 571.
- Nelson W.E.; Behrman R.E.; Kleigman R.M. et al. (eds) (1996):** Nelson textbook of pediatrics. 15th ed. P. 1060-1062. Philadelphia WB Saunders.
- Nishino T.; Yonezawa T. and Honda Y. (1981) :** Modification of laryngospasm in response to changes in PaCO₂ in cats. *Anesthesiology.* 60: 19.

- Oberlander T.F.; Berde C.B.; Lam K.H.; Rappaport L.A. and Saul J.P. (1995):** Infants tolerate spinal anesthesia with minimal overall autonomic changes : analysis of heart rate variability in former premature infants undergoing hernia repair. *Anesth. Analg.* 80: 20-27.
- Owens M.E. (1984) :** Pain in infancy : conceptual and methodological issues. *Pain.* 20: 213-230.
- Ozaki M.; Kurz A.; Sessler D.I. and Others (1994):** Thermoregulatory thresholds during spinal and epidural anesthesia. *Anesthesiol.* 81: 282.
- Papastamelos C.; Panitch H.; England S. and Allen J. (1994):** Developmental changes in chest wall compliance in early children. *Am. J. Respir. Crit. Care Med. (Abstract)* 149(4): 36.
- Pasquariello C.A. and Schwartz R.E. (1993):** Plasma cholinesterase deficiency in a neonate. *Can J. Anesth.* 40: 529-31.
- Payne K.A. and Moore S.W. (1994):** Subarachnoid microcatheter anesthesia in small children. *Reg. Anesth.* 19: 237-242.
- Poets C.F.; Stebbens V.A.; Alexander J.R. and Others (1992):** Arterial oxygen saturation in preterm infants at discharge from the hospital and 6 weeks later. *J. Pediatr.* 120: 447.
- Polk D.H. (1991) :** Disorders of carbohydrate metabolism. In : Taeusch WH. Ballard R.A. Avery M.E. (editors): *Diseases of the newborn.* Philadelphia. WB Saunders. P. 965-71.
- Reeves S.T.; Bun N. and Smith C.D. (1995):** Is it time to evaluate airway management of TEF? *Anesth. Analg.* 81: 866-869.

- Reisine T. and Pasternack G. (1996):** Opioid analgesics and antagonists. In Goodman and Gilman's: The Pharmacological Basis of Therapeutics. P. 521-556. 9th edition. New York. McGraw Hill.
- Rice L.J. (1996):** Regional anesthesia and analgesia. In Motoyama EK, Davis PJ (editors) : Smiths Anesthesia for infants and children. 6th edition. Mosbey Year Book.
- Rice L.J. (1999) :** Practical pediatric regional anesthesia. American Society of Anesthesiologists. Annual Refresher Courses Lecture. 262: 1-8.
- Rice L.J. and Baker S.B. (1993):** Congenital diaphragmatic hernia : does extracorporeal membrane oxygenation (Ecmo) improve survival? Pdiatr. Anesth. 3: 205.
- Rigatto H. (1992):** Maturation of breathing control in the fetus and newborn infant. In Beckman RC. Broullette RT. Hunt CE Editors. Respiratory control disorders in infants and children. Baltimore. Williams and Wilkins.
- Rogers M.C.; Covino B.G.; Tinker J.H. et al. (eds) (1993):** Principles and practice of anesthesiology. P. 1978-1984. St. Louis. Mosbey Year Book.
- Rudolf A.M. (1995):** Fetal circulation and cardiovascular adjustments after birth. In Rudolf AM, editor : Pediatrics. Ed. 1220. East Norwalk CT. Appleton and Lange.
- Sessler D.I. (1993):** Peri-anesthetic thermoregulation and heat balance in humans. Faseb. J. 7: 638.
- Sessler D.I.; McGuire J.; Hynson J. and Others (1992):** Thermoregulatory vasoconstriction during isoflurane anesthesia minimally decreases cutaneous heat loss. Anesthesiology. 76: 670.

- Shah N.; Jacob T.; Exler R. and Others (1994):** Inhaled nitric oxide in congenital diaphragmatic hernia. *J. Pediatr. Surg.* 29: 1010.
- Spear R.M. (1992):** Anesthesia for premature and term infants. Perioperative implications. *J. Pediatr.* 120: 2(pt1): 165-176.
- Spears R.S. Jr.; Yeh A.; Fisher D.M. and Zwoss M.S. (1991):** the "educated hand" can anesthesiologists assess changes in neonatal pulmonary compliance manually? *Anesthesiology* 75: 693.
- Srang L.B. (1977):** Growth and development of lung. *Am. Rev. Physiol.* 39: 523.
- Steven J.M. and Downes J.J. (1995):** Neonatal anesthesia. In Healy TEJ. Cohen PJ. (editors) : *Wylie-A practice of Anesthesia*. 6th edition. Edward Arnold.
- Steven J.M.; Cohen D.E. and Sciabassi R.J. (1996):** Anesthesia equipment and monitoring in motoyama EK. Davis PJ (editors): *Smith's anesthesia for infants and children*. 6th edition. Mosbey Year-Book.
- Stevens B.; Johnston C.; Petryshen P. and Taddio A. (1996):** Premature infant pain profile : development and initial validation. *Clin. J. Pain.* 12: 13-22.
- Steward D.J. (1982):** Preterm infants are more prone to complications following minor surgery man are term infants. *Anesthesia*. 56: 304-304.
- Strafford M.A. (1996):** Cardiovascular physiology. In Motoyama EK, Davis PJ editors. *Smith's anesthesia for infants and children*. 6th ed. Mosbey Year Book.

- Suresh S. and Anand K.J. (1998) :** Opioid tolerance in neonates : mechanisms diagnosis assessment and management. *Semin Perinatol.* 22:5. 425-33.
- Tashiro C.; Matsui Y.; Nakano S. and Others (1991):** Respiratory outcome in extremely premature infants following ketamine anesthesia. *Can J. Anesth.* 38 (3: 287-91).
- Thach B.T. (1992):** Neuromuscular control of upper airway. In Beckman RC. Brouillette RT, Hunt CE editors. *Respiratory control disorders in infants and children.* Baltimore. Williams and Wilkins.
- Thorsteinsson A.; Larsson A.; Jonmarker C. and Werner O. (1994):** Pressure volume relations of the respiratory system in health children. *Am. J. Respir. Crit. Care Med.* 150: 421.
- Tjan J. (1998) :** Intestinal obstruction. In Yao F'S, Artusio JF Jr., editors : *Anesthesiology problem oriented and patient management.* 4th ed. Lippincott-Raven.
- Tobias J.D.; Rasmussen G.E.; Holcomb III G.W.; Brock JW III and Morgan W.M. III (1996):** Continuous caudal anesthesia with chloroprocaine as an adjunct to general anesthesia in neonates. *Can. J. Anesth.* 43(1): 69-72.
- Topkins M.J. (1998):** Tracheo-esophageal fistula. In Yao FSF. Artusio JF. Jr., editors : *Anesthesiology problem oriented and patient management.* 4th ed. Lippincott. Raven.
- Van D.W.; Abajian J.C. and Hong A.R. (1994):** Spinal anesthesia for primary repair of gastroschisis : a new safe technique for selected patients. *J. Pediatr. Surg.* 29: 1234.

- Van Lingen R.A.; Deinum J.T.; Quak J.M. and Others (1999):** Pharmacokinetics and metabolism of rectally administered paracetamol in pre-term neonates. Arch Dis. Child. Fetal. Neonat Ed. 80: F59-F63.
- Wagner P.D. (1988):** Diffusion, diffusing capacity and chemical reactions. In Fishman AP editor: Pulmonary diseases and disorders. New York. McGraw Hill Book Co.
- Wark H.; Earl J.; Chau D.D. and Others (1990):** Halothane metabolism in children. Br. J. Anesth. 64: 474-81.
- Watcha M.F.; Bras P.J.; Cieslak G.D. and Pennant J.H. (1995):** The dose-response relationship of ondansetron in preventing post-operative emesis in pediatric patients undergoing ambulatory surgery. Anesthesiology. 82: 47.
- Watcha M.F.; Simeon R.M.; White P.F. and Stevens J.L. (1991):** Effect of propofol on the incidence of postoperative vomiting after strabismus surgery in pediatric outpatients. Anesthesiology. 75: 204.
- Webster A.C. (1995):** Lumbar epidural anesthesia for inguinal hernia repair in conscious high-risk neonates. American Society of Regional Anesthesia Annual Meeting.
- Welsh G. and Loscalzo J. (1994):** Collective review : Nitric oxide and cardiovascular system. J. Card. Surg. 9: 361.
- West J.B. (2000):** Ventilation, blood flow and gas exchange. In Murray JF, Nadel JA Editors. Textbook of respiratory medicine. 3rd ed., Philadelphia. WB Saunders.
- Westrin P. (1991):** The induction dose of propofol in infants 1-6 months of age and in children 10-16 years of age. Anesthesiology. 74: 445.

- Williams R.K.; McBride W.J. and Abajian J.C. (1997):** Combined spinal epidural anesthesia for major abdominal surgery in infants. *Can J. Anesth.* 44(5): 511-514.
- Winters R.W. (1973):** Maintenance fluid therapy. In Winters RW, editor: the body fluids in pediatrics. Boston. Little. Brown and Co.
- Wray Roth D.L. (1998):** Transposition of the great arteries. In Yao FSF Artusio JF. Jr. (editors): Anesthesiology problem oriented and patient management. Lippincott-Raven Publishers. 4th ed.
- Wright T.E.; Orr R.J.; Haberkern C.M. and Walbergh E.J. (1990) :** Complications during spinal anesthesia in infants : high spinal blockade. *Anesthesiology.* 73: 1290-1292.
- Yao F.S.F. and Kelly R.E. (1998):** Patent ductus arteriosus and prematurity. In Yao FSF. Artusio JF Jr. editors: anesthesiology problem oriented and patient management. 4th ed. Lippincott-Raven.
- Yaster M.; Buck J.R.I. and Dudgean D.I (1988):** Haemodynamic effects of primary closure of amphotocoele/gastroschisis in human newtorns. *Anesthesiology.* 69: 84.
- Zepletal A.; Samanek M. and Paul T. (1987):** Lung function in children and adolescents : Methods, reference values. New York. Karger.
- Zwissler B.; Rank N.; Jaenicke U. and Others (1995):** Selective pulmonary vasodilation by inhaled prostacyclin in newborn with congenital heart disease and cardiopulmonary bypass. *Anesthesiology.* 82: 1512.